



# Microsoft

## Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 2)

You are implementing the virtual network requirements for VM Analyze.

What should you include in a custom route that is linked to Subnet2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Address prefix:

▼

0.0.0.0/0

0.0.0.0/32

10.1.0.0/16

255.255.255.255/0

255.255.255.255/32

Next hop type:

▼

None

Internet

Virtual appliance

Virtual network

Virtual network gateway

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

NEW QUESTION 2

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 3

- (Exam Topic 1)

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements. What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

Answer: A


Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-service-endpoints-overview>


NEW QUESTION 4

- (Exam Topic 3)


You have two Azure subscriptions named Subscription1 and Subscription2. There are no connections between the virtual networks in two subscriptions. You configure a private link service as shown in the privatelinkservice1 exhibit. (Click the privatelinkservice1 tab.)



You create a load balancer name in Subscription1 and configure the backend pool shown in the lb1 exhibit. (Click tie 1b1 tab.)



You create a private endpoint in Subscription2 as shown in the privateendpoint4 exhibit. (Click the privateendpoint4)



For each of the following statements, select YES if the statement is true. Otherwise. select No.

Statements	Yes	No
The resources that will be accessed by using privatelinkservice1 must be added to backendpool1 on LB1.	<input type="radio"/>	<input type="radio"/>
Users in Subscription2 can connect to the resources published by privatelinkservice1 by using IP address 10.3.0.7.	<input type="radio"/>	<input type="radio"/>
The private endpoint must be approved by an administrator in Subscription1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Yes, Yes, No

**NEW QUESTION 5**

- (Exam Topic 3)

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The subscription contains the following resources:

- \* An Azure App Service app named App1
- \* An Azure DNS zone named contoso.com
- \* An Azure private DNS zone named private.contoso.com
- \* A virtual network named Vnet1

You create a private endpoint for App1. The record for the endpoint is registered automatically in Azure DNS. You need to provide a developer with the name that is registered in Azure DNS for the private endpoint.

What should you provide?

- A. app1.privatelink.azurewebsites.net
- B. app1.contoso.com
- C. app1.contoso.onmicrosoft.com
- D. app1.private.contoso.com

**Answer:** A

**NEW QUESTION 6**

- (Exam Topic 3)

You fail to establish a Site-to-Site VPN connection between your company's main office and an Azure virtual network.

You need to troubleshoot what prevents you from establishing the IPsec tunnel. Which diagnostic log should you review?

- A. IKEDiagnosticLog
- B. GatewayDiagnosticLog
- C. TunnelDiagnosticLog
- D. RouteDiagnosticLog

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics> IKEDiagnosticLog = The IKEDiagnosticLog table offers verbose debug logging for IKE/IPsec. This is very useful to review when troubleshooting disconnections, or failure to connect VPN scenarios.

GatewayDiagnosticLog = Configuration changes are audited in the GatewayDiagnosticLog table. TunnelDiagnosticLog = The TunnelDiagnosticLog table is very useful to inspect the historical connectivity statuses of the tunnel.

RouteDiagnosticLog = The RouteDiagnosticLog table traces the activity for statically modified routes or routes received via BGP.

P2SDiagnosticLog = The last available table for VPN diagnostics is P2SDiagnosticLog. This table traces the activity for Point to Site.

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

**NEW QUESTION 7**

- (Exam Topic 3)

You have an Azure subscription that contains a single virtual network and a virtual network gateway.

You need to ensure that administrators can use Point-to-Site (P2S) VPN connections to access resources in the virtual network. The connections must be authenticated by Azure Active Directory (Azure AD).

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Azure AD configuration:	<div><div>An access package</div><div>A conditional access policy</div><div>An enterprise application</div><div>A VPN certificate</div></div>
P2S VPN tunnel type:	<div><div>IKEv2</div><div>IKEv2 and SSTP (SSL)</div><div>OpenVPN (SSL)</div><div>SSTP (SSL)</div></div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



### Answer Area

Azure AD configuration:

- An access package
- A conditional access policy
- An enterprise application
- A VPN certificate**

P2S VPN tunnel type:

- IKEv2
- IKEv2 and SSTP (SSL)**
- OpenVPN (SSL)
- SSTP (SSL)

### NEW QUESTION 8

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that provides access to the following hosts:

- \* www.adatum.com
- \* www.contoso.com
- \* www.fabrikam.com

AppGW1 has the listeners shown in the following table.

Name	Frontend IP address	Type	Host name
Listen1	Public	Multi site	www.contoso.com
Listen2	Public	Multi site	www.fabrikam.com
Listen3	Public	Multi site	www.adatum.com

You create Azure Web Application Firewall (WAF) policies for AppGW1 as shown in the following table.

Name	Policy mode	Custom rule		
		Priority	Condition	Association
Policy1	Prevention	50	If IP address does contain 131.107.10.15 then deny traffic.	Application gateway: AppGW1
Policy2	Detection	10	If IP address does contain 131.107.10.15 then allow traffic.	HTTP listener: Listen1
Policy3	Prevention	70	If IP address does contain 131.107.10.15 then allow traffic.	HTTP listener: Listen2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
From 131.107.10.15, you can access www.contoso.com	<input type="radio"/>	<input type="radio"/>
From 131.107.10.15, you can access www.fabrikam.com	<input type="radio"/>	<input type="radio"/>
From 131.107.10.15, you can access www.adatum.com	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

Graphical user interface Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/per-site-policies>

### NEW QUESTION 9

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- \* A virtual network named Vnet1
- \* A subnet named Subnet1 in Vnet1
- \* A virtual machine named VM1 that connects to Subnet1
- \* Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG). You configure a service tag for MicrosoftStorage and link the tag to Subnet1.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### NEW QUESTION 10

- (Exam Topic 3)


Your company has 10 instances of a web service. Each instance is hosted in a different Azure region and is accessible through a public endpoint.

The development department at the company is creating an application named App1. Every 10 minutes, App1 will use a list of end points and connect to the first available endpoint.

You plan to use Azure Traffic Manager to maintain the list of endpoints.

You need to configure a Traffic Manager profile that will minimize the impact of DNS caching. What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**



- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-routing-methods> <https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-endpoint-types>

#### NEW QUESTION 10

- (Exam Topic 3)

You have an Azure subscription that contains the following resources:

- > A virtual network named Vnet1
- > Two subnets named subnet1 and AzureFirewallSubnet
- > A public Azure Firewall named FW1
- > A route table named RT1 that is associated to Subnet1
- > A rule routing of 0.0.0.0/0 to FW1 in RT1

After deploying 10 servers that run Windows Server to Subnet1, you discover that none of the virtual machines were activated.

You need to ensure that the virtual machines can be activated. What should you do?

- A. On FW1, create an outbound service tag rule for AzureCloud.
- B. On FW1, create an outbound network rule that allows traffic to the Azure Key Management Service (KMS).
- C. Deploy a NAT gateway.
- D. To Subnet1, associate a network security group (NSG) that allows outbound access to port 1688.

**Answer: B**

#### Explanation:

Reference:

<https://ryanmangansitblog.com/2020/05/11/firewall-considerations-windows-virtual-desktop-wvd/>

#### NEW QUESTION 15

- (Exam Topic 3)

You have five virtual machines that run Windows Server. Each virtual machine hosts a different web app. You plan to use an Azure application gateway to provide access to each web app by using a hostname of

www.contoso.com and a different URL path for each web app, for example: <https://www.contoso.com/app1>.

You need to control the flow of traffic based on the URL path. What should you configure?

- A. rules
- B. rewrites
- C. HTTP settings
- D. listeners

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/url-route-overview>

**NEW QUESTION 16**

- (Exam Topic 3)

Your company has an on-premises network and three Azure subscriptions named Subscription1, Subscription2, and Subscription3.

The departments at the company use the Azure subscriptions as shown in the following table.

Department	Subscription
IT	Subscription1
Research	Subscription1
Development	Subscription2
Testing	Subscription2
Distribution	Subscription3

All the resources in the subscriptions are in either the West US Azure region or the West US 2 Azure region. You plan to connect all the subscriptions to the on-premises network by using ExpressRoute.

What is the minimum number of ExpressRoute circuits required?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-introduction>

**NEW QUESTION 20**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- \* A virtual network named Vnet1
- \* A subnet named Subnet1 in Vnet1
- \* A virtual machine named VM1 that connects to Subnet1
- \* Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 24**

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address.

You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal.

You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?

- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

**Answer:** A

**NEW QUESTION 27**

- (Exam Topic 3)

You are configuring two network virtual appliances (NVAs) in an Azure virtual network. The NVAs will be used to inspect all the traffic within the virtual network.

You need to provide high availability for the NVAs. The solution must minimize administrative effort. What should you include in the solution?



- A. Azure Standard Load Balancer
- B. Azure Traffic Manager
- C. Azure Application Gateway
- D. Azure Front Door

Answer: A

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/dmz/nva-ha?tabs=cli>

NEW QUESTION 30

- (Exam Topic 3)

You have an Azure virtual network and an on-premises datacenter. You need to implement a Site-to-Site VPN connection between the datacenter and the virtual network. Which two resources should you create? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Firewall
- C. a local network gateway
- D. Azure Web Application Firewall (WAF)
- E. an on-premises data gateway
- F. an Azure application gateway
- G. a user-defined route

Answer: AC

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/vpn-gateway/tutorial-site-to-site-portal>

NEW QUESTION 31

- (Exam Topic 3)

FirewallPolicy1 contains the following rules:

- Allow outbound traffic from Vnet1 and Vnet2 to the internet.
- Allow any traffic between Vnet1 and Vnet2.

No custom private endpoints, service endpoints, routing tables, or network security groups (NSGs) were created. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
A routing table must be associated with Subnet1 and Subnet2 to ensure that all internet traffic for VM1 and VM2 is sent via Firewall1.	<input type="radio"/>	<input type="radio"/>
The enable remote gateway setting must be enabled on the virtual net peering to provide VM2 Internet access by using Firewall1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
A routing table must be associated with Subnet1 and Subnet2 to ensure that all internet traffic for VM1 and VM2 is sent via Firewall1.	<input checked="" type="radio"/>	<input type="radio"/>
The enable remote gateway setting must be enabled on the virtual net peering to provide VM2 Internet access by using Firewall1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 34

- (Exam Topic 3)

You have an Azure virtual network that contains a subnet named Subnet1. Subnet1 is associated to a network security group (NSG) named NSG1. NSG1 blocks all outbound traffic that is not allowed explicitly. Subnet1 contains virtual machines that must communicate with the Azure Cosmos DB service. You need to create an outbound security rule in NSG1 to enable the virtual machines to connect to Azure Cosmos DB. What should you include in the solution?

- A. a service tag

- B. a private endpoint
- C. a subnet delegation
- D. an application security group

Answer: A

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/virtual-network/service-tags-overview>

NEW QUESTION 36

- (Exam Topic 3)  
You have two Azure virtual networks named Hub1 and Spoke1. Hub1 connects to an on-premises network by using a Site-to-Site VPN connection. You are implementing peering between Hub1 and Spoke1. You need to ensure that a virtual machine connected to Spoke1 can connect to the on-premises network through Hub1. How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

Values

-AllowForwardedTraffic

-AllowGatewayTransit

-UseRemoteGateways

Answer Area

```
$hub = Get-AZVirtualNetwork -ResourceGroup "RG1" -Name "Hub1"

$spoke = Get-AZVirtualNetwork -ResourceGroup "RG2" -Name "Spoke1"

Add-AZVirtualNetworkPeering -Name "Hub1-Spoke1" -VirtualNetwork $hub
    -RemoteVirtualNetworkId $spoke.id
    Value

Add-AZVirtualNetworkPeering -Name "Spoke1-Hub1" -VirtualNetwork $spoke
    -RemoteVirtualNetworkId $hub.id
    Value
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated  
Reference:  
<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/hub-spoke?tabs=>

NEW QUESTION 40

- (Exam Topic 3)  
You have an application named App1 that listens for incoming requests on a preconfigured group of 50 TCP ports and UDP ports. You install App1 on 10 Azure virtual machines. You need to implement load balancing for App1 across all the virtual machines. The solution must minimize the number of load balancing rules. What should you include in the solution?

- A. Azure Standard Load Balancer that has Floating IP enabled
- B. Azure Application Gateway V2 that has multiple listeners
- C. Azure Application Gateway v2 that has multiple site hosting enabled
- D. Azure Standard Load Balancer that has high availability (HA) ports enabled

Answer: A

NEW QUESTION 41

- (Exam Topic 3)  
You have an Azure Front Door instance that provides access to a web app. The web app uses a hostname of www.contoso.com. You have the routing rules shown in the following table.

Name	Path
RuleA	/abc/def
RuleB	/ab
RuleC	/*
RuleD	/abc/*

Which rule will apply to each incoming request? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

## Answer Area

www.contoso.com/abc/def

▼

RuleA

RuleB

RuleC

RuleD

www.contoso.com/default.htm

▼

RuleA

RuleB

RuleC

RuleD

www.contoso.com/abc/def/default.htm

▼

RuleA

RuleB

RuleC

RuleD

- A. Mastered  
 B. Not Mastered

**Answer:** A

### Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-route-matching>

## NEW QUESTION 43

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timeStamp": "2021-06-02T18:13:45+00:00",
  "resourceID": "/SUBSCRIPTIONS/489f2hht-se7y-987v-g571-463hw3679512/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP_CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of \\\\"pm AppleWebKit Android\\\\\\" against \\\\"REQUEST_HEADER:User-Agent\\\\\\" required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "appl.contoso.com",
    "transactionId": "f7546159yhjk7wall4568if513lt68h7",
    "policyId": "default",
    "policyScope": "Global",
    "policyScopeName": "Global"
  }
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You disable the WAF rule that has a ruleId of 920300. Does this meet the goal?

- A. Yes  
 B. No

**Answer:** A

## NEW QUESTION 48

- (Exam Topic 3)

You have the Azure environment shown in the Azure Environment exhibit. (Click the Azure Environment tab.) The settings for each subnet are shown in the following table.

Subnet	Service endpoint
Vnet1/Subnet1	Storage
Vnet1/Subnet2	Storage
Vnet2/Subnet1	None

The Firewalls and virtual networks settings for storage1 are configured as shown in the Storage1 exhibit. (Click the Storage1 tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM1 can access storage1.	<input type="radio"/>	<input type="radio"/>
VM2 can access storage1 by using a service endpoint.	<input type="radio"/>	<input type="radio"/>
VM3 can access storage1 by using the public IP address.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Graphical user interface, text, application Description automatically generated

NEW QUESTION 53

- (Exam Topic 3)  
You have an Azure subscription.  
You have the on-premises sites shown the following table.

Name	Number of users	Connection type to Azure
Site1	500	ExpressRoute
Site2	100	Site-to-Site VPN
Site3	1	Point-to-Site (P2S) VPN

You plan to deploy Azure Virtual WAN.  
You are evaluating Virtual WAN Basic and Virtual WAN Standard.  
Which type of Virtual WAN can you use for each site? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

Virtual WAN Basic:

Site2 only

Site3 only

Site2 and Site3 only

Site1, Site2, and Site3

Virtual WAN Standard:

Site1 only

Site1 and Site3 only

Site2 and Site3 only

Site1, Site2, and Site3

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:  
Reference:  
<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 58



- (Exam Topic 3)  
You have an Azure firewall shown in the following exhibit.







Firewall1


Firewall



>>

 Delete

 Lock

 Visit Azure Firewall Manager to configure and manage this firewall. →

^ Essentials

Resource group (change)

RG1

Location

North Europe

Subscription (change)

Subscription1

Subscription ID

489f2hht-se7y-987v-g571-463hw3679512

Virtual network

Vnet1

Firewall policy

FirewallPolicy1

Provisioning state

Succeeded

Tags (change)

Click here to add tags

Firewall sku

Standard

Firewall subnet

AzureFirewallSubnet

Firewall public IP

Firewall-IP1

Firewall private IP

10.100.253.4

Management subnet

Management public IP

Private IP Ranges

Managed by Firewall Policy

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

Answer Area

On Firewall1, forced tunneling [answer choice]

is enabled already

cannot be enabled

is disabled but can be enabled

On Firewall1, management by Azure Firewall Manager [answer choice]

is enabled already

cannot be enabled

is disabled but can be enabled

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1:

If forced tunneling was enabled, the Firewall Subnet would be named AzureFirewallManagementSubnet. Forced tunneling can only be enabled during the creation of the firewall. It cannot be enabled after the firewall has been deployed.

Box 2:

The “Visit Azure Firewall Manager to configure and manage this firewall” link in the exhibit shows that the firewall is managed by Azure Firewall Manager.

NEW QUESTION 62

- (Exam Topic 3)

You have an Azure Traffic Manager parent profile named TM1. TM1 has two child profiles named TM2 and TM3. TM1 uses the performance traffic-routing method and has the endpoints shown in the following table.

Name	Location
App1	North Europe
App2	East US
App3	Central US
TM2	West Europe
TM3	West US

TM2 uses the weighted traffic-routing method with MinChildEndpoint = 2 and has the endpoints shown in the following table.

Name	Location	Weight
App4	West Europe	99
App5	West Europe	1

TM3 uses priority traffic-routing method and has the endpoints shown in the following table.

Name	Location
App6	West US
App2	East US

The App2, App4, and App6 endpoints have a degraded monitoring status.

To which endpoint is traffic directed? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Answer Area

Traffic from West Europe:

▼

App1

App2

App4

App5

Traffic from West US:

▼

App1

App2

App3

App6

- A. Mastered  
B. Not Mastered

Answer: A

**Explanation:**

Diagram Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-nested-profiles>

Traffic from West Europe:

Based on TM1 table, West Europe will trigger TM2. However, as the MinChildEndpoint is set to 2, and App4 is degraded (down), the entire TM2 will not be considered available.

This goes back to the origin TM1 that uses performance traffic-routing method, which means the closest location is App1 and naturally be the next best performance instance.

Hence, Answer = App1

Traffic from West US:

Based on TM1 table, West US will trigger TM3. However, both App2 and App6 were degraded (down), so none of them can be considered.

This goes back to the original TM1 that uses performance traffic-routing method, from TM1, the other 2 US locations would be App2 and App3. But App2 we know it's already degraded (unavailable), hence the only option would be App3.

Answer = App3

**NEW QUESTION 65**

.....

## Relate Links

**100% Pass Your AZ-700 Exam with Examible Prep Materials**

<https://www.exambible.com/AZ-700-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>