

# VEEAM

## Exam Questions VMCE2021

Veeam Certified Engineer 2021



**NEW QUESTION 1**

- (Exam Topic 1)

Veeam ONE \_\_\_\_\_ can detect when a potential ransomware attack is happening and be configured to take mitigating actions.

- A. Reporting
- B. Alert Management
- C. Alarm Management
- D. Data Protection View

**Answer: C**

**Explanation:**

Veeam ONE can help notify you of suspicious activity in your datacenter through the Possible Ransomware Activity alarm. This alarm can be configured to take mitigating actions such as sending an email notification, running a script or creating a support case.

**NEW QUESTION 2**

- (Exam Topic 1)

At 18:00, after a Windows update installation, a VM is stuck in an infinite boot loop. The VM is configured as follows.

<b>Platform</b>	VMware vSphere
<b>Application</b>	SQL Server
<b>Disk 1 (OS)</b>	60 GB, CBT enabled
<b>Disk 2 (DATA)</b>	400 GB, CBT enabled

The last backup was created at 01:00. Choose the recovery approach that provides the lowest RTO with the least data loss.

- A. Instant VM Recovery with quick rollback
- B. Instant VM Recovery
- C. VM disk recovery with quick rollback of Disk 1
- D. Virtual disk restore of Disk 1

**Answer: D**

**Explanation:**

[https://helpcenter.veeam.com/archive/backup/110/vsphere/incremental\\_restore.html](https://helpcenter.veeam.com/archive/backup/110/vsphere/incremental_restore.html)

**NEW QUESTION 3**

- (Exam Topic 1)

What data sources can be connected to Veeam ONE? (Choose two.)

- A. Veeam Backup & Replication servers
- B. Microsoft Hyper-V servers
- C. Veeam Backup & Replication agents
- D. Microsoft Azure VMs
- E. Amazon Web Services EC2 instances

**Answer: AB**

**Explanation:**

[https://helpcenter.veeam.com/docs/one/deployment/connect\\_servers.html?ver=120](https://helpcenter.veeam.com/docs/one/deployment/connect_servers.html?ver=120)

**NEW QUESTION 4**

- (Exam Topic 1)

Veeam ONE has been installed and configured. The infrastructure contains five Veeam Backup & Replication servers.

The administrator needs to check the remaining capacity on each of the backup repository servers. Where can they see this information?

- A. Under Infrastructure View, look up the Veeam Backup & Replication servers to see the guest disk space.
- B. Under Data Protection View, look up the backup repository servers to see the remaining capacity.
- C. Under Business View, look up the backup repository servers to see the remaining capacity.
- D. Under Infrastructure View, look up the backup repository servers to see the guest disk space.

**Answer: B**

**Explanation:**

According to the Veeam ONE Reporting Guide<sup>1</sup>, you can use the Capacity Planning for Backup

Repositories report to analyze configuration and space usage on backup repositories and to forecast how many days remain before the repository reaches its full capacity.

You can also use the Backup Repository Summary dashboard<sup>2</sup> or the Backup Repositories Overview dashboard<sup>3</sup> to see details of performance, capacity and archive tiers for backup repositories.

**NEW QUESTION 5**

- (Exam Topic 1)

A planned failover of three VMs has just completed successfully, starting the VMs at the disaster recovery location. What next actions are available for the failover plan?

- A. Undo, Start, Copy, Delete
- B. Cancel, Start, Edit, Delete

- C. Cancel, Start, Copy, Delete
- D. Undo, Start, Edit, Delete

**Answer:** D

**Explanation:**

[https://helpcenter.veeam.com/archive/backup/110/vsphere/failover\\_plan\\_undo.html](https://helpcenter.veeam.com/archive/backup/110/vsphere/failover_plan_undo.html)

According to the Veeam Backup & Replication user guide<sup>1</sup>, a failover plan is a set of rules that defines how VMs must be failed over to their replicas<sup>1</sup>. You can create and run failover plans for regular replicas and CDP replicas<sup>1</sup>.

After you run a failover plan, you can perform the following actions on it<sup>2</sup>:

- Undo — reverts VMs in the failover plan back to their original state at the production site<sup>2e</sup>.
- Start — runs the failover plan again if you need to repeat the failover operation for some reason<sup>2n</sup>.
- Edit — modifies the settings of the failover plan, such as adding or removing VMs, changing their order or time delay<sup>1</sup>.
- Delete — removes the failover plan from Veeam Backup & Replication. This does not affect the VM replicas that are used by the plan<sup>1</sup>.

**NEW QUESTION 6**

- (Exam Topic 1)

A director in a business needs a folder of traffic photos restored from a Linux server. This machine sits on a VM backed up by Veeam Backup & Replication. The director wants the files restored to their original location and does not want to lose the original files. What functionality will be used to restore the folder using the Veeam Guest OS restoration wizard?

- A. Restore the files using the "Versioning" function
- B. Files will be prefixed with numbers (1-, 2-, 3-, etc.).
- C. Restore the files using the "Overwrite" function
- D. Original files will be renamed.
- E. Restore the files using the "Hold" function
- F. The director can then determine the status of the original and restored files.
- G. Restore the files using the "Keep" function
- H. Original files will be untouched

**Answer:** D

**Explanation:**


According to the Veeam Backup & Replication user guide<sup>1</sup>, you can use the Guest File Restore wizard to restore files and folders from VM guest OSes that run Linux or other non-Windows OSes<sup>2</sup>. The wizard allows you to choose how to handle situations when restored files already exist on the target location<sup>3</sup>.

Therefore, if you want to restore the folder of traffic photos to their original location and do not want to lose the original files, you should use the Keep function. This function will preserve original files on disk and will not overwrite them with restored files

**NEW QUESTION 7**

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.



**Edit Scale-out Backup Repository** [Close]

**Capacity Tier**  
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

**Name**

**Performance Tier**

**Placement Policy**

**Capacity Tier**

**Archive Tier**

**Summary**

**Extend scale-out backup repository capacity with object storage:**  
 Amazon S3 [Add...]

Define time windows when uploading to capacity tier is allowed [Window...]

**Copy backups to object storage as soon as they are created**  
 Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

**Move backups to object storage as they age out of the operational restore window**  
 Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than 21 days (your operational restore window) [Override...]

Edit Scale-out Backup Repository



**Archive Tier**

Specify object storage to archive your backup files to. This reduces your long-term retention costs, while increases restore time.

Name	<input type="checkbox"/> Archive GFS full backups to object storage:
Performance Tier	Amazon Glacier <input type="button" value="Add"/>
Placement Policy	Archive GFS backups older than 60 days <input type="button" value="Storage"/>
Capacity Tier	
<b>Archive Tier</b>	
Summary	

A daily VMware backup job retention is 31 days, keeping weekly GFS full backups for 14 weeks. It is Jan. 20. A file from a backup that occurred on Jan. 1 must be recovered. Where is the data?

- A. The archive tier
- B. The performance tier and the capacity tier
- C. The performance tier
- D. The capacity tier

**Answer: C**

**NEW QUESTION 8**

- (Exam Topic 1)

A physical Linux server protected by a centrally managed Veeam agent is physically damaged. A VMware vSphere infrastructure is available, and the physical server is eligible for virtualization. Which recovery step provides the lowest possible RTO?

- A. Use Instant VM Recovery to VMware vSphere.
- B. Use Instant Disk Recovery to VMware vSphere.
- C. Use Export Disk Content as Virtual Disk to create a new VM.
- D. Use Bare Metal Restore to VMware vSphere VM.

**Answer: A**

**Explanation:**

According to the Veeam Agent for Linux User Guide<sup>1</sup>, you can use the Restore volumes option to perform bare metal recovery of your computer. However, this option requires you to boot from the Veeam Recovery Media and may take some time to complete. Another option is to use Instant VM Recovery to VMware vSphere. This option allows you to run your Linux computer directly from a backup file as a VMware VM without restoring any data. This can significantly reduce your RTO and provide immediate access to your applications and data.

**NEW QUESTION 9**

- (Exam Topic 1)

For general data protection regulation (GDPR) compliance, Veeam can add a location tag to which component?

- A. Guest interaction proxies
- B. vCenter servers
- C. Cloud gateways
- D. WAN accelerators

**Answer: B**

**Explanation:**

[https://helpcenter.veeam.com/archive/backup/110/vsphere/locations\\_create.html](https://helpcenter.veeam.com/archive/backup/110/vsphere/locations_create.html)

**NEW QUESTION 10**

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.

Edit Scale-out Backup Repository X

 **Capacity Tier**  
 Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name	<input checked="" type="checkbox"/> Extend scale-out backup repository capacity with object storage:
Performance Tier	Amazon S3 <span style="float: right;">Add...</span>
Placement Policy	Define time windows when uploading to capacity tier is allowed <span style="float: right;">Window...</span>
<b>Capacity Tier</b>	<input type="checkbox"/> Copy backups to object storage as soon as they are created Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.
Archive Tier	<input checked="" type="checkbox"/> Move backups to object storage as they age out of the operational restore window Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.
Summary	Move backup files older than <input type="text" value="14"/> days (your operational restore window) <span style="float: right;">Override...</span>

12 VMware VMs are being backed up daily by a forward incremental backup job, which has a 31-day retention, creating synthetic fulls on Saturdays. After running for more than 31 days, which of the following would be accurate?

- A. Both the performance tier and capacity tier will contain all restore points.
- B. The performance tier will contain all restore point
- C. The capacity tier will contain zero restore points.
- D. The performance tier will contain the most recent 15 to 22 days of restore point
- E. The capacity tier will contain the oldest 14 days of restore points.
- F. The performance tier will contain the most recent 14 to 20 days of restore point
- G. The capacity tier will contain all restore points.

**Answer: C**

**NEW QUESTION 10**

- (Exam Topic 1)

A backup job is configured as follows.

<b>Mode</b>	Forward incremental with weekly synthetic full
<b>Start time</b>	Every day at 20:00
<b>Active full</b>	Sunday
<b>Restore points to keep</b>	14 restore points
<b>Time to finish job</b>	1 hour
<b>Job created</b>	Friday, 13:00

How many full and incremental restore points will be in a repository on day 16 at 23:00?

- A. 3 full and 14 incremental
- B. 2 full and 12 incremental
- C. 3 full and 15 incremental
- D. 1 full and 13 incremental

**Answer: B**

**NEW QUESTION 15**

- (Exam Topic 1)

In the war against ransomware, a company decided to implement tape backup for the first time. The tape library has already been added. Of the following, what must be done first?

- A. Create vaults.
- B. Create media pools.
- C. Create libraries.
- D. Create media sets.

**Answer: B**

**NEW QUESTION 17**

- (Exam Topic 1)

What does Veeam's Secure Restore functionality ensure during restores?


- A. 256-bit AES encryption of in-flight data
- B. Anti-virus scanning
- C. Custom ports for in-flight data
- D. Proper rights/permissions on files and folders

**Answer: B**

**NEW QUESTION 20**

- (Exam Topic 1)

Backup jobs are configured to local repositories. Backups must be sent from Site B to the repository on Site A. The connection allows direct backups to complete within the backup window. Impact on the source VMs at Site B should be minimized. Which type of job and Veeam components should be used to provide the necessary protection?



- A. A backup copy job and components 6 ? 5 ? 4 ? 3 ? 2
- B. A backup job and components 5 ? 2
- C. A backup copy job and components 6 ? 2
- D. A backup copy job and components 6 ? 4 ? 2

**Answer:** A

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_copy\\_path.html?ver=120](https://helpcenter.veeam.com/docs/backup/vsphere/backup_copy_path.html?ver=120)

**NEW QUESTION 25**

- (Exam Topic 1)

A Veeam administrator is creating a protection group that needs to back up all servers for the accounting department using Veeam Agent for Microsoft Windows. New accounting servers must be automatically added to the protection group. How is this accomplished?

- A. Create a protection group that reads a .csv file listing the accounting servers.
- B. Create a protection group and set it to automatically scan every three hours for new servers.
- C. Install a configuration file on each of the accounting servers that adds it to the protection group.
- D. Create an Active Directory based protection group targeted at an Active Directory security group.

**Answer:** D

**NEW QUESTION 28**

- (Exam Topic 2)

What is the purpose of scheduling a virtual Synthesized full backup for tape jobs?

- A. To be able to restore files and folders from tape
- B. To be able to create the synthetic full .vbk backup directly on tape
- C. To help save additional disk space on tape
- D. To avoid copying a full .vbk file to tape from the source reverse incremental backup Job

**Answer:** D

**NEW QUESTION 33**

- (Exam Topic 2)

You fail back a VM replica to the original location. Which of the following requirements needs to be met to be able perform quick rollback during a failback of a replica?

- A. Perform failback to VM within the same subnet
- B. The VM replica must be created with the "Use Changed Block Tracking data" option enabled
- C. Indexing must be enabled for the original VM
- D. The VM replica must have access to the repository where the full backup of the VM resides

**Answer:** B

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/failback\\_quick\\_rollback.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/failback_quick_rollback.html?ver=100)

**NEW QUESTION 34**

- (Exam Topic 2)

Which transport mode uses the VMware vSphere Hot-Add feature to attach the virtual disks of a source VM to the backup proxy VM?

- A. Network

- B. vPower
- C. Virtual Appliance
- D. Direct SAN access
- E. Direct NFS access

**Answer: C**

#### NEW QUESTION 38

- (Exam Topic 2)

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under "Run the following script before the job."

**Answer: A**

#### NEW QUESTION 42

- (Exam Topic 2)

Which backup method produces a backup chain that consists of the first full backup file (VBK) and a set of incremental backup files (VIB) following it? Additionally, the backup chain contains synthetic full and/or active full backup files that divide the backup chain into shorter series.

- A. Forward incremental backup
- B. Differential incremental backup
- C. Reverse incremental backup
- D. Forever forward incremental backup

**Answer: A**

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/forward\\_incremental\\_backup.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/forward_incremental_backup.html?ver=100)

#### NEW QUESTION 43

- (Exam Topic 2)

A company needs to maintain and verify backups at a secondary site to meet the following requirements: RTO of two hours, RPO of 12 hours, four weeks retention. Which of the following backup copy job configurations meets these requirements?

- A. Periodic backup copy job, scheduled for a two-hour interval, with 56 restore points to retain
- B. Periodic backup copy job, scheduled for a 12-hour interval, with 56 restore points to retain
- C. Periodic backup copy job, scheduled for a two-hour interval, with 112 restore points to retain
- D. Periodic backup copy job, scheduled for a 12-hour interval, with 112 restore points to retain

**Answer: B**

#### NEW QUESTION 45

- (Exam Topic 2)

Which of the following statements is true regarding the Veeam Backup & Replication integration with supported Storage Systems for VMware vSphere are true? (Choose three).

- A. On storage accesses through NFS, VMs with snapshots will be skipped from Backup from Storage Snapshots
- B. Veeam Backup & Replication can backup virtual machines from a supported secondary storage array
- C. On storage accessed through NFS, VMs with snapshots can be protected with Backup from Storage Snapshots
- D. When Backup from Storage Snapshots is performed, VMware snapshot is never utilized
- E. Enabling Backup from Storage Snapshots for all backup jobs are not recommended

**Answer: ABE**

#### NEW QUESTION 50

- (Exam Topic 2)

Which is a prerequisite in order for the CRC check to be executed during a SureBackup Job?

- A. The .vbm file is corrupt.
- B. The Backup file integrity check option was enabled in the SureBackup job setting.
- C. One or more of the SureBackup recovery verification tests failed.
- D. The repository where the backup is stored is a shared folder (CIFS/SMB).

**Answer: B**

#### NEW QUESTION 53

- (Exam Topic 2)

A virtual machine in your environment has been hit by a virus. You need to restore the virtual machine as fast as possible. At the same time, you need to make sure that any dormant virus on the backed up virtual machine is detected. What restore method should you use when recovering to a new location?

- A. Instant VM Recovery with "staged restore"
- B. Instant VM Recovery with "secure restore"
- C. SureBackup

D. Virtual disk restore

**Answer:** B

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/em/em\\_disk\\_restore.html?ver=100](https://helpcenter.veeam.com/docs/backup/em/em_disk_restore.html?ver=100)

#### **NEW QUESTION 57**

- (Exam Topic 2)

Which of the following statements are true when comparing a synthetic full backup to an active full backup on an NTFS-based backup repository? Choose two options.

- A. If the backup repository performance is weak, creating synthetic full backups is the best choice.
- B. Synthetic full backups consume more network bandwidth.
- C. Synthetic full backups impose less load on the production environment.
- D. In terms of content and retention, the synthetic full backup file is identical to an active full backup file.
- E. Synthetic full backups are always best when launched on a dedupe appliance.
- F. The synthetic full backup file has a .vsb extension, whereas the active full backup has a .vbk extension.

**Answer:** CD

#### **NEW QUESTION 58**

- (Exam Topic 2)

A financial company is looking for a new backup application. One of their main requirements is the ability to have quick access to their backup data. What features in Veeam Backup & Replication support the rapid availability of data, applications and VMs? (Choose three.)

- A. Full VM recovery without quick rollback
- B. Microsoft SQL database, and Oracle database publishing
- C. Instant VM Recovery
- D. Instant VM disk recovery
- E. Bare metal recovery
- F. Restore to Amazon EC2

**Answer:** BCD

#### **NEW QUESTION 59**

- (Exam Topic 2)

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

**Answer:** CE

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/surebackup\\_basic\\_vlab.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_basic_vlab.html?ver=100)

#### **NEW QUESTION 60**

- (Exam Topic 2)

To suppress Veeam ONE alarms under specific conditions or when a specific event occurs, which of these options can be selected? (Choose three.)

- A. High CPU usage
- B. Veeam backup activity
- C. Snapshot creation
- D. Storage snapshot deletion
- E. Storage snapshot creation
- F. Snapshot deletion

**Answer:** BCF

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/one/alarms/alarm\\_suppression.html?ver=100](https://helpcenter.veeam.com/docs/one/alarms/alarm_suppression.html?ver=100)

#### **NEW QUESTION 63**

- (Exam Topic 2)

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor.

When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

**Answer:** D

**Explanation:**

[https://helpcenter.veeam.com/docs/one/deployment/data\\_collection\\_modes.html?ver=100](https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100)

**NEW QUESTION 67**

- (Exam Topic 2)

If your mount server is running Windows Server 2019 and you are performing a secure restore, which statement below is true?

- A. NTFS is the only format supported.
- B. RefS will be skipped.
- C. RefS will be processed and scanned.
- D. Storage Spaces disks will be processed and scanned.

**Answer:** A

**NEW QUESTION 72**

- (Exam Topic 2)

Staged Restore is available for which type of restore mode?

- A. File-Level Restore
- B. Virtual Disk Restore
- C. Object-Level Restore
- D. Full VM Restore

**Answer:** D

**NEW QUESTION 74**

- (Exam Topic 2)

Which of the following statements regarding bottleneck statistics is true?

- A. The percentages displayed will always add up to 100% in total.
- B. The bottleneck statistics are only displayed when you have a problem in your backup infrastructure.
- C. Bottleneck statistics can show the following states: Source/Proxy/Network/Source WAN Accelerator/Target WAN Accelerator/Target/None
- D. Bottleneck statistics can show the following states: Source/Proxy/Network/Source WAN Accelerator/Target WAN Accelerator/Target

**Answer:** A

**NEW QUESTION 75**

- (Exam Topic 2)

Which backup method will always produce a full backup as the most recent restore point?

- A. Forever forward incremental backup
- B. Forward incremental backup
- C. Reverse incremental backup
- D. Forward incremental with transform

**Answer:** C

**NEW QUESTION 80**

- (Exam Topic 2)

A NAS backup job has been configured within Veeam Backup & Replication, and is completing successfully, but restore operations have been failing for the last few days. What is causing the failure?

- A. The backup repository is sealed
- B. The server was added by using an IQN alias which is unable to be resolved
- C. The credentials added to the share are not allowed read-write access to the share, directories or files
- D. The cache repository assigned for this file share is unavailable for restore operations

**Answer:** C

**Explanation:**

If you must specify user credentials to access the shared folder, select the This share requires access credentials check box. From the Credentials drop-down list, select a credentials record for a user account that has Full Control permissions on the shared folder. To access the SMB share, you must use an account that meets either of the following requirements: If you only plan to back up the share, you can use an account with read-only permissions. If you plan not only to back up the share, but also to restore files to it, use an account with read/write permissions.

[https://helpcenter.veeam.com/docs/backup/vsphere/file\\_share\\_backup\\_smb\\_share\\_path\\_credentials.html?ver=1](https://helpcenter.veeam.com/docs/backup/vsphere/file_share_backup_smb_share_path_credentials.html?ver=1)

**NEW QUESTION 84**

- (Exam Topic 2)

Which of the following is NOT an advantage of Veeam ONE Monitor?

- A. Built in phone home function for better security
- B. Updates are signature based
- C. Automatic problem mediation
- D. Manual or scheduled log analytics

Answer: A

**NEW QUESTION 89**

- (Exam Topic 2)

When planning to back up files and folders from shared sources, that is the correct method to connect to the file share from the Veeam backup server?

- A. Add the file share into the store infrastructure
- B. Add the file share into the physical infrastructure
- C. Add the file share into the inventory
- D. Add the file share into the managed servers

Answer: C

**NEW QUESTION 94**

- (Exam Topic 2)

Sometimes snapshots are "lost" by vCenter. What tool finds and removes those lost snapshots?

- A. CLI Snapshot Removal Tool
- B. Snapshot Hunter
- C. Snapshot Extractor
- D. Veeam ONE Orphaned VM Reporter

Answer: B

**NEW QUESTION 95**

- (Exam Topic 2)

Which Veeam Backup & Replication functionality allows a VM to be powered on directly from a backup file?

- A. Planned failover
- B. Instant VM Recovery
- C. Item-Level Recovery using Veeam Explorer
- D. Full VM Recovery

Answer: B

**NEW QUESTION 96**

- (Exam Topic 2)

Which of the following scenarios properly applies the 3-2-1 rule to backup jobs?

- A. Use a backup job to back up to a Scale-out Backup Repository configured with capacity tier using AWS S3 and enable move mode
- B. Use a backup job to back up to a local repository; perform a backup copy job to a repository in another location
- C. Use backup jobs to back up directly to tape; ship the tapes off site
- D. Use a backup job to back up to a local repository; perform a backup copy job to the same repository

Answer: D

**NEW QUESTION 99**

- (Exam Topic 2)

which actions can be used to locate the exact extent of a scale-out backup repository containing a particular VM's backup data? Choose two options.

- A. Check scale out backup repository settings
- B. Check the specific VM in the job statistics
- C. Check the inventory view for the specific VM
- D. Open the extent repositories manually
- E. Check backup proxy settings

Answer: AB

**NEW QUESTION 102**

- (Exam Topic 2)

An SMB customer installed Veeam Backup & Replication in a simple deployment. How can the customer comply with the 3-2-1 rule?

- A. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging copy mode
- B. Create a backup to tape job to a local virtual tape library
- C. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging move mode
- D. Copy the backups to a separate local NAS device

Answer: A

**NEW QUESTION 106**

- (Exam Topic 2)

A customer has a physical proxy configured for Direct Storage Access without failover to network mode. The backup fails. What could be the issue?

- A. The disks being processed are IDE and/or SATA
- B. The datastores are properly zoned and exposed to the proxy server but in read-only mode

- C. The storage is not added into the storage infrastructure, inside the backup and replication console
- D. Write access has not been enabled on the SAN
- E. One or more of the VM disk(s) are on Wols

**Answer:** E

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/direct\\_san\\_access.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/direct_san_access.html?ver=100)

**NEW QUESTION 111**

- (Exam Topic 2)

Is it possible to switch between backup modes in a backup job?

- A. No, if you want to create backups using another mode, you have to create another backup Job.
- B. Yes, but in this case, you will have to specify a new backup repository.
- C. Yes, the new mode leaves existing backups as they are and continues creating backups in the same backup repository.
- D. Yes, the new mode will transform all existing backups in the appropriate way and continue creating backups in the same backup repository.

**Answer:** C

**NEW QUESTION 112**

- (Exam Topic 2)

A scale-out backup repository is configured with data locality policy. How is an extent selected during an active full backup? (Choose two.)

- A. Always the same extent as the previous full backup
- B. An extent determined based on load control settings and free space
- C. A different extent from the previous chain to avoid single point of failure, if possible on free space
- D. It tries the same location as the previous full if using a deduplication appliance

**Answer:** BD

**NEW QUESTION 114**

- (Exam Topic 2)

Which of the following statements are true regarding backup copy jobs in Veeam Backup & Replication? (Choose two.)

- A. The backup copy job creates a forever forward incremental backup chain
- B. The backup copy job creates a single file with multiple restore points included within for archival purposes
- C. During the backup copy job process, a VM snapshot is created for consistency
- D. Retention settings maintain the desired number of restore points as well as offer optional GFS for archival purposes
- E. Backup copy jobs copy entire VBK, VIB, or VRB files from the source backup repository to the target backup repository

**Answer:** AD

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/about\\_backup\\_copy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/about_backup_copy.html?ver=100)

**NEW QUESTION 118**

- (Exam Topic 2)

Which of the following services are installed on every Veeam backup proxy server? Choose two options.

- A. Veeam Installer Service
- B. Veeam Backup Service
- C. Veeam Data Mover Service
- D. Veeam Distribution Service
- E. Veeam Backup Catalog Service

**Answer:** AC

**Explanation:**

Refer to [https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_proxy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100)

**NEW QUESTION 122**

- (Exam Topic 2)

What is Veeam vPower NFS Service used for?

- A. It is used to send data to the original location or to a new location specified by the user when restoring It.
- B. It allows Veeam Backup & Replication to present VM files in a native format to an ESXi host, from a compressed and deduplicated backup file.
- C. It is used to mount a compressed and deduplicated backup file directly to the backup server and perform file and item level restore.
- D. It continuously checks the configuration settings of jobs and starts them in accordance with their schedules.

**Answer:** C

**NEW QUESTION 126**

- (Exam Topic 2)

Which of these repository types CANNOT be an extent of a scale-out backup repository? Choose two options.

- A. A deduplicating storage appliance
- B. A Windows server
- C. A Cloud Connect cloud repository
- D. A shared folder (CIFS/SMB share)
- E. Another scale out repository
- F. A Linux Server

**Answer:** CE

#### **NEW QUESTION 128**

- (Exam Topic 2)

When a replication job is configured to use the replica mapping feature (no seeding), what will happen during the first run of the job?

- A. The replication job creates a clone of the mapped replica to preserve the original state before synchronizing the changes from the source infrastructure
- B. The replication job calculates the differences between the original and mapped VM; only the incremental changes will be synchronized
- C. The replication job will first restore the VM from the most recent restore point and then start to synchronize the incremental changes from the source infrastructure
- D. If a VM within the replication job is not mapped, the job will fail

**Answer:** B

#### **Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/replica\\_seeding\\_hv.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/replica_seeding_hv.html?ver=100)

#### **NEW QUESTION 133**

- (Exam Topic 2)

What transport mode does the Linux backup proxy support?

- A. Automatic
- B. Network
- C. Direct storage access
- D. Virtual appliance

**Answer:** D

#### **Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_proxy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100)

#### **NEW QUESTION 137**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **VMCE2021 Practice Exam Features:**

- \* VMCE2021 Questions and Answers Updated Frequently
- \* VMCE2021 Practice Questions Verified by Expert Senior Certified Staff
- \* VMCE2021 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* VMCE2021 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The VMCE2021 Practice Test Here](#)