



Microsoft

Exam Questions PL-100

Microsoft Power Platform App Maker

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You need to configure functionality for submitting status reports. What should you do?

- A. Determine whether the application is offline when a user selects submit button and call the Sec () function.
- B. Determine whether the application is offline when the app load
- C. Use the SaveDaca () function in the OnSelect property.
- D. Determine whether the application is offline when a user selects the submit button and call the SaveDaca () function.
- E. Determine whether the application is offline when the app load
- F. Use the LoadDaca () function in the Submit button.

Answer: C

Explanation:

Scenario: The app must be able to run both online and offline. If the mobile device on which the app runs is connected to the internet, the app must immediately submit the status report.

When data is submitted offline, the data must be stored in the app until the app is back online. Mobile users often need to be productive even when they have limited or no connectivity.

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

The SaveData function stores a collection for later use under a name.

The LoadData function reloads a collection by name that was previously saved with SaveData. You can't use this function to load a collection from another source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-savedata-loaddata>

NEW QUESTION 2

- (Exam Topic 1)

You need to modify the app design to meet the accessibility needs of the sales associates.

Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Properties	Restriction	Property
TabIndex		
DisplayMode	Design for User2	<input type="text"/>
AccessibleLabel	Design for User3	<input type="text"/>
Tooltip		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: AccessibleLabel

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers.

An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users. Box 2: TabIndex

User3 is unable to use a mouse.

TabIndex determines if the control participates in keyboard navigation.

Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should:

Mirror what is seen visually.

Only have a tab stop at controls that are interactive.

Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

NEW QUESTION 3

- (Exam Topic 1)

You need to configure the app to meet the requirements.

Which object properties should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Property
Provide a visual indicator when the app is offline.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;"> Visible OnSelect DisplayMode Fill </div> </div>
Store data when the app is offline.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;"> OnSelect LoadData SubmitForm Now </div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Fill

Scenario: You must display a visual indicator in the app so that sales representatives know whether the app is offline before submitting reports.

Fill – The background color of a control. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-screen> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 4

- (Exam Topic 1)

You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements.

Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

Tools	Answer Area	
	Requirement	Tool
Solution Checker	Accessibility	Tool
App Checker	Deployment	Tool
Object Detector		
Preview the app		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: App Checker

Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse. Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio.

Box 2: Solution Checker

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

Use solution checker to validate your model-driven apps in Power Apps. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/use-powerapps-checker>

NEW QUESTION 5

- (Exam Topic 1)

You need to create the mobile app. Which type of app should you create?

- A. model-driven app
- B. portal app
- C. Microsoft 365 web app
- D. canvas app

Answer: D

Explanation:

An accessible canvas app will allow users with vision, hearing, and other impairments to successfully use the app. In addition to being a requirement for many governments and organizations, following the below guidelines increases usability for all users, regardless of their abilities.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 6

- (Exam Topic 2)

You need to create the solution assets.

What should you use to create the visualizations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Dashboard visualization

Tool

Sales

	▼
Power BI Desktop only	
Power BI Service only	
Power BI Desktop or Power BI Service	

Manufacturing

	▼
Power BI Desktop only	
Power BI Service only	
Power BI Desktop or Power BI Service	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: PowerBI Desktop

The Sales dashboard must reside in the Sales channel and must include information about active quotes, sales pipeline, and year-to-date sales KPIs for sales quotas by region.

PowerBI Desktop to support many data source. Box 2: PowerBI Desktop or Power BI Service on

A dashboard that shows a capacity Heat map by month as well as expected sales that are likely to close for the next month.

Both support visualizations. Reference:

<https://docs.microsoft.com/en-us/power-bi/fundamentals/service-service-vs-desktop>

NEW QUESTION 7

- (Exam Topic 2)

You need to meet the requirement for the time tracking app.

Which controls should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Solution										
Automatically record the duration of work when a job number is read.	<table border="1"> <tr> <td></td> <td>▼</td> </tr> <tr> <td colspan="2">Card</td> </tr> <tr> <td colspan="2">Rating</td> </tr> <tr> <td colspan="2">Slider</td> </tr> <tr> <td colspan="2">Timer</td> </tr> </table>		▼	Card		Rating		Slider		Timer	
	▼										
Card											
Rating											
Slider											
Timer											
Read the employee's number into the app.	<table border="1"> <tr> <td></td> <td>▼</td> </tr> <tr> <td colspan="2">Barcode-scanner</td> </tr> <tr> <td colspan="2">Card</td> </tr> <tr> <td colspan="2">Image</td> </tr> <tr> <td colspan="2">Shape</td> </tr> </table>		▼	Barcode-scanner		Card		Image		Shape	
	▼										
Barcode-scanner											
Card											
Image											
Shape											
Display a photo of an employee when the employee badge is read.	<table border="1"> <tr> <td></td> <td>▼</td> </tr> <tr> <td colspan="2">Camera</td> </tr> <tr> <td colspan="2">Card</td> </tr> <tr> <td colspan="2">Icon</td> </tr> <tr> <td colspan="2">Image</td> </tr> </table>		▼	Camera		Card		Icon		Image	
	▼										
Camera											
Card											
Icon											
Image											

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Timer

A Timer control in Power Apps is a control that can determine how your app responds after a certain amount of time passes.

Box 2: Barcode scanner

The Barcode scanner control for canvas apps scans barcodes, QR codes, and data-matrix codes on an Android or iOS device.

Box 3: Image

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source. If you add one or more Image controls to your app, you can show individual images that aren't part of a data

set, or you can incorporate images from records in data sources.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-new-barcode-scanner> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION 8

- (Exam Topic 2)

You need to resolve the issues found during testing.

Which option should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Issue	Option
Testers see all time entries.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Hierarchical security</div> <div style="padding: 2px;">Security group</div> <div style="padding: 2px;">Security role</div> </div>
Testers are able to edit existing time entries.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Control property</div> <div style="padding: 2px;">Field-level security</div> <div style="padding: 2px;">Security role</div> </div>
Managers cannot see required information.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Access team template</div> <div style="padding: 2px;">Field-level security</div> <div style="padding: 2px;">Hierarchical security</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Security role

Scenario: Employees must only be able to access their own time tracking records from the app. Testers report that they can see time entries in the Time Tracker app, not just their own.

Box 2: Field-level security

Scenario: Employees must only be able to modify time records for the current and previous day. Testers report that they can edit any existing time entries.

Box 3: Hierarchical security

You use field security tables to apply field-level security, which restricts field access to specified users and teams.

NEW QUESTION 9

- (Exam Topic 2)

You need to implement logic in the app for lost sales. What should you do?

- A. Create a business process flow.
- B. Define a business rule for the Sales Log edit form.
- C. Set the required field property of the Won/Lost field to Required.
- D. Create a formula for the Description field that uses the Update function.

Answer: B

Explanation:

Scenario: Requests for quotes are currently stored in a Sales Log workbook. The workbook includes the following information:

➤ Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.

Business rules defined for an entity apply to both canvas apps and model-driven apps if the entity is used in the app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 10

- (Exam Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.
 A component library provides a centralized and managed repository of components for reusability. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 10

- (Exam Topic 2)

You need to configure the system to meet the requirements.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Feature	Setting
Create the relationship between the Job Setup and Time Tracking entities.	<div style="border: 1px solid black; padding: 2px;">▼</div> <div style="border: 1px solid black; padding: 2px;">1:N</div> <div style="border: 1px solid black; padding: 2px;">N:N</div> <div style="border: 1px solid black; padding: 2px;">Self-referential</div>
Configure ownership for the Time Tracking entity.	<div style="border: 1px solid black; padding: 2px;">▼</div> <div style="border: 1px solid black; padding: 2px;">Business-owned</div> <div style="border: 1px solid black; padding: 2px;">Organization-owned</div> <div style="border: 1px solid black; padding: 2px;">User or Team owned</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1:N

Scenario: A sortable listing of all in-process jobs from the Job Setup table, by customer, start date, and product.

Box 2: User or Team owned

Scenario: Employees must only be able to access their own time tracking records from the app.

User or team: Data belongs to a user or a team. Actions that can be performed on these records can be controlled on a user level.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/types-of-entities>

NEW QUESTION 12

- (Exam Topic 3)

HOTSPOT

A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage. Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse for Teams ▼</div> <div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse</div> <div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse for Teams</div>
Allows for advanced development tasks for apps specific to Microsoft Teams.	<div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse ▼</div> <div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse</div> <div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse for Teams</div>
Has the most granular level of security to account for column-level security in Microsoft Teams.	<div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse ▼</div> <div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse</div> <div style="border: 1px solid black; padding: 2px;">Microsoft Dataverse for Teams</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<ul style="list-style-type: none"> Microsoft Dataverse for Teams Microsoft Dataverse Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<ul style="list-style-type: none"> Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<ul style="list-style-type: none"> Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams

NEW QUESTION 13

- (Exam Topic 3)

The managers in an organization use a model-driven app. The app should display only one dashboard named Corporate Data. The managers observe that several dashboards are displayed.



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

How do you remove all the dashboards from the list of dashboards displayed?

Open the model-driven app in the app designer and clear all dashboard check boxes except the Corporate Data dashboard.

Open the site map in the sitemap designer and clear all dashboard check boxes except the Corporate Data subarea except for the Corporate Data dashboard.

Open the solution and delete all dashboards from the solution except for the Corporate Data dashboard.

You need to remove the Ideas dashboard from the navigation bar. What should you do?

Open the model-driven app in the app designer and clear the check box for the ideas dashboard

Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group

Open the solutions and delete all the Ideas dashboards from the solution

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: Open the model-driven app in the app designer.

* 1. On the app designer canvas, select the Dashboards tile.

On the app designer canvas, the right pane shows dashboards that are available in the default solution.

* 2. Clearing the corresponding check box.

Box 2: Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group Site maps define the manner by which users move between tables in a model-driven app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/add-edit-app-components>

NEW QUESTION 18

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- Provision a developer environment named D1 and a sandbox environment named S1.
- Copy the production environment to both D1 and S1.
- Use D1 for development and S1 for testing. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Do not use production environment for testing.

Note: Instead use two sandboxed environments: one for development and one for testing. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 19

- (Exam Topic 3)

A company creates an app that uses Microsoft Dataverse tables.

The app creator wants to verify that the app is operating as expected by using a sample set of real-world data. You need to import the sample data into Dataverse tables.

Which two technologies can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power BI
- B. SharePoint
- C. Power Query
- D. Dataflows

Answer: CD

Explanation:

C: You can create a table in Dataverse and fill that table with data from an OData feed by using Power Query. You can use the same techniques to integrate data from these online and on-premises sources, among others:

SQL Server Salesforce

IBM DB2

Access Excel Web APIs

OData feeds Text files

D: You can create a new Dataverse table that stores all the metadata from the dataflow run. For every refresh of a dataflow, a record is added to this table. You can also store metadata for multiple dataflow runs in the same table.

Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/load-dataflow-metadata-into-dataverse-table> <https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 21

- (Exam Topic 3)

You create a canvas app named Hardware Order that suggests computer hardware to customers.

A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.

You need to configure the business rule.

Which two actions should you perform? Each correct answer presents part of the complete solution.

NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
- B. Add a Recommendation action and configure it to enter the order type.
- C. Set the scope of the business rule to All Forms.
- D. Use the following condition expression:(OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 22

- (Exam Topic 3)

You are an app builder for a medical office. The medical office uses activities to book appointments and business process flows to track patient status. The cleaning staff wants the app to connect directly to a Microsoft Excel workbook to track cleaning tasks. The office does not have access to reporting tools including Power BI.

You need to create apps for the following groups of users. Apps must not require customizations or the use of additional products.

Groups	Comments	Requirements
Reception area staff	Users will access the app only from desktop devices in the office.	Users must be able to access contacts and display activities as a doughnut chart.
Medical staff	Users will access the app from tablet devices.	Users must be able to access activities and business process flows.
Cleaning staff	Users will access the app only from mobile phone devices.	Users must be able to interact with a checklist to mark cleaning tasks as completed.

Which type of app should you build for each group? To answer, drag the appropriate app types to the correct groups. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

App types

- Canvas app
- Model-driven app
- Embedded canvas app

Answer Area

Group	App type
Reception area staff	App type
Medical staff	App type
Cleaning staff	App type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/embedded-canvas-app-guidelines> <https://global.hitachi-solutions.com/blog/canvas-vs-model-driven-apps>

NEW QUESTION 26

- (Exam Topic 3)

You are a technical assistant for a legal services organization. The company uses SharePoint to manage documents and Microsoft Dataverse as the data store. The company has strict rules about access, permissions, and privacy.

Lawyers and paralegals use Microsoft Teams for communications and collaboration. Employees use personal devices to access legal files. You do not have access to the admin area in Microsoft Power Platform.

You need to ensure that these rules are observed consistently and managed in one place.

Which type of app should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	App type
Access client billing details	<ul style="list-style-type: none"> Canvas app in Microsoft Teams Canvas app in SharePoint Model-driven app in SharePoint Model-driven app in Microsoft Teams
Log phone calls and schedule appointments with clients and the team assigned to them	<ul style="list-style-type: none"> Dynamics 365 App for Outlook Microsoft Teams calendar SharePoint calendar

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Model-driven app in Microsoft Teams

A user's ability to see and use apps is controlled by sharing the application with the user. Sharing of canvas apps is done directly with a user or Azure AD group but is still subject to Dataverse security roles. Sharing of model-driven apps is done via Dataverse security roles.

Box 2: Sharepoint Calendar Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION 31

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR

representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Use a Common Data Service workflow with a PowerQuery on the data entity. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

NEW QUESTION 33

- (Exam Topic 3)

DRAG DROP

A commercial bakery uses an inventory system to track ingredients consumed in their production line. The workers use iPads to interact with the system and reserve the ingredients for the next batch. Data from the system is extracted as a .csv file.

You need to create a Power BI report from the extracted data by using only an iPad.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Select manual data.
- Log into the Power BI service.
- Install Power BI Desktop and log in.
- Select **Create**.
- Select **Use first row as headers**.
- Paste the data.

Answer Area

➤
➤

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Select manual data.	Log into the Power BI service.
Log into the Power BI service.	Install Power BI Desktop and log in.
Install Power BI Desktop and log in.	Select Create .
Select Create .	Select Use first row as headers .
Select Use first row as headers .	Paste the data.
Paste the data.	

NEW QUESTION 35

- (Exam Topic 3)
 HOTSPOT

A company is creating an app to manage project status reports. Users will update a series of controls and click a submit button. The submit button will calculate a risk score for the project and return to the previous screen with that risk score. The risk score will be used in two different forms.

You need to create the formula on the button click. To answer, select the appropriate option in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	: : :
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	: : :
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

NEW QUESTION 39


- (Exam Topic 3)
 DRAG DROP

A company uses Microsoft Power Platform. Users create charts based on specific needs in the production environment. Users cannot create system charts in production.

You create a solution in a development environment. You rebuild personal charts of the users inside the solution. All charts must appear on one page.

You need to create a single page that includes all charts without switching to classic.


Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 40

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Key Phrase Extraction model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The key phrase extraction prebuilt model identifies the main points in a text document. Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-key-phrase>

NEW QUESTION 43

- (Exam Topic 3)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You must also be able to connect to one or more industry data sources.

You need to configure the data sources. What should you do?

- A. Create a business process flow.
- B. Create a data policy template.
- C. Create a UI flow.
- D. Use an existing data connector.

Answer: D

Explanation:

In Power Apps, add a data connection to an existing canvas app or to an app that you're building from scratch. Your app can connect to SharePoint, Common Data Service, Salesforce, OneDrive, or many other data sources.


Note:

Add data source


* 1. In the center pane, select connect to data to open the Data pane.

* 2. Select Add data source.


* 3. If the list of connections includes the one that you want, select it to add it to the app. Otherwise, skip to the next step.



* 4. Select New connection to display a list of connections.



* 5. In the search bar, type or paste the first few letters of the connection you want, and then select the connection when it appears.



* 6. Select Create to both create the connection and add it to your app. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-data-connection>

NEW QUESTION 45

- (Exam Topic 3)

A user named Bill Jones creates a canvas app and shares it with other users in his company as shown in SharePowerUsers and ShareJimSmith exhibits. (Click the SharePowerUsers tab and the ShareJimSmith tab.)

Share Company App

Enter a name, email address, or Everyone

Shared with Sort by Name ▾

- BJ Bill Jones
Owner
- JS Jim Smith
Co-owner ✕
- PU Power Users
User ✕

Power Users

This User can use this app

Co-owner
Can use, edit, share app but not delete or change owner.

Data permissions ⓘ

Make sure your users have access to the data used in your app, including gateways, APIs, connectors, and entities.

Share Company App

Enter a name, email address, or Everyone

Shared with Sort by Name ▾

- BJ Bill Jones
Owner
- JS Jim Smith
Co-owner ✕
- PU Power Users
User ✕

Jim Smith

This User can use this app

Co-owner
Can use, edit, share app but not delete or change owner.

Data permissions ⓘ

Make sure your users have access to the data used in your app, including gateways, APIs, connectors, and entities.

There are multiple versions of the app. Users must only be able to run the most recently published version of the app as shown in the table below:

Version	Modified	Modified by	Power Apps release	Published	Version note
Version 4	09/05/2020 17:32	Bill Jones	3.20023.8		Changed fonts
Version 3	09/05/2020 17:30	Bill Jones	3.20023.8	Live	Changed business logic
Version 2	09/05/2020 17:22	Bill Jones	3.20023.8		Updated background color
Version 1	09/05/2020 17:20	Bill Jones	3.20023.8		

You need to ensure that sharing is configured correctly.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

	Yes	No
Member of the Power Users group are able to publish version 4 of the canvas app.	<input type="radio"/>	<input type="radio"/>
When using the canvas app, a member of the Power Users group can see version 4.	<input type="radio"/>	<input type="radio"/>
If version 2 of the canvas app is restored, it will be labelled as the Live version.	<input type="radio"/>	<input type="radio"/>
If Jim Smith edits the canvas app he will be editing version 4.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with low confidence

Box 1: No

They can only use the app. Box 2: Yes

Box 3: No

You would need to publish Version 2 to make it live.

Note: If you want to publish the restored version, select Publish this version, and then select Publish this version when prompted to confirm.

Graphical user interface, table Description automatically generated

Publish this version

Restore succeeded.

Apps > Sample app

Details Versions Connections Flows Analytics (preview)

It's only possible to restore app versions that were created in the last six months. [Learn more](#)

Version	Modified	Modified by	Power Apps release	Published
<input checked="" type="radio"/> Version 5	8/9/2021, 2:22:56 PM	System Administrator	3.21073.27	
Version 4	8/9/2021, 2:12:42 PM	System Administrator	3.21073.27	Live
Version 3	8/9/2021, 2:12:31 PM	System Administrator	3.21073.27	
Version 2	8/9/2021, 2:12:20 PM	System Administrator	3.21073.27	
Version 1	8/9/2021, 2:12:04 PM	System Administrator	3.21073.27	

Notice the published restore version that shows up as Live.
 Graphical user interface, application Description automatically generated

Version	Modified	Modified by	Power Apps release	Published
<input checked="" type="radio"/> Version 5	8/9/2021, 2:22:56 PM	System Administrator	3.21073.27	Live

Box 4: Yes

The most recent version of any app is available only to those who have edit permissions for it. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/save-publish-app>

NEW QUESTION 48

- (Exam Topic 3)

You are creating an app for an organization's human resources (HR) department. You create an Employee entity in an unmanaged Common Data Service solution.

Another user creates the following Power Automate flows separately from the solution:

Flow	Description
FlowA	Send email to the HR manager when a new document is uploaded to Microsoft SharePoint.
FlowB	Send email to the HR manager after a user selects a document in Microsoft OneDrive for Business and runs the flow.
FlowC	Send email to the HR manager at 8 AM daily if new documents are uploaded in Microsoft OneDrive for Business since the previous day.
FlowD	Send email to the HR manager when a new employee record is added.

You need to incorporate the flows that can be added to the solution.
 Which two flows can you include? Each correct selection presents a complete solution.
 NOTE: Each correct selection is worth one point.

- A. FlowA
- B. FlowB
- C. FlowC
- D. FlowD

Answer: AD

Explanation:

You can add any of these conditions to determine precisely when your flow is triggered.

⌵ When a record is created, updated or deleted

<p>* Trigger condition</p> <p>* The entity name</p> <p>* Scope</p> <p>Show advanced options</p>	<div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;">Choose an option or add your own</div> <div style="border: 1px solid #ccc; padding: 5px;"> <p>Create</p> <p>Create or Delete</p> <p>Create or Update</p> <p>Create or Update or Delete</p> <p>Delete</p> <p>Update</p> <p>Update or Delete</p> <p>Enter custom value</p> </div>
---	--

Reference:
<https://docs.microsoft.com/en-us/power-automate/connection-cds-native>

NEW QUESTION 49

- (Exam Topic 3)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions	Answer Area
Add a gallery control.	
Add an input property.	
Create a component.	
Add a screen.	
Create a form.	
Add an output property.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Create a component
- Add an input property
- Add a gallery control

From <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component> step 10 and 11

NEW QUESTION 54

- (Exam Topic 3)

You work in a warehouse. You build an app for physical inventory counts that is used by different staff members. The typical count takes 14 hours.

The app has a warehouse screen with a gallery that contains the aisles in the warehouse. When a staff member selects an aisle record, another screen displays all the items stored in that aisle. The staff must know how long each aisle takes to do a physical inventory count.

You need to add logic to the app. What should you do?

- A. Configure a timer control, add it to the aisle screen, and then reset it when exiting the aisle screen
- B. Create and configure a stopwatch custom control, and then add it to the gallery
- C. Create and configure a stopwatch custom component, and then add it to the aisle screen
- D. Configure a timer control, add it to the gallery, and then reset it when the selection changes

Answer: C

Explanation:

Reference:
<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 58

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Create a business rule on the appropriate data entity with a scope of entity. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

NEW QUESTION 62

- (Exam Topic 3)

A company has ten sales regions. Each salesperson is assigned to one region. You create a set of five standard views that all salespeople will use.

Sales users only want to see information for their own region. Sales users must call sales leads within a week of receiving a lead.

You need to recommend a solution for sales users.

Which two actions will you recommend? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Instruct users to create personal views that filter by region.
- B. Instruct users to filter the view by region.
- C. Configure the definition for each view to sort by region.
- D. Configure the definition for each view to filter by region.

Answer: BD

NEW QUESTION 67

- (Exam Topic 3)

You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

- A. Save the app to the cloud.
- B. Create test cases for each requirement.
- C. Save the app to your computer.
- D. Create a test suite.
- E. Record test cases for each requirement.

Answer: D

Explanation:

Create a test suite.

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 68

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- > Create a Prediction custom model in AI Builder.
- > Train the model with pictures of bicycles and then publish the trained model.
- > Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model

Note: AI Builder prediction models analyze patterns in historical data that you provide. Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

NEW QUESTION 71

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

Task name	Slider input control name
Task1	RiskStatus1 [0–100]
Task2	RiskStatus2 [0–100]
Task3	RiskStatus3 [0–100]

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<ul style="list-style-type: none"> <input type="checkbox"/> On the header control. <input type="checkbox"/> On each RiskStatus slider input. <input type="checkbox"/> In the global variables of the Power Apps app. <input type="checkbox"/> On the OnStart property of the Power Apps app.
Which formula should you use?	<ul style="list-style-type: none"> <input type="checkbox"/> <code>SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : ""</code> <input type="checkbox"/> <code>IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK)</code> <input type="checkbox"/> <code>Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK")</code> <input type="checkbox"/> <code>UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK")</code>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: On each RiskStatus slider input You can change the value based on input. Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-formulas#change-a-value-based-> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-update-updateif>

NEW QUESTION 73

- (Exam Topic 3)

You are creating a canvas app for a company that delivers packages. The app will display one screen for each delivery attempt.

Drivers must make three attempts to deliver a package before returning the package back to a warehouse. Drivers must enter details about delivery on a second screen in the app.

You need to display a list of delivery attempts on the delivery screen.

Which two components can you add to the app to display details about the delivery attempts? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Data table
- B. Vertical gallery
- C. Display form

D. Drop-down

Answer: AC

Explanation:

The Data table control shows a dataset.

In a canvas app, add and configure a Display form control to show all fields in a record. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-data-table> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-form-layout>

NEW QUESTION 74

- (Exam Topic 3)

A company is implementing the Microsoft Power Platform to assist with consolidation of onsite inspections and audits of retail stores. Currently, the data used by the retail store inspections is located across multiple systems.

The canvas app must use one database to view and record all data used in the inspection process. You need to design the solution.

Which three capabilities should you implement? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Use an embedded access management framework for user security.
- B. Execute real-time data operations against external data sources through virtual entities.
- C. Use Azure Active Directory for access management.
- D. Store data used by a Power Apps app on both iOS and Android mobile platforms.
- E. Use Azure Data Lake storage to host the transactional data.

Answer: BCE

Explanation:

B: Virtual tables (also known as virtual entities) enable the integration of data residing in external systems by seamlessly representing that data as tables in Microsoft Dataverse, without replication of data and often without custom coding.

CE: Authenticating to a Gen 1 DataLakeStore Account Gen 1 uses OAuth 2.0 in Azure AD for authentication. Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 78

- (Exam Topic 3)

A company uses Power Apps. You embed a canvas app in a model-driven app form. You need to bind the app to a form component. Which form component should you use?

- A. Section
- B. View
- C. Column
- D. Tab

Answer: C

NEW QUESTION 82

- (Exam Topic 3)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record. Which three actions should you perform?

NOTE: Each correct selection is worth one point.

- A. Add a gallery control
- B. Add an input property
- C. Create a component
- D. Create a form
- E. Add a screen
- F. Add an output property

Answer: ABC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-gallery> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

NEW QUESTION 83

- (Exam Topic 3)

DRAG DROP

You are designing a new model-driven app for salespeople at a company.

The company requires that all new line-of-business apps must use a much native functionality as possible to avoid having developers maintain code.

You need to determine how to implement the app's business logic.

Which method should you use? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Methods	Answer Area	Requirement	Method
Business rules		Validate the postal code format based on the state or province entered by a user.	
Power Automate flows		Ensure that the app can communicate with other business applications by using existing connectors.	
Business process flows			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Methods	Answer Area	Requirement	Method
Business rules		Validate the postal code format based on the state or province entered by a user.	Business rules
Power Automate flows		Ensure that the app can communicate with other business applications by using existing connectors.	Power Automate flows
Business process flows			

NEW QUESTION 85

- (Exam Topic 3)
HOTSPOT

A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with all users who all have the Basic User security role.

You must prevent the users from running and sharing the app.

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Prevent users from running the app.	<ul style="list-style-type: none"> Turn off the app. Export the app. Turn off the app. Remove access to the table.
Prevent users from sharing the app.	<ul style="list-style-type: none"> Remove access to the table. Export the app. Turn off the app. Remove access to the table.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Requirement	Action
Prevent users from running the app.	<ul style="list-style-type: none"> Turn off the app. Export the app. Turn off the app. Remove access to the table.
Prevent users from sharing the app.	<ul style="list-style-type: none"> Remove access to the table. Export the app. Turn off the app. Remove access to the table.

NEW QUESTION 86

- (Exam Topic 3)
DRAG DROP

You are Designing a Power Virtual Agents chatbot in Microsoft Teams. You create an outline to describe how a conversation should be structured. You need to configure the chatbot.

Which chatbot component should you use? To answer, drag the appropriate components to the correct conversation elements. Each component may be used once, more than once, or not at all. You may need to drag the spirit bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area	Conversation element	Component
Topic		A user enters the following text in the chatbot: What is the weather?	
Trigger phrase		The chatbot responds: Where do you live?	
Conversation node			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Components	Answer Area	Conversation element	Component
Topic		A user enters the following text in the chatbot: What is the weather?	Topic
Trigger phrase		The chatbot responds: Where do you live?	Conversation node
Conversation node			

NEW QUESTION 91

- (Exam Topic 3)

A company uses two SQL Server environments and two Common Data Service environments.

The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct. You need to assign security access.

What should you assign? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role	Security access
Admin users for SQL environments	<ul style="list-style-type: none"> Environment Maker Environment Admin System Administrator and Environment Security group Power Platform Administrator and Environment Security group
Admin users for Common Data Service environments	<ul style="list-style-type: none"> Environment Maker Environment Admin Global Administrator System Administrator
Users that create Common Data Service apps	<ul style="list-style-type: none"> System Customizer Environment Maker Environment Admin System Administrator
Users that create SQL apps	<ul style="list-style-type: none"> System Customizer Environment Maker Environment Admin System Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: System Administrator and Environment Security group Security model for the databases

When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.

Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.

Box 2: Environment Admin

The Environment Admin role can perform all administrative actions on an environment, including the following:

> Add or remove a user from either the Environment Admin or Environment Maker role. Box 3: Environment Maker

Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:

Box 4: System Customizer

System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION 94

- (Exam Topic 3)

You are an app and report maker. You provide visualizations for two departments in an organization. Each department requires department-specific visualizations:

Department	Requirement
Department1	Provide unstructured answers to free text survey questions.
Department2	Chart real-time data in columns that groups complaints by category, urgency, and status.

You need to create the visualizations.

Which chart type should you use? To answer, drag the appropriate chart type to the correct requirements. Each chart type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Chart types	Requirement	Chart type
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Multi-series</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Tag</div> <div style="border: 1px solid black; padding: 5px;">Stacked column</div>	<p>Unstructured answers to free text survey questions.</p> <p>Real-time column chart that groups complaints by category, urgency, and status.</p>	<div style="border: 1px solid black; height: 30px; width: 100%;"></div> <div style="border: 1px solid black; height: 30px; width: 100%;"></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Tag

Box 2: Multi-series

Multi-series charts: Charts that display data with multiple series values mapped to a single category value. Reference: <https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/understand-charts-underlying-data-ch>

NEW QUESTION 98

- (Exam Topic 3)

HOTSPOT

A company uses Microsoft Teams and Microsoft 365. Employees use Microsoft Excel to create checklist and capture measurements.

The company requires a Microsoft Power Platform app to consolidate the checklists and perform the measurements- Network connectivity may not be available when measurements are taken.

You need to determine which features to use for the app

Which features should you use? To answer, select the appropriate options in the answer area NOTE: Each coned selection is worth one point.

Answer Area

Requirement	Feature
App type	<div style="border: 1px solid black; padding: 2px;">Model-driven app</div> <div style="border: 1px solid black; padding: 2px;">Canvas app</div> <div style="background-color: #ccc; border: 1px solid black; padding: 2px;">Model-driven app</div>
Data source	<div style="border: 1px solid black; padding: 2px;">Cloud Excel table</div> <div style="border: 1px solid black; padding: 2px;">Local Excel table</div> <div style="background-color: #ccc; border: 1px solid black; padding: 2px;">Cloud Excel table</div>
Offline mode	<div style="border: 1px solid black; padding: 2px;">Power Apps mobile</div> <div style="border: 1px solid black; padding: 2px;">Field Service Mobile</div> <div style="background-color: #ccc; border: 1px solid black; padding: 2px;">Power Apps mobile</div> <div style="border: 1px solid black; padding: 2px;">Power Apps for Windows</div> <div style="border: 1px solid black; padding: 2px;">Power Apps wrap</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Feature
App type	<ul style="list-style-type: none"> Model-driven app Canvas app Model-driven app
Data source	<ul style="list-style-type: none"> Cloud Excel table Local Excel table Cloud Excel table
Offline mode	<ul style="list-style-type: none"> Power Apps mobile Field Service Mobile Power Apps mobile Power Apps for windows Power Apps wrap

NEW QUESTION 102

- (Exam Topic 3)

A company stores sales orders in a Microsoft Excel workbook. The company stores customer data in a SQL Server database. You must import the data into a Microsoft Dataverse instance. You need to define the mapping for the migration.

Which component should you use? To answer, drag the appropriate components to the correct data type. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area										
<ul style="list-style-type: none"> Column Table Row Data source 	<table border="1"> <thead> <tr> <th>Data</th> <th>Component</th> </tr> </thead> <tbody> <tr> <td>Excel data</td> <td>Component</td> </tr> <tr> <td>Customer data</td> <td>Component</td> </tr> <tr> <td>Customer identifier</td> <td>Component</td> </tr> <tr> <td>Product data</td> <td>Component</td> </tr> </tbody> </table>	Data	Component	Excel data	Component	Customer data	Component	Customer identifier	Component	Product data	Component
Data	Component										
Excel data	Component										
Customer data	Component										
Customer identifier	Component										
Product data	Component										

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table

Box 2: Data source Box 3: Column

Box 4: Row Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 107

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- > Provision a trial environment named T1 and a sandbox environment named S1.
- > Copy the production environment to T1 and S1.
- > Use T1 for development and S1 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Using trial environments, companies and customers can try out new features and solutions. Do not use a trial environment for development.

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/trial-environments> <https://docs.microsoft.com/en-us/power-platform/admin/sandbox-environments>

NEW QUESTION 109

- (Exam Topic 3)

You need to set the value for a global variable named RunningTotal to 5 and navigate to the previous screen named MainScreen. Which formula should you use?

- A. UpdateContext({ RunningTotal: 5 }); Navigate(MainScreen, ScreenTransition.Cover, RunningTotal);
- B. If(Value(TextBox1.Text) >= 0, (Set(RunningTotal, 5); Back();), Color.Green)
- C. UpdateContext({ RunningTotal:5 }); Back()
- D. Set(RunningTotal, 5); Back();

Answer: D

Explanation:

You set the value of the global variable with the Set function. Set(MyVar, 1) sets the global variable MyVar to a value of 1.

Use the Back and Navigate function to change which screen is displayed. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-variables> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate>

NEW QUESTION 111

- (Exam Topic 3)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has model driven apps across multiple Microsoft Dataverse environments in the same tenant. You must grant privileges to Power Apps makers to achieve the following:

- Share model-driven apps in multiple Microsoft Dataverse environments.
- Share model-driven apps in only one of the Microsoft Dataverse environments and view only table records that they create themselves.

You need to share the model-driven app with users by using the principle of least privilege.

Which security role privilege should you grant for each requirement? To answer, drag the appropriate security roles to the correct requirements. Each security role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct answer is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:




NEW QUESTION 114

- (Exam Topic 3)

A company uses Power Automate and Power Apps to streamline business processes. You need to use AI Builder to analyze customer reviews of the company's products.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Connect data to the model.

First create an AI Builder form processing model for the customer reviews you want to process.



Step 2: Train the model. Step 3: Publish the model.

Step 4: Use the model in a Power Automate flow.

Once you train and publish the model, create a solution-aware flow in Power Automate. Reference:

<https://powerapps.microsoft.com/en-us/blog/introducing-simplified-ai-builder-experience-in-power-automate/>

NEW QUESTION 118

- (Exam Topic 3)

DRAG DROP


A company uses Power Apps and Microsoft Dataverse.

The company has three solutions that you must move to a target environment:

- One solution is created for security roles. You must be able to add roles to the solution in the target environment
- One solution is created for table additions and modifications. Table structures must be updated in the solution in the target environment.
- One solution is for customizations. The custom actions must not be modified in the solution in the target environment

You need to create the solutions.

Which type of solutions should you create? To answer, drag the appropriate solutions to the correct requirements- Each solution may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 119

- (Exam Topic 3)

You receive ideas from employees in a Microsoft Teams channel. Managers are not members of the Teams channel Submissions must be reviewed by three managers who are determined by submission type. You need approval from the managers to process submissions. What should you create?

- A. approval request in the Teams channel that requires a response from all approvers
- B. approval request in a chat with the three managers that requires a response from all approvers
- C. approval template that requires responses to be completed in order
- D. approval template that requires a response from all approvers

Answer: B

NEW QUESTION 123

- (Exam Topic 3)

An administrator plans to create and deploy dashboards for use only by sales associates. The dashboards will display the current sales pipeline, open cases, recent major wins, and key opportunities by postal code.

Sales associates must be able to act on the specific data displayed in dashboards. You need to create the dashboards.

Which type of dashboards should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Type of dashboard

Ensure that all sales associates can view the dashboard.

	▼
User	
System	

Ensure that sales associates can interact with data from the dashboards.

	▼
Standard	
Multi-stream	
Single-stream	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User

Type of dashboard: If you want your dashboards to be available across the organization and do not want to manage the access levels at a more detailed level, you might want to create an organization-owned dashboard. However, if you are concerned about the access privileges and security of your dashboard, consider creating a user-owned dashboard where you have more control on who can access it.

Box 2: Single-stream

The single-stream dashboards display real-time data over one stream based on an entity view or queue. The single-stream dashboards are typically helpful to Tier 2 service leads or managers, who monitor fewer, but more complex or escalated cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/create-dashboard> <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/configure-interactive-experience-dashbo>

NEW QUESTION 124

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- > Create a Category Classification custom model in AI Builder.
- > Train the model with pictures of bicycles and then publish the trained model.
- > Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 125

- (Exam Topic 3)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Chores
- B. Choice
- C. Text
- D. Lookup

Answer: D

NEW QUESTION 126

- (Exam Topic 3)

You create a canvas app.

You need to make the app available to other people in your company.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

Answer: AD

Explanation:

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION 129

- (Exam Topic 3)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

Field	Description
SalesPerson	The name of the salesperson who made the sale
Quantity	The number of units sold
Rate	The sale price per unit
GrossAmount	A value obtained by multiplying the Quantity times the Rate. This value is for display purposes only
DiscountAmount	An amount that a salesperson enters into the app to discount a sale
NetAmount	A value obtained by subtracting the DiscountAmount from the GrossAmount

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson.

You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Field types	Answer Area	
	Field name	Field type
Rollup	GrossAmount	Field type
Calculated	DiscountAmount	Field type
Simple	TotalSales	Field type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column. Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 131

- (Exam Topic 3)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

Type of data	Data source
Sales log that show pending sales by product	Microsoft Excel workbook
Work estimates, cost estimates, and start and ending dates for each job activity by employee	Common Data Service entity
Actual work values and associated costs of work to date by job activity and employee	On-premises Microsoft SQL Server-based ERP system
Employee information	On-premises Microsoft SQL Server-based ERP system

You need to determine the appropriate method for accomplishing each task. Which methods should you use? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px 5px;">▼</div> <div style="padding: 2px 5px;">Use a Data Gateway</div> <div style="padding: 2px 5px;">Use a Custom Connector</div> <div style="padding: 2px 5px;">Use a Service Content Pack</div> </div>
Create the relationship between the employee file and the work estimates.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px 5px;">▼</div> <div style="padding: 2px 5px;">Create a composite model</div> <div style="padding: 2px 5px;">Create an aggregated table</div> <div style="padding: 2px 5px;">Create entity relationships in the CDS Solution Explorer</div> </div>
Create calculations for work remaining, remaining budget.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px 5px;">▼</div> <div style="padding: 2px 5px;">Create a Data Analysis Expressions formula</div> <div style="padding: 2px 5px;">Create an aggregated table</div> <div style="padding: 2px 5px;">Create a modeling view</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing graphical user interface Description automatically generated
 Box 1: Use a Date Gateway
 You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).
 Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer. Box 3: Create an aggregate table
 Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.
 Reference:
<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial> <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships> <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/define-rollup-fields>

NEW QUESTION 134

- (Exam Topic 3)

The company is adding a multi-stream interactive dashboard to a model-driven app. The company requires configuration of the dashboard to filter the table data based on modified accounts over the last month. You need to configure the filters for the model-driven app dashboard. Which configuration should you use? To answer, drag the appropriate locations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Configurations	Answer Area	
	Requirement	Configuration
Filter by	Configure visual filter attributes that the dashboard can use.	
Table view	Configure the field that the dashboard uses to filter the table data monthly.	
Filter table		
Time frame		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Filter table

Filter Table: The visual filters and global filter attributes are based on this table. Box 2: Filter By

Filter By: The column that the time frame filter applies to. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/configure-interactive-experience-dashbo>

NEW QUESTION 138

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.

For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

RiskStatus slider value	Risk description	RiskLevel button color
0–50	No/Low risk	Green
51–100	High risk	Red

You need to configure the solution to change the color of the RiskLevel button.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Question

Response

Where do you enter the formula to change the button color?

▼

On the RiskStatus slider.

On the RiskLevel button.

In the variables of the Power Apps app.

On the OnStart property of the Power Apps app.

Which formula should you use?

▼

If (RiskStatus.Value > 75) (return Red;)

If (RiskStatus.Value > 75, Red, Green)

If (RiskStatus.Value > 75 ? Red : Green)

RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green;

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Box 1: On the RiskLevel button.

On the RiskLevel button fill property.

Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;

Most every type of control in a Power App, has a Fill property, for the fill color. Reference:

<https://wonderlaura.com/2020/07/23/power-apps-gallery-conditional-formatting/>

NEW QUESTION 142

- (Exam Topic 3)

You create a canvas app for a store.

The logo must appear as the background image for the app. A loading spinner must display on the screen as the app loads.

You need to add the features to the app.

What should you modify? To answer, drag the appropriate form areas to the correct requests. Each form area may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Screen areas

Feature request

Screen area

Form

Gallery

Screen

Add logo.

Add loading spinner.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Screen

You can add an image to a screen in several different ways. One way is to upload an image to the app, go to the Media tab, and then click on the image to add it to a screen.

Note: Configure graphical elements in your app, including images, photos, and elements of a pen control. BackgroundImage – The name of an image file that appears in the background of a screen.


Applies to the Screen control. Box 2: Screen

Out Of Box Canvas App, provide a property called LoadingSpinner and LoadingSpinnerColor.

LoadingSpinner property is used to displaying a Canvas App OOB Loader Image unless your screen finishes loading.

Click on the Screen in your Canvas App and then You'll be able to see LoadingSpinner and LoadingSpinnerColor Property.

Graphical user interface, application Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/properties-visual> <https://arpitmscrmhunt.blogspot.com/2020/04/powerapps-display-loading-icon-until.html>

NEW QUESTION 143

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- > Create a Category Classification custom model in AI Builder.
- > Train the model with pictures of bicycles and then publish the trained model.
- > Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 144

- (Exam Topic 3)

You create a custom field on the Account entity.

Members of TeamA must have full access to the field. Members of TeamB must have no access to the field. You need to configure security.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add TeamA to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to Yes .	
Add TeamB to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to No .	
Enable field-level security for the field.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security for the field

Step 2: Create a field security profile and set all the permissions for the custom attribute to Yes.

Step 3: Add TeamA to the field security profile.

Note: Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

- > Enable field security on one or more fields for a given entity.
- > Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

NEW QUESTION 147

- (Exam Topic 3)

You create a model-driven app for a company. The app will be used to manage events that the company organizes.

The Events entity ownership type is set to User or team. Members of the marketing team are assigned the MarketingTeam security role. All privileges for the role are set to User access.

All employees must be able to view event records. Only members of the marketing team are permitted to create or edit event records. You create a role named OtherEmployees.

You need to configure the MarketingTeam and OtherEmployees security roles.

Which three actions should you perform? Each correct selection presents a part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set the access level for the OtherEmployees security role to Organization for the Read permission.
- B. Set the access level for the MarketingTeam security role to Organization for the Read permission.
- C. Set the access level for the OtherEmployees security role to None Selected for the Read permission.
- D. Set the access level for the MarketingTeam security role to None Selected for the Read permission.
- E. Set the access level for the MarketingTeam security role to None Selected for the Create and Write permission.
- F. Set the access level for the OtherEmployees security role to None Selected for the Create and Write permission.

Answer: ABE

NEW QUESTION 149

- (Exam Topic 3)

You create a new solution publisher and include a publisher prefix value.

Which two actions can you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You can change contact details of a publisher after you create the publisher
- B. When you change a solution publisher prefix, you can change the schema name for existing components
- C. You can change the schema name of a publisher after creating the publisher
- D. You can add a component from one solution to another solution that has a different publisher

Answer: AD

Explanation:

Once you introduce a publisher for a component in a managed solution, you can't change the publisher for the component.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/solution-concepts-alm#solution-publisher>

NEW QUESTION 151

- (Exam Topic 3)

A company has the following divisions: wholesale and retail.

The manufacturer wants to create a single Power BI report to allow users to view data from a Microsoft SQL Server database. You need to ensure that each user sees data only for the team to which the user is assigned. How should you secure the report? To answer, drag the appropriate options to the correct action. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Options	Answer Area	
	Action	Option
Power BI Service	Create the team as a role.	Option
Power BI Desktop	Add members to the role.	Option
Common Data Service		
Power Platform Admin center		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: Power BI Desktop

You can define roles and rules within Power BI Desktop. When you publish to Power BI, it also publishes the role definitions.

To define security roles, follow these steps.

- > Import data into your Power BI Desktop report, or configure a DirectQuery connection.
- > From the Modeling tab, select Manage Roles.
- > From the Manage roles window, select Create.
- > Etc.

Box 2: Power BI Service


After you save your report in Power BI Report Server, you manage security and add or remove members on the server.

* 1. In Power BI Desktop, save the report to Power BI Report Server. You need to use the version of Power BI Desktop for Power BI Report Server.

* 2. In Power BI Report Service, select the ellipsis (...) next to the report.

* 3. Select Manage > Row-level security.

Graphical user interface, text, application, email Description automatically generated



On the Row-level security page, you add members to a role you created in Power BI Desktop. Reference: <https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-rls>

NEW QUESTION 155

- (Exam Topic 3)

You are designing an app for a bank. You plan to use the following entities in the app:

Entity	Comments
Clients	Clients are assigned to a branch office
Bank accounts	A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners
Branch offices	Clients are assigned to a branch office
Employees	Each employee works at only one branch office

You need to configure the relationships between the entities.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Relationship types

One-to-one

One-to-many

Many-to-one

Many-to-many

Answer Area

Relationship		
Source entity	Target entity	Relationship type
Clients	Bank accounts	Relationship type
Clients	Branch offices	Relationship type
Branch offices	Employees	Relationship type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Many-to-many
 Box 2: Many-to-one
 A client have a single branch office.
 A branch office can have many clients. Box 3: One-to-many
 A branch office can have many employees. An employee only works at one branch office.

NEW QUESTION 157

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

Solution:

- > Add an edit form to Screen_AccountDetail and set the Default Mode of the form to View.
- > Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).
- > Set the data source of the form to Accounts.
- > Set the Item property of the form to Selected.
- > Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts). Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

View, edit, or create an item, save the contents, and reset the controls in an Edit form control. FormMode.View: The form is populated with an existing record but the user cannot modify the values of the fields.

This function is often invoked from the OnSelect formula of a Button or Image control. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 160

- (Exam Topic 3)

You create a canvas app that connects to a Common Data Service database. Users report that they do not see any data in the app.

You need to ensure that users can view data in the app. What should you do?

- A. Share the app with the users
- B. Add a Power Apps license to the users
- C. Assign a security role to the users
- D. Publish the app

Answer: C

Explanation:

Sharing access to the data in the Common Data Service. The users need permission to access the entities the app uses. To grant them access, you will need to:

- * 1. Create a security role
- * 2. Assign users to the security role

Note: Common Data Service for Apps has a powerful enterprise grade security model that allows you to group users in security roles and give those roles varying levels of access to entities that some of our most sophisticated business apps are built on.

Reference:

<https://powerapps.microsoft.com/en-us/blog/sharing-a-canvas-app-built-on-top-of-common-data-service/> D18912E1457D5D1DDCDBD40AB3BF70D5D

NEW QUESTION 162

- (Exam Topic 3)
 HOTSPOT

You are designing edit forms to display individual records selected from a list in a canvas app.

The control layout must respond to a variety of screen sizes and orientations that demonstrate the following behaviors:

- Automatically resize and arrange controls from top to bottom
- Maintain the original position of the controls.
- Require no additional property changes. You need to select the layout type.

Which layouts should you use? To answer, select the appropriate options in the answer area.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

NEW QUESTION 166

- (Exam Topic 3)
 HOTSPOT

The customer service team of a company uses a model-driven app to log customer interactions. The app contains two tables: one to track customer interactions and one to track products.

The team requires an interactive dashboard to display the activities. The dashboard must display the products that have the most complaints. Each chart must display the associated data.

You need to create the dashboard.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 167

- (Exam Topic 3)

You create a canvas app for technicians at a computer store. You assign technicians cases to work on. The technicians update cases at the end of customer site visit.

The manager wants the technicians to sell warranties to the customers. If a customer agrees to purchase a warranty, technicians use the canvas app to immediately alert the sales team, and then the technician records details about the warranty into the app.

You need to create a flow to alert the sales team. Which type of trigger should you use?

- A. Flow button for mobile
- B. Power Apps
- C. Office 365 Outlook
- D. Common Data Service

Answer: A

Explanation:

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

Note: There are many repetitive tasks that we all wish we could run with just a tap of a button. For example, you may need to quickly email your team to remind them to join the daily team sync, or you may want to start a new Visual Studio Codespaces build of your code base after you've been notified that there are no more checkins planned for the day. Button flows allow you to accomplish these and many other tasks simply by tapping a button on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

NEW QUESTION 169

- (Exam Topic 3)

You are designing a canvas app that will be used by all users including users who have vision impairments. Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions.

Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Outcomes	Answer Area	Outcome
Not visible to any users	Action Set the values for the X and Y properties of a control to move the control off-screen.	Outcome
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Outcome
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Outcome
Visible to both sighted and screen-reader users		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/sv-se/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 171

- (Exam Topic 3)

DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:

Department	Requirement
Sales	The app must be able to enforce consistent business processes including native workflows.
Direct marketing	The app must provide a simplistic user interface with three buttons that allow users to navigate to other pages.

All apps must be able to run from the Power Apps mobile app.

You need to determine which app type to create for each department.

Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

App types

Canvas
 Model driven
 Portal

Answer Area

Department

Sales
 Direct marketing

App type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

App types

Canvas
 Model driven
 Portal

Answer Area

Department

Sales
 Direct marketing

App type

Model driven
 Canvas

NEW QUESTION 174

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom column that converts the order total to USD by using the relationship between order local currency and the USD exchange rate table in Power BI Desktop and display this column in a Power BI chart by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 175

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwingTeam, OwingUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 180

- (Exam Topic 3)

A company uses Microsoft platforms for all accessibility, compliance, and security auditing.

The auditing and compliance division of the company flags a newly created Power Apps canvas app due to accessibility issues. The app must be unpublished until it conforms to Microsoft accessibility requirements and recommendations.

You need to identify all accessibility issues for a solution. What should you use?

- A. Microsoft Accessibility Conformance Reports
- B. Microsoft Compliance Center
- C. Power Apps Studio
- D. Microsoft Accessibility Guides
- E. Microsoft Visual Studio

Answer: C

Explanation:

- Find accessibility issues
- In the upper-right corner of Power Apps Studio, select the icon for the App checker.
- App checker icon.
- In the menu that appears, select Accessibility.
- A list of issues appears, sorted first by severity and then by screen.
- Select the arrow next to an item to show details about it.
- Accessibility checker details.
- Select the back arrow to return to the list of items.
- If you decide to address an issue, select it to open the affected property.
- After you change one or more properties, select Re-check to update the list of issues. Resolved items disappear from the list, and new items may appear.

Reference:


<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://support.microsoft.com/en-us/accessibility/enterprise-answer-desk>

NEW QUESTION 183

- (Exam Topic 3)

You create a canvas app for a service company.

Using the Tree view, you navigate to the ViewServices screen. The screen contains a form named DetailForm1 that only contains Label controls. You add the People icon to the header of the ViewServices screen as shown below:



When you select the icon a new Activity form opens. You must set the value of the Name field on the new Activity form to the value of the name field from DetailForm1.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Which formula must you enter in the Name field on the Activity form to default the Name from DetailForm1?

Which action should you perform on the People icon?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Name_DataCardValue1.Default

Box 2: Move the icon to the Activity form and set the On Select property to the Activity screen.

The Select function simulates a select action on a control as if the user had clicked or tapped the control. As a result, the OnSelect formula on the target control is evaluated.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-select>

NEW QUESTION 188

- (Exam Topic 3)

You create a canvas app within a Power Platform environment.

You need to identify potential accessibility issues for the canvas app before making the app available to other users.

Which tool should you use?


- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: B

Explanation:

Find accessibility issues

* 1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.



* 2. In the menu that appears, select Accessibility.



A list of issues appears, sorted first by severity and then by screen. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 190

- (Exam Topic 3)

A company uses Power Apps in a single Microsoft Dataverse environment.

Users are divided into two groups about not a canvas app should work. The company decides that each group of users will try a version of the app for one week and switch to the other version of the app the following week.

You need to manage the app creation. What should you do?

- A. Create one app with two different version numbers.
- B. Create one app with two different version notes.
- C. Create two apps with the same name.
- D. Create two apps with different app names.

Answer: D

NEW QUESTION 192

- (Exam Topic 3)

A company is onboarding new workers to the Microsoft Power Platform.

A user reports an access issue with a Power Apps app. The user provides no additional information about the access issue.

You need to troubleshoot the app and data security configurations for the user. Which tool should you use?

- A. Azure AD Security review
- B. User information page
- C. Accessibility checker
- D. Run diagnostics

Answer: D

Explanation:

User access diagnostic tool in the Power Platform admin center:

Several factors influence user access in a Microsoft Dataverse environment. To help administrators with diagnosing user access to an environment and reasons for access or no access, the new "Run diagnostics" feature in the Power Platform admin center provides basic access diagnostics for individual users in the environment. The feature helps to detect potential causes to user sign-in and other issues and suggests potential mitigations.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/troubleshooting-user-needs-read-write-access-organizat>

NEW QUESTION 193

- (Exam Topic 3)

Engineers in an organization plan to attend an international product show.

The engineers must be able to capture information about presented products based on personal assessment and interest. The engineers must capture the information by taking pictures of the booth, brochures, and other product-specific materials.

You need to provide a button flow to streamline the process.

Which two AI Builder models should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Language detection
- B. Sentiment analysis
- C. Category classification
- D. Business card reader
- E. Form processing

Answer: DE

Explanation:

International product show: The language detection prebuilt model identifies the predominant language of a text document. The model analyzes the text and returns the detected language and a numeric score from 0 through 1. Scores close to 1 indicate higher confidence in the result. The detected language is returned as the "script" of the language. For instance, for the phrase "I have a dog", it will return "en" instead of "en-US". The response for languages that can't be detected is unknown.

Use the AI Builder business card reader component to detect business cards and extract their information. You can take photos directly in the component or load images that you've taken. Data is extracted and identified by using the properties listed below.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-language-detection> <https://docs.microsoft.com/en-us/ai-builder/business-card-reader-component-in-powerapps>

NEW QUESTION 196

.....

Relate Links

100% Pass Your PL-100 Exam with ExamBible Prep Materials

<https://www.exambible.com/PL-100-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>