

1Y0-204 Dumps

Citrix Virtual Apps and Desktops 7 Administration

<https://www.certleader.com/1Y0-204-dumps.html>



NEW QUESTION 1

Which Citrix ADC Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from 192.168.10.200?

- A. add ns simpleacl6
- B. add ns acl6
- C. add ns acl
- D. add ns simpleacl

Answer: C

NEW QUESTION 2

Scenario: A Citrix Administrator plans to implement HDX Insight in an environment to troubleshoot intermittent issues. The administrator needs to know which components make up HDX Insight to ensure that all of the necessary prerequisites are configured. Which three components will the administrator need to review? (Choose three.)

- A. Citrix Application Delivery Management
- B. Citrix Studio
- C. Web Insight
- D. Citrix Gateway
- E. Citrix Director

Answer: ADE

NEW QUESTION 3

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

- A. CDF Control
- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: A

NEW QUESTION 4

What are three valid ways to configure Virtual Delivery Agent (VDA) registration? (Choose three.)

- A. CONFIG.XML file
- B. Group Policy Object (GPO)
- C. Organizational Unit (OU) based Controller discovery
- D. DHCP Options
- E. MCS-based PERSONALITY.INI

Answer: BCE

NEW QUESTION 5

Which PowerShell command should a Citrix Administrator run to obtain the name of a deployment, the local host cache configuration and the license level?

- A. Get-BrokerCatalog
- B. Get-BrokerController
- C. Get-BrokerResource
- D. Get-BrokerSite

Answer: D

NEW QUESTION 6

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with local storage that contains several logical disk space locations. The administrator would like to reduce the total number of writes on the storage.

What can the administrator implement with minimal administrative effort to address these needs?

- A. Citrix Provisioning
- B. Machine Creation Services input/output optimization
- C. Personal vDisk
- D. Storage Area Network (SAN)

Answer: A

NEW QUESTION 7

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 8

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency.

Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines
- C. Machine Creation Services
- D. Manual Provisioning

Answer: C

NEW QUESTION 9

Scenario: While using Citrix Studio to create a new Delivery Group, a Citrix Administrator does NOT see any machine catalogs listed, but does see an error message. The administrator successfully verified the presence of machine catalogs in the Machine Catalogs node of Citrix Studio.

Which issue can cause this to happen?

- A. The Virtual Delivery Agent (VDA) version is lower than 7.15 LTSR.
- B. There are no unassigned machine catalog machines.
- C. No machine catalog machines have been started.
- D. The administrator has insufficient permissions to create the Delivery Group.

Answer: A

NEW QUESTION 10

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Users should NOT be able to migrate their application sessions between devices throughout the work day.

The administrator needs to modify the Citrix Workspace Control settings to prevent users from migrating their sessions between devices. (Choose the correct option to complete the sentence.)

- A. in the Site configuration within Citrix Studio
- B. in the StoreFront console
- C. through a Group Policy object
- D. in the Citrix Workspace app

Answer: B

NEW QUESTION 10

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 11

Scenario: A Citrix Administrator currently manages a Citrix ADC environment in a retail company that is growing quickly and may soon double its volume of business. Currently, a Citrix ADC MPX 5550, which handles web and SSL transactions, is in place, but is close to full capacity. Due to the forecasted growth increase, the administrator needs to find a cost effective solution.

What can the administrator recommend to management in order to cost effectively handle the growth?

- A. Another MPX 5550 appliance
- B. Performance hardware upgrade to Citrix ADC SDX 14100
- C. Perform license upgrade to Citrix ADC MPX 5650
- D. Perform hardware upgrade to Citrix ADC MPX 8005

Answer: C

NEW QUESTION 16

According to Citrix leading practices, what is the minimum number of Delivery Controllers required to deploy Citrix Virtual Apps and Desktops for 500 users?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

NEW QUESTION 18

Scenario: A Citrix Administrator has deployed a Citrix Cloud-managed Citrix Virtual Apps and Desktops Site with one on-premises resource location and two Cloud Connectors. An on-premises StoreFront server group is used to access published resources. During user acceptance testing, due to adverse weather conditions, network connectivity between the on-premises location and Citrix Cloud was broken for several hours.

Which statement describes what will occur in this scenario?

- A. One of the Citrix Cloud Connectors at the resource location is elected to be the primary broker and uses its Local Host Cache to broker new sessions and manage existing HDX connections.
- B. Users will NOT be able to access published resources, and existing sessions will be disconnected until network connectivity to Citrix Cloud is restored.
- C. The Citrix Cloud Connectors at the resource location will continue to manage existing sessions, but no new sessions can be initiated until network connectivity to Citrix Cloud is restored.
- D. Each Citrix Cloud Connector at the resource location will continue to broker new connections, for certain FlexCast models, using Connection Leasing and existing HDX connections will NOT be impacted.

Answer: A

NEW QUESTION 20

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.

The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Lingering
- D. Application Prelaunch

Answer: C

NEW QUESTION 25

When the Local Host Cache (LHC) is enabled, during a Site database outage _____ will reference _____ to broker new sessions. (Choose the correct option to complete the sentence.)

- A. the principal Delivery Controller, its local database
- B. the principal Delivery Controller, its local XML file
- C. all Delivery Controllers; their local database
- D. all Delivery Controllers; their local XML file

Answer: A

NEW QUESTION 30

Click the 'Exhibit' button to view the screenshot.

```

>
> add cs policy CS1_Pol -rule "http.REQ.URL. PATH.CONTAINS(\"url1\")"
Done
> add cs policy CS2_Pol -rule HTTP.REQ.IS_VALID
Done
>
> add cs vsrver CS_LB HTTP 10.107.149.233 80 -cltTimeout 180 -precedence URL
Done
> bind cs vsrver CS_LB -policyName CS2_Pol -targetLBVserver LB_vserver1 -priority 100
Done
> bind cs vsrver CS_LB -policyName CS1_Pol -targetLBVserver LB_vserver2 -priority 110
Done
> Bind cs vsrver CS_LB -lbvserver lb_vsrv_www
Done
>

```

How will the HTTP request `http://xenapp.training.lab/url1` be redirected based on the screenshot?

- A. The request will be sent to LB_vserver1.
- B. The request will be dropped at the CS vServer.
- C. The request will be sent to lb_vsrv_www.
- D. The request will be sent to LB_vserver2.

Answer: A

NEW QUESTION 33

Scenario: A Citrix Administrator is concerned about the amount of health checks the Citrix ADC is sending to the backend resources. The administrator would like to find a way to remove health checks from specific bound services.

How can the administrator accomplish this?

- A. Use reverse condition monitoring.
- B. Use the No-Monitor option.

- C. Unbind the current monitor.
- D. Use Service Groups to minimize health checks.

Answer: B

NEW QUESTION 38

Which method, according to Citrix leading practices, can a Citrix Administrator use to successfully make a configuration change for a StoreFront server group?

- A. Make the change on one StoreFront server in the group, then restart all servers in the group to synchronize the change.
- B. Make the same change manually on all StoreFront servers in the group, then run a Site health check.
- C. Make the same change on all StoreFront servers in the group using remote PowerShell commands.
- D. Make the change on one StoreFront server in the group, then use the Propagate Changes feature.

Answer: D

NEW QUESTION 41

Which three Citrix Virtual Desktops Site components are managed by Citrix, when using Citrix Cloud as the hosting platform? (Choose three.)

- A. Applications and Desktops
- B. Hypervisor
- C. License Server
- D. Site Database
- E. Delivery Controller

Answer: CDE

NEW QUESTION 42

A Citrix Administrator has deployed a non-domain-joined StoreFront server.

Which two options should the administrator be aware of with this deployment? (Choose two.)

- A. Authentication occurs at the Domain Controller.
- B. Two-factor authentication is NOT supported.
- C. Authentication occurs at the Citrix ADC.
- D. Server groups are NOT supported.
- E. Authentication occurs at the Delivery Controller.
- F. Server groups are supported.

Answer: DE

NEW QUESTION 43

Scenario: A Citrix Administrator needs to configure persistence on a Global Server Load Balancing (GSLB) virtual server to which a service is bound, so that the service continues to serve requests from the client event after it is disabled manually, accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all of the existing connections are closed.

Which parameter can the administrator configure while disabling the service to achieve this requirement?

- A. Request Threshold
- B. Persistence Time-Out
- C. Persistence Threshold
- D. Wait Time

Answer: B

NEW QUESTION 44

Which disk type will always be created for each virtual machine, when creating new virtual machines using Machine Creation Services (MCS)?

- A. Personal vDisk
- B. Differencing (Diff) disk
- C. Identity disk
- D. Full-clone base disk

Answer: C

NEW QUESTION 48

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and cloud NOT use `aaad.debug`. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 51

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 55

Which three report file formats can a Citrix Administrator export from Citrix Director with SCOM integration? (Choose three.)

- A. .DOC
- B. .XLS
- C. .CSV
- D. .PDF
- E. .TXT

Answer: BCD

NEW QUESTION 60

Scenario: The Director of network security in a financial organization wants to protect the enterprise network from any external malware threats. To do this, the director needs to gain visibility into otherwise-bypassed traffic and control access to malicious web sites. The director is required to do the following:

- Intercept and examine all the traffic, including SSL/TLS (encrypted traffic), coming in, and going out of the enterprise network.
- Block access to URLs identified as serving harmful or insecure content.
- Identify users (employees) in the enterprise who are accessing malicious websites.

Which Citrix ADC deployment mode should a Citrix Administrator use to achieve this requirement?

- A. Default Gateway
- B. Citrix Secure Web Gateway
- C. Citrix Gateway
- D. Access Gateway

Answer: B

NEW QUESTION 63

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 64

In a Global Server Load Balancing (GSLB) Active/Active environment, the connection proxy is used as the site persistence method.

What is used to source the traffic when connection is proxied?

- A. Client source IP
- B. LDNS IP Address
- C. Virtual IP (VIP)
- D. Subnet IP (SNIP)

Answer: D

NEW QUESTION 67

A Citrix Administrator executed the following command in the Global Server Load Balancing (GSLB) environment:

```
set gslb site SiteB -triggerMonitor MEPDOWN
```

What will be the effect of this command to the default service monitoring behavior on the remote site?

- A. The service monitor will take precedence over Metric Exchange Protocol (MEP)
- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN for any reason.
- C. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- D. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between SiteA and SiteB.

Answer: B

NEW QUESTION 68

A Citrix Administrator needs to block all the DNS requests from subnet 10.107.149.0/24. Which expression can the administrator use to match the required traffic?

- A. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)
- B. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& (client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- C. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- D. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

Answer: B

NEW QUESTION 73

Scenario: A Citrix Administrator needs to add 10 new web servers to an existing server farm. The new servers are configured to serve the same applications and connections and are twice the capacity of the existing servers. The administrator wants to ensure that they are being fully utilized. Currently in the environment, the default load-balancing method is being used.

To ensure that only the 10 new servers are receiving twice the connections of the old servers without changing the load balancing to the rest of the environment, the administrator needs to add a weight of to the services attached to the servers. (Choose the correct option to complete the sentence.)

- A. 50; new
- B. 2; old
- C. 50; old
- D. 2; new

Answer: D

NEW QUESTION 77

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Answer: C

NEW QUESTION 80

When hosting Citrix Virtual Apps and Desktops on the Citrix Cloud platform, the Layer is always managed by Citrix. (Choose the correct option to complete the sentence.)

- A. Resource
- B. User
- C. Access
- D. Control

Answer: C

NEW QUESTION 81

Scenario: A Citrix Administrator needs to migrate a Citrix Provisioning environment into Citrix Cloud. Management prefers that new virtual machines are created instead of using the existing Device Collection.

Which step does the administrator need to complete in order to migrate the Citrix Provisioning environment to Citrix Cloud?

- A. Run the Streamed VM Setup Wizard on the Citrix Provisioning servers.
- B. Install Citrix Cloud Connectors on the Citrix Provisioning servers.
- C. Update the Citrix Provisioning servers to the latest version.
- D. Deploy Citrix Cloud Remote SDK on the Citrix Provisioning servers.

Answer: B

NEW QUESTION 83

When creating a new Delegated Administrator with a custom scope, a Citrix Administrator notices that the Full Administrator role is NOT available. The administrator is experiencing this behavior because the custom scope . (Choose the correct option to complete the sentence.)

- A. created did NOT contain all the required objects
- B. must use the Read Only role
- C. was created with the hosting object selected
- D. cannot use the Full Administrator role

Answer: D

NEW QUESTION 86

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators

Answer: C

NEW QUESTION 87

Which three options are allowed when using Classic policies? (Choose three.)

- A. HTTP
- B. CLIENT
- C. SERVER
- D. IP
- E. DNS
- F. TCP

Answer: ADF

NEW QUESTION 91

On which two components must the Secure Ticket Authority (STA) server locations be configured if a Citrix Administrator wants to configure secure external access to a Citrix Virtual Apps and Desktops Site? (Choose two.)

- A. Citrix Workspace app
- B. Citrix Gateway
- C. Delivery Controller
- D. StoreFront
- E. Virtual Delivery Agent (VDA)

Answer: BD

NEW QUESTION 96

Scenario: A Citrix Administrator configured the following policies in a Citrix Virtual Desktops Site environment, in descending priority order.

- * 1. "Marketing Office A" has a filter on Marketing users. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
- * 2. "Marketing Office B" has a filter on Marketing users' internal IP. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
- * 3. "Accounting" has a filter on Accounting Users. 'Client Network Drives' is enabled; 'Client Fixed Drives' is NOT configured.
- * 4. "Baseline" is configured without a filter. 'Client Network Drives' and 'Client Fixed Drives' are both disabled.

Based on these policies, what will Accounting users be able to access?

- A. Client network drives only
- B. Neither the client network drive nor the client fixed drive
- C. Client fixed drives only
- D. Client fixed and network drives

Answer: A

NEW QUESTION 99

Scenario: A Citrix Administrator would like to better monitor traffic within the Citrix Gateway and Citrix Virtual Apps and Desktops Site. The administrator decides to implement the Citrix Application Delivery Management appliance for use with Citrix Director.

Which three additional pieces of infrastructure information can the administrator now review within Citrix Director? (Choose three.)

- A. Latency and bandwidth effects for applications and desktops.
- B. Peak Connected Sessions information for specific user sessions.
- C. Latency and bandwidth information for specific user sessions.
- D. Average ICA round trip time for specific user sessions.
- E. Peak Concurrent Total Sessions for specific applications and desktops.

Answer: CDE

NEW QUESTION 101

Scenario: A StoreFront store supports 150 users who have full access to all enterprise resources. A Citrix Administrator needs to create a new StoreFront store for contractors who will work onsite for two months. The contractors need access to specific resources but will NOT be Active Directory users.

Which option should the administrator select while creating the store for contractors?

- A. HTTP Basic
- B. Unauthenticated
- C. Smart card
- D. Pass-through

Answer: B

NEW QUESTION 102

Scenario: A user is working on a document in an HDX session and saves data on the desktop. The Virtual Delivery Agent (VDA) session abruptly crashes, causing the saved data to be lost.

Which Citrix Profile Management policy can a Citrix Administrator enable to prevent data loss?

- A. Active Write Back
- B. Profile Streaming
- C. Delay Cached Profile Deletion
- D. Profile Caching

Answer: B

NEW QUESTION 104

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA heartbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled interface of the Primary Node.

Answer: D

NEW QUESTION 105

Scenario: A Citrix Administrator is enabling TLS Secure connections between the Cloud Connectors and on-premises StoreFront. After configuring the TLS certificate on all Cloud Connectors and disabling HTTP connections, the administrator finds that no resources are being enumerated.

Which extra step does the administrator need to take to allow enumeration to work between on-premises StoreFront and Citrix Cloud?

- A. Configure Internet Information Services (IIS) on the StoreFront server to use HTTPS.
- B. Change transport type to HTTPS in the StoreFront store DDC list.
- C. Configure Cloud Connectors to allow unsecured connections.
- D. Install Internet Information Services (IIS) on the Cloud Connector.

Answer: B

NEW QUESTION 108

Scenario: A Citrix Administrator received reports from users regarding published applications freezing and crashing randomly within their Virtual Delivery Agent (VDA) machine sessions. The administrator would like to review the history of applications that have crashed recently.

Which step can the administrator take to gather the necessary information from within Citrix Director?

- A. Review Failed Server OS Machines under Dashboard.
- B. Configure Application Faults under Trends.
- C. Configure Application Errors under Trends.
- D. Review Citrix Alerts under Alerts.

Answer: B

NEW QUESTION 111

A master image that will be used to deploy machines for a Citrix Virtual Apps and Desktops environment should have the installed on it so that . (Choose the correct option to complete the sentence.)

- A. Virtual Delivery Agent (VDA); users can access resources on the machines
- B. Citrix Workspace app; users can access resources on the machines
- C. Virtual Delivery Agent (VDA); machines can communicate with the Site database
- D. Citrix Workspace app; machines can communicate with the Site database

Answer: A

NEW QUESTION 113

Scenario: A Citrix ADC MPX is using one of four 10G ports available in an environment. A Citrix Administrator found a traffic bottleneck at the Citrix ADC. What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add another 10G Citrix ADC port to the switch and configure Link Aggregation Control Protocol (LACP).
- B. Purchase another Citrix ADC MPX appliance.
- C. Add two more 10 Citrix ADC ports to the network and configure VLAN.
- D. Plug another 10G Citrix ADC port into the router.

Answer: A

NEW QUESTION 114

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2
- D. Layer 3

Answer: B

NEW QUESTION 118

Which two actions must be true for a client to connect to an SSL offload virtual server without any SSL errors? (Choose two.)

- A. The Root Certificate is installed on the client's device.
- B. The Server Certificate is from a private certificate authority (CA).
- C. The Server Certificate is bound to the load-balancing virtual server.
- D. The Root Certificate is installed on the Citrix ADC.

Answer: AC

NEW QUESTION 121

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 -ifnum 1/1
What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 123

Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

- A. nstcpdump.sh
- B. nstrace.sh
- C. nsconmsg
- D. nscollect

Answer: C

NEW QUESTION 128

Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high-latency, low bandwidth user connections? (Choose three.)

- A. Maximum number of sessions
- B. View window contents while dragging
- C. CPU usage
- D. Target frame rate and color depth
- E. Limit video quality
- F. Application launch wait timeout

Answer: BDE

NEW QUESTION 129

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

A

```
add rewrite action RW_ACT replace http.req.version "\ HTTP/1.0\ ""  
add rewrite policy RW_POL true RW_ACT
```

B

```
add rewrite action RW_ACT replace http.res.version "\ HTTP/1.0\ ""  
add rewrite policy RW_POL true RW_ACT
```

C

```
add rewrite action RW_ACT replace http.res.version "\ HTTP/1.1\ ""  
add rewrite policy RW_POL true RW_ACT
```

D

```
add rewrite action RW_ACT replace http.req.version "\ HTTP/1.1\ ""  
add rewrite policy RW_POL true RW_ACT
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 130

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

- A. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- B. One of the two Cloud Connectors is down and unresponsive.
- C. The Citrix policies have NOT been migrated to Citrix Cloud.
- D. The VDA on the master image has NOT been updated to a later version.

Answer: A

NEW QUESTION 133

Scenario: A Citrix Administrator is in the process of migrating a Citrix Virtual Apps and Desktops on-premises deployment to Citrix Cloud with an on-premises resource location. StoreFront and Citrix ADC machines are located on premises. The administrator notices that application enumeration is NOT occurring for resources managed by the Citrix Cloud Site. What does the administrator need to change in order to get application enumeration working?

- A. Add the Citrix Cloud Connectors as Secure Ticket Authority (STA) servers on Citrix ADC and StoreFront.
- B. Remove the Citrix policies on the old Citrix Delivery Controllers.
- C. Add the Citrix Cloud Connectors as XML servers to the existing StoreFront servers.
- D. Decommission the old Citrix Delivery Controllers and Databases.

Answer: A

NEW QUESTION 135

Scenario: A Citrix Administrator manages a Citrix Gateway with a Standard Platform License, with remote employees in the environment. The administrator wants to increase employee access by 300 users through the Citrix Gateway, using VPN access. Which license should the administrator recommend purchasing for this environment?

- A. Citrix ADC Burst Packs License
- B. Citrix ADC Upgrade License
- C. Citrix Gateway Universal License
- D. Citrix Gateway Express License

Answer: C

NEW QUESTION 140

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface. Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
>add responder action Act_1 respondwidth DNS.NEW_RESPONSE(true, true, NOERROR)
Done
> add responder policy Pol_1 dns.REQ.TRANSPORT.EQ(udp) Act_1
Done
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

Answer: B

NEW QUESTION 142

Which port does a Citrix Administrator need to open for Cloud Connector to communicate with the internet?

- A. 80
- B. 3389
- C. 8080
- D. 443

Answer: D

NEW QUESTION 146

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133.444
add service sslsvc1 192.168.0.14 SSL 443
add service sslsvc2 192.168.0.15 SSL 443
bind lb vserver sslvserver sslsvc1
bind lb vserver sslvserver sslsvc2
set ssl vserver sslvserver -ssl3 disabled
```

The SSL virtual server is currently in a DOWN state. What could be the reason the SSL virtual server is in a down state?

- A. The SSL services are NOT on the 10.102.29.X network.

- B. SSLv3 is disabled.
- C. The virtual server SSL port is NOT set to port 443.
- D. The SSL Certificate is NOT bound to the virtual server.

Answer: D

NEW QUESTION 151

By default, what is the printing behavior when no printing policy is configured?

- A. Direct connections to print servers are prohibited.
- B. All client printers are auto-created.
- C. The generic universal printer is automatically created.
- D. The Universal Print Server is enabled.

Answer: B

NEW QUESTION 156

Scenario: A Citrix Administrator previously configured a Citrix Virtual Desktops Site to use evaluation licenses. The administrator then installed valid advanced licenses on the Citrix License Server and confirmed that licenses show correctly in the licensing console. However, a user reports an issue about logging on to the published desktop. The user receives an error message stating that the evaluation license is about to expire.

What should the administrator do to fix this issue?

- A. Restart the License service.
- B. Verify the host name entry in the license file.
- C. Remove the evaluation license.
- D. Change the product edition in Citrix Studio.

Answer: D

NEW QUESTION 157

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Disk space
- D. Network
- E. Memory

Answer: ABE

NEW QUESTION 160

Scenario: A Citrix Administrator of a large, multi-domain company needs to configure specific Group Policy Object (GPO) settings for Citrix Workspace app (Receiver) on managed endpoints that are in various locations. The administrator needs to have the ability to save the GPO template file to the Active Directory central store, so that Group Policy Administrators located in other domains can utilize it.

Which step should the administrator take to accomplish this task?

- A. Use the available Receiver ADMX and ADML template to configure the required settings locally.
- B. Use the available Receiver ADML template to configure the required settings at the domain level.
- C. Use the available Receiver ADML template to configure the required settings locally.
- D. Use the available Receiver ADMX and ADML template to configure the required settings at the domain level.

Answer: D

NEW QUESTION 161

Which step can a Citrix Administrator take in order to use the default compression policies?

- A. Bind the default compression policies to the virtual server.
- B. Enable compression on the associated bound services.
- C. Disable the Citrix ADC Compression feature at a global level.
- D. Select the compression algorithm (gzip/deflate/identity).

Answer: A

NEW QUESTION 163

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add policy httpCallout myCallout
Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" \" -urlStemExpr \"\"/cgi-bin/check_clnt_from_database.pl
lout Request\" -parameters cip (CLIENT.IP.SRC) -resultExpr \"HTTP.RES.BODY(100) \"
Done
> add responder policy Poll \"SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")\" RESET
Done
> bind responder global Poll 100 END -type OVERRIDE
```

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched").NOT"
- C. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER("Request").EQ("Callout Request")"
- D. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER("Request").EQ("Callout Request")"

Answer: B

NEW QUESTION 168

What information from the Citrix License Server does a Citrix Administrator need in order to allocate the Citrix Virtual Desktops license file from the Citrix.com account?

- A. IP address
- B. FQDN
- C. MAC address
- D. Hostname

Answer: D

NEW QUESTION 173

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

- A


```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```
- B


```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS("BAD_URL")" DROP
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```
- C


```
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ
```
- D


```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS_ANY("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 175

A user calls the help desk to report that when launching any application from within their published desktop session, it takes a long time and the overall performance is poor.

Which Citrix Director report can a Citrix Administrator use to initiate the investigation of the issue?

- A. Machine Utilization in Machine Details
- B. Launch Failures in Trends
- C. Load Evaluator in Trends
- D. Session Data in Filters

Answer: C

NEW QUESTION 179

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 184

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1Y0-204 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1Y0-204-dumps.html>