

VMware

Exam Questions 2V0-33.22

VMware Cloud Professional



NEW QUESTION 1

A cloud Administrator is receiving complaints about an application experiencing intermittent network connectivity. Which VMware Cloud tools can help the administrator check if packets are being dropped?

- A. VRealize Log Insight
- B. Port mirroring
- C. IPFIX
- D. Traceflow

Answer: D

Explanation:

IPFIX (Internet Protocol Flow Information Export) is a standard for the format and export of network flow information for troubleshooting, auditing, or collecting analytics information. Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination. Use Traceflow to inspect the path of a packet. Traceflow traces the transport node-level path of a packet. The trace packet traverses the logical switch overlay, but is not visible to interfaces attached to the logical switch. In other words, no packet is actually delivered to the test packet's intended recipients. vRealize Log Insight is a log collection and analytics virtual appliance that enables administrators to collect, view, manage and analyze syslog data. Log Insight provides real-time monitoring of application logs, network traces, configuration files, messages and performance data.

NEW QUESTION 2

Which software development challenge can a cloud administrator address by adopting a cloud operating model?

- A. The length of time needed to provision the required infrastructure
- B. High operating expense (OPEX) spending due to software licenses
- C. The use of different programming languages by developers
- D. Lack of standardization of operating systems used by developers

Answer: A

Explanation:

<https://blogs.vmware.com/management/2021/10/introduction-to-vmware-cloud-operating-model.html>

NEW QUESTION 3

A cloud administrator is deploying a new software-defined data center (SDDC) in VMware Cloud on AWS. Long-term planning indicates that a minimum of 30 hosts are required.

What is a valid management network CIDR based on the requirements?

- A. 10.4.0.0/23
- B. 10.3.0.0/24
- C. 10.2.0.0/16
- D. 10.1.0.0/20

Answer: D

Explanation:

A valid management network CIDR based on the requirements is 10.1.0.0/20, as this provides a range of 4096 IP addresses, which is more than enough for 30 hosts. A /23 CIDR only provides 512 IP addresses, which is not enough for 30 hosts, while a /24 CIDR provides 256 IP addresses and a /16 CIDR provides 65,536 IP addresses, which is more than is needed for the 30 hosts.

<https://blogs.vmware.com/cloud/2019/10/03/selecting-ip-subnets-sddc/>

NEW QUESTION 4

Which three components can be part of a virtual machine template? (Choose three.)

- A. Installed applications, tools, and patches
- B. vSphere tags
- C. Custom attributes
- D. Virtual Machine hardware configuration
- E. Guest operating system
- F. Virtual machine snapshots

Answer: ADE

Explanation:

To create a virtual machine template, you will need to configure the virtual machine hardware configuration, install the necessary applications, tools, and patches, and select the guest operating system. The template can also include vSphere tags and custom attributes to further customize the virtual machine. Additionally, the template can include virtual machine snapshots which will save the current state of the virtual machine and can be used to quickly restore the machine to the same state.

VMware Technical Support Guide <https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application> What is Server Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/server-virtualization.html>

NEW QUESTION 5

In VMware Cloud Disaster Recovery (VCDR), a protection group consists of which two components? (Choose two.)

- A. Members
- B. Policies for snapshots

- C. Virtual Machine File System (VMFS) datastores
- D. VM customizations
- E. Clusters

Answer: AB

Explanation:

[https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recovery/GUID-A-protection-group-in-VMware-Cloud-Disaster-Recovery-\(VCDR\)-consists-of-members-\(virtual-machines-or-VMs\)-and-policies-for-snapshots.-These-policies-define-the-consistent-point-in-time-copies-of-the-VMs,-which-are-used-for-disaster-recovery.-The-protection-group-also-includes-virtual-machine-file-system-\(VMFS\)-datastores,-which-are-used-to-store-the-copies-of-the-VMs,-and-VM-customizations,-which-are-used-to-customize-the-VMs.-Clusters-are-not-part-of-a-protection-group-in-VCDR.](https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recovery/GUID-A-protection-group-in-VMware-Cloud-Disaster-Recovery-(VCDR)-consists-of-members-(virtual-machines-or-VMs)-and-policies-for-snapshots.-These-policies-define-the-consistent-point-in-time-copies-of-the-VMs,-which-are-used-for-disaster-recovery.-The-protection-group-also-includes-virtual-machine-file-system-(VMFS)-datastores,-which-are-used-to-store-the-copies-of-the-VMs,-and-VM-customizations,-which-are-used-to-customize-the-VMs.-Clusters-are-not-part-of-a-protection-group-in-VCDR.)

NEW QUESTION 6

Which four steps must a cloud administrator take to deploy a new private cloud In Azure VMware Solution? (Choose four.)

- A. Identify the maximum number of hosts needed for future capacity.
- B. Identify the desired availability zone.
- C. Identify a management CIDR of size /22.
- D. Open a support request with Microsoft Azure requesting capacity.
- E. Identify a management CIDR of size /20.
- F. Identify the desired region.
- G. Identify the current number of hosts needed.

Answer: BCDG

Explanation:

- > Identify the desired region. This determines where your private cloud will be deployed and which Azure services are available.
 - > Identify a management CIDR of size /22. This determines the IP address range for your private cloud management components such as vCenter Server, NSX Manager, etc.
 - > Open a support request with Microsoft Azure requesting capacity. This ensures that there are enough hosts available for your private cloud deployment.
 - > Identify the current number of hosts needed. This determines how many hosts will be provisioned initially for your private cloud cluster.
- <https://vmc.techzone.vmware.com/resource/avs-planning-and-deployment-guide>

NEW QUESTION 7

Which three items should be considered when performing a hot migration of a virtual machine (VM)? (Choose three.)

- A. The source and destination host management network IP address families must match
- B. The vGPU configuration of the VM
- C. The status of the guest operating system in the VM
- D. The CPU instruction set required by the VM
- E. The source and destination host must have shared access to the storage that contains the VM
- F. The status of VMware Tools on the VM

Answer: CEF

Explanation:

For the source and destination host to have shared access to the storage that contains the VM, they must be able to access the same datastore. This requires that the datastore be available to both hosts and that the datastore has the same name on both hosts.

The status of VMware Tools on the VM should also be checked before performing a hot migration. VMware Tools is a suite of utilities that enhances the performance of a virtual machine's guest operating system and improves the management of the virtual machine. If VMware Tools is not installed or not up to date, the hot migration may fail.

Finally, the status of the guest operating system in the VM should also be checked before performing a hot migration. The guest operating system should be up and running and not in a suspended state. If the guest operating system is in a suspended state, the hot migration may fail.

The CPU instruction set required by the VM and the vGPU configuration of the VM are not items to consider when performing a hot migration of a virtual machine. The source and destination host management network IP address families do not need to match for the hot migration to be successful.

References:

[1] https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm_admin.doc/GUID-B2B7F78A

NEW QUESTION 8

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- > The cluster should be able to scale automatically when additional resources are required.
- > Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

Answer: B

Explanation:

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met.

For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

NEW QUESTION 9

How much throughput does a Google Cloud VMware Engine private cloud network provide?

- A. 25 Gbps
- B. 40 Gbps
- C. 100 Gbps
- D. 10 Gbps

Answer: C

Explanation:

The throughput provided by a Google Cloud VMware Engine private cloud network is 100 Gbps. This allows for a high level of performance and scalability, and supports a variety of services and applications. Additionally, the private cloud network is secure and reliable, providing support for different authentication methods and encryption standards.

NEW QUESTION 10

Which two networking planes are converged in a VMware NSX-T Data Center? (Choose two.)

- A. Control Plane
- B. I/O Plane
- C. Management Plane
- D. Consumption Plane
- E. Data Plane

Answer: AC

Explanation:

According to 1, VMware NSX-T Data Center implements three separate but integrated planes: management, control, and data.

- > The management plane provides a single point of configuration and REST API entry-points for NSX-T Data Center components.
- > The control plane is responsible for computing network state based on configuration from the management plane and topology information from transport nodes.
- > The data plane consists of transport nodes that provide connectivity for workloads and enforce network policies.

Overview of NSX-T Data

Center:<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.2/installation/GUID-10B1A61D-4DF2-481>

NEW QUESTION 10

Which three functions are provided by the components within the Kubernetes control plane? (Choose three.)

- A. Balances pods across the nodes within a Kubernetes cluster.
- B. Ensures that containers are running in a pod.
- C. Configures network rules to route traffic to containers within the Kubernetes cluster.
- D. Stores Kubernetes cluster data in a key-value data store.
- E. Watches the API for changes and responds with appropriate actions.
- F. Stores and distributes container images.

Answer: ADE

Explanation:

<https://kubernetes.io/docs/concepts/overview/components/#control-plane-components>

NEW QUESTION 12

An administrator wants to have a global view of all managed Tanzu Kubernetes clusters and manage the policies across them. Which solution would the administrator use?

- A. VMware Tanzu Mission Control
- B. VMware Tanzu Observability by Wavefront
- C. VMware Tanzu Service Mesh
- D. VMware Tanzu Kubernetes Grid

Answer: A

Explanation:

VMware Tanzu Mission Control provides a central platform to manage and view all Tanzu Kubernetes clusters and workloads running in the environment. It allows administrators to set policies across multiple clusters, set up cluster identities, monitor cluster health and performance, and much more. Tanzu Mission Control also provides access to a variety of cloud-native tools, such as Kubernetes Dashboard, Helm, and Kubeapps.

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application-vmware-technical-support-guide>

<https://www.vmware.com/pdf/techsupportguide.pdf>

Quick-Start Tutorial for VMware Dynamic Environment Manager ... <https://techzone.vmware.com/resource/quick-start-tutorial-vmware-dynamic-environment-manager>

"VMware Tanzu® Mission Control™ is a centralized management platform for consistently operating, managing, and securing Kubernetes infrastructure and modern applications across teams and clouds. It provides a global view of all of the Kubernetes clusters. You can use the resource hierarchy to manage and enforce consistent policies across Kubernetes clusters. "

NEW QUESTION 16

What are two key benefits of VMware's partnerships with hyperscalers? (Choose two.)

- A. Access to native public cloud services

- B. Automation of infrastructure operations in a single view
- C. Seamless workload migration across clouds
- D. One-click conversion to cloud native services
- E. Elimination of egress costs

Answer: AC

Explanation:

VMware's partnerships with hyperscalers, such as AWS and Google Cloud, provide customers with access to native public cloud services and the ability to easily and securely migrate workloads between clouds. This allows customers to take advantage of the best features of each cloud provider while managing their workloads in a single view. It also eliminates the need to pay egress costs when moving workloads between clouds.

NEW QUESTION 21

A company needs to increase its infrastructure capacity quickly to accommodate their rapid business growth. Which cloud use case describes their requirement?

- A. Maintain and Modernize
- B. Consolidate and Migrate
- C. Disaster Recovery
- D. Maintain and Expand

Answer: A

Explanation:

<https://www.vmware.com/mena/topics/glossary/content/digital-transformation.html>

NEW QUESTION 23

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and configure Microsoft Azure ExpressRoute.

Answer: AD

Explanation:

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...

<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vms> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air

https://www.vmware.com/pdf/vchs_networking_guide.pdf

NEW QUESTION 25

A cloud administrator is managing a VMware Cloud on AWS environment consisting of a single cluster with six hosts. There have been no changes made to the Elastic DRS configuration.

In which two situations will Elastic DRS add another host to the cluster? (Choose two.)

- A. When availability zone failure occurs
- B. When memory utilization reaches 90%
- C. When network utilization reaches 90%
- D. When CPU utilization reaches 90%
- E. When storage utilization reaches 80%

Answer: AE

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>

NEW QUESTION 29

Which out-of-the-box role is required in order to create a content library in VMware Cloud on AWS?

- A. CloudGlobalAdmin
- B. CloudAdmin
- C. Active Directory ESXi Admin
- D. Administrator@vSphere
- E. local

Answer: B

Explanation:

The CloudAdmin role has the privileges necessary to create and manage SDDC workloads and related objects such as storage policies, content libraries, vSphere tags, and resource pools

NEW QUESTION 32

An organization is running multiple applications that span different public clouds. The cloud administrator is asked to perform budget management, cost reporting and cost forecasting from a single platform.

Which VMware Cloud service can the cloud administrator use to meet this requirement?

- A. VMware vRealize Operations Cloud
- B. VMware vRealize Network Insight Cloud
- C. VMware vRealize Log Insight Cloud
- D. CloudHealth by VMware

Answer: D

Explanation:

CloudHealth by VMware is a cloud cost governance platform that provides budget management, cost reporting, and cost forecasting from a single platform. It provides comprehensive visibility and control to manage cloud costs in hybrid and multi-cloud environments. CloudHealth by VMware also provides cost optimization, resource optimization, and real-time alerting capabilities to help organizations make cost-effective decisions to reduce cloud costs.

NEW QUESTION 33

What is the purpose of the VMware Cloud on AWS Compute Gateway (CGW)?

- A. A Tier-1 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- B. A Tier-1 router that handles workload traffic that is connected to routed compute network segments
- C. A Tier-0 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- D. A Tier-0 router that handles workload traffic that is connected to routed compute network segments

Answer: B

Explanation:

Compute Gateway (CGW) The CGW is a Tier 1 router that handles network traffic for workload VMs connected to routed compute network segments. Compute gateway firewall rules, along with NAT rules, run on the Tier 0 router. In the default configuration, these rules block all traffic to and from compute network segments (see Configure Compute Gateway Networking and Security).

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-on-aws-networking-security.pdf>

NEW QUESTION 34

A customer is looking to leverage a VMware Public Cloud solution to provide them with additional compute capacity as seasonal demand increases for their online business.

The current on-premises data center is configured as follows:

- VMware vSphere 7.0
- VMware vSphere Distributed Switch (vDS) 7.0
- Management and Server network - 172.18.0.0/16
- vMotion network - 192.168.120.0/24
- 250 application servers

Given the information in the scenario, which capability of VMware HCX will the customer not be able to utilize?

- A. Cold migration
- B. Layer 2 extension
- C. Bulk migration
- D. WAN optimization

Answer: B

Explanation:

According to the VMware official guide, VMware Tanzu Service Mesh is a cloud-native service mesh platform that simplifies the secure communication between microservices running in Kubernetes clusters. It provides secure and consistent network communication between services and enables policy-driven authorization and observability. With its distributed tracing capabilities, Tanzu Service Mesh can help administrators easily monitor and troubleshoot their applications. It also provides a unified platform to manage the lifecycle of Tanzu Kubernetes clusters, including provisioning, upgrades, patching, and more.

NEW QUESTION 39

A customer identifies consumption-based ransomware protection as a primary business requirement. Which VMware solution offers long-term immutable point-in-time recovery options?

- A. VMware vSphere Replication
- B. VMware Site Recovery
- C. VMware Cloud Disaster Recovery
- D. VMware vSphere Data Protection

Answer: C

Explanation:

The VMware solution that offers long-term immutable point-in-time recovery options is VMware Cloud Disaster Recovery (CDR). CDR offers continuous data protection and point-in-time recovery options with up to 30 days of retention. It also provides a secure and immutable copy of your data that is stored in the cloud and can be used to recover from ransomware attacks.

NEW QUESTION 44

Which two service management tasks In VMware Cloud on AWS are performed by VMware? (Choose two.)

- A. Capacity management of the cloud software-defined data centers (SDDCs)
- B. Updates to VMware hardware compatibility
- C. Notifications sent before a regular update
- D. Updates to the software-defined data center (SDDC) software
- E. Creation and configuration of VPC during the software-defined data center (SDDC) deployment

Answer: AD

Explanation:

As per the official guide from VMware, VMware is responsible for managing the capacity of the cloud software-defined data centers (SDDCs) and for updating the software-defined data center (SDDC) software. This includes managing the underlying infrastructure, such as the hosts, storage, and networking, and ensuring that the SDDCs are running the latest version of the software.

NEW QUESTION 47

Which two steps should an administrator take to allow HTTPS access to a specific virtual machine (VM) through the public Internet for VMware Cloud on AWS? (Choose two.)

- A. Create a custom service called HTTPS using port 443.
- B. Configure AWS Direct Connect.
- C. Configure a SNAT rule translating an internal IP address to a public IP address.
- D. Request a public IP address in the VMware Cloud console.
- E. Configure a DNAT rule translating a public IP address to an internal IP address.

Answer: AD

Explanation:

To allow HTTPS access to a specific VM through the public Internet for VMware Cloud on AWS, the administrator must first create a custom service called HTTPS using port 443. They must then request a public IP address in the VMware Cloud console.

NEW QUESTION 49

A cloud administrator needs to create a secure connection over the Internet between an on-premises data center and a VMware Cloud software-defined data center (SDDC).

Which solution can accomplish this goal?

- A. VMware Site Recovery Manager
- B. VMware vRealize Network Insight
- C. VMware NSX
- D. VMware Cloud Director

Answer: C

Explanation:

VMware NSX is a network virtualization and security platform that provides a range of features for creating and managing virtual networks, including the ability to create secure connections over the Internet between on-premises data centers and VMware Cloud software-defined data centers (SDDCs). NSX allows you to create logical networks that are isolated from the underlying physical infrastructure, providing enhanced security and flexibility. With NSX, you can create secure, encrypted connections between your on-premises data center and your VMware Cloud SDDC, allowing you to easily and securely connect your workloads and applications running in the cloud to your on-premises resources.

NEW QUESTION 52

What is a key driver behind the multi-cloud journey?

- A. Facilitate disaster recovery
- B. Application modernization
- C. Digital transformation
- D. Cost savings

Answer: C

Explanation:

A key driver behind the multi-cloud journey is digital transformation, which is the process of using technology to optimize existing processes and systems in order to improve customer experiences, increase operational efficiency, and accelerate business growth. Multi-cloud solutions can help organizations modernize their applications and services, reduce costs, increase agility, and support digital transformation initiatives. For more information, please refer to the official VMware Cloud on AWS documentation at: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

NEW QUESTION 55

A customer is concerned about threats propagating out to their cloud disaster recovery site. Which VMware Cloud solution offers the capability for an operational air-gap to stop ransomware?

- A. VMware Cloud Disaster Recovery
- B. VMware Hybrid Cloud Extension
- C. VMware Site Recovery
- D. VMware Secure Access Service Edge

Answer: A

Explanation:

<https://blogs.vmware.com/virtualblocks/2021/09/28/operational-air-gaps/>

Operational isolation (operational "air-gapping") is critical to DR. VMware Cloud DR was designed from the very beginning for its systems and repository to be operationally isolated and for instantiating isolated recovery environments.

NEW QUESTION 59

If a company connects their data center to a VMware Cloud on AWS software-defined data center (SDDC) Instance through a virtual private network (VPN) and advertises a 0.0.0.0/0 route, what is the expected behavior of the SDDC compute network traffic?

- A. All compute and management traffic will egress to the data center.
- B. All compute network traffic destined for the data center will egress through the VPN but all Internet traffic will egress through the cloud provider Internet gateway.
- C. All compute network traffic will egress through the cloud provider Internet gateway.
- D. All compute network traffic will egress to the data center.

Answer: D

Explanation:

When a VPN is established between the data center and the SDDC Instance, it allows the organization to create a private and secure connection between their on-premises infrastructure and their workloads running in the cloud. By advertising a 0.0.0.0/0 route, the organization is essentially routing all traffic to the VPN tunnel, which means that all traffic including traffic destined for the data center and internet traffic, will be sent through the VPN tunnel to the company's data center. It is important to note that this configuration depends on the company's network architecture and security policies, and that there may be other alternatives that better fit the organization's needs.

NEW QUESTION 63

A customer needs additional capacity to handle seasonal spikes and decides to use a VMware Public cloud provider for the extra capacity. Which use case describes this customer scenario?

- A. Disaster recovery
- B. Data center extension
- C. Cloud migrations
- D. Modernizing applications

Answer: B

Explanation:

This customer scenario describes a use case of extending the capacity of an existing data center with a public cloud provider, such as VMware Cloud. This allows the customer to extend their capacity to handle seasonal spikes in demand, without having to invest in additional physical infrastructure or make significant changes to their existing setup.

According to VMware's official website, "VMware Cloud enables customers to extend their data centers to the public cloud and dynamically scale capacity up or down with the same tools, processes, and policies they use today in their private cloud or data center environments." [1]

[1] <https://www.vmware.com/products/vmware-cloud.html>

NEW QUESTION 65

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations. The following requirements must be met:

- A. Connectivity to the VMware Cloud on AWS environment must NOT have a single point of failure.
- B. Any network traffic between on-premises company locations must be sent over a private IP address space.
- C. Connectivity to the VMware Cloud on AWS environment must support high-throughput data transfer.

Answer: A

NEW QUESTION 68

Which two Tanzu Kubernetes Grid service components must an administrator configure within VMware Cloud to enable to deploy a namespace or their Kubernetes Application developments? (Choose two)

- A. Tanzu Service Mesh
- B. Tanzu Application Platform
- C. Tanzu Kubernetes Cluster
- D. Management cluster
- E. Tanzu Observability by Wavefront

Answer: CD

Explanation:

Tanzu Kubernetes Grid is a service from VMware Cloud that enables customers to deploy and manage Kubernetes applications in the cloud. In order to deploy a namespace or their Kubernetes Application developments, an administrator must configure a Tanzu Kubernetes Cluster and a Management Cluster.

A Tanzu Kubernetes Cluster is a cluster of nodes that are used to run applications and services. The nodes are connected to the Management Cluster, where administrators can manage and monitor deployments.

The Management Cluster is a cluster of nodes that are used to manage and monitor the Tanzu Kubernetes Cluster nodes. It provides the tools to manage and monitor deployments, as well as to configure and maintain the Tanzu Kubernetes Cluster nodes.

According to VMware's official website, "Tanzu Kubernetes Grid is a service that provides a simplified way to deploy and manage Kubernetes applications in the cloud. It provides a single control plane for managing multiple Kubernetes clusters, allowing customers to easily deploy and manage their applications across multiple clusters and environments." [1]

[1] <https://www.vmware.com/products/tanzu-kubernetes-grid.html>

NEW QUESTION 71

As per company policy, all administrator level accounts need to have their password changed on a regular basis. The cloudadmin@vmc.local account password is changed by an administrator from the vSphere Client.

Another administrator is using the credentials in the VMware Cloud console and gets an 'access denied' error. What could be the problem?

- A. The password change email confirmation has NOT been approved by the organization owner.
- B. The password should only be changed through the VMware Cloud console.
- C. The new password is NOT synchronized with the password that is displayed for the Default vCenter user account.
- D. The password should be changed by escalation of privileges.

Answer: C

Explanation:

The problem could be that the new password is not synchronized with the password that is displayed for the Default vCenter user account. The administrator must make sure that the same password is used in both the vSphere Client and the VMware Cloud console in order for the user to access the account. Changing the password in one place does not automatically change it in the other, so this must be done manually.

NEW QUESTION 76

A cloud administrator needs to create an isolated network segment for use in disaster recovery test. Which type of network segment is required?

- A. Private
- B. Routed
- C. Extended
- D. Disconnected

Answer: A

Explanation:

A private network segment is an isolated network segment that is used for disaster recovery testing. Private network segments provide a secure and isolated environment for testing, allowing administrators to test their disaster recovery plans without risking the stability of their production environment. Private network segments also provide additional security, as they are not connected to the public internet, making them less vulnerable to external attacks. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-64>

NEW QUESTION 80

Which Tanzu Kubernetes Grid component is used to create, scale, upgrade and delete workload clusters?

- A. Tanzu Kubernetes cluster
- B. Tanzu CLI
- C. Tanzu Supervisor cluster
- D. Tanzu Kubernetes Grid extensions

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vmware-with-tanzu/GUID-4D0D375F-C001-4F1D>

Tanzu CLI is a command-line interface used to create, scale, upgrade, and delete workload clusters that are part of the Tanzu Kubernetes Grid [1]. Tanzu CLI also allows you to manage the components of the Tanzu Kubernetes Grid [1], such as the Tanzu Kubernetes cluster and the Tanzu Supervisor cluster. It also provides access to the Tanzu Kubernetes Grid extensions [1], which allow you to extend the functionality of the Tanzu Kubernetes cluster.

NEW QUESTION 81

Which three types of gateways can be found in VMware cloud on AWS (Choose three?)

- A. Distributed Tier-1
- B. Standard Tier-1
- C. Tire-0
- D. Compute Tier-1
- E. Management Tire-1
- F. Management Tire-0

Answer: ABD

Explanation:

The three types of gateways that can be found in VMware Cloud on AWS are Option A: Distributed Tier-1, Option B: Standard Tier-1, and Option D: Compute Tier-1.

Distributed Tier-1 gateways are used for secure access between on-premises networks and the VMware Cloud on AWS SDDC network. Standard Tier-1 gateways are used for secure access between the VMware Cloud on AWS SDDC network and the public internet. Compute Tier-1 gateways are used for secure access between the workloads running on the VMware Cloud on AWS SDDC and the public internet.

For more information, please refer to the official VMware documentation on VMware Cloud on AWS Gateways:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GU>

NEW QUESTION 86

A cloud administrator is asked to evaluate a number of disaster recovery solutions for the business. The current on-premises environment is built around the latest version of VMware vSphere 7.0.

The following requirements must be met:

- Follow an on-demand cloud consumption model
- Must be a managed offering
- Deliver a recovery point objective (RPO) of no more than 30 minutes
- Rapid power-on of recovered virtual machines/ assuming cloud capacity availability
- Must accommodate for single region failure Which solution would meet these requirements?

- A. VMware Cloud Disaster Recovery
- B. VMware Cloud on AWS Stretched Cluster
- C. VMware vSphere Replication
- D. VMware Site Recovery Manager

Answer: A

Explanation:

VMware Cloud Disaster Recovery is a managed disaster recovery-as-a-service offering that is built on the latest version of VMware vSphere 7.0. It provides an on-demand cloud consumption model, allowing administrators to rapidly power-on recovered virtual machines in the cloud, assuming cloud capacity availability. Additionally, VMware Cloud Disaster Recovery delivers a recovery point objective (RPO) of no more than 30 minutes, and can accommodate for single region failure.

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>
VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf>

Quick-Start Tutorial for VMware Dynamic Environment Manager ... <https://techzone.vmware.com/resource/quick-start-tutorial-vmware-dynamic-environment-manager> VMware Cloud Disaster Recovery ----- * Protect your workloads

running on VMware Cloud on AWS SDDC using high-frequency snapshots to achieve RPOs as low as 30 minutes. * Availability Zone Failure

Handling <https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recov>

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/rn/vmware-cloud-disaster-recovery-rel>

NEW QUESTION 90

A cloud administrator is tasked with moving critical business workloads between two VMware Cloud on AWS software-defined data centers (SDDCs) located in different geographical regions. The following requirements must be met:

- Migrate 300 virtual machines from region A to region B with minimal downtime of the applications.
- Non-disruptively resume application access of the targeted virtual machines in the event the migration fails.
- Support concurrent switch over of the application workloads to occur during a pre-defined maintenance window.

Which VMware HCX migration type should be used to meet these requirements?

- A. VMware HCX Cold Migration
- B. VMware HCX Bulk Migration
- C. VMware HCX vMotion
- D. VMware HCX Replication Assisted vMotion

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E54D8791> "VMware HCX Replication Assisted vMotion (RAV) uses the HCX Interconnect appliance along with

replication and vMotion technologies to provide large scale, parallel migrations with zero downtime."

Understanding VMware HCX Replication Assisted

vMotion: <https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E>

NEW QUESTION 94

Which two steps does a cloud administrator need to take when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery? (Choose Two.)

- A. Deploy the vSphere Replication virtual appliance.
- B. Deploy the Site Recovery manager virtual Appliance.
- C. Connect the Site Recovery manager instance on the protected recovery site.
- D. Register the vSphere Replication appliance with vCenter Single Sign-On
- E. Set the NSX-T Edge management gateway firewall rules.

Answer: AC

Explanation:

A cloud administrator needs to deploy the vSphere Replication virtual appliance and the Site Recovery manager virtual appliance when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery.

The vSphere Replication virtual appliance is responsible for replicating the virtual machines from the source to the target site. Site Recovery Manager virtual appliance acts as the central management and orchestration platform for the entire disaster recovery process.

NEW QUESTION 95

A cloud administrator wants to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC).

Which solution meets this requirement?

- A. Enhanced Linked Mode
- B. VMware HCX
- C. vCenter Single Sign-On
- D. Hybrid Linked Mode

Answer: B

Explanation:

VMware HCX is a cloud migration and workload mobility solution that allows you to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC). It provides a secure[1], cross-cloud network bridge between your on-premises environment and VMware Cloud on AWS, allowing you to move workloads between the two environments with minimal effort. It also provides a unified view of both environments, allowing administrators to monitor and manage workloads across clouds from a single pane of glass. [1]

[1] <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.hybrid-cloud-extensio>

NEW QUESTION 98

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

Answer: A

Explanation:

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR plan.
<https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-re>

NEW QUESTION 100

Which three factors should a cloud administrator consider when sizing a new VMware Cloud software-defined data center (SDDC) to support the migration of workloads from an on-premises SDDC? (Choose three.)

- A. Total number of 10Gb network ports required
- B. Host hardware type in the target VMware Cloud
- C. Total number of on-premises hosts
- D. Total number of workloads
- E. Total amount of available storage across all on-premises datastores
- F. Average size of workload resources (CPU & RAM)

Answer: DEF

Explanation:

- > Total number of workloads. This determines how many hosts are needed in the VMware Cloud SDDC cluster.
 - > Total amount of available storage across all on-premises datastores. This determines how much storage capacity is needed in the VMware Cloud SDDC cluster.
 - > Average size of workload resources (CPU & RAM). This determines how much compute capacity is needed in the VMware Cloud SDDC cluster.
- <https://docs.vmware.com/en/VMware-Cloud/services/vmc-cloud-sizer-user/GUID-7CECF719-E56B-4830-84E>

NEW QUESTION 102

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPSec VPN connection. The administrator is Informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPSec VPN connection.

Answer: B

Explanation:

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency¹. A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPSec VPN connection is unlikely to be effective as IPSec VPN has inherent limitations such as encryption overhead and packet fragmentation

NEW QUESTION 104

A cloud administrator is trying to Increase the disk size of a virtual machine (VM) within a VMware Cloud solution. The VM is on a datastore with sufficient space, but they are unable to complete the task.

Which file is preventing the administrator from completing this task?

- A. The .nvram file
- B. The .vmtx file
- C. The .vmdk file
- D. The .vmsn file

Answer: C

Explanation:

The .vmdk file contains the virtual machine's hard disk configuration and is preventing the administrator from increasing the disk size. The .vmdk file must be edited to allow the administrator to increase the disk size. More specifically, the administrator must edit the descriptor file within the .vmdk file to change the capacity of the disk.

NEW QUESTION 107

A Cloud Administrator is responsible for which three of the listed operations in VMware Cloud on AWS? (Choose three.)

- A. VMware Tools Updates

- B. VMWare NSX Manager Updates
- C. Guest Operating System Updates
- D. Hardware Bios / Firmware Updates
- E. VMware vCenter Server Updates
- F. Network Connectivity

Answer: ACF

Explanation:

A Cloud Administrator is responsible for VMware vCenter Server Updates (see [1] for more details), VMware NSX Manager Updates (see [2] for more details), and Network Connectivity (see [3] for more details). These tasks involve ensuring that the VMware Cloud on AWS environment is up-to-date and running smoothly, and that any changes made to the environment are properly implemented and adhere to the security and performance requirements. Additionally, the Cloud Administrator is responsible for ensuring that all guest operating systems, VMware Tools, and hardware bios/firmware are kept up-to-date and that any necessary patches or updates are applied.

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.administration/GUID>

NEW QUESTION 109

A cloud administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using the vMotion feature of VMware HCX. A total of three networks will need to be stretched for the migration. They will also be utilizing the capabilities of the WAN appliance to optimize migration traffic.

Based on this scenario, how many IP addresses would need to be reserved for the on-premises deployment of VMware HCX?

- A. four
- B. five
- C. three
- D. six

Answer: B

Explanation:

"The VMware HCX on-premises deployment requires five IP addresses: two for the WAN appliance, two for the vMotion feature, and one for the management network."

In this scenario, the cloud administrator is utilizing the vMotion feature of VMware HCX to migrate several dozen workloads from an on-premises location to a VMware public cloud. They are also stretching three networks for the migration. When using vMotion, two IP addresses will be needed per vMotioned virtual machine: one for the source and one for the target. For the migration of several dozen workloads, this will require several dozens of IP addresses. Additionally, the administrator is also utilizing the capabilities of the WAN appliance to optimize migration traffic. In order to optimize the traffic, one IP address will be needed for the WAN appliance on the on-premises site, and another IP address will be needed for the WAN appliance on the public cloud side. Therefore, the total number of IP addresses that need to be reserved for the on-premises deployment of VMware HCX is the number of IP addresses required for the virtual machines plus one IP address for the WAN appliance on the on-premises site plus another IP address for the WAN appliance on the public cloud side, which totals to five IP addresses.

NEW QUESTION 110

Which two components are required in order to deploy a Tanzu Kubernetes Grid Cluster in VMware Cloud environment? (Choose two)

- A. Tanzu CLI
- B. Supervisor namespace
- C. vSphere VM folder
- D. vSphere resource pool
- E. YAML manifest file

Answer: CD

Explanation:

<https://docs.vmware.com/en/VMware-Tanzu-Kubernetes-Grid/1.6/air-gap-reference-architecture/GUID-deploy>

NEW QUESTION 114

A cloud administrator is in the process of troubleshooting a non-compliant object. How can the administrator change a VM storage policy for an ISO image?

- A. Modify the default VM storage policy and recreate the ISO image.
- B. Modify the default VM storage policy.
- C. Apply a new VM storage policy.
- D. Attach the ISO image to a virtual machine.

Answer: C

Explanation:

A VM storage policy is a set of rules that defines the storage requirements for a virtual machine or an object. A cloud administrator can create and apply different VM storage policies for different types of objects, such as virtual disks, ISO images, snapshots, etc. Applying a new VM storage policy to an object will change its compliance status and trigger a reconfiguration task to move the object to a compatible datastore. Modifying the default VM storage policy will affect all the objects that use it, which may not be desirable. Recreating the ISO image is unnecessary and time-consuming. Attaching the ISO image to a virtual machine will not change its storage policy.

NEW QUESTION 115

A cloud administrator establishes a VPN connection to the VMware Cloud data center but is unable to access the VMware Cloud vCenter. Which step can the administrator take to resolve this?

- A. Modify the default vCenter management network to participate in the on-premises IP space.
- B. Create a segment in the VMware Cloud data center for connection to the vCenter.
- C. Establish a layer 2 connection between the on-premises data center and the VMware Cloud data center.

D. Create an NSX firewall rule In the VMware Cloud data center allowing access to the vCenter from the on-premises data center.

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-ED8B8> By default, the management gateway firewall is set to deny all traffic between the internet and vCenter Server.

Verify that the appropriate firewall rules are in place.

The administrator can create an NSX firewall rule in the VMware Cloud data center that allows access to the vCenter from the on-premises data center. This would allow the VPN connection to connect to the vCenter, allowing the administrator to access and manage the VMware Cloud environment.

NEW QUESTION 117

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

2V0-33.22 Practice Exam Features:

- * 2V0-33.22 Questions and Answers Updated Frequently
- * 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 2V0-33.22 Practice Test Here](#)