

Exam Questions 2V0-33.22

VMware Cloud Professional

<https://www.2passeasy.com/dumps/2V0-33.22/>



NEW QUESTION 1

A cloud Administrator is receiving complaints about an application experiencing intermittent network connectivity. Which VMware Cloud tools can help the administrator check if packets are being dropped?

- A. VRealize Log Insight
- B. Port mirroring
- C. IPFIX
- D. Traceflow

Answer: D

Explanation:

IPFIX (Internet Protocol Flow Information Export) is a standard for the format and export of network flow information for troubleshooting, auditing, or collecting analytics information. Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination. Use Traceflow to inspect the path of a packet. Traceflow traces the transport node-level path of a packet. The trace packet traverses the logical switch overlay, but is not visible to interfaces attached to the logical switch. In other words, no packet is actually delivered to the test packet's intended recipients. vRealize Log Insight is a log collection and analytics virtual appliance that enables administrators to collect, view, manage and analyze syslog data. Log Insight provides real-time monitoring of application logs, network traces, configuration files, messages and performance data.

NEW QUESTION 2

A cloud administrator wants to restrict Junior administrators to creating, deleting, and managing virtual machines in the Development folder In the VMware Cloud on AWS vCenter Server instance.

Which type of access should be granted to these junior administrators?

- A. CloudAdmin role and global permissions
- B. CloudAdmin role on the Development folder
- C. Administrator role on the Development folder
- D. Administrator role on the cloud vCenter Server instance

Answer: B

Explanation:

This role is designed to give administrators access to manage virtual machines, networks, and other settings within the folder. The CloudAdmin role will also give the junior administrators access to all global permissions that are associated with the Development folder.

"The CloudAdmin role is designed to give administrators access to manage a single folder. This role grants access to manage virtual machines, networks, and other settings within the folder. Additionally, this role grants access to all global permissions that are associated with the folder. Forexample, if the folder has global permissions that allow users to create or delete virtual machines, the CloudAdmin role will grant access to those permissions within the folder."

The CloudAdmin user can grant other users or groups read-only access to VMware Cloud on AWS vCenter management objects such as the Mgmt-ResourcePool, Management VMs folder, Discovered Virtual Machines folder, vmc-hostswitch, and vsanDatastore. Because this read-only access does not propagate to management objects, you cannot grant it as a Global Permission and instead must explicitly grant it for each management object. VMware Cloud on AWS runs a script once a day that updates any newly-created management objects (such as objects in a new cluster) so that the CloudAdmin user and CloudAdminGroup SSO group have the updated role applied. The script itself does not grant additional access to any user or group, so you'll need to wait until it completes before the CloudAdmin can use this workflow to grant read-only access to those objects.

NEW QUESTION 3

A Cloud Administrator is managing a VMware Cloud environment consisting of a single cluster with two hosts. The administrator is trying to create a new virtual machine and is getting the following error message: cannot complete file creation operation. There are currently 2 unable failure domains. the operation requires 3 more usable fault domain. failed to create object.

- A. The VM storage policy is configured Incorrectly for the cluster.
- B. There is insufficient CPU and memory based on the current virtual machine resource reservation settings.
- C. One of the hosts is in maintenance mode.
- D. vSphere Distributed Resource Scheduler (DRS) is enabled.

Answer: C

Explanation:

The error message that the Cloud Administrator is receiving indicates that the cluster is not able to meet the requirements of the new virtual machine due to insufficient fault domains. The most likely cause of this is that one of the hosts is in maintenance mode. When a host is in maintenance mode, it is not available to the cluster, and thus cannot provide the necessary fault domains. To correct this issue, the Cloud Administrator should ensure that all hosts in the cluster are available and not in maintenance mode before attempting to create the new virtual machine.

NEW QUESTION 4

A cloud administrator is using VMware HCX to migrate application workloads between an on-premises data center and a VMware Public Cloud (UI!) capability of VMware HCX is being used to extend a number of on-premises network segments into the cloud to avoid IP re-addressing concerns. When the cloud administrator tries to extend a native layer 2 network segment from the cloud back into the on-premises data center. an error is encountered and the extension fails. What should the administrator do to enable network extension from the cloud side to on-premises in this scenario?

- A. Enable reverse L2E in the advanced configuration menu of HC
- B. Make the appropriate change and re-deploy the HCX Service Mesh.
- C. Ensure that the on-premises environment that has at minimum a VMware vSphere Distributed Switch with version 6.5 configured.
- D. Install VMware NSXT into the on-premise data center.
- E. Enable reverse L2E in the advanced configuration menu of HC
- F. Make the appropriate change, re-deploy the on-premise HCX Manager and re-pair the sites together.

Answer: B

Explanation:

The best solution for enabling network extension from the cloud side to the on-premises data center in this scenario is to ensure that the on-premises environment has at least a VMware vSphere Distributed Switch with version 6.5 configured. This will enable the reverse L2E feature, which is necessary for extending the native layer 2 network segment from the cloud back into the on-premises data center. For more information on how to configure reverse L2E and extend a network segment from the cloud to the on-premises data center, please refer to the official VMware documentation here.

NEW QUESTION 5

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- > The cluster should be able to scale automatically when additional resources are required.
- > Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

Answer: B

Explanation:

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met. For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

NEW QUESTION 6

An administrator is tasked with collecting a support bundle from a Tanzu Kubernetes cluster for a support case. How can the administrator collect this support bundle for the Tanzu Kubernetes cluster?

- A. Run the `-tkc-support-bundler` command.
- B. Run the `kubact1 logs my-pod` command
- C. Run a compression tool of the log files located in `/var/log/vmware/wcp/`.
- D. Run the `vm-support` command.

Answer: A

Explanation:

<https://kb.vmware.com/s/article/80949>

Tanzu Kubernetes Grid (TKG) provides a command line tool called `tkg-support-bundler` which can be used to collect the necessary information and logs for troubleshooting and support cases. The command can be run on the TKG CLI and it will gather all the necessary information and logs from the TKG control plane and worker nodes, and package them into a single compressed bundle file. This bundle file can then be provided to VMware support for further analysis.

NEW QUESTION 7

A cloud administrator is planning to migrate 1,000 VMs from their existing on-premises location into VMware Cloud on AWS. The migration will need to be completed as quickly as possible. Upon completion, the users will need the most reliable, lowest latency connection possible.

Which on-premises data center connectivity option will meet these requirements?

- A. Layer 2 VPN
- B. AWS Direct Connect
- C. VMware Transit Connect
- D. IPsec VPN

Answer: B

Explanation:

The best option to meet the requirements of quickly migrating 1,000 VMs with the lowest latency and most reliable connection possible is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as Layer 2 VPN, VMware Transit Connect, and IPsec VPN. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 8

A cloud administrator is tasked with migrating workloads from an on-premises environment to a VMware Cloud on AWS software-defined datacenter (SDDC) with no downtime while retaining their IP Address. Which connectivity type should be used?

- A. Private policy-based IPsec VPN
- B. Private route-based IPsec VPN
- C. Open VPN
- D. Private Layer 2 VPN

Answer: D

Explanation:

Private L2 VPN: To migrate running VMs between SDDCs in different geographical locations.

You use a private layer 2 (L2) VPN to extend an on-premises network to your cloud SDDC. This extended network is a single subnet with a single broadcast domain.

You can use L2 VPNs to migrate VMs to and from your cloud SDDC, for disaster recovery, or for dynamic access to cloud computing resources (often called cloud bursting).

VM migrations across an L2 VPN support VLAN tagging and GENEVE frame encapsulation when migrating between a cloud SDDC to another SDDC.

The L2 VPN tunnel extends layer 2 networks across geographic sites. VMs can move across sites (using vSphere vMotion) and keep the same IP addresses using an L2 VPN.

NEW QUESTION 9

Which vSphere HA default response is applied when a virtual machine crashes on a VMware Cloud cluster?

- A. Restart the impacted virtual machine on the same host in the same SDDC cluster
- B. Shut down the impacted virtual machine and do not restart it anywhere
- C. Restart the impacted virtual machine on other hosts in other SDDC Cluster
- D. Restart the impacted virtual machine on other hosts in the same SDDC Cluster

Answer: D

Explanation:

VMware High Availability (HA) is a feature of the VMware Cloud platform that monitors the health of virtual machines and restarts virtual machines on other hosts if they crash or become unresponsive. This ensures that the virtual machines are always available and that no downtime is experienced. The default response is to restart the impacted virtual machine on other hosts in the same SDDC Cluster, however, this can be customized to suit the needs of the customer.

References:

[1]https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.availability_and_scala

NEW QUESTION 10

Which three functions are provided by the components within the Kubernetes control plane? (Choose three.)

- A. Balances pods across the nodes within a Kubernetes cluster.
- B. Ensures that containers are running in a pod.
- C. Configures network rules to route traffic to containers within the Kubernetes cluster.
- D. Stores Kubernetes cluster data in a key-value data store.
- E. Watches the API for changes and responds with appropriate actions.
- F. Stores and distributes container images.

Answer: ADE

Explanation:

<https://kubernetes.io/docs/concepts/overview/components/#control-plane-components>

NEW QUESTION 10

What are two key benefits of VMware's partnerships with hyperscalers? (Choose two.)

- A. Access to native public cloud services
- B. Automation of infrastructure operations in a single view
- C. Seamless workload migration across clouds
- D. One-click conversion to cloud native services
- E. Elimination of egress costs

Answer: AC

Explanation:

VMware's partnerships with hyperscalers, such as AWS and Google Cloud, provide customers with access to native public cloud services and the ability to easily and securely migrate workloads between clouds. This allows customers to take advantage of the best features of each cloud provider while managing their workloads in a single view. It also eliminates the need to pay egress costs when moving workloads between clouds.

NEW QUESTION 11

A cloud administrator is responsible for managing a VMware Cloud solution and would like to ensure that I/O-intensive workloads run in the most optimum way possible.

Which two steps should the administrator complete on I/O-intensive workloads to meet this requirement? (Choose two.)

- A. Ensure that the VMware hardware version is 7 or later.
- B. Enable the memory hot-add feature.
- C. Configure the LSI Logic Parallel SCSI controller.
- D. Configure the VMware Paravirtual SCSI (PVSCSI) adapter.
- E. Configure a maximum of two CPU cores per socket.

Answer: AD

Explanation:

The two steps that the cloud administrator should complete on I/O-intensive workloads to ensure the best performance possible are to configure the VMware Paravirtual SCSI (PVSCSI) adapter and to ensure that the VMware hardware version is 7 or later. The PVSCSI adapter provides improved performance and scalability compared to the LSI Logic Parallel SCSI controller. Additionally, the hardware version should be 7 or later to ensure that the virtual machine is able to take advantage of the latest features and enhancements. Enabling the memory hot-add feature and configuring a maximum of two CPU cores per socket will not improve the performance of I/O-intensive workloads.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7
<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

LSI Logic Parallel, LSI Logic SAS, or VMware Paravirtual

For most guest operating systems, the default virtual storage adapter in VMware Cloud on AWS is either LSI Logic Parallel or LSI Logic SAS, depending on the guest operating system and the virtual hardware version.

However, VMware Cloud on AWS also includes a paravirtualized SCSI storage adapter, PVSCSI (also called VMware Paravirtual). The PVSCSI adapter offers a significant reduction in CPU utilization as well as potentially increased throughput compared to the default virtual storage adapters, and is thus the best choice for environments with very I/O-intensive guest applications.

In order to use PVSCSI, your VM must be using virtual hardware version 7 or later.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

NEW QUESTION 14

On VMware Cloud on AWS, which type of host do you use when you require high local storage requirements and additional cores for your workloads? (Select one option)

- A. ve-standard-72
- B. i3e
- C. metal
- D. i3.metal
- E. AV36

Answer: C

Explanation:

when you require high local storage requirements and additional cores for your workloads on VMware Cloud on AWS. i3.metal instances offer up to 4TB of local NVMe storage and up to 96 CPU cores, giving you the power and storage you need to handle large workloads. Additionally, i3.metal instances are great for applications that benefit from high CPU-to-memory ratios, like artificial intelligence, machine learning, big data analysis, and HPC workloads.

NEW QUESTION 19

In order to provide overlapping IP address segments within a VMware cloud Environment, what must be configured?

- A. Additional NSX Edge appliances
- B. Additional Tier-1 gateways
- C. Additional network segments
- D. Additional Tier-0 gateways

Answer: B

Explanation:

<https://vmc.techzone.vmware.com/understanding-segments-vmc-aws>

NEW QUESTION 20

A cloud administrator wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC. Which type of connection should be used for this type of traffic?

- A. Policy-based virtual private network (VPN)
- B. Private L2 virtual private network (VPN)
- C. Route-based virtual private network (VPN)
- D. Private line

Answer: C

Explanation:

The best option for a cloud administrator who wants to deploy a VMware Cloud software-defined data center (SDDC) on a cloud provider and requires a consistent 4.5 Gbps bandwidth from applications to communicate from on-premises to the SDDC is a Route-Based Virtual Private Network (VPN). This type of connection offers enhanced performance [1][2], flexibility, scalability, and security compared to other options, such as Policy-Based Virtual Private Network (VPN), Private L2 Virtual Private Network (VPN), or Private Line.

According to the VMware official site, "Route-based VPN enables a secure connection between two or more sites, or between a site and a mobile user, and provides better performance and scalability than a policy-based VPN. Route-based VPNs are also more secure than policy-based VPNs, because the traffic is encrypted with a unique encryption key for each tunnel, rather than relying on a shared key for all tunnels. This allows for secure and reliable connections for devices and applications located in different physical locations." [1]

[1] <https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/com.vmware.nsx.admin.doc/GUID-D6B7B9E>

NEW QUESTION 21

Which solution would an administrator use to manage the lifecycle operations of Tanzu Kubernetes clusters?

- A. VMware Tanzu Service Mesh
- B. VMware vSphere Lifecycle Manager
- C. VMware Tanzu Observability by Wavefront
- D. VMware Tanzu Kubernetes Grid

Answer: D

Explanation:

VMware Tanzu Kubernetes Grid is described as a comprehensive solution for operating Kubernetes-based applications in production, as well as creating, scaling and managing clusters. It provides a centralized control plane for managing the lifecycle operations of Tanzu Kubernetes clusters.
 (Source:<https://tanzu.vmware.com/kubernetes>)

NEW QUESTION 23

A cloud administrator is managing a container environment. The application team has complained that they need to manually restart containers in the event of a failure.
 Which solution can the administrator implement to solve this issue?

- A. Kubernetes
- B. VMware vSphere High Availability
- C. VMware vSphere Fault Tolerance
- D. Prometheus

Answer: A

Explanation:

Kubernetes is an open-source container orchestration system that provides automated deployment, scaling, and management of containers. It can be used to set up an automated restart policy for containers in the event of a failure, ensuring that containers are automatically restarted when they fail.
 VMware Stage Manager User's Guide https://www.vmware.com/pdf/stagemanager1_Users_Guide.pdf

NEW QUESTION 24

A cloud administrator needs to create a secure connection over the Internet between an on-premises data center and a VMware Cloud software-defined data center (SDDC).
 Which solution can accomplish this goal?

- A. VMware Site Recovery Manager
- B. VMware vRealize Network Insight
- C. VMware NSX
- D. VMware Cloud Director

Answer: C

Explanation:

VMware NSX is a network virtualization and security platform that provides a range of features for creating and managing virtual networks, including the ability to create secure connections over the Internet between on-premises data centers and VMware Cloud software-defined data centers (SDDCs). NSX allows you to create logical networks that are isolated from the underlying physical infrastructure, providing enhanced security and flexibility. With NSX, you can create secure, encrypted connections between your on-premises data center and your VMware Cloud SDDC, allowing you to easily and securely connect your workloads and applications running in the cloud to your on-premises resources.

NEW QUESTION 29

Refer to the exhibit.



A cloud administrator is investigating a reported performance issue on a virtual machine (VM). The administrator observes low latency on the datastore but high latency within the VM. The administrator notes that it is a standard operating procedure to take a snapshot of the VM whenever there is an application or operating system upgrade on this VM.
 Based on the exhibit, which snapshot characteristic will result in performance degradation?

- A. Snapshot chain length
- B. Snapshot size
- C. Snapshot type
- D. Snapshot age

Answer: A

Explanation:

<https://www.nakivo.com/blog/vmware-snapshots-vsphere-how-to/#title-12> Follow these recommendations to get the best performance when using snapshots:
 · Use snapshots as a temporary measure only. The presence of snapshots can have a significant impact on guest application performance, especially in a VMFS environment, for I/O intensive workloads. The guest applications fully recover performance after snapshots are deleted.
 · Keep the snapshot chain length short when possible, to minimize the guest application performance impact. Performance degradation is higher as the snapshot chain length increases.
 · If you need to increase the size of a virtual disk that has snapshots associated with it, you must delete the snapshots first before you can increase the virtual

disk's size.

NEW QUESTION 33

What are two incident management services included in the VMware Cloud on AWS service management process? (Choose two)

- A. VMware Tools management
- B. Incident Management
- C. Microsoft License management
- D. Capacity management
- E. Workload OS management

Answer: BD

Explanation:

The two incident management services included in the VMware Cloud on AWS Service Management process are Incident Management and Capacity Management.

Incident Management is responsible for detecting, classifying, and resolving incidents quickly and effectively. It includes monitoring and alerting, incident response, and problem management. Capacity Management is responsible for predicting, measuring, and managing the capacity of the infrastructure. It includes capacity planning, performance analysis, and resource optimization.

References:

[1]<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/cloud-management/vmware-cloud-o>

NEW QUESTION 34

A cloud administrator is looking for a unified solution to collect and analyze security events for troubleshooting from: VMware vSphere Windows Operating Systems Physical servers Web servers Database servers Amazon Web Services Which VMware Cloud service can meet this requirement?

- A. VMware vRealize Automation Cloud
- B. CloudHealth Secure State
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Network Insight Cloud

Answer: C

Explanation:

<https://blogs.vmware.com/management/2022/08/forwarding-vsphere-audit-and-authentication-events-from-vreal>

NEW QUESTION 37

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations. The following requirements must be met:

- A. Connectivity the VMware Cloud on AWS environment must NOT have a single point of failure.
- B. Any network traffic between on-premises company locations must be sent over a private IP address space.
- C. Connectivity the VMware Cloud on AWS environment must support high-throughput data transfer.

Answer: A

NEW QUESTION 39

As per company policy, all administrator level accounts need to have their password changed on a regular basis. The cloudadmin@vmc.local account password is changed by an administrator from the vSphere Client.

Another administrator is using the credentials in the VMware Cloud console and gets an 'access denied' error. What could be the problem?

- A. The password change email confirmation has NOT been approved by the organization owner.
- B. The password should only be changed through the VMware Cloud console.
- C. The new password is NOT synchronized with the password that is displayed for the Default vCenter user account.
- D. The password should be changed by escalation of privileges.

Answer: C

Explanation:

The problem could be that the new password is not synchronized with the password that is displayed for the Default vCenter user account. The administrator must make sure that the same password is used in both the vSphere Client and the VMware Cloud console in order for the user to access the account. Changing the password in one place does not automatically change it in the other, so this must be done manually.

NEW QUESTION 44

Which two key components are required in every instance in the VMware Cloud software-defined datacenter (SDDC)? (Choose two.)

- A. VMware vSphere
- B. VMware vRealize Operations
- C. VMware Tanzu Kubernetes Grid
- D. VMware NSX-T
- E. CloudHealth by VMWare

Answer: AD

Explanation:

The correct answers are A and D. Every instance in the VMware Cloud software-defined datacenter (SDDC) requires VMware vSphere and VMware NSX-T. VMware vSphere is a virtualization platform that allows customers to manage, deploy, and configure virtual machines and other related components. VMware NSX-

T is a network virtualization platform that provides security and networking services to virtualized environments.

NEW QUESTION 45

A cloud administrator needs to create an isolated network segment for use in disaster recovery test. Which type of network segment is required?

- A. Private
- B. Routed
- C. Extended
- D. Disconnected

Answer: A

Explanation:

A private network segment is an isolated network segment that is used for disaster recovery testing. Private network segments provide a secure and isolated environment for testing, allowing administrators to test their disaster recovery plans without risking the stability of their production environment. Private network segments also provide additional security, as they are not connected to the public internet, making them less vulnerable to external attacks. [1]
[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-64>

NEW QUESTION 47

A cloud administrator is managing a VMware Cloud on AWS environment containing of a single cluster with three hosts. Which acts recovery site for the on-premises environment. The on-premises environment consists of eight hosts. what should the cloud administrator configure to optimize scaling for full disaster recovery?

- A. Configure an Elastic DRS policy and set the maximum cluster Size to 8.
- B. No Additional configuration is required Default Elastic DRS will fulfill the requirement
- C. Configure an Elastic DRS policy and select 'Optimize for Rapid scale-out'.
- D. Configure an Elastic DRS policy and set minimum cluster size to 8.

Answer: C

Explanation:

According to the VMware official documentation, in order to optimize scaling for full disaster recovery in a VMware Cloud on AWS environment, it is necessary to configure an Elastic DRS policy and select 'Optimize for Rapid scale-out' as the policy type. This option allows for a rapid increase in the number of hosts within the cluster, which is necessary for full disaster recovery. For more information, please refer to the VMware Cloud on AWS Disaster Recovery Guide, which can be found

here:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/VMware-Cloud-on-AWS-Disaster-Recover>

NEW QUESTION 50

A Cloud administrator is starting to plan a workload migration and wants to estimate the cost of running those workloads on VMware Cloud. Which VMware Cloud service should the administrator use to achieve this goal?

- A. VMware vRealize Network Insight Cloud
- B. VMware vRealize Operations Cloud
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Automation Cloud

Answer: B

Explanation:

Managing Costs:

With its capacity and cost management features, vRealize Operations Cloud can predict future demand and provide actionable recommendations to help in managing costs.

Reclamation of Existing Resources:

Assess workload status and resource contention in data centers across your environment:

- > Determine the time remaining until CPU, memory, or storage resources run out.
- > Realize cost savings when underutilized VMs are identified and reclaimed to be deployed more effectively.

Future Infrastructure Requirements

Run what-if scenarios:

- > Identify how much capacity remains after you add or remove VMs or hosts.
- > Add hyperconverged infrastructure (HCI) nodes.
- > Get a recommendation based on the cost relative to workload placement on different hosts, clusters, data centers, and even different clouds.

Cloud Migration Planning:

Migration planning shows you the capacity and cost information after the migration to a cloud-based infrastructure.

Cost Overview

vRealize Operations Cloud supports costing for private clouds, public clouds, and VMware Cloud infrastructure.

You can track expenses for a single virtual machine, and identify how these expenses attribute to the overall cost associated with your private cloud accounts and VMware Cloud infrastructure accounts.

On the Cost Overview

home page in vRealize Operations Cloud, you can find details about the costs

associated with your VMware Cloud infrastructure accounts, public cloud accounts, and your private cloud accounts.



You can view the Total Cost of Ownership, Potential Savings, and Realized Savings for your VMware Cloud infrastructure cloud accounts and vSphere private cloud accounts, and Total Cost of Ownership for your private cloud accounts.

NEW QUESTION 53

What is the purpose of the VMware cloud on AWS management gateway (MGW)?

- A. A Tier-0 router that handles network traffic for workload virtual machines connected to routed computer network segments
- B. A Tier-0 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined datacenter (SDDC).
- C. A Tier-1 router that handles network traffic for workload virtual machines connected to routes compute network segments
- D. A Tier-1 router handles routing and firewalling for the VMware vCenter Server and Other management appliances running in the software-defined datacenter (SDDC).

Answer: D

Explanation:

Management Gateway (MGW) The MGW is a Tier 1 router that handles routing and firewalling for vCenter Server and other management appliances running in the SDDC. Management gateway firewall rules run on the MGW and control access to management VMs. In a new SDDC, the Internet connection is labelled Not Connected in the Overview tab and remains blocked until you create a Management Gateway Firewall rule allowing access from a trusted source.

NEW QUESTION 55

Which Tanzu Kubernetes Grid component is used to create, scale, upgrade and delete workload clusters?

- A. Tanzu Kubernetes cluster
- B. Tanzu CLI
- C. Tanzu Supervisor cluster
- D. Tanzu Kubernetes Grid extensions

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D>

Tanzu CLI is a command-line interface used to create, scale, upgrade, and delete workload clusters that are part of the Tanzu Kubernetes Grid [1]. Tanzu CLI also allows you to manage the components of the Tanzu Kubernetes Grid [1], such as the Tanzu Kubernetes cluster and the Tanzu Supervisor cluster. It also provides access to the Tanzu Kubernetes Grid extensions [1], which allow you to extend the functionality of the Tanzu Kubernetes cluster.

NEW QUESTION 59

Which hyperscaler partner is best suited for customers who need 100 GB bandwidth between SDDCs in the cloud? (Select one option)

- A. VMware Cloud on AWS
- B. Azure VMware Solution
- C. Oracle Cloud VMware Solution
- D. Google Cloud VMware Engine

Answer: A

Explanation:

VMware Cloud on AWS provides the highest level of performance, reliability, and scalability for customers who need to move large amounts of data between their SDDCs in the cloud. It is also the only hyperscaler partner that has the ability to quickly and easily provision entire SDDCs in the cloud. In addition, VMware Cloud on AWS offers the most comprehensive enterprise-grade features, such as automated backups and disaster recovery, which provide customers with peace of mind that their data is always secure and protected.

NEW QUESTION 60

Which three types of gateways can be found in VMware cloud on AWS (Choose three?)

- A. Distributed Tier-1
- B. Standard Tier-1
- C. Tire-0
- D. Compute Tier-1
- E. Management Tire-1
- F. Management Tire-0

Answer: ABD

Explanation:

The three types of gateways that can be found in VMware Cloud on AWS are Option A: Distributed Tier-1, Option B: Standard Tier-1, and Option D: Compute Tier-1.

Distributed Tier-1 gateways are used for secure access between on-premises networks and the VMware Cloud on AWS SDDC network. Standard Tier-1 gateways

are used for secure access between the VMware Cloud on AWS SDDC network and the public internet. Compute Tier-1 gateways are used for secure access between the workloads running on the VMware Cloud on AWS SDDC and the public internet. For more information, please refer to the official VMware documentation on VMware Cloud on AWS Gateways: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GU>

NEW QUESTION 62

A cloud administrator is tasked with moving critical business workloads between two VMware Cloud on AWS software-defined data centers (SDDCs) located in different geographical regions. The following requirements must be met:

- Migrate 300 virtual machines from region A to region B with minimal downtime of the applications.
- Non-disruptively resume application access of the targeted virtual machines in the event the migration fails.
- Support concurrent switch over of the application workloads to occur during a pre-defined maintenance window.

Which VMware HCX migration type should be used to meet these requirements?

- A. VMware HCX Cold Migration
- B. VMware HCX Bulk Migration
- C. VMware HCX vMotion
- D. VMware HCX Replication Assisted vMotion

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E54D8791> "VMware HCX Replication Assisted vMotion (RAV) uses the HCX Interconnect appliance along with replication and vMotion technologies to provide large scale, parallel migrations with zero downtime." Understanding VMware HCX Replication Assisted vMotion: <https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E>

NEW QUESTION 67

Which statement accurately describes vSphere distributed switches? (Select one option)

- A. A distributed switch is a virtual switch that is configured for a single ESXi host.
- B. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports.
- C. Each ESXi host can have only one distributed switch configured at any time.
- D. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch.

Answer: D

Explanation:

A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports, but the entire configuration is managed by each ESXi host. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch and can contain multiple VMkernel ports. Each ESXi host can have multiple distributed switches configured at any time.

NEW QUESTION 72

A cloud administrator needs to extend a network and requires that routing be handled at the source. Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUI> <https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B296> VMware HCX Network Extension creates a routed network segment type in the VMware Cloud software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

NEW QUESTION 75

In VMware Cloud, who is responsible for the encryption of virtual machines?

- A. Native cloud provider
- B. Customer
- C. VMware Cloud Provider Partner (VCP)
- D. VMware

Answer: B

Explanation:

Customer responsibility "Security in the Cloud" – Customers are responsible for the deployment and ongoing configuration of their SDDC, virtual machines, and data that reside therein. In addition to determining the network firewall and VPN configuration, customers are responsible for managing virtual machines (including in guest security and encryption) and using VMware Cloud on AWS User Roles and Permissions along with vCenter Roles and Permissions to apply the appropriate controls for users.

The responsibility for the encryption of virtual machines in VMware Cloud lies with the customer. The customer is responsible for configuring and managing any encryption or security related settings and configurations in the virtual machines, such as disk encryption or the configuration of security protocols. The VMware

Cloud Provider Partner (VCP) is responsible for the overall security of the cloud environment [1][2], including the encryption of data at rest, but the customer is responsible for configuring and managing the encryption settings within their virtual machines.
 Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.encryption/>

NEW QUESTION 80

Which two steps does a cloud administrator need to take when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery? (Choose Two.)

- A. Deploy the vSphere Replication virtual appliance.
- B. Deploy the Site Recovery manager virtual Appliance.
- C. Connect the Site Recovery manager instance on the protected recovery site.
- D. Register the vSphere Replication appliance with vCenter Single Sign-On
- E. Set the NSX-T Edge management gateway firewall rules.

Answer: AC

Explanation:

A cloud administrator needs to deploy the vSphere Replication virtual appliance and the Site Recovery manager virtual appliance when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery.

The vSphere Replication virtual appliance is responsible for replicating the virtual machines from the source to the target site. Site Recovery Manager virtual appliance acts as the central management and orchestration platform for the entire disaster recovery process.

NEW QUESTION 81

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

Answer: A

Explanation:

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR plan.
<https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-re>

NEW QUESTION 86

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP addresses.
 What is the proper sequence to create the required network segments?

- A. * 1- Create a new segment attached to the Tier-0 gateway* 2. Configure the segment DHCP Ip-helper
- B. * 1. Create a DHCP server profile* 2. Create a new segment attached to the Tier-0 gateway* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. * 1. Create a new segment attached to the Tier-1 gateway* 2. Configure the segment DHCP ip-helper
- D. * 1. Create a DHCP relay profile* 2. Create a new segment attached to the Tier-1 gateway* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam
 (https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tier-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

NEW QUESTION 88

Which three factors should a cloud administrator consider when sizing a new VMware Cloud software-defined data center (SDDC) to support the migration of workloads from an on-premises SDDC? (Choose three.)

- A. Total number of 10Gb network ports required
- B. Host hardware type in the target VMware Cloud
- C. Total number of on-premises hosts
- D. Total number of workloads
- E. Total amount of available storage across all on-premises datastores
- F. Average size of workload resources (CPU & RAM)

Answer: DEF

Explanation:

- > Total number of workloads. This determines how many hosts are needed in the VMware Cloud SDDC cluster.
- > Total amount of available storage across all on-premises datastores. This determines how much storage capacity is needed in the VMware Cloud SDDC cluster.
- > Average size of workload resources (CPU & RAM). This determines how much compute capacity is needed in the VMware Cloud SDDC cluster.

<https://docs.vmware.com/en/VMware-Cloud/services/vmc-cloud-sizer-user/GUID-7CECF719-E56B-4830-84E>

NEW QUESTION 90

A cloud administrator needs to provide the security team with the ability to query and audit events and provide custom real-time alerts for the VMware NSX firewall running in VMware Cloud on AWS.

Which solution would the administrator use to accomplish this goal?

- A. CloudHealth by VMware
- B. VMware vRealize Log Insight Cloud
- C. VMware vRealize Network Insight Cloud
- D. VMware vRealize Operations Cloud

Answer: B

Explanation:

VMware vRealize Log Insight Cloud is a cloud-based log management and analytics solution that provides real-time visibility and analytics for VMware Cloud on AWS [1]. It allows security teams to query and audit events and set up custom real-time alerts. Additionally, it provides detailed insights into the activity of the VMware NSX firewall, allowing administrators to quickly identify suspicious activity and take action.

NEW QUESTION 92

What is the key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client?

- A. The on-premises VMware vSphere version must be vSphere 6.5 or later.
- B. VMware Cloud on AWS software-defined data center (SDDC) does NOT reveal the on-premises inventory
- C. Minimal overhead is required in the on-premises data center.
- D. Centralized administration is available through the VMware vSphere Client.

Answer: A

Explanation:

The key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client is that the Cloud Gateway Appliance reveals the on-premises inventory while the VMware vSphere Client does not reveal the on-premises inventory. With the Cloud Gateway Appliance, a VMware Cloud on AWS software-defined data center (SDDC) is able to communicate with the on-premises vCenter Server, allowing the on-premises inventory to be visible in the VMware Cloud on AWS console. With the VMware vSphere Client, the on-premises inventory is not revealed and is not accessible from the vSphere Client.

NEW QUESTION 93

Which statements accurately describe gateway firewalls and distributed firewalls? (Select two options)

- A. Gateway firewalls and distributed firewalls can share the same sets of rules and policies.
- B. Only gateway firewalls use stateful rules.
- C. A distributed firewall controls the I/O path to and from a VM's virtual NIC.
- D. A gateway firewall protects north-south traffic.

Answer: BD

Explanation:

Gateway firewalls are used to protect east-west traffic, while distributed firewalls control the I/O path to and from a VM's virtual NIC. Furthermore, gateway firewalls and distributed firewalls cannot share the same sets of rules and policies.

NEW QUESTION 94

A cloud administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using the vMotion feature of VMware HCX. A total of three networks will need to be stretched for the migration. They will also be utilizing the capabilities of the WAN appliance to optimize migration traffic.

Based on this scenario, how many IP addresses would need to be reserved for the on-premises deployment of VMware HCX?

- A. four
- B. five
- C. three
- D. six

Answer: B

Explanation:

"The VMware HCX on-premises deployment requires five IP addresses: two for the WAN appliance, two for the vMotion feature, and one for the management network."

In this scenario, the cloud administrator is utilizing the vMotion feature of VMware HCX to migrate several dozen workloads from an on-premises location to a VMware public cloud. They are also stretching three networks for the migration. When using vMotion, two IP addresses will be needed per vMotioned virtual machine: one for the source and one for the target. For the migration of several dozen workloads, this will require several dozens of IP addresses. Additionally, the administrator is also utilizing the capabilities of the WAN appliance to optimize migration traffic. In order to optimize the traffic, one IP address will be needed for the WAN appliance on the on-premises site, and another IP address will be needed for the WAN appliance on the public cloud side. Therefore, the total number of IP addresses that need to be reserved for the on-premises deployment of VMware HCX is the number of IP addresses required for the virtual machines plus one IP address for the WAN appliance on the on-premises site plus another IP address for the WAN appliance on the public cloud side, which totals to five IP addresses.

NEW QUESTION 96

A cloud administrator needs to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Which type of network segment is required?

- A. Existing
- B. Outbound
- C. Extended
- D. Routed

Answer: C

Explanation:

An extended network segment is required for a cloud administrator to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Extended networks allow for the virtual machines to communicate directly with the on-premises workload while remaining isolated from the public cloud. This allows for the virtual machines to access the same services and workloads as the on-premises workloads while still remaining secure.

NEW QUESTION 101

A cloud administrator is tasked with deploying a new software-defined data center (SDDC) in VMware Cloud on AWS and has been able to log into the VMware Cloud console Successfully. However, they cannot access the VMware Cloud on AWS Services. Which two tasks need to be performed for the administrator to gain access? (Choose two.)

- A. The cloud administrator will need to create a new subscription for the VMware Cloud on AWS service.
- B. The cloud administrator will need to request access to the VMware Cloud on AWS service
- C. The cloud administrator will need the globalcloudadmin role in the VMware Cloud on AWS service.
- D. The cloud administrator will need the Administrator role in the VMware Cloud on AWS service.
- E. The cloud administrator will need the cloudadmin role in the VMware Cloud on AWS service.

Answer: BD

Explanation:

(Reference:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vcloud.admin.doc/GUI>) To request access to the VMware Cloud on AWS service, the cloud administrator must log in to the VMware Cloud Console and fill out the New Subscription Request form. Once the form is filled out and submitted, the cloud administrator will receive an email with instructions on how to access the VMware Cloud on AWS service. The cloud administrator will also need to have the Administrator role in the VMware Cloud on AWS service in order to gain access. The Administrator role allows the cloud administrator to access the VMware Cloud on AWS service, view the services available in the VMware Cloud on AWS console, and manage the resources in the SDDC.

NEW QUESTION 103

A customer needs to set up a self-managed VDI solution that can be deployed to any VMware Cloud. Which two VMware solutions can meet this requirement? (Choose two.)

- A. VMware Dynamic Environment Manager (DEM)
- B. VMware ThinApp
- C. VMware Workspace ONE Unified Endpoint Management (UEM)
- D. VMware Horizon
- E. VMware Workspace ONE Access

Answer: DE

Explanation:

The two VMware solutions that can meet the customer's requirement for a self-managed VDI solution are D. VMware Horizon and E. VMware Workspace ONE Access. VMware Horizon is a virtual desktop and application virtualization platform that enables customers to set up and deploy a virtual desktop infrastructure in any cloud environment. VMware Workspace ONE Access provides secure access to applications, data, and devices in any cloud environment.

NEW QUESTION 105

A cloud administrator is in the process of troubleshooting a non-compliant object. How can the administrator change a VM storage policy for an ISO image?

- A. Modify the default VM storage policy and recreate the ISO image.
- B. Modify the default VM storage policy.
- C. Apply a new VM storage policy.
- D. Attach the ISO Image to a virtual machine.

Answer: C

Explanation:

A VM storage policy is a set of rules that defines the storage requirements for a virtual machine or an object. A cloud administrator can create and apply different VM storage policies for different types of objects, such as virtual disks, ISO images, snapshots, etc. Applying a new VM storage policy to an object will change its compliance status and trigger a reconfiguration task to move the object to a compatible datastore. Modifying the default VM storage policy will affect all the objects that use it, which may not be desirable. Recreating the ISO image is unnecessary and time-consuming. Attaching the ISO image to a virtual machine will not change its storage policy.

NEW QUESTION 109

A cloud administrator establishes a VPN connection to the VMware Cloud data center but is unable to access the VMware Cloud vCenter. Which step can the administrator take to resolve this?

- A. Modify the default vCenter management network to participate in the on-premises IP space.
- B. Create a segment in the VMware Cloud data center for connection to the vCenter.
- C. Establish a layer 2 connection between the on-premises data center and the VMware Cloud data center.
- D. Create an NSX firewall rule in the VMware Cloud data center allowing access to the vCenter from the on-premises data center.

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-ED8B8> By default, the management gateway firewall is set to deny all traffic between the internet and vCenter Server.

Verify that the appropriate firewall rules are in place.

The administrator can create an NSX firewall rule in the VMware Cloud data center that allows access to the vCenter from the on-premises data center. This would allow the VPN connection to connect to the vCenter, allowing the administrator to access and manage the VMware Cloud environment.

NEW QUESTION 110

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, which two networking constraints must be considered? (Choose two.)

- A. Fiber Channel connectivity
- B. Creating a direct connect to the nearest AWS Region
- C. Compatible top of rack switches
- D. Uplinks for local network connectivity
- E. Dedicated subnets for SDDC management network

Answer: CE

Explanation:

Compatible top of rack switches are necessary to ensure that the data center is able to support the VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts deployments [1]. The switches must support 10GE and 25GE ports, as well as Layer 3 routing protocols such as OSPF and BGP.

Dedicated subnets for SDDC management network are also needed for the deployment of VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts [1]. The SDDC management network will be used for communication between the VMware Cloud components and the data center, and must be isolated from the customer network.

NEW QUESTION 114

A cloud administrator wants to enable administrator wants to enable Enterprise Federation to the Cloud Services Portal in order to be able to authenticate with the on-premises Active Directory. The Administrator Already deployed the on-premises VMware Workspace One Access Connector. Through which port does the Cloud Service Portal communicate with Workspace ONE Access Connector?

- A. ldaps/636
- B. http/80
- C. https/443
- D. ldap/389

Answer: C

Explanation:

https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.10/workspace_one_access_install/GUID-E81 The Cloud Services Portal communicates with the Workspace ONE Access Connector via port 443 (HTTPS).

According to the VMware documentation [1], the Cloud Services Portal connects to the Access Connector on port 443 to authenticate users and authorize access to the cloud service. The Access Connector listens on port 443 and communicates with the Active Directory using LDAP over TLS (LDAPS) on port 636.

Reference: <https://docs.vmware.com/en/VMware-Workspace-ONE-Access/services/com.vmware.access.admi>

NEW QUESTION 119

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-33.22 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-33.22 Product From:

<https://www.2passeasy.com/dumps/2V0-33.22/>

Money Back Guarantee

2V0-33.22 Practice Exam Features:

- * 2V0-33.22 Questions and Answers Updated Frequently
- * 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year