

Exam Questions AI-102

Designing and Implementing an Azure AI Solution

<https://www.2passeasy.com/dumps/AI-102/>



NEW QUESTION 1

- (Exam Topic 1)
HOTSPOT

You are developing the shopping on-the-go project.
You are configuring access to the QnA Maker resources.
Which role should you assign to AllUsers and LeadershipTeam? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

AllUsers:

Cognitive Service User

Contributor

Owner

QnA Maker Editor

QnA Maker Read

LeadershipTeam:

Cognitive Service User

Contributor

Owner

QnA Maker Editor

QnA Maker Read

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: QnA Maker Editor
Scenario: Provide all employees with the ability to edit Q&As. The QnA Maker Editor (read/write) has the following permissions: Create KB API Update KB API Replace KB API Replace Alterations "Train API" [in new service model v5] Box 2: Contributor
Scenario: Only senior managers must be able to publish updates. Contributor permission: All except ability to add new members to roles
Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/reference-role-based-access-control>

NEW QUESTION 2

- (Exam Topic 1)

You are developing the smart e-commerce project.
You need to design the skillset to include the contents of PDFs in searches.
How should you complete the skillset design diagram? To answer, drag the appropriate services to the correct stages. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Services

Azure Blob storage

Custom Vision API

Azure Files

Language Understanding API

Translator API

Computer Vision API

Azure Cosmos DB

Answer Area

Source

Cracking

Preparation

Destination

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Blob storage

At the start of the pipeline, you have unstructured text or non-text content (such as images, scanned documents, or JPEG files). Data must exist in an Azure data storage service that can be accessed by an indexer.

Box 2: Computer Vision API

Scenario: Provide users with the ability to search insight gained from the images, manuals, and videos associated with the products.

The Computer Vision Read API is Azure's latest OCR technology (learn what's new) that extracts printed text (in several languages), handwritten text (English only), digits, and currency symbols from images and multi-page PDF documents.

Box 3: Translator API

Scenario: Product descriptions, transcripts, and all text must be available in English, Spanish, and Portuguese. Box 4: Azure Files

Scenario: Store all raw insight data that was generated, so the data can be processed later. Reference:

<https://docs.microsoft.com/en-us/azure/search/cognitive-search-concept-intro> <https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/overview-ocr>

NEW QUESTION 3

- (Exam Topic 1)

You are developing the smart e-commerce project.

You need to implement autocompletion as part of the Cognitive Search solution.

Which three actions should you perform? Each correct answer presents part of the solution. (Choose three.) NOTE: Each correct selection is worth one point.

- A. Make API queries to the autocomplete endpoint and include suggesterName in the body.
- B. Add a suggester that has the three product name fields as source fields.
- C. Make API queries to the search endpoint and include the product name fields in the searchFields query parameter.
- D. Add a suggester for each of the three product name fields.
- E. Set the searchAnalyzer property for the three product name variants.
- F. Set the analyzer property for the three product name variants.

Answer: ABF

Explanation:

Scenario: Support autocompletion and autosuggestion based on all product name variants.

A: Call a suggester-enabled query, in the form of a Suggestion request or Autocomplete request, using an API. API usage is illustrated in the following call to the Autocomplete REST API.

POST /indexes/myxboxgames/docs/autocomplete?search&api-version=2020-06-30

```
{
  "search": "minecraf", "suggesterName": "sg"
}
```

B: In Azure Cognitive Search, typeahead or "search-as-you-type" is enabled through a suggester. A suggester provides a list of fields that undergo additional tokenization, generating prefix sequences to support matches on partial terms. For example, a suggester that includes a City field with a value for "Seattle" will have prefix combinations of "sea", "seat", "seatt", and "seattl" to support typeahead.

F: Use the default standard Lucene analyzer ("analyzer": null) or a language analyzer (for example, "analyzer": "en.Microsoft") on the field.

Reference:

<https://docs.microsoft.com/en-us/azure/search/index-add-suggesters>

NEW QUESTION 4

- (Exam Topic 2)

You are building a chatbot that will provide information to users as shown in the following exhibit.

Passengers

Sarah Hum
 Jeremy Goldberg
 Evan Litvak

2 Stops

Tue, May 30, 2017 10:25 PM



Non-Stop

Fri, Jun 2, 2017 11:55 PM



Total **\$4,032.54**

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

The chatbot is showing [answer choice].

	▼
an Adaptive Card	
a Hero Card	
a Thumbnail Card	

The card includes [answer choice].

	▼
an action set	
an image	
an image group	
media	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A Thumbnail card

A Thumbnail card typically contains a single thumbnail image, some short text, and one or more buttons. Reference:
<https://docs.microsoft.com/en-us/microsoftteams/platform/task-modules-and-cards/cards/cards-reference>

NEW QUESTION 5

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training. Find contacts in London. Who do I know in Seattle?

Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new intent for location. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance. Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 6

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 7

- (Exam Topic 2)

You train a Custom Vision model used in a mobile app.

You receive 1,000 new images that do not have any associated data.

You need to use the images to retrain the model. The solution must minimize how long it takes to retrain the model.

Which three actions should you perform in the Custom Vision portal? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Upload the images by category.	
Get suggested tags.	
Upload all the images.	⬅️ ⬆️
Group the images locally into category folders.	➡️ ⬇️
Review the suggestions and confirm the tags.	
Tag the images manually.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/getting-started-build-a-classifie>

NEW QUESTION 8

- (Exam Topic 2)

You are building a Language Understanding model for an e-commerce platform. You need to construct an entity to capture billing addresses.

Which entity type should you use for the billing address?

- A. machine learned
- B. Regex
- C. geographyV2

- D. Pattern.any
- E. list

Answer: B

Explanation:

A regular expression entity extracts an entity based on a regular expression pattern you provide. It ignores case and ignores cultural variant. Regular expression is best for structured text or a predefined sequence of alphanumeric values that are expected in a certain format. For example:

Entity	Regular expression	Example
Flight Number	flight [A-Z]{2} [0-9]{4}	flight AS 1234
Credit Card Number	[0-9]{16}	5478789865437632

Incorrect answers

C: The prebuilt geographyV2 entity detects places. Because this entity is already trained, you do not need to add example utterances containing GeographyV2 to the application intents. GeographyV2 entity is supported in English culture.

The geographical locations have subtypes:

Subtype	Purpose
poi	point of interest
city	name of city
countryRegion	name of country or region
continent	name of continent
state	name of state or province

D: Pattern.any is a variable-length placeholder used only in a pattern's template utterance to mark where the entity begins and ends.

E: A list entity represents a fixed, closed set of related words along with their synonyms. You can use list entities to recognize multiple synonyms or variations and extract a normalized output for them. Use the recommend option to see suggestions for new words based on the current list.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-entity-types>

NEW QUESTION 9

- (Exam Topic 2)

You are building a retail chatbot that will use a QnA Maker service.

You upload an internal support document to train the model. The document contains the following question: "What is your warranty period?"

Users report that the chatbot returns the default QnA Maker answer when they ask the following question: "How long is the warranty coverage?"

The chatbot returns the correct answer when the users ask the following question: "What is your warranty period?"

Both questions should return the same answer.

You need to increase the accuracy of the chatbot responses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Answer Area

- Add a new question and answer (QnA) pair.
- Retrain the model.
- Add additional questions to the document.
- Republish the model.
- Add alternative phrasing to the question and answer (QnA) pair.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add alternative phrasing to the question and answer (QnA) pair.

Add alternate questions to an existing QnA pair to improve the likelihood of a match to a user query. Step 2: Retrain the model.

Periodically select Save and train after making edits to avoid losing changes. Step 3: Republish the model

Note: A knowledge base consists of question and answer (QnA) pairs. Each pair has one answer and a pair contains all the information associated with that answer.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/edit-knowledge-base>

NEW QUESTION 10

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You create a new model, and then upload the new images and labels. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

The model needs to be extended and retrained.

NEW QUESTION 10

- (Exam Topic 2)

You successfully run the following HTTP request. POST

[https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/pro](https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/providers/Microsoft.CognitiveServices/accounts/acc1/regenerateKey?api-version=2017-04-18)

Body{"keyName": "Key2"} What is the result of the request?

A. A key for Azure Cognitive Services was generated in Azure Key Vault.

B. A new query key was generated.

C. The primary subscription key and the secondary subscription key were rotated.

D. The secondary subscription key was reset.

Answer: B

Explanation:

Accounts - Regenerate Key regenerates the specified account key for the specified Cognitive Services account. Syntax:

POST [https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/](https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18)

[providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18](https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18)

Reference:

<https://docs.microsoft.com/en-us/rest/api/cognitiveservices/accountmanagement/accounts/regeneratekey>

NEW QUESTION 13

- (Exam Topic 2)

You are building a language model by using a Language Understanding service. You create a new Language Understanding resource.

You need to add more contributors. What should you use?

A. a conditional access policy in Azure Active Directory (Azure AD)

B. the Access control (1AM) page for the authoring resources in the Azure portal

C. the Access control (1AM) page for the prediction resources in the Azure portal

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-collaborate>

NEW QUESTION 18

- (Exam Topic 2)

You are developing an application that will use the Computer Vision client library. The application has the following code.

```
public async TaskAnalyzeImage(ComputerVisionClient client, string localImage)
{
    List<VisualFeatureTypes> features = new List<VisualFeatureTypes>()
    {
        VisualFeatureTypes.Description,
        VisualFeatureTypes.Tags,
    };
    using (Stream imageStream = File.OpenRead(localImage))
    {
        try
        {
            ImageAnalysis results = await client.AnalyzeImageInStreamAsync(imageStream, features);

            foreach (var caption in results.Description.Captions)
            {
                Console.WriteLine($"{caption.Text} with confidence {caption.Confidence}");
            }

            foreach (var tag in results.Tags)
            {
                Console.WriteLine($"{tag.Name} {tag.Confidence}");
            }
        }
        catch (Exception ex)
        {
            Console.WriteLine(ex.Message);
        }
    }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will perform face recognition.	<input type="radio"/>	<input type="radio"/>
The code will list tags and their associated confidence.	<input type="radio"/>	<input type="radio"/>
The code will read a file from the local file system.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

The ComputerVision.analyzeImageInStreamAsync operation extracts a rich set of visual features based on the image content.

Box 3: No

Images will be read from a stream. Reference:

<https://docs.microsoft.com/en-us/java/api/com.microsoft.azure.cognitiveservices.vision.computervision.compute>

NEW QUESTION 20

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure an IP firewall rule.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 22

- (Exam Topic 2)

You use the Custom Vision service to build a classifier. After training is complete, you need to evaluate the classifier.

Which two metrics are available for review? Each correct answer presents a complete solution. (Choose two.) NOTE: Each correct selection is worth one point.

- A. recall
- B. F-score
- C. weighted accuracy
- D. precision
- E. area under the curve (AUC)

Answer: AD

Explanation:

Custom Vision provides three metrics regarding the performance of your model: precision, recall, and AP. Reference: <https://www.tallan.com/blog/2020/05/19/azure-custom-vision/>

NEW QUESTION 24

- (Exam Topic 2)

You are developing a webpage that will use the Video Indexer service to display videos of internal company meetings.

You embed the Player widget and the Cognitive Insights widget into the page. You need to configure the widgets to meet the following requirements:

- > Ensure that users can search for keywords.
- > Display the names and faces of people in the video.
- > Show captions in the video in English (United States).

How should you complete the URL for each widget? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

en-US

false

people,keywords

people,search

search

true

Answer Area

Cognitive Insights Widget

https://www.videoindexer.ai/embed/insights/<accountId>/<videoId>/?widgets=

Value

controls=

Value

Player Widget

https://www.videoindexer.ai/embed/player/<accountId>/<videoId>/? showcaptions=

Value

captions=

Value

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, Word, email Description automatically generated

NEW QUESTION 27

- (Exam Topic 2)

You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent.

The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that."

You need to improve the ability of the agent to respond to requests.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Add prebuilt domain models as required.

Validate the utterances logged for review and modify the model.

Migrate authoring to an Azure resource authoring key.

Enable active learning.

Enable log collection by using Log Analytics.

Train and republish the Language Understanding model.

Answer Area

- A. Mastered
- B. Not Mastered

Passing Certification Exams Made Easy

visit - <https://www.2PassEasy.com>

Answer: A

Explanation:

Step 1: Add prebuilt domain models as required.

Prebuilt models provide domains, intents, utterances, and entities. You can start your app with a prebuilt model or add a relevant model to your app later.

Note: Language Understanding (LUIS) provides prebuilt domains, which are pre-trained models of intents and entities that work together for domains or common categories of client applications.

The prebuilt domains are trained and ready to add to your LUIS app. The intents and entities of a prebuilt domain are fully customizable once you've added them to your app.

Step 2: Enable active learning

To enable active learning, you must log user queries. This is accomplished by calling the endpoint query with the log=true querystring parameter and value.

Step 3: Train and republish the Language Understanding model

The process of reviewing endpoint utterances for correct predictions is called Active learning. Active learning captures endpoint queries and selects user's endpoint utterances that it is unsure of. You review these utterances to select the intent and mark entities for these real-world utterances. Accept these changes into your example utterances then train and publish. LUIS then identifies utterances more accurately.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-> <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>

NEW QUESTION 31

- (Exam Topic 2)

You are building a natural language model. You need to enable active learning.

What should you do?

- A. Add show-all-intents=true to the prediction endpoint query.
- B. Enable speech priming.
- C. Add log=true to the prediction endpoint query.
- D. Enable sentiment analysis.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user>

NEW QUESTION 33

- (Exam Topic 2)

You are building a Language Understanding model for an e-commerce chatbot. Users can speak or type their billing address when prompted by the chatbot.

You need to construct an entity to capture billing addresses. Which entity type should you use?

- A. machine learned
- B. Regex
- C. list
- D. Pattern.any

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-entity-types>

NEW QUESTION 34

- (Exam Topic 2)

You are building a multilingual chatbot.

You need to send a different answer for positive and negative messages.

Which two Text Analytics APIs should you use? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Linked entities from a well-known knowledge base
- B. Sentiment Analysis
- C. Key Phrases
- D. Detect Language
- E. Named Entity Recognition

Answer: BD

Explanation:

B: The Text Analytics API's Sentiment Analysis feature provides two ways for detecting positive and negative sentiment. If you send a Sentiment Analysis request, the API will return sentiment labels (such as "negative", "neutral" and "positive") and confidence scores at the sentence and document-level.

D: The Language Detection feature of the Azure Text Analytics REST API evaluates text input for each document and returns language identifiers with a score that indicates the strength of the analysis.

This capability is useful for content stores that collect arbitrary text, where language is unknown. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-sentiment-analysis?tabs=version-3-1>

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-language-detection>

NEW QUESTION 37

- (Exam Topic 2)

You need to build a chatbot that meets the following requirements:

- Supports chit-chat, knowledge base, and multilingual models
- Performs sentiment analysis on user messages
- Selects the best language model automatically

What should you integrate into the chatbot?

- A. QnA Maker, Language Understanding, and Dispatch
- B. Translator, Speech, and Dispatch
- C. Language Understanding, Text Analytics, and QnA Maker
- D. Text Analytics, Translator, and Dispatch

Answer: C

Explanation:

Language Understanding: An AI service that allows users to interact with your applications, bots, and IoT devices by using natural language.

QnA Maker is a cloud-based Natural Language Processing (NLP) service that allows you to create a natural conversational layer over your data. It is used to find the most appropriate answer for any input from your custom knowledge base (KB) of information.

Text Analytics: Mine insights in unstructured text using natural language processing (NLP)—no machine learning expertise required. Gain a deeper understanding of customer opinions with sentiment analysis. The Language Detection feature of the Azure Text Analytics REST API evaluates text input

Reference:

<https://azure.microsoft.com/en-us/services/cognitive-services/text-analytics/> <https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/overview/overview>

NEW QUESTION 42

- (Exam Topic 2)

You plan to use a Language Understanding application named app1 that is deployed to a container. App1 was developed by using a Language Understanding authoring resource named lu1.

App1 has the versions shown in the following table.

Version	Trained date	Published date
V1.2	<i>None</i>	<i>None</i>
V1.1	2020-10-01	<i>None</i>
V1.0	2020-09-01	2020-09-15

You need to create a container that uses the latest deployable version of app1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Answer Area

- Run a container that has version set as an environment variable.
- Export the model by using the Export as JSON option.
- Select v1.1 of app1.
- Run a container and mount the model file.
- Select v1.0 of app1.
- Export the model by using the Export for containers (GZIP) option.
- Select v1.2 of app1.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Export the model using the Export for containers (GZIP) option. Export versioned app's package from LUIS portal

The versioned app's package is available from the Versions list page.

- Sign on to the LUIS portal.
- Select the app in the list.
- Select Manage in the app's navigation bar.
- Select Versions in the left navigation bar.
- Select the checkbox to the left of the version name in the list.
- Select the Export item from the contextual toolbar above the list.
- Select Export for container (GZIP).
- The package is downloaded from the browser.



Step 2: Select v1.1 of app1.

A trained or published app packaged as a mounted input to the container with its associated App ID. Step 3: Run a container and mount the model file.

Run the container, with the required input mount and billing settings. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-container-howto>

NEW QUESTION 45

- (Exam Topic 2)

You have a Computer Vision resource named contoso1 that is hosted in the West US Azure region.

You need to use contoso1 to make a different size of a product photo by using the smart cropping feature. How should you complete the API URL? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
curl -H "Ocp-Apim-Subscription-Key: xxx" /
-o "sample.png" -H "Content-Type: application/json" /
?width=100&height=100&smartCropping=true" /
-d "{\"url\":\"https://upload.litwareinc.org/litware/bicycle.jpg\"}"
```

Options for the first dropdown (API endpoint):

- https://api.projectoxford.ai
- https://contoso1.cognitiveservices.azure.com
- https://westus.api.cognitive.microsoft.com

Options for the second dropdown (API action):

- areaOfInterest
- detect
- generateThumbnail

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, Word Description automatically generated

Reference:

<https://westus.dev.cognitive.microsoft.com/docs/services/computer-vision-v3-2/operations/56f91f2e778daf14a4> <https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/concept-generating-thumbnails#exam>

NEW QUESTION 49

- (Exam Topic 2)

You are developing a method for an application that uses the Translator API.

The method will receive the content of a webpage, and then translate the content into Greek (el). The result will also contain a transliteration that uses the Roman alphabet.

You need to create the URI for the call to the Translator API. You have the following URI. <https://api.cognitive.microsofttranslator.com/translate?api-version=3.0>

Which three additional query parameters should you include in the URI? Each correct answer presents part of the solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. toScript=Cyrl
- B. from=el
- C. textType=html
- D. to=el
- E. textType=plain
- F. toScript=Latn

Answer: CDF

Explanation:

C: textType is an optional parameter. It defines whether the text being translated is plain text or HTML text (used for web pages).

D: to is a required parameter. It specifies the language of the output text. The target language must be one of the supported languages included in the translation scope.

F: toScript is an optional parameter. It specifies the script of the translated text. We use Latin (Roman alphabet) script.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-translate>

NEW QUESTION 50

- (Exam Topic 2)

You deploy a web app that is used as a management portal for indexing in Azure Cognitive Search. The app is configured to use the primary admin key.

During a security review, you discover unauthorized changes to the search index. You suspect that the primary access key is compromised. You need to prevent unauthorized access to the index management endpoint. The solution must minimize downtime. What should you do next?

- A. Regenerate the primary admin key, change the app to use the secondary admin key, and then regenerate the secondary admin key.
- B. Change the app to use a query key, and then regenerate the primary admin key and the secondary admin key.
- C. Regenerate the secondary admin key, change the app to use the secondary admin key, and then regenerate the primary key.
- D. Add a new query key, change the app to use the new query key, and then delete all the unused query keys.

Answer: A

Explanation:

Regenerate admin keys.

Two admin keys are created for each service so that you can rotate a primary key, using the secondary key for business continuity.

- * 1. In the Settings >Keys page, copy the secondary key.
- * 2. For all applications, update the API key settings to use the secondary key.
- * 3. Regenerate the primary key.
- * 4. Update all applications to use the new primary key.

Note: Two admin api-keys, referred to as primary and secondary keys in the portal, are automatically generated when the service is created and can be individually regenerated on demand. Having two keys allows you to roll over one key while using the second key for continued access to the service.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-security-api-keys#regenerate-admin-keys>

NEW QUESTION 53

- (Exam Topic 2)

You are developing a service that records lectures given in English (United Kingdom).

You have a method named AppendToTranscriptFile that takes translated text and a language identifier.

You need to develop code that will provide transcripts of the lectures to attendees in their respective language. The supported languages are English, French, Spanish, and German.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
static async Task TranslateSpeechAsync()
{
    var config = SpeechTranslationConfig.FromSubscription("69cad5cc-0ab3-4704-bdff-afbf4aa07d85", "uksouth");

    var lang = new List<string>
    {
        "en-GB",
        "fr", "de", "es",
        "French", "Spanish", "German"
    };

    config.SpeechRecognitionLanguage = "en-GB";
    lang.ForEach(config.AddTargetLanguage);

    using var audioConfig = AudioConfig.FromDefaultMicrophoneInput();
    using var recognizer = new TranslationRecognizer(config, audioConfig);

    var result = await recognizer.RecognizeOnceAsync();
    if (result.Reason == ResultReason.TranslatedSpeech)
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: {"fr", "de", "es"}

A common task of speech translation is to specify target translation languages, at least one is required but multiples are supported. The following code snippet sets both French and German as translation language targets.

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    translationConfig.SpeechRecognitionLanguage = "it-IT";
    // Translate to languages. See, https://aka.ms/speech/sttt-languages translationConfig.AddTargetLanguage("fr"); translationConfig.AddTargetLanguage("de");
}
```

Box 2: TranslationRecognizer

After you've created a SpeechTranslationConfig, the next step is to initialize a TranslationRecognizer. Example code:

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    var fromLanguage = "en-US";
    var toLanguages = new List<string> { "it", "fr", "de" }; translationConfig.SpeechRecognitionLanguage = fromLanguage;
    toLanguages.ForEach(translationConfig.AddTargetLanguage);
    using var recognizer = new TranslationRecognizer(translationConfig);
}
```

NEW QUESTION 55

- (Exam Topic 2)

You plan to use containerized versions of the Anomaly Detector API on local devices for testing and in on-premises datacenters.

You need to ensure that the containerized deployments meet the following requirements:

- Prevent billing and API information from being stored in the command-line histories of the devices that run the container.
- Control access to the container images by using Azure role-based access control (Azure RBAC). Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Answer Area

Create a custom Dockerfile.
Pull the Anomaly Detector container image.
Distribute a docker run script.
Push the image to an Azure container registry.
Build the image.
Push the image to Docker Hub.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Step 1: Pull the Anomaly Detector container image.

Step 2: Create a custom Dockerfile

Step 3: Push the image to an Azure container registry.

To push an image to an Azure Container registry, you must first have an image.

Step 4: Distribute the docker run script

Use the docker run command to run the containers. Reference:

<https://docs.microsoft.com/en-us/azure/container-registry/container-registry-intro>

NEW QUESTION 57

- (Exam Topic 2)

You are building an Azure Cognitive Search custom skill. You have the following custom skill schema definition.

```
{
  "@odata.type": "#Microsoft.Skills.Custom.WebApiSkill",
  "description": "My custom skill description",
  "uri": "https://contoso-webskill.azurewebsites.net/api/process",
  "context": "/document/organizations/*",
  "inputs": [
    {
      "name": "companyName",
      "source": "/document/organizations/*"
    }
  ],
  "outputs": [
    {
      "name": "companyDescription",
    }
  ]
}
```

For each of the following statements, select Yes if the statement. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

CompanyDescription is available for indexing.

☐☐

The definition calls a web API as part of the enrichment process.

☐☐

The enrichment step is called only for the first organization under
"/document/organizations".

☐☐

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Once you have defined a skillset, you must map the output fields of any skill that directly contributes values to a given field in your search index.

Box 2: Yes

The definition is a custom skill that calls a web API as part of the enrichment process. Box 3: No

For each organization identified by entity recognition, this skill calls a web API to find the description of that organization.

Reference:

<https://docs.microsoft.com/en-us/azure/search/cognitive-search-output-field-mapping>

NEW QUESTION 58

- (Exam Topic 2)

You have a Custom Vision resource named acvdev in a development environment. You have a Custom Vision resource named acvprod in a production environment.

In acvdev, you build an object detection model named obj1 in a project named proj1. You need to move obj1 to acvprod.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Use the ExportProject endpoint on acvdev.	
Use the GetProjects endpoint on acvdev.	
Use the ImportProject endpoint on acvprod.	⬅️ ⬆️
Use the ExportIteration endpoint on acvdev.	➡️ ⬇️
Use the GetIterations endpoint on acvdev.	
Use the UpdateProject endpoint on acvprod.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/copy-move-projects>

NEW QUESTION 62

- (Exam Topic 2)

You are developing an internet-based training solution for remote learners.

Your company identifies that during the training, some learners leave their desk for long periods or become distracted.

You need to use a video and audio feed from each learner's computer to detect whether the learner is present and paying attention. The solution must minimize development effort and identify each learner.

Which Azure Cognitive Services service should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

From a learner's video feed, verify whether the learner is present:

Face
Speech
Text Analytics

From a learner's facial expression in the video feed, verify whether the learner is paying attention:

Face
Speech
Text Analytics

From a learner's audio feed, detect whether the learner is talking:

Face
Speech
Text Analytics

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/what-are-cognitive-services>

NEW QUESTION 66

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AI-102 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AI-102 Product From:

<https://www.2passeasy.com/dumps/AI-102/>

Money Back Guarantee

AI-102 Practice Exam Features:

- * AI-102 Questions and Answers Updated Frequently
- * AI-102 Practice Questions Verified by Expert Senior Certified Staff
- * AI-102 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AI-102 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year