

## VMCE2021 Dumps

### Veeam Certified Engineer 2021

<https://www.certleader.com/VMCE2021-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 1)

Veeam ONE \_\_\_\_\_ can detect when a potential ransomware attack is happening and be configured to take mitigating actions.

- A. Reporting
- B. Alert Management
- C. Alarm Management
- D. Data Protection View

**Answer: C**

**Explanation:**

Veeam ONE can help notify you of suspicious activity in your datacenter through the Possible Ransomware Activity alarm. This alarm can be configured to take mitigating actions such as sending an email notification, running a script or creating a support case.

**NEW QUESTION 2**

- (Exam Topic 1)

At 18:00, after a Windows update installation, a VM is stuck in an infinite boot loop. The VM is configured as follows.

<b>Platform</b>	VMware vSphere
<b>Application</b>	SQL Server
<b>Disk 1 (OS)</b>	60 GB, CBT enabled
<b>Disk 2 (DATA)</b>	400 GB, CBT enabled

The last backup was created at 01:00. Choose the recovery approach that provides the lowest RTO with the least data loss.

- A. Instant VM Recovery with quick rollback
- B. Instant VM Recovery
- C. VM disk recovery with quick rollback of Disk 1
- D. Virtual disk restore of Disk 1

**Answer: D**

**Explanation:**

[https://helpcenter.veeam.com/archive/backup/110/vsphere/incremental\\_restore.html](https://helpcenter.veeam.com/archive/backup/110/vsphere/incremental_restore.html)

**NEW QUESTION 3**

- (Exam Topic 1)

A critical server in a Hyper-V environment has crashed and will not reboot. What is the fastest way to bring this server back online so employees can continue to work?

- A. Instant VM Disk Recovery
- B. Entire VM restore
- C. Instant VM Recovery
- D. Staged restore

**Answer: C**

**NEW QUESTION 4**

- (Exam Topic 1)

What data sources can be connected to Veeam ONE? (Choose two.)

- A. Veeam Backup & Replication servers
- B. Microsoft Hyper-V servers
- C. Veeam Backup & Replication agents
- D. Microsoft Azure VMs
- E. Amazon Web Services EC2 instances

**Answer: AB**

**Explanation:**

[https://helpcenter.veeam.com/docs/one/deployment/connect\\_servers.html?ver=120](https://helpcenter.veeam.com/docs/one/deployment/connect_servers.html?ver=120)

**NEW QUESTION 5**

- (Exam Topic 1)

A Veeam administrator is concerned about keeping backups on site and has traditionally used tapes to store backups older than 30 days in order to free up space on their backup repository for longer-term storage. The company is currently using Scale-out Backup Repositories. What option would satisfy the requirement?

- A. Copy to capacity tier
- B. Move to capacity tier
- C. Backup to object storage
- D. File copy job

**Answer: B**

**NEW QUESTION 6**

- (Exam Topic 1)

A daily backup job for seven Hyper-V VMs has been configured at the main site, keeping 14 days' worth of backup files. They want to get a copy of the VM backups to a repository at the disaster recovery site. They want to keep six months' worth of backup files at the disaster recovery site. They also need to be able to restore the VMs to any given day within two months and any given week within six months. How should a backup copy job be configured to meet these requirements?

- A. Use periodic copy (pruning) mode, keeping 180 days of retention.
- B. Use immediate copy (mirroring) mode, keeping 62 days of retention and 26 weekly GFS restore points.
- C. Use periodic copy (pruning) mode, keeping 62 days of retention and six monthly GFS restore points.
- D. Use immediate copy (mirroring) mode, keeping 180 days of retention.

**Answer: B**

**Explanation:**

According to the Veeam Backup & Replication user guide<sup>1</sup>, you can use a long-term retention policy (GFS) keep backup files for longer periods of time. GFS stands for grandfather-father-son and refers to a backup rotation scheme that allows you to create weekly, monthly, quarterly and yearly restore points<sup>2</sup>. Therefore, if you want to be able to restore the VMs to any given day within two months and any given week within six months, you should use a GFS policy with 62 days of retention and 26 weekly GFS restore points. The simplest configuration would be an immediate copy (mirroring) mode with these settings (option B).

**NEW QUESTION 7**

- (Exam Topic 1)

A backup administrator decided to move the Veeam Backup & Replication server and configuration database to new servers. Which configuration restore mode should be used?

- A. Migrate
- B. Planned failover
- C. Restore
- D. Failover plan

**Answer: A**

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/vbr\\_config\\_migrate.html?ver=120#step5](https://helpcenter.veeam.com/docs/backup/vsphere/vbr_config_migrate.html?ver=120#step5)

**NEW QUESTION 8**

- (Exam Topic 1)

A director in a business needs a folder of traffic photos restored from a Linux server. This machine sits on a VM backed up by Veeam Backup & Replication. The director wants the files restored to their original location and does not want to lose the original files. What functionality will be used to restore the folder using the Veeam Guest OS restoration wizard?

- A. Restore the files using the "Versioning" function
- B. Files will be prefixed with numbers (1-, 2-, 3-, etc.).
- C. Restore the files using the "Overwrite" function
- D. Original files will be renamed.
- E. Restore the files using the "Hold" function
- F. The director can then determine the status of the original and restored files.
- G. Restore the files using the "Keep" function
- H. Original files will be untouched

**Answer: D**

**Explanation:**

According to the Veeam Backup & Replication user guide<sup>1</sup>, you can use the Guest File Restore wizard to restore files and folders from VM guest OSes that run Linux or other non-Windows OSes<sup>2</sup>. The wizard allows you to choose how to handle situations when restored files already exist on the target location<sup>3</sup>. Therefore, if you want to restore the folder of traffic photos to their original location and do not want to lose the original files, you should use the Keep function. This function will preserve original files on disk and will not overwrite them with restored files

**NEW QUESTION 9**

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.

Edit Scale-out Backup Repository ✕

**Capacity Tier**  
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.



Name	<input checked="" type="checkbox"/> Extend scale-out backup repository capacity with object storage:
Performance Tier	Amazon S3 <span style="float: right;">Add...</span>
Placement Policy	Define time windows when uploading to capacity tier is allowed <span style="float: right;">Window...</span>
<b>Capacity Tier</b>	<input type="checkbox"/> Copy backups to object storage as soon as they are created Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.
Archive Tier	<input checked="" type="checkbox"/> Move backups to object storage as they age out of the operational restore window Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.
Summary	Move backup files older than 21 days (your operational restore window) <span style="float: right;">Override...</span>

Edit Scale-out Backup Repository ✕

**Archive Tier**  
Specify object storage to archive your backup files to. This reduces your long-term retention costs, while increases restore time.



Name	<input type="checkbox"/> Archive GFS full backups to object storage:
Performance Tier	Amazon Glacier <span style="float: right;">Add...</span>
Placement Policy	Archive GFS backups older than 60 days <span style="float: right;">Storage...</span>
Capacity Tier	
<b>Archive Tier</b>	
Summary	

A daily VMware backup job retention is 31 days, keeping weekly GFS full backups for 14 weeks. It is Jan. 20. A file from a backup that occurred on Jan. 1 must be recovered. Where is the data?

- A. The archive tier
- B. The performance tier and the capacity tier
- C. The performance tier
- D. The capacity tier

**Answer: C**

**NEW QUESTION 10**

- (Exam Topic 1)

Which feature can be used in Veeam Explorer for Oracle database?

- A. Recover from litigation and in-place hold items
- B. Restore original password for account objects
- C. Restore databases from backups created with Veeam RMAN plug-in
- D. Export to .BAK file

**Answer: C**

**Explanation:**

According to the Veeam Backup Explorers Guide<sup>1</sup>, Veeam Explorer for Oracle allows you to restore and export Oracle databases and Data Guard from backups created by Veeam Backup & Replication or Veeam Plug-in for Oracle RMAN.

**NEW QUESTION 10**

- (Exam Topic 1)

Which of the following are valid export options for Microsoft SQL Server items when using the Veeam Explorer for Microsoft SQL? (Choose two.)

- A. .mdb file
- B. .bak file
- C. .mdf file
- D. .sql file
- E. .xls file

**Answer: BC**

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/explorers/vesql\\_data\\_export.html?ver=120](https://helpcenter.veeam.com/docs/backup/explorers/vesql_data_export.html?ver=120)

**NEW QUESTION 11**

- (Exam Topic 1)

An administrator is asked to change a backup copy job from periodic mode to immediate mode. How can this be accomplished?

- A. Edit the original job and select immediate copy mode from the job settings.
- B. Enable immediate mode on the repository.
- C. Create a new copy job and delete the original job.
- D. Modify the job settings on the proxy performing the copy job.

**Answer: A**

**Explanation:**

According to the Veeam Backup & Replication User Guide<sup>1</sup>, you can change the backup copy mode by editing backup copy job settings. However, this is only possible if the backup copy job has true per-machine backup storage format.

**NEW QUESTION 14**

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.

**Edit Scale-out Backup Repository** [X]

**Capacity Tier**  
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

**Name**

**Performance Tier**

**Placement Policy**

**Capacity Tier**

**Archive Tier**

**Summary**

**Extend scale-out backup repository capacity with object storage:**

Amazon S3 [v] [Add...]

Define time windows when uploading to capacity tier is allowed [Window...]

**Copy backups to object storage as soon as they are created**  
Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

**Move backups to object storage as they age out of the operational restore window**  
Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than 14 days (your operational restore window) [Override...]

12 VMware VMs are being backed up daily by a forward incremental backup job, which has a 31-day retention, creating synthetic fulls on Saturdays. After running for more than 31 days, which of the following would be accurate?

- A. Both the performance tier and capacity tier will contain all restore points.
- B. The performance tier will contain all restore point
- C. The capacity tier will contain zero restore points.
- D. The performance tier will contain the most recent 15 to 22 days of restore point
- E. The capacity tier will contain the oldest 14 days of restore points.
- F. The performance tier will contain the most recent 14 to 20 days of restore point
- G. The capacity tier will contain all restore points.

**Answer: C**

**NEW QUESTION 17**

- (Exam Topic 1)

What does Veeam's Secure Restore functionality ensure during restores?

- A. 256-bit AES encryption of in-flight data
- B. Anti-virus scanning
- C. Custom ports for in-flight data
- D. Proper rights/permissions on files and folders

**Answer: B**

**NEW QUESTION 20**

- (Exam Topic 1)

A file on a Windows VM hosted on vSphere is corrupted and must be restored. VMware tools are installed and up to date on the VM. For some reason, the Veeam mount server cannot connect to the VM through the network. Which of the following restore methods provides the fastest restore (RTO)?

- A. Run Veeam file restore wizard and let it restore through VIX.
- B. Start an Instant VM Recovery session and log on into the restored image to copy/paste the file to restore.
- C. It is impossible to restore the file on the VM if the mount server cannot reach it through the network.
- D. Run Veeam file restore wizard and use the "copy to" to download the file locally in a shared folder.

**Answer: A**

**Explanation:**

According to the Veeam Backup & Replication user guide<sup>1</sup>, you can use the File Level Restore wizard to restore files and folders from VM guest OSes that run Windows<sup>2</sup>. The wizard allows you to choose how to access the VM guest OS: through network or through VIX<sup>3</sup>. VIX is a VMware API that enables programmatic access to virtual machine operations<sup>3</sup>.

Therefore, if you want to restore a file on a Windows VM hosted on vSphere and the mount server cannot connect to the VM through the network, you can use VIX as an alternative method of access<sup>2</sup>. This will allow you to restore the file directly to its original location without downloading it locally or starting an Instant VM Recovery session.

**NEW QUESTION 21**

- (Exam Topic 1)

Veeam Backup & Replication is currently configured to back up different workloads: Windows VMs on vSphere and Linux VMs on vSphere. A secondary copy of all the backups including transaction logs must be created. Which of the following backup copy job configurations is the simplest?

- A. A single "periodic copy" backup copy job
- B. A single "immediate copy" backup copy job
- C. Two "immediate copy" backup copy jobs
- D. Two "periodic copy" backup copy jobs

**Answer: B**

**Explanation:**

According to the Veeam Backup & Replication best practice guide<sup>1</sup>, a new copy job mode was added called immediate copy. This mode immediately starts the backup copy job as soon as restore points appear in the repository. It also provides the ability to copy SQL and Oracle log backups which is not possible with traditional periodic backup copy jobs.

Therefore, if you want to create a secondary copy of all the backups including transaction logs, you should use an immediate copy backup copy job. The simplest configuration would be a single immediate copy backup copy job for all workloads (option B)

**NEW QUESTION 26**

- (Exam Topic 2)

A backup job has been configured to keep three incremental restore points and a synthetic full backup each Sunday. More restore points are present on disk than what was configured in the job. Why?

- A. The old restore points will be deleted after the new restore chain meets the retention policy
- B. Per VM backup files are enabled in the repository
- C. The other restore points are weekly full backups, this is expected
- D. You should configure the synthetic full backup to be performed on Mondays instead

**Answer: A**

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/synthetic\\_full\\_hiw.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/synthetic_full_hiw.html?ver=100) Reference: <https://www.veeam.com/kb1990>

**NEW QUESTION 28**

- (Exam Topic 2)

You fail back a VM replica to the original location. Which of the following requirements needs to be met to be able perform quick rollback during a failback of a replica?

- A. Perform failback to VM within the same subnet
- B. The VM replica must be created with the "Use Changed Block Tracking data" option enabled
- C. Indexing must be enabled for the original VM
- D. The VM replica must have access to the repository where the full backup of the VM resides

**Answer: B**

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/failback\\_quick\\_rollback.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/failback_quick_rollback.html?ver=100)

**NEW QUESTION 32**

- (Exam Topic 2)

An end user has deleted a business-critical document and they need it back right away. The IT team has been doing hypervisor-level backups of the VM that the document was on. What is the fastest option for this backup administrator to get the user's document back?

- A. Entire VM restore
- B. Guest files restore
- C. Instant VM Recovery
- D. Virtual disks restore

**Answer: B**

**NEW QUESTION 34**

- (Exam Topic 2)

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM

D. In the virtual machines setting of the job, add a script in the scripts tab under "Run the following script before the job:"

**Answer:** A

**NEW QUESTION 38**

- (Exam Topic 2)

Exhibit:



Look at the diagram. This daily backup job has been running for over 30 days and no active full backups have been taken since the first run. Which of the following best describes the backup job?

- A. This is a reverse incremental backup, keeping seven restore points
- B. This is a forward incremental backup with Sunday and Wednesday synthetic full, keeping seven restore points
- C. This is a forward incremental backup with transform enabled, keeping four restore points
- D. This is forever forward incremental backup, keeping seven restore points

**Answer:** A

**NEW QUESTION 41**

- (Exam Topic 2)

What are the three Veeam Backup & Replication technologies required to verify recoverability of the backup?  
(Choose three.)

- A. Virtual lab
- B. Application group
- C. Backup proxy
- D. SureBackup job
- E. Gateway Server
- F. Replication job

**Answer:** ABD

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/recovery\\_verification\\_overview.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/recovery_verification_overview.html?ver=100)

**NEW QUESTION 43**

- (Exam Topic 2)

Which of the following is required to enable tape parallel processing?

- A. The source repository for the tape job is a scale out backup repository.
- B. The tape library has multiple drives.
- C. Two tape jobs are processed at the same time.
- D. The tape drive has multiple tapes.

**Answer:** B

**NEW QUESTION 48**

- (Exam Topic 2)

Which backup method produces a backup chain that consists of the first full backup file (VBK) and a set of incremental backup files (VIB) following it? Additionally, the backup chain contains synthetic full and/or active full backup files that divide the backup chain into shorter series.

- A. Forward incremental backup
- B. Differential incremental backup
- C. Reverse incremental backup
- D. Forever forward incremental backup

**Answer:** A

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/forward\\_incremental\\_backup.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/forward_incremental_backup.html?ver=100)

**NEW QUESTION 50**

- (Exam Topic 2)

When you back up regular or standalone VMs in vCloud Director, which of the following is captured and stored in Veeam's Backup & Replication backup file?  
(Choose three.)

- A. vApp metadata
- B. VM disk content
- C. Raw device mapping
- D. In-guest iSCSI disk
- E. VM metadata
- F. Linked clone VM's prior to vCenter 6.5

**Answer:** ABE

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/vcloud\\_regular\\_vm\\_restore.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/vcloud_regular_vm_restore.html?ver=100)

**NEW QUESTION 51**

- (Exam Topic 2)

Offloading backup files to the capacity tier of a scale out repository can be done automatically by leveraging what type of job?

- A. Archive Job
- B. Offload Job
- C. Backup Copy Job
- D. Backup Job

**Answer:** D

**NEW QUESTION 56**

- (Exam Topic 2)

Which of the following statements is true regarding the Veeam Backup & Replication integration with supported Storage Systems for VMware vSphere are true? (Choose three).

- A. On storage accesses through NFS, VMs with snapshots will be skipped from Backup from Storage Snapshots
- B. Veeam Backup & Replication can backup virtual machines from a supported secondary storage array
- C. On storage accessed through NFS, VMs with snapshots can be protected with Backup from Storage Snapshots
- D. When Backup from Storage Snapshots is performed, VMware snapshot is never utilized
- E. Enabling Backup from Storage Snapshots for all backup jobs are not recommended

**Answer:** ABE

**NEW QUESTION 59**

- (Exam Topic 2)

Which is the mount server component used?

- A. When there are multiple backup servers
- B. When backing up to tape at a remote site
- C. When the remote backup repository is a CIFS share
- D. When restoring files or application items with Veeam Explorers

**Answer:** D

**NEW QUESTION 60**

- (Exam Topic 2)

What additional metadata is captured when backing up vCloud Director VMs?

- A. vDC metadata
- B. Replica metadata
- C. vApp metadata
- D. Backup metadata

**Answer:** C

**NEW QUESTION 61**

- (Exam Topic 2)

Which of the following Veeam Backup & Replication jobs can use integration with secondary arrays as a data source?

- A. Backup
- B. VM copy
- C. Replication
- D. Tape backup

**Answer:** A

**NEW QUESTION 65**

- (Exam Topic 2)

If the Backup Administrator has to perform a backup over a high-latency, low bandwidth network link, how can the disruptions to the backup process be avoided?

- A. By making a direct backup using WAN accelerator.
- B. By adding additional WAN accelerators to the target site.
- C. By making a backup locally and utilizing WAN accelerators for a backup copy Job.
- D. By adjusting the compression and deduplication settings for this Job.

**Answer:** C

**NEW QUESTION 68**

- (Exam Topic 2)

Veeam is used for replicating VMware VMs. The production environment is comprised of two networks: 192.168.1.0/24 and 172.16.0.0/16. A web application requires a database server (whose IP address is 172.21.1.12) to receive queries from a web client (whose IP address is 192.168.1.32). The replicas are spread over multiple hosts. A backup administrator needs to configure a virtual lab to test a web client to database server query. Which of the following virtual lab types must be configured?

- A. Advanced multi-host
- B. Advanced single-host
- C. All virtual lab configurations would support that
- D. Basic single-host

**Answer:** B

**NEW QUESTION 71**

- (Exam Topic 2)

A Backup Administrator needs to create a fully functional VM at a secondary location in an isolated network. The VM should not require manual editing or modifications to the configuration. Which of the following jobs could the Backup Administrator use? Choose two options.

- A. SureBackup
- B. VeeamZip
- C. VM Copy
- D. Replication
- E. Backup
- F. Configuration Backup

**Answer:** CD

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/about\\_replication.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/about_replication.html?ver=100) [https://helpcenter.veeam.com/docs/backup/vsphere/vm\\_copy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/vm_copy.html?ver=100)

**NEW QUESTION 76**

- (Exam Topic 2)

A company has outgrown their current data center and plans to use the second data center as the new primary and needs to migrate their workloads. They are running VMware in both data centers. Which steps would allow this migration to occur without any data loss?

- A. \* 1. Replication job \* 2. Failover plan \* 3. Permanent failover
- B. \* 1. Backup job\* 2. Instant VM Recovery\* 3. Finalize the Instant VM Recovery
- C. \* 1. Replication job \* 2. Failback \* 3. Commit failback
- D. \* 1. Replication job\* 2. Planned failover\* 3. Permanent failover

**Answer:** D

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/planned\\_failover.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/planned_failover.html?ver=100)

**NEW QUESTION 77**

- (Exam Topic 2)

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

**Answer:** CE

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/surebackup\\_basic\\_vlab.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_basic_vlab.html?ver=100)

**NEW QUESTION 81**

- (Exam Topic 2)

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

**Answer:** A

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/replica\\_seeding.html#:~:text=Replica%20seeding%20and%](https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%)

**NEW QUESTION 83**

- (Exam Topic 2)

To suppress Veeam ONE alarms under specific conditions or when a specific event occurs, which of these options can be selected? (Choose three.)

- A. High CPU usage
- B. Veeam backup activity
- C. Snapshot creation
- D. Storage snapshot deletion
- E. Storage snapshot creation
- F. Snapshot deletion

**Answer:** BCF

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/one/alarms/alarm\\_suppression.html?ver=100](https://helpcenter.veeam.com/docs/one/alarms/alarm_suppression.html?ver=100)

**NEW QUESTION 85**

- (Exam Topic 2)

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor.

When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

**Answer:** D

**Explanation:**

[https://helpcenter.veeam.com/docs/one/deployment/data\\_collection\\_modes.html?ver=100](https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100)

**NEW QUESTION 86**

- (Exam Topic 2)

If your mount server is running Windows Server 2019 and you are performing a secure restore, which statement below is true?

- A. NTFS is the only format supported.
- B. RefS will be skipped.
- C. RefS will be processed and scanned.
- D. Storage Spaces disks will be processed and scanned.

**Answer:** A

**NEW QUESTION 87**

- (Exam Topic 2)

Your company is using Veeam ONE to monitor VM performance in real time. An end user has called to complain about the performance of a VM and has asked you to investigate the cause of the issue. Where in Veeam ONE do you go to view real time VM metrics?

- A. In the monitor client under the infrastructure view
- B. In the reporter portal in the workspace tab, VM performance
- C. In the monitor client under the data protection view
- D. In the reporter portal in the dashboards tab, VM performance dashboard

**Answer:** A

**Explanation:**

Reference: <https://www.veeam.com/blog/monitoring-vmware-hyperv-environment.html>

**NEW QUESTION 90**

- (Exam Topic 2)

Which of the following statements regarding the Backup from Storage Snapshots feature when backing up virtual machines from a VMware vSphere environment are true? (Choose two.)

- A. Lower impact on WAN link during off-site backups
- B. Higher transfer speed from production NFS datastores
- C. A virtual machine with one virtual drive on shared storage and another drive on local storage will be processed with Backup from Storage Snapshots transport mode
- D. A virtual machine with one virtual drive on shared storage and another drive on local storage will failover to a different transport mode
- E. Reduce the impact of consolidating VM snapshots

**Answer:** BE

**NEW QUESTION 95**

- (Exam Topic 2)

Which storage optimization option uses a block size of 512 KB?

- A. LAN target

- B. WAN target
- C. Local target (large blocks)
- D. Local target

**Answer:** A

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/compression\\_deduplication.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/compression_deduplication.html?ver=100)

**NEW QUESTION 99**

- (Exam Topic 2)

Which of the following statements are true when deploying VMware backup proxy server? Choose three options.

- A. A managed Microsoft Windows server can be used as a backup proxy.
- B. The maximum number of concurrent tasks can be configured.
- C. The vPower NFS root folder location can be configured.
- D. A managed Linux server can be used as a backup proxy.
- E. Connected datastores can be configured.

**Answer:** ABC

**NEW QUESTION 101**

- (Exam Topic 2)

If the deduplication settings are changed for an existing job, when will the new setting be applied?

- A. At the next run of the job
- B. If any kind of full backup is created
- C. If a new active full backup is created
- D. Only when you rescan the repository that stores the backup files

**Answer:** C

**Explanation:**

[https://helpcenter.veeam.com/archive/backup/95/vsphere/compression\\_deduplication.html](https://helpcenter.veeam.com/archive/backup/95/vsphere/compression_deduplication.html)

To apply new deduplication settings in backup jobs, you must create an active full backup after you change deduplication settings. Veeam Backup & Replication will use the new block size for the active full backup and subsequent backup files in the backup chain.

**NEW QUESTION 104**

- (Exam Topic 2)

Veeam Explorer for Microsoft SQL Server offers which of the following capabilities? Choose Three options.

- A. Restore SQL user accounts
- B. Export an SQL database to an .sql file
- C. Send SQL tables as attachments via email
- D. Publish an SQL database without having to restore them
- E. Restore an SQL table to the original server or different server
- F. Export an SQL database to a local folder or network drive

**Answer:** DEF

**NEW QUESTION 108**

- (Exam Topic 2)

You want to deploy an On-Demand Sandbox. While creating the application group, which sources can be used to add virtual machines to the Application Group? (Choose three.)

- A. Backup Copy in Backup repository
- B. Replica on non-Cloud Connect VMware vSphere host
- C. Replica on Cloud Connect VMware vSphere host
- D. Backup in Cloud Repository
- E. Storage Snapshot
- F. Backup on Backup Repository

**Answer:** BEF

**NEW QUESTION 113**

- (Exam Topic 2)

Sometimes snapshots are "lost" by vCenter. What tool finds and removes those lost snapshots?

- A. CLI Snapshot Removal Tool
- B. Snapshot Hunter
- C. Snapshot Extractor
- D. Veeam ONE Orphaned VM Reporter

**Answer:** B

**NEW QUESTION 115**

- (Exam Topic 2)

Which Veeam Backup & Replication functionality allows a VM to be powered on directly from a backup file?

- A. Planned failover
- B. Instant VM Recovery
- C. Item-Level Recovery using Veeam Explorer
- D. Full VM Recovery

**Answer: B**

**NEW QUESTION 116**

- (Exam Topic 2)

Which of the following options describe the Veeam Data Mover Service function most accurately? Choose two options.

- A. Analyzes the system and installs and upgrades necessary components and services, depending on the role selected for the server
- B. Copies VM files
- C. Reduces load on the network and helps speed up restores
- D. Performs data compression, deduplication and data transfer

**Answer: BD**

**NEW QUESTION 117**

- (Exam Topic 2)

What transport mode does the Linux backup proxy support?

- A. Automatic
- B. Network
- C. Direct storage access
- D. Virtual appliance

**Answer: D**

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_proxy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100)

**NEW QUESTION 118**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your VMCE2021 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/VMCE2021-dumps.html>