

Professional-Data-Engineer Dumps

Google Professional Data Engineer Exam

<https://www.certleader.com/Professional-Data-Engineer-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You have spent a few days loading data from comma-separated values (CSV) files into the Google BigQuery table CLICK_STREAM. The column DT stores the epoch time of click events. For convenience, you chose a simple schema where every field is treated as the STRING type. Now, you want to compute web session durations of users who visit your site, and you want to change its data type to the TIMESTAMP. You want to minimize the migration effort without making future queries computationally expensive. What should you do?

- A. Delete the table CLICK_STREAM, and then re-create it such that the column DT is of the TIMESTAMP type
- B. Reload the data.
- C. Add a column TS of the TIMESTAMP type to the table CLICK_STREAM, and populate the numeric values from the column TS for each row
- D. Reference the column TS instead of the column DT from now on.
- E. Create a view CLICK_STREAM_V, where strings from the column DT are cast into TIMESTAMP values
- F. Reference the view CLICK_STREAM_V instead of the table CLICK_STREAM from now on.
- G. Add two columns to the table CLICK_STREAM: TS of the TIMESTAMP type and IS_NEW of the BOOLEAN type
- H. Reload all data in append mode
- I. For each appended row, set the value of IS_NEW to true
- J. For future queries, reference the column TS instead of the column DT, with the WHERE clause ensuring that the value of IS_NEW must be true.
- K. Construct a query to return every row of the table CLICK_STREAM, while using the built-in function to cast strings from the column DT into TIMESTAMP values
- L. Run the query into a destination table NEW_CLICK_STREAM, in which the column TS is the TIMESTAMP type
- M. Reference the table NEW_CLICK_STREAM instead of the table CLICK_STREAM from now on
- N. In the future, new data is loaded into the table NEW_CLICK_STREAM.

Answer: D

NEW QUESTION 2

- (Exam Topic 1)

You are deploying 10,000 new Internet of Things devices to collect temperature data in your warehouses globally. You need to process, store and analyze these very large datasets in real time. What should you do?

- A. Send the data to Google Cloud Datastore and then export to BigQuery.
- B. Send the data to Google Cloud Pub/Sub, stream Cloud Pub/Sub to Google Cloud Dataflow, and store the data in Google BigQuery.
- C. Send the data to Cloud Storage and then spin up an Apache Hadoop cluster as needed in Google Cloud Dataproc whenever analysis is required.
- D. Export logs in batch to Google Cloud Storage and then spin up a Google Cloud SQL instance, import the data from Cloud Storage, and run an analysis as needed.

Answer: B

NEW QUESTION 3

- (Exam Topic 1)

Business owners at your company have given you a database of bank transactions. Each row contains the user ID, transaction type, transaction location, and transaction amount. They ask you to investigate what type of machine learning can be applied to the data. Which three machine learning applications can you use? (Choose three.)

- A. Supervised learning to determine which transactions are most likely to be fraudulent.
- B. Unsupervised learning to determine which transactions are most likely to be fraudulent.
- C. Clustering to divide the transactions into N categories based on feature similarity.
- D. Supervised learning to predict the location of a transaction.
- E. Reinforcement learning to predict the location of a transaction.
- F. Unsupervised learning to predict the location of a transaction.

Answer: BCE

NEW QUESTION 4

- (Exam Topic 1)

You are building a model to make clothing recommendations. You know a user's fashion preference is likely to change over time, so you build a data pipeline to stream new data back to the model as it becomes available.

How should you use this data to train the model?

- A. Continuously retrain the model on just the new data.
- B. Continuously retrain the model on a combination of existing data and the new data.
- C. Train on the existing data while using the new data as your test set.
- D. Train on the new data while using the existing data as your test set.

Answer: D

NEW QUESTION 5

- (Exam Topic 1)

Your company built a TensorFlow neural-network model with a large number of neurons and layers. The model fits well for the training data. However, when tested against new data, it performs poorly. What method can you employ to address this?

- A. Threading
- B. Serialization
- C. Dropout Methods
- D. Dimensionality Reduction

Answer: C

Explanation:

Reference

<https://medium.com/mlreview/a-simple-deep-learning-model-for-stock-price-prediction-using-tensorflow-30505>**NEW QUESTION 6**

- (Exam Topic 1)

An external customer provides you with a daily dump of data from their database. The data flows into Google Cloud Storage GCS as comma-separated values (CSV) files. You want to analyze this data in Google BigQuery, but the data could have rows that are formatted incorrectly or corrupted. How should you build this pipeline?

- A. Use federated data sources, and check data in the SQL query.
- B. Enable BigQuery monitoring in Google Stackdriver and create an alert.
- C. Import the data into BigQuery using the gcloud CLI and set max_bad_records to 0.
- D. Run a Google Cloud Dataflow batch pipeline to import the data into BigQuery, and push errors to another dead-letter table for analysis.

Answer: D**NEW QUESTION 7**

- (Exam Topic 1)

You are creating a model to predict housing prices. Due to budget constraints, you must run it on a single resource-constrained virtual machine. Which learning algorithm should you use?

- A. Linear regression
- B. Logistic classification
- C. Recurrent neural network
- D. Feedforward neural network

Answer: A**NEW QUESTION 8**

- (Exam Topic 1)

You are building a model to predict whether or not it will rain on a given day. You have thousands of input features and want to see if you can improve training speed by removing some features while having a minimum effect on model accuracy. What can you do?

- A. Eliminate features that are highly correlated to the output labels.
- B. Combine highly co-dependent features into one representative feature.
- C. Instead of feeding in each feature individually, average their values in batches of 3.
- D. Remove the features that have null values for more than 50% of the training records.

Answer: B**NEW QUESTION 9**

- (Exam Topic 1)

Your company is using WHILECARD tables to query data across multiple tables with similar names. The SQL statement is currently failing with the following error:

```
# Syntax error : Expected end of statement but got "-" at [4:11] SELECT age
```

```
FROM
```

```
bigquery-public-data.noaa_gsod.gsod WHERE
```

```
age != 99
```

```
AND_TABLE_SUFFIX = '1929' ORDER BY
```

```
age DESC
```

Which table name will make the SQL statement work correctly?

- A. 'bigquery-public-data.noaa_gsod.gsod'
- B. bigquery-public-data.noaa_gsod.gsod*
- C. 'bigquery-public-data.noaa_gsod.gsod'*
- D. 'bigquery-public-data.noaa_gsod.gsod*'

Answer: D**NEW QUESTION 10**

- (Exam Topic 1)

You need to store and analyze social media postings in Google BigQuery at a rate of 10,000 messages per minute in near real-time. Initially, design the application to use streaming inserts for individual postings. Your application also performs data aggregations right after the streaming inserts. You discover that the queries after streaming inserts do not exhibit strong consistency, and reports from the queries might miss in-flight data. How can you adjust your application design?

- A. Re-write the application to load accumulated data every 2 minutes.
- B. Convert the streaming insert code to batch load for individual messages.
- C. Load the original message to Google Cloud SQL, and export the table every hour to BigQuery via streaming inserts.
- D. Estimate the average latency for data availability after streaming inserts, and always run queries after waiting twice as long.

Answer: A**NEW QUESTION 10**

- (Exam Topic 1)

You create an important report for your large team in Google Data Studio 360. The report uses Google BigQuery as its data source. You notice that visualizations are not showing data that is less than 1 hour old. What should you do?

- A. Disable caching by editing the report settings.
- B. Disable caching in BigQuery by editing table details.
- C. Refresh your browser tab showing the visualizations.
- D. Clear your browser history for the past hour then reload the tab showing the virtualizations.

Answer: A

Explanation:

Reference <https://support.google.com/datastudio/answer/7020039?hl=en>

NEW QUESTION 11

- (Exam Topic 2)

Flowlogistic's CEO wants to gain rapid insight into their customer base so his sales team can be better informed in the field. This team is not very technical, so they've purchased a visualization tool to simplify the creation of BigQuery reports. However, they've been overwhelmed by all the data in the table, and are spending a lot of money on queries trying to find the data they need. You want to solve their problem in the most cost-effective way. What should you do?

- A. Export the data into a Google Sheet for virtualization.
- B. Create an additional table with only the necessary columns.
- C. Create a view on the table to present to the virtualization tool.
- D. Create identity and access management (IAM) roles on the appropriate columns, so only they appear in a query.

Answer: C

NEW QUESTION 16

- (Exam Topic 2)

Flowlogistic's management has determined that the current Apache Kafka servers cannot handle the data volume for their real-time inventory tracking system. You need to build a new system on Google Cloud Platform (GCP) that will feed the proprietary tracking software. The system must be able to ingest data from a variety of global sources, process and query in real-time, and store the data reliably. Which combination of GCP products should you choose?

- A. Cloud Pub/Sub, Cloud Dataflow, and Cloud Storage
- B. Cloud Pub/Sub, Cloud Dataflow, and Local SSD
- C. Cloud Pub/Sub, Cloud SQL, and Cloud Storage
- D. Cloud Load Balancing, Cloud Dataflow, and Cloud Storage

Answer: C

NEW QUESTION 19

- (Exam Topic 2)

Flowlogistic wants to use Google BigQuery as their primary analysis system, but they still have Apache Hadoop and Spark workloads that they cannot move to BigQuery. Flowlogistic does not know how to store the data that is common to both workloads. What should they do?

- A. Store the common data in BigQuery as partitioned tables.
- B. Store the common data in BigQuery and expose authorized views.
- C. Store the common data encoded as Avro in Google Cloud Storage.
- D. Store the common data in the HDFS storage for a Google Cloud Dataproc cluster.

Answer: B

NEW QUESTION 20

- (Exam Topic 3)

MJTelco is building a custom interface to share data. They have these requirements:

- They need to do aggregations over their petabyte-scale datasets.
- They need to scan specific time range rows with a very fast response time (milliseconds). Which combination of Google Cloud Platform products should you recommend?

- A. Cloud Datastore and Cloud Bigtable
- B. Cloud Bigtable and Cloud SQL
- C. BigQuery and Cloud Bigtable
- D. BigQuery and Cloud Storage

Answer: C

NEW QUESTION 24

- (Exam Topic 3)

Given the record streams MJTelco is interested in ingesting per day, they are concerned about the cost of Google BigQuery increasing. MJTelco asks you to provide a design solution. They require a single large data table called `tracking_table`. Additionally, they want to minimize the cost of daily queries while performing fine-grained analysis of each day's events. They also want to use streaming ingestion. What should you do?

- A. Create a table called `tracking_table` and include a DATE column.
- B. Create a partitioned table called `tracking_table` and include a TIMESTAMP column.
- C. Create sharded tables for each day following the pattern `tracking_table_YYYYMMDD`.
- D. Create a table called `tracking_table` with a TIMESTAMP column to represent the day.

Answer: B

NEW QUESTION 26

- (Exam Topic 3)

MJTelco's Google Cloud Dataflow pipeline is now ready to start receiving data from the 50,000 installations. You want to allow Cloud Dataflow to scale its compute power up as required. Which Cloud Dataflow pipeline configuration setting should you update?

- A. The zone
- B. The number of workers
- C. The disk size per worker
- D. The maximum number of workers

Answer: A

NEW QUESTION 29

- (Exam Topic 3)

You need to compose visualization for operations teams with the following requirements:

- Telemetry must include data from all 50,000 installations for the most recent 6 weeks (sampling once every minute)
- The report must not be more than 3 hours delayed from live data.
- The actionable report should only show suboptimal links.
- Most suboptimal links should be sorted to the top.
- Suboptimal links can be grouped and filtered by regional geography.
- User response time to load the report must be <5 seconds.

You create a data source to store the last 6 weeks of data, and create visualizations that allow viewers to see multiple date ranges, distinct geographic regions, and unique installation types. You always show the latest data without any changes to your visualizations. You want to avoid creating and updating new visualizations each month. What should you do?

- A. Look through the current data and compose a series of charts and tables, one for each possible combination of criteria.
- B. Look through the current data and compose a small set of generalized charts and tables bound to criteria filters that allow value selection.
- C. Export the data to a spreadsheet, compose a series of charts and tables, one for each possible combination of criteria, and spread them across multiple tabs.
- D. Load the data into relational database tables, write a Google App Engine application that queries all rows, summarizes the data across each criteria, and then renders results using the Google Charts and visualization API.

Answer: B

NEW QUESTION 34

- (Exam Topic 3)

You create a new report for your large team in Google Data Studio 360. The report uses Google BigQuery as its data source. It is company policy to ensure employees can view only the data associated with their region, so you create and populate a table for each region. You need to enforce the regional access policy to the data.

Which two actions should you take? (Choose two.)

- A. Ensure all the tables are included in global dataset.
- B. Ensure each table is included in a dataset for a region.
- C. Adjust the settings for each table to allow a related region-based security group view access.
- D. Adjust the settings for each view to allow a related region-based security group view access.
- E. Adjust the settings for each dataset to allow a related region-based security group view access.

Answer: BD

NEW QUESTION 39

- (Exam Topic 4)

You are choosing a NoSQL database to handle telemetry data submitted from millions of Internet-of-Things (IoT) devices. The volume of data is growing at 100 TB per year, and each data entry has about 100 attributes. The data processing pipeline does not require atomicity, consistency, isolation, and durability (ACID). However, high availability and low latency are required.

You need to analyze the data by querying against individual fields. Which three databases meet your requirements? (Choose three.)

- A. Redis
- B. HBase
- C. MySQL
- D. MongoDB
- E. Cassandra
- F. HDFS with Hive

Answer: BDF

NEW QUESTION 43

- (Exam Topic 4)

Your company produces 20,000 files every hour. Each data file is formatted as a comma separated values (CSV) file that is less than 4 KB. All files must be ingested on Google Cloud Platform before they can be processed. Your company site has a 200 ms latency to Google Cloud, and your Internet connection bandwidth is limited as 50 Mbps. You currently deploy a secure FTP (SFTP) server on a virtual machine in Google Compute Engine as the data ingestion point. A local SFTP client runs on a dedicated machine to transmit the CSV files as is. The goal is to make reports with data from the previous day available to the executives by 10:00 a.m. each day. This design is barely able to keep up with the current volume, even though the bandwidth utilization is rather low.

You are told that due to seasonality, your company expects the number of files to double for the next three months. Which two actions should you take? (choose two.)

- A. Introduce data compression for each file to increase the rate file of file transfer.
- B. Contact your internet service provider (ISP) to increase your maximum bandwidth to at least 100 Mbps.
- C. Redesign the data ingestion process to use gsutil tool to send the CSV files to a storage bucket in parallel.
- D. Assemble 1,000 files into a tape archive (TAR) fil

- E. Transmit the TAR files instead, and disassemble the CSV files in the cloud upon receiving them.
- F. Create an S3-compatible storage endpoint in your network, and use Google Cloud Storage Transfer Service to transfer on-premises data to the designated storage bucket.

Answer: CE

NEW QUESTION 45

- (Exam Topic 4)

You work for an economic consulting firm that helps companies identify economic trends as they happen. As part of your analysis, you use Google BigQuery to correlate customer data with the average prices of the 100 most common goods sold, including bread, gasoline, milk, and others. The average prices of these goods are updated every 30 minutes. You want to make sure this data stays up to date so you can combine it with other data in BigQuery as cheaply as possible. What should you do?

- A. Load the data every 30 minutes into a new partitioned table in BigQuery.
- B. Store and update the data in a regional Google Cloud Storage bucket and create a federated data source in BigQuery
- C. Store the data in Google Cloud Datastore
- D. Use Google Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Cloud Datastore
- E. Store the data in a file in a regional Google Cloud Storage bucket
- F. Use Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Google Cloud Storage.

Answer: A

NEW QUESTION 49

- (Exam Topic 5)

When using Cloud Dataproc clusters, you can access the YARN web interface by configuring a browser to connect through a proxy.

- A. HTTPS
- B. VPN
- C. SOCKS
- D. HTTP

Answer: C

Explanation:

When using Cloud Dataproc clusters, configure your browser to use the SOCKS proxy. The SOCKS proxy routes data intended for the Cloud Dataproc cluster through an SSH tunnel.

Reference: <https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#interfaces>

NEW QUESTION 53

- (Exam Topic 5)

What are all of the BigQuery operations that Google charges for?

- A. Storage, queries, and streaming inserts
- B. Storage, queries, and loading data from a file
- C. Storage, queries, and exporting data
- D. Queries and streaming inserts

Answer: A

Explanation:

Google charges for storage, queries, and streaming inserts. Loading data from a file and exporting data are free operations.

Reference: <https://cloud.google.com/bigquery/pricing>

NEW QUESTION 56

- (Exam Topic 5)

Which of the following job types are supported by Cloud Dataproc (select 3 answers)?

- A. Hive
- B. Pig
- C. YARN
- D. Spark

Answer: ABD

Explanation:

Cloud Dataproc provides out-of-the box and end-to-end support for many of the most popular job types, including Spark, Spark SQL, PySpark, MapReduce, Hive, and Pig jobs.

Reference: https://cloud.google.com/dataproc/docs/resources/faq#what_type_of_jobs_can_i_run

NEW QUESTION 58

- (Exam Topic 5)

Why do you need to split a machine learning dataset into training data and test data?

- A. So you can try two different sets of features
- B. To make sure your model is generalized for more than just the training data
- C. To allow you to create unit tests in your code
- D. So you can use one dataset for a wide model and one for a deep model

Answer: B

Explanation:

The flaw with evaluating a predictive model on training data is that it does not inform you on how well the model has generalized to new unseen data. A model that is selected for its accuracy on the training dataset rather than its accuracy on an unseen test dataset is very likely to have lower accuracy on an unseen test dataset. The reason is that the model is not as generalized. It has specialized to the structure in the training dataset. This is called overfitting.

Reference: <https://machinelearningmastery.com/a-simple-intuition-for-overfitting/>

NEW QUESTION 60

- (Exam Topic 5)

Which of these are examples of a value in a sparse vector? (Select 2 answers.)

- A. [0, 5, 0, 0, 0, 0]
- B. [0, 0, 0, 1, 0, 0, 1]
- C. [0, 1]
- D. [1, 0, 0, 0, 0, 0, 0]

Answer: CD

Explanation:

Categorical features in linear models are typically translated into a sparse vector in which each possible value has a corresponding index or id. For example, if there are only three possible eye colors you can represent 'eye_color' as a length 3 vector: 'brown' would become [1, 0, 0], 'blue' would become [0, 1, 0] and 'green' would become [0, 0, 1]. These vectors are called "sparse" because they may be very long, with many zeros, when the set of possible values is very large (such as all English words).

[0, 0, 0, 1, 0, 0, 1] is not a sparse vector because it has two 1s in it. A sparse vector contains only a single 1. [0, 5, 0, 0, 0, 0] is not a sparse vector because it has a 5 in it. Sparse vectors only contain 0s and 1s. Reference: https://www.tensorflow.org/tutorials/linear#feature_columns_and_transformations

NEW QUESTION 61

- (Exam Topic 5)

When running a pipeline that has a BigQuery source, on your local machine, you continue to get permission denied errors. What could be the reason for that?

- A. Your gcloud does not have access to the BigQuery resources
- B. BigQuery cannot be accessed from local machines
- C. You are missing gcloud on your machine
- D. Pipelines cannot be run locally

Answer: A

Explanation:

When reading from a Dataflow source or writing to a Dataflow sink using DirectPipelineRunner, the Cloud Platform account that you configured with the gcloud executable will need access to the corresponding source/sink

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

NEW QUESTION 64

- (Exam Topic 5)

What Dataflow concept determines when a Window's contents should be output based on certain criteria being met?

- A. Sessions
- B. OutputCriteria
- C. Windows
- D. Triggers

Answer: D

Explanation:

Triggers control when the elements for a specific key and window are output. As elements arrive, they are put into one or more windows by a Window transform and its associated WindowFn, and then passed to the associated Trigger to determine if the Windows contents should be output.

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/transforms/windowing/Tri>

NEW QUESTION 67

- (Exam Topic 5)

Which of the following is NOT one of the three main types of triggers that Dataflow supports?

- A. Trigger based on element size in bytes
- B. Trigger that is a combination of other triggers
- C. Trigger based on element count
- D. Trigger based on time

Answer: A

Explanation:

There are three major kinds of triggers that Dataflow supports: 1. Time-based triggers 2. Data-driven triggers. You can set a trigger to emit results from a window when that window has received a certain number of data elements. 3. Composite triggers. These triggers combine multiple time-based or data-driven triggers in some logical way

Reference: <https://cloud.google.com/dataflow/model/triggers>

NEW QUESTION 69

- (Exam Topic 5)

Which Google Cloud Platform service is an alternative to Hadoop with Hive?

- A. Cloud Dataflow
- B. Cloud Bigtable
- C. BigQuery
- D. Cloud Datastore

Answer: C

Explanation:

Apache Hive is a data warehouse software project built on top of Apache Hadoop for providing data summarization, query, and analysis. Google BigQuery is an enterprise data warehouse. Reference: https://en.wikipedia.org/wiki/Apache_Hive

NEW QUESTION 71

- (Exam Topic 5)

To run a TensorFlow training job on your own computer using Cloud Machine Learning Engine, what would your command start with?

- A. gcloud ml-engine local train
- B. gcloud ml-engine jobs submit training
- C. gcloud ml-engine jobs submit training local
- D. You can't run a TensorFlow program on your own computer using Cloud ML Engine .

Answer: A

Explanation:

gcloud ml-engine local train - run a Cloud ML Engine training job locally

This command runs the specified module in an environment similar to that of a live Cloud ML Engine Training Job.

This is especially useful in the case of testing distributed models, as it allows you to validate that you are

properly interacting with the Cloud ML Engine cluster configuration. Reference: <https://cloud.google.com/sdk/gcloud/reference/ml-engine/local/train>

NEW QUESTION 74

- (Exam Topic 5)

Which of these statements about exporting data from BigQuery is false?

- A. To export more than 1 GB of data, you need to put a wildcard in the destination filename.
- B. The only supported export destination is Google Cloud Storage.
- C. Data can only be exported in JSON or Avro format.
- D. The only compression option available is GZIP.

Answer: C

Explanation:

Data can be exported in CSV, JSON, or Avro format. If you are exporting nested or repeated data, then CSV format is not supported.

Reference: <https://cloud.google.com/bigquery/docs/exporting-data>

NEW QUESTION 78

- (Exam Topic 5)

What are two methods that can be used to denormalize tables in BigQuery?

- A. 1) Split table into multiple tables; 2) Use a partitioned table
- B. 1) Join tables into one table; 2) Use nested repeated fields
- C. 1) Use a partitioned table; 2) Join tables into one table
- D. 1) Use nested repeated fields; 2) Use a partitioned table

Answer: B

Explanation:

The conventional method of denormalizing data involves simply writing a fact, along with all its dimensions, into a flat table structure. For example, if you are dealing with sales transactions, you would write each individual fact to a record, along with the accompanying dimensions such as order and customer information. The other method for denormalizing data takes advantage of BigQuery's native support for nested and repeated structures in JSON or Avro input data. Expressing records using nested and repeated structures can provide a more natural representation of the underlying data. In the case of the sales order, the outer part of a JSON structure would contain the order and customer information, and the inner part of the structure would contain the individual line items of the order, which would be represented as nested, repeated elements.

Reference: https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing_data

NEW QUESTION 83

- (Exam Topic 5)

Suppose you have a dataset of images that are each labeled as to whether or not they contain a human face. To create a neural network that recognizes human faces in images using this labeled dataset, what approach would likely be the most effective?

- A. Use K-means Clustering to detect faces in the pixels.
- B. Use feature engineering to add features for eyes, noses, and mouths to the input data.
- C. Use deep learning by creating a neural network with multiple hidden layers to automatically detect features of faces.
- D. Build a neural network with an input layer of pixels, a hidden layer, and an output layer with two categories.

Answer: C

Explanation:

Traditional machine learning relies on shallow nets, composed of one input and one output layer, and at most one hidden layer in between. More than three layers (including input and output) qualifies as “deep” learning. So deep is a strictly defined, technical term that means more than one hidden layer.

In deep-learning networks, each layer of nodes trains on a distinct set of features based on the previous layer’s output. The further you advance into the neural net, the more complex the features your nodes can recognize, since they aggregate and recombine features from the previous layer.

A neural network with only one hidden layer would be unable to automatically recognize high-level features of faces, such as eyes, because it wouldn't be able to “build” these features using previous hidden layers that detect low-level features, such as lines.

Feature engineering is difficult to perform on raw image data.

K- means Clustering is an unsupervised learning method used to categorize unlabeled data. Reference: <https://deeplearning4j.org/neuralnet-overview>

NEW QUESTION 85

- (Exam Topic 5)

What are two of the benefits of using denormalized data structures in BigQuery?

- A. Reduces the amount of data processed, reduces the amount of storage required
- B. Increases query speed, makes queries simpler
- C. Reduces the amount of storage required, increases query speed
- D. Reduces the amount of data processed, increases query speed

Answer: B

Explanation:

Denormalization increases query speed for tables with billions of rows because BigQuery's performance degrades when doing JOINS on large tables, but with a denormalized data

structure, you don't have to use JOINS, since all of the data has been combined into one table. Denormalization also makes queries simpler because you do not have to use JOIN clauses.

Denormalization increases the amount of data processed and the amount of storage required because it creates redundant data.

Reference:

https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing_data

NEW QUESTION 86

- (Exam Topic 5)

Which of the following statements is NOT true regarding Bigtable access roles?

- A. Using IAM roles, you cannot give a user access to only one table in a project, rather than all tables in a project.
- B. To give a user access to only one table in a project, grant the user the Bigtable Editor role for that table.
- C. You can configure access control only at the project level.
- D. To give a user access to only one table in a project, you must configure access through your application.

Answer: B

Explanation:

For Cloud Bigtable, you can configure access control at the project level. For example, you can grant the ability to:

Read from, but not write to, any table within the project.

Read from and write to any table within the project, but not manage instances. Read from and write to any table within the project, and manage instances.

Reference: <https://cloud.google.com/bigtable/docs/access-control>

NEW QUESTION 89

- (Exam Topic 5)

Which row keys are likely to cause a disproportionate number of reads and/or writes on a particular node in a Bigtable cluster (select 2 answers)?

- A. A sequential numeric ID
- B. A timestamp followed by a stock symbol
- C. A non-sequential numeric ID
- D. A stock symbol followed by a timestamp

Answer: AB

Explanation:

using a timestamp as the first element of a row key can cause a variety of problems.

In brief, when a row key for a time series includes a timestamp, all of your writes will target a single node; fill that node; and then move onto the next node in the cluster, resulting in hotspotting.

Suppose your system assigns a numeric ID to each of your application's users. You might be tempted to use the user's numeric ID as the row key for your table. However, since new users are more likely to be active users, this approach is likely to push most of your traffic to a small number of nodes.

[<https://cloud.google.com/bigtable/docs/schema-design>]

Reference:

https://cloud.google.com/bigtable/docs/schema-design-time-series#ensure_that_your_row_key_avoids_hotspotti

NEW QUESTION 92

- (Exam Topic 5)

Which is not a valid reason for poor Cloud Bigtable performance?

- A. The workload isn't appropriate for Cloud Bigtable.
- B. The table's schema is not designed correctly.
- C. The Cloud Bigtable cluster has too many nodes.
- D. There are issues with the network connection.

Answer: C

Explanation:

The Cloud Bigtable cluster doesn't have enough nodes. If your Cloud Bigtable cluster is overloaded, adding more nodes can improve performance. Use the monitoring tools to check whether the cluster is overloaded.

Reference: <https://cloud.google.com/bigtable/docs/performance>

NEW QUESTION 97

- (Exam Topic 5)

When you store data in Cloud Bigtable, what is the recommended minimum amount of stored data?

- A. 500 TB
- B. 1 GB
- C. 1 TB
- D. 500 GB

Answer: C

Explanation:

Cloud Bigtable is not a relational database. It does not support SQL queries, joins, or multi-row transactions. It is not a good solution for less than 1 TB of data.

Reference: https://cloud.google.com/bigtable/docs/overview#title_short_and_other_storage_options

NEW QUESTION 101

- (Exam Topic 5)

To give a user read permission for only the first three columns of a table, which access control method would you use?

- A. Primitive role
- B. Predefined role
- C. Authorized view
- D. It's not possible to give access to only the first three columns of a table.

Answer: C

Explanation:

An authorized view allows you to share query results with particular users and groups without giving them read access to the underlying tables. Authorized views can only be created in a dataset that does not contain the tables queried by the view. When you create an authorized view, you use the view's SQL query to restrict access to only the rows and columns you want the users to see.

Reference: <https://cloud.google.com/bigquery/docs/views#authorized-views>

NEW QUESTION 106

- (Exam Topic 5)

The Dataflow SDKs have been recently transitioned into which Apache service?

- A. Apache Spark
- B. Apache Hadoop
- C. Apache Kafka
- D. Apache Beam

Answer: D

Explanation:

Dataflow SDKs are being transitioned to Apache Beam, as per the latest Google directive Reference: <https://cloud.google.com/dataflow/docs/>

NEW QUESTION 110

- (Exam Topic 5)

You have a job that you want to cancel. It is a streaming pipeline, and you want to ensure that any data that is in-flight is processed and written to the output. Which of the following commands can you use on the Dataflow monitoring console to stop the pipeline job?

- A. Cancel
- B. Drain
- C. Stop
- D. Finish

Answer: B

Explanation:

Using the Drain option to stop your job tells the Dataflow service to finish your job in its current state. Your job will immediately stop ingesting new data from input sources, but the Dataflow

service will preserve any existing resources (such as worker instances) to finish processing and writing any buffered data in your pipeline.

Reference: <https://cloud.google.com/dataflow/pipelines/stopping-a-pipeline>

NEW QUESTION 114

- (Exam Topic 5)

Which of the following are examples of hyperparameters? (Select 2 answers.)

- A. Number of hidden layers
- B. Number of nodes in each hidden layer
- C. Biases
- D. Weights

Answer: AB

Explanation:

If model parameters are variables that get adjusted by training with existing data, your hyperparameters are the variables about the training process itself. For example, part of setting up a deep neural network is deciding how many "hidden" layers of nodes to use between the input layer and the output layer, as well as how many nodes each layer should use. These variables are not directly related to the training data at all. They are configuration variables. Another difference is that parameters change during a training job, while the hyperparameters are usually constant during a job.

Weights and biases are variables that get adjusted during the training process, so they are not hyperparameters. Reference: <https://cloud.google.com/ml-engine/docs/hyperparameter-tuning-overview>

NEW QUESTION 115

- (Exam Topic 5)

For the best possible performance, what is the recommended zone for your Compute Engine instance and Cloud Bigtable instance?

- A. Have the Compute Engine instance in the furthest zone from the Cloud Bigtable instance.
- B. Have both the Compute Engine instance and the Cloud Bigtable instance to be in different zones.
- C. Have both the Compute Engine instance and the Cloud Bigtable instance to be in the same zone.
- D. Have the Cloud Bigtable instance to be in the same zone as all of the consumers of your data.

Answer: C

Explanation:

It is recommended to create your Compute Engine instance in the same zone as your Cloud Bigtable instance for the best possible performance, If it's not possible to create a instance in the same zone, you should create your instance in another zone within the same region. For example, if your Cloud Bigtable instance is located in us-central1-b, you could create your instance in us-central1-f. This change may result in several milliseconds of additional latency for each Cloud Bigtable request.

It is recommended to avoid creating your Compute Engine instance in a different region from your Cloud Bigtable instance, which can add hundreds of milliseconds of latency to each Cloud Bigtable request.

Reference: <https://cloud.google.com/bigtable/docs/creating-compute-instance>

NEW QUESTION 120

- (Exam Topic 5)

Cloud Dataproc is a managed Apache Hadoop and Apache service.

- A. Blaze
- B. Spark
- C. Fire
- D. Ignite

Answer: B

Explanation:

Cloud Dataproc is a managed Apache Spark and Apache Hadoop service that lets you use open source data tools for batch processing, querying, streaming, and machine learning.

Reference: <https://cloud.google.com/dataproc/docs/>

NEW QUESTION 125

- (Exam Topic 5)

You are developing a software application using Google's Dataflow SDK, and want to use conditional, for loops and other complex programming structures to create a branching pipeline. Which component will be used for the data processing operation?

- A. PCollection
- B. Transform
- C. Pipeline
- D. Sink API

Answer: B

Explanation:

In Google Cloud, the Dataflow SDK provides a transform component. It is responsible for the data processing operation. You can use conditional, for loops, and other complex programming structure to create a branching pipeline.

Reference: <https://cloud.google.com/dataflow/model/programming-model>

NEW QUESTION 128

- (Exam Topic 5)

Which of the following statements about the Wide & Deep Learning model are true? (Select 2 answers.)

- A. The wide model is used for memorization, while the deep model is used for generalization.
- B. A good use for the wide and deep model is a recommender system.
- C. The wide model is used for generalization, while the deep model is used for memorization.
- D. A good use for the wide and deep model is a small-scale linear regression problem.

Answer: AB

Explanation:

Can we teach computers to learn like humans do, by combining the power of memorization and generalization? It's not an easy question to answer, but by jointly training a wide linear model (for memorization) alongside a deep neural network (for generalization), one can combine the strengths of both to bring us one step closer. At Google, we call it Wide & Deep Learning. It's useful for generic large-scale regression and classification problems with sparse inputs (categorical

features with a large number of possible feature values), such as recommender systems, search, and ranking problems.
Reference: <https://research.googleblog.com/2016/06/wide-deep-learning-better-together-with.html>

NEW QUESTION 132

- (Exam Topic 5)

Which of the following is NOT true about Dataflow pipelines?

- A. Dataflow pipelines are tied to Dataflow, and cannot be run on any other runner
- B. Dataflow pipelines can consume data from other Google Cloud services
- C. Dataflow pipelines can be programmed in Java
- D. Dataflow pipelines use a unified programming model, so can work both with streaming and batch data sources

Answer: A

Explanation:

Dataflow pipelines can also run on alternate runtimes like Spark and Flink, as they are built using the Apache Beam SDKs

Reference: <https://cloud.google.com/dataflow/>

NEW QUESTION 135

- (Exam Topic 5)

Which Cloud Dataflow / Beam feature should you use to aggregate data in an unbounded data source every hour based on the time when the data entered the pipeline?

- A. An hourly watermark
- B. An event time trigger
- C. The with Allowed Lateness method
- D. A processing time trigger

Answer: D

Explanation:

When collecting and grouping data into windows, Beam uses triggers to determine when to emit the aggregated results of each window.

Processing time triggers. These triggers operate on the processing time – the time when the data element is processed at any given stage in the pipeline.

Event time triggers. These triggers operate on the event time, as indicated by the timestamp on each data element. Beam's default trigger is event time-based.

Reference: <https://beam.apache.org/documentation/programming-guide/#triggers>

NEW QUESTION 138

- (Exam Topic 5)

Which is the preferred method to use to avoid hotspotting in time series data in Bigtable?

- A. Field promotion
- B. Randomization
- C. Salting
- D. Hashing

Answer: A

Explanation:

By default, prefer field promotion. Field promotion avoids hotspotting in almost all cases, and it tends to make it easier to design a row key that facilitates queries.

Reference:

https://cloud.google.com/bigtable/docs/schema-design-time-series#ensure_that_your_row_key_avoids_hotspotti

NEW QUESTION 142

- (Exam Topic 5)

You are planning to use Google's Dataflow SDK to analyze customer data such as displayed below. Your project requirement is to extract only the customer name from the data source and then write to an output PCollection.

Tom,555 X street Tim,553 Y street Sam, 111 Z street

Which operation is best suited for the above data processing requirement?

- A. ParDo
- B. Sink API
- C. Source API
- D. Data extraction

Answer: A

Explanation:

In Google Cloud dataflow SDK, you can use the ParDo to extract only a customer name of each element in your PCollection.

Reference: <https://cloud.google.com/dataflow/model/par-do>

NEW QUESTION 147

- (Exam Topic 6)

You are running a pipeline in Cloud Dataflow that receives messages from a Cloud Pub/Sub topic and writes the results to a BigQuery dataset in the EU. Currently, your pipeline is located in europe-west4 and has a maximum of 3 workers, instance type n1-standard-1. You notice that during peak periods, your pipeline is struggling to process records in a timely fashion, when all 3 workers are at maximum CPU utilization. Which two actions can you take to increase performance of your pipeline? (Choose two.)

- A. Increase the number of max workers
- B. Use a larger instance type for your Cloud Dataflow workers
- C. Change the zone of your Cloud Dataflow pipeline to run in us-central1
- D. Create a temporary table in Cloud Bigtable that will act as a buffer for new data
- E. Create a new step in your pipeline to write to this table first, and then create a new pipeline to write from Cloud Bigtable to BigQuery
- F. Create a temporary table in Cloud Spanner that will act as a buffer for new data
- G. Create a new step in your pipeline to write to this table first, and then create a new pipeline to write from Cloud Spanner to BigQuery

Answer: BE

NEW QUESTION 148

- (Exam Topic 6)

You work for a mid-sized enterprise that needs to move its operational system transaction data from an on-premises database to GCP. The database is about 20 TB in size. Which database should you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

Answer: A

NEW QUESTION 153

- (Exam Topic 6)

A shipping company has live package-tracking data that is sent to an Apache Kafka stream in real time. This is then loaded into BigQuery. Analysts in your company want to query the tracking data in BigQuery to analyze geospatial trends in the lifecycle of a package. The table was originally created with ingest-date partitioning. Over time, the query processing time has increased. You need to implement a change that would improve query performance in BigQuery. What should you do?

- A. Implement clustering in BigQuery on the ingest date column.
- B. Implement clustering in BigQuery on the package-tracking ID column.
- C. Tier older data onto Cloud Storage files, and leverage extended tables.
- D. Re-create the table using data partitioning on the package delivery date.

Answer: A

NEW QUESTION 158

- (Exam Topic 6)

You have a requirement to insert minute-resolution data from 50,000 sensors into a BigQuery table. You expect significant growth in data volume and need the data to be available within 1 minute of ingestion for real-time analysis of aggregated trends. What should you do?

- A. Use bq load to load a batch of sensor data every 60 seconds.
- B. Use a Cloud Dataflow pipeline to stream data into the BigQuery table.
- C. Use the INSERT statement to insert a batch of data every 60 seconds.
- D. Use the MERGE statement to apply updates in batch every 60 seconds.

Answer: C

NEW QUESTION 161

- (Exam Topic 6)

You're training a model to predict housing prices based on an available dataset with real estate properties. Your plan is to train a fully connected neural net, and you've discovered that the dataset contains latitude and longitude of the property. Real estate professionals have told you that the location of the property is highly influential on price, so you'd like to engineer a feature that incorporates this physical dependency. What should you do?

- A. Provide latitude and longitude as input vectors to your neural net.
- B. Create a numeric column from a feature cross of latitude and longitude.
- C. Create a feature cross of latitude and longitude, bucketize at the minute level and use L1 regularization during optimization.
- D. Create a feature cross of latitude and longitude, bucketize it at the minute level and use L2 regularization during optimization.

Answer: B

Explanation:

Reference <https://cloud.google.com/bigquery/docs/gis-data>

NEW QUESTION 166

- (Exam Topic 6)

Your infrastructure includes a set of YouTube channels. You have been tasked with creating a process for sending the YouTube channel data to Google Cloud for analysis. You want to design a solution that allows your world-wide marketing teams to perform ANSI SQL and other types of analysis on up-to-date YouTube channels log data. How should you set up the log data transfer into Google Cloud?

- A. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- B. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Regional bucket as a final destination.
- C. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- D. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Regional storage bucket as a final destination.

Answer: B

NEW QUESTION 171

- (Exam Topic 6)

You are building an application to share financial market data with consumers, who will receive data feeds. Data is collected from the markets in real time.

Consumers will receive the data in the following ways:

- Real-time event stream
- ANSI SQL access to real-time stream and historical data
- Batch historical exports

Which solution should you use?

- A. Cloud Dataflow, Cloud SQL, Cloud Spanner
- B. Cloud Pub/Sub, Cloud Storage, BigQuery
- C. Cloud Dataproc, Cloud Dataflow, BigQuery
- D. Cloud Pub/Sub, Cloud Dataproc, Cloud SQL

Answer: A

NEW QUESTION 173

- (Exam Topic 6)

Your analytics team wants to build a simple statistical model to determine which customers are most likely to work with your company again, based on a few different metrics. They want to run the model on Apache Spark, using data housed in Google Cloud Storage, and you have recommended using Google Cloud Dataproc to execute this job. Testing has shown that this workload can run in approximately 30 minutes on a 15-node cluster, outputting the results into Google BigQuery. The plan is to run this workload weekly. How should you optimize the cluster for cost?

- A. Migrate the workload to Google Cloud Dataflow
- B. Use pre-emptible virtual machines (VMs) for the cluster
- C. Use a higher-memory node so that the job runs faster
- D. Use SSDs on the worker nodes so that the job can run faster

Answer: A

NEW QUESTION 176

- (Exam Topic 6)

You are designing storage for two relational tables that are part of a 10-TB database on Google Cloud. You want to support transactions that scale horizontally. You also want to optimize data for range queries on nonkey columns. What should you do?

- A. Use Cloud SQL for storage
- B. Add secondary indexes to support query patterns.
- C. Use Cloud SQL for storage
- D. Use Cloud Dataflow to transform data to support query patterns.
- E. Use Cloud Spanner for storage
- F. Add secondary indexes to support query patterns.
- G. Use Cloud Spanner for storage
- H. Use Cloud Dataflow to transform data to support query patterns.

Answer: D

Explanation:

Reference: <https://cloud.google.com/solutions/data-lifecycle-cloud-platform>

NEW QUESTION 177

- (Exam Topic 6)

Your company needs to upload their historic data to Cloud Storage. The security rules don't allow access from external IPs to their on-premises resources. After an initial upload, they will add new data from existing on-premises applications every day. What should they do?

- A. Execute gsutil rsync from the on-premises servers.
- B. Use Cloud Dataflow and write the data to Cloud Storage.
- C. Write a job template in Cloud Dataproc to perform the data transfer.
- D. Install an FTP server on a Compute Engine VM to receive the files and move them to Cloud Storage.

Answer: B

NEW QUESTION 180

- (Exam Topic 6)

You are developing an application that uses a recommendation engine on Google Cloud. Your solution should display new videos to customers based on past views. Your solution needs to generate labels for the entities in videos that the customer has viewed. Your design must be able to provide very fast filtering suggestions based on data from other customer preferences on several TB of data. What should you do?

- A. Build and train a complex classification model with Spark MLlib to generate labels and filter the results. Deploy the models using Cloud Dataproc
- B. Call the model from your application.
- C. Build and train a classification model with Spark MLlib to generate label
- D. Build and train a second classification model with Spark MLlib to filter results to match customer preference
- E. Deploy the Models using Cloud Dataproc
- F. Call the models from your application.
- G. Build an application that calls the Cloud Video Intelligence API to generate label
- H. Store data in Cloud Bigtable, and filter the predicted labels to match the user's viewing history to generate preferences.
- I. Build an application that calls the Cloud Video Intelligence API to generate label
- J. Store data in Cloud SQL, and join and filter the predicted labels to match the user's viewing history to generate preferences.

Answer: C

NEW QUESTION 182

- (Exam Topic 6)

You are developing an application on Google Cloud that will automatically generate subject labels for users' blog posts. You are under competitive pressure to add this feature quickly, and you have no additional developer resources. No one on your team has experience with machine learning. What should you do?

- A. Call the Cloud Natural Language API from your application
- B. Process the generated Entity Analysis as labels.
- C. Call the Cloud Natural Language API from your application
- D. Process the generated Sentiment Analysis as labels.
- E. Build and train a text classification model using TensorFlow
- F. Deploy the model using Cloud Machine Learning Engine
- G. Call the model from your application and process the results as labels.
- H. Build and train a text classification model using TensorFlow
- I. Deploy the model using a Kubernetes Engine cluster
- J. Call the model from your application and process the results as labels.

Answer: B

NEW QUESTION 183

- (Exam Topic 6)

You need to move 2 PB of historical data from an on-premises storage appliance to Cloud Storage within six months, and your outbound network capacity is constrained to 20 Mb/sec. How should you migrate this data to Cloud Storage?

- A. Use Transfer Appliance to copy the data to Cloud Storage
- B. Use `gsutil cp -J` to compress the content being uploaded to Cloud Storage
- C. Create a private URL for the historical data, and then use Storage Transfer Service to copy the data to Cloud Storage
- D. Use `trickle` or `ionice` along with `gsutil cp` to limit the amount of bandwidth `gsutil` utilizes to less than 20 Mb/sec so it does not interfere with the production traffic

Answer: A

NEW QUESTION 188

- (Exam Topic 6)

You are a head of BI at a large enterprise company with multiple business units that each have different priorities and budgets. You use on-demand pricing for BigQuery with a quota of 2K concurrent on-demand slots per project. Users at your organization sometimes don't get slots to execute their query and you need to correct this. You'd like to avoid introducing new projects to your account. What should you do?

- A. Convert your batch BQ queries into interactive BQ queries.
- B. Create an additional project to overcome the 2K on-demand per-project quota.
- C. Switch to flat-rate pricing and establish a hierarchical priority model for your projects.
- D. Increase the amount of concurrent slots per project at the Quotas page at the Cloud Console.

Answer: C

Explanation:

Reference <https://cloud.google.com/blog/products/gcp/busting-12-myths-about-bigquery>

NEW QUESTION 192

- (Exam Topic 6)

You want to automate execution of a multi-step data pipeline running on Google Cloud. The pipeline includes Cloud Dataproc and Cloud Dataflow jobs that have multiple dependencies on each other. You want to use managed services where possible, and the pipeline will run every day. Which tool should you use?

- A. cron
- B. Cloud Composer
- C. Cloud Scheduler
- D. Workflow Templates on Cloud Dataproc

Answer: D

NEW QUESTION 196

- (Exam Topic 6)

You need to choose a database for a new project that has the following requirements:

- Fully managed
- Able to automatically scale up
- Transactionally consistent
- Able to scale up to 6 TB
- Able to be queried using SQL Which database do you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

Answer: C

NEW QUESTION 197

- (Exam Topic 6)

You decided to use Cloud Datastore to ingest vehicle telemetry data in real time. You want to build a storage system that will account for the long-term data growth, while keeping the costs low. You also want to create snapshots of the data periodically, so that you can make a point-in-time (PIT) recovery, or clone a copy of the data for Cloud Datastore in a different environment. You want to archive these snapshots for a long time. Which two methods can accomplish this? Choose 2 answers.

- A. Use managed export, and store the data in a Cloud Storage bucket using Nearline or Coldline class.
- B. Use managed export, and then import to Cloud Datastore in a separate project under a unique namespace reserved for that export.
- C. Use managed export, and then import the data into a BigQuery table created just for that export, and delete temporary export files.
- D. Write an application that uses Cloud Datastore client libraries to read all the entities
- E. Treat each entity as a BigQuery table row via BigQuery streaming insert
- F. Assign an export timestamp for each export, and attach it as an extra column for each row
- G. Make sure that the BigQuery table is partitioned using the export timestamp column.
- H. Write an application that uses Cloud Datastore client libraries to read all the entities
- I. Format the exported data into a JSON file
- J. Apply compression before storing the data in Cloud Source Repositories.

Answer: CE

NEW QUESTION 199

- (Exam Topic 6)

You set up a streaming data insert into a Redis cluster via a Kafka cluster. Both clusters are running on Compute Engine instances. You need to encrypt data at rest with encryption keys that you can create, rotate, and destroy as needed. What should you do?

- A. Create a dedicated service account, and use encryption at rest to reference your data stored in your Compute Engine cluster instances as part of your API service calls.
- B. Create encryption keys in Cloud Key Management Service
- C. Use those keys to encrypt your data in all of the Compute Engine cluster instances.
- D. Create encryption keys locally
- E. Upload your encryption keys to Cloud Key Management Service
- F. Use those keys to encrypt your data in all of the Compute Engine cluster instances.
- G. Create encryption keys in Cloud Key Management Service
- H. Reference those keys in your API service calls when accessing the data in your Compute Engine cluster instances.

Answer: C

NEW QUESTION 202

- (Exam Topic 6)

Your company has a hybrid cloud initiative. You have a complex data pipeline that moves data between cloud provider services and leverages services from each of the cloud providers. Which cloud-native service should you use to orchestrate the entire pipeline?

- A. Cloud Dataflow
- B. Cloud Composer
- C. Cloud Dataprep
- D. Cloud Dataproc

Answer: D

NEW QUESTION 204

- (Exam Topic 6)

You plan to deploy Cloud SQL using MySQL. You need to ensure high availability in the event of a zone failure. What should you do?

- A. Create a Cloud SQL instance in one zone, and create a failover replica in another zone within the same region.
- B. Create a Cloud SQL instance in one zone, and create a read replica in another zone within the same region.
- C. Create a Cloud SQL instance in one zone, and configure an external read replica in a zone in a different region.
- D. Create a Cloud SQL instance in a region, and configure automatic backup to a Cloud Storage bucket in the same region.

Answer: C

NEW QUESTION 209

- (Exam Topic 6)

You operate a database that stores stock trades and an application that retrieves average stock price for a given company over an adjustable window of time. The data is stored in Cloud Bigtable where the datetime of the stock trade is the beginning of the row key. Your application has thousands of concurrent users, and you notice that performance is starting to degrade as more stocks are added. What should you do to improve the performance of your application?

- A. Change the row key syntax in your Cloud Bigtable table to begin with the stock symbol.
- B. Change the row key syntax in your Cloud Bigtable table to begin with a random number per second.
- C. Change the data pipeline to use BigQuery for storing stock trades, and update your application.
- D. Use Cloud Dataflow to write summary of each day's stock trades to an Avro file on Cloud Storage. Update your application to read from Cloud Storage and Cloud Bigtable to compute the responses.

Answer: A

NEW QUESTION 213

- (Exam Topic 6)

You are managing a Cloud Dataproc cluster. You need to make a job run faster while minimizing costs, without losing work in progress on your clusters. What

should you do?

- A. Increase the cluster size with more non-preemptible workers.
- B. Increase the cluster size with preemptible worker nodes, and configure them to forcefully decommission.
- C. Increase the cluster size with preemptible worker nodes, and use Cloud Stackdriver to trigger a script to preserve work.
- D. Increase the cluster size with preemptible worker nodes, and configure them to use graceful decommissioning.

Answer: D

Explanation:

Reference <https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/flex>

NEW QUESTION 214

- (Exam Topic 6)

You are responsible for writing your company's ETL pipelines to run on an Apache Hadoop cluster. The pipeline will require some checkpointing and splitting pipelines. Which method should you use to write the pipelines?

- A. PigLatin using Pig
- B. HiveQL using Hive
- C. Java using MapReduce
- D. Python using MapReduce

Answer: D

NEW QUESTION 218

- (Exam Topic 6)

Each analytics team in your organization is running BigQuery jobs in their own projects. You want to enable each team to monitor slot usage within their projects. What should you do?

- A. Create a Stackdriver Monitoring dashboard based on the BigQuery metric query/scanned_bytes
- B. Create a Stackdriver Monitoring dashboard based on the BigQuery metric slots/allocated_for_project
- C. Create a log export for each project, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric
- D. Create an aggregated log export at the organization level, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric

Answer: D

NEW QUESTION 220

- (Exam Topic 6)

You have a data pipeline that writes data to Cloud Bigtable using well-designed row keys. You want to monitor your pipeline to determine when to increase the size of your Cloud Bigtable cluster. Which two actions can you take to accomplish this? Choose 2 answers.

- A. Review Key Visualizer metric
- B. Increase the size of the Cloud Bigtable cluster when the Read pressure index is above 100.
- C. Review Key Visualizer metric
- D. Increase the size of the Cloud Bigtable cluster when the Write pressure index is above 100.
- E. Monitor the latency of write operation
- F. Increase the size of the Cloud Bigtable cluster when there is a sustained increase in write latency.
- G. Monitor storage utilization
- H. Increase the size of the Cloud Bigtable cluster when utilization increases above 70% of max capacity.
- I. Monitor latency of read operation
- J. Increase the size of the Cloud Bigtable cluster if read operations take longer than 100 ms.

Answer: AC

NEW QUESTION 221

- (Exam Topic 6)

Your team is working on a binary classification problem. You have trained a support vector machine (SVM) classifier with default parameters, and received an area under the Curve (AUC) of 0.87 on the validation set. You want to increase the AUC of the model. What should you do?

- A. Perform hyperparameter tuning
- B. Train a classifier with deep neural networks, because neural networks would always beat SVMs
- C. Deploy the model and measure the real-world AUC; it's always higher because of generalization
- D. Scale predictions you get out of the model (tune a scaling factor as a hyperparameter) in order to get the highest AUC

Answer: D

NEW QUESTION 226

- (Exam Topic 6)

You need to create a data pipeline that copies time-series transaction data so that it can be queried from within BigQuery by your data science team for analysis. Every hour, thousands of transactions are updated with a new status. The size of the initial dataset is 1.5 PB, and it will grow by 3 TB per day. The data is heavily structured, and your data science team will build machine learning models based on this data. You want to maximize performance and usability for your data science team. Which two strategies should you adopt? Choose 2 answers.

- A. Denormalize the data as much as possible.
- B. Preserve the structure of the data as much as possible.
- C. Use BigQuery UPDATE to further reduce the size of the dataset.

- D. Develop a data pipeline where status updates are appended to BigQuery instead of updated.
- E. Copy a daily snapshot of transaction data to Cloud Storage and store it as an Avro file.
- F. Use BigQuery's support for external data sources to query.

Answer: DE

NEW QUESTION 231

- (Exam Topic 6)

Government regulations in your industry mandate that you have to maintain an auditable record of access to certain types of data. Assuming that all expiring logs will be archived correctly, where should you store data that is subject to that mandate?

- A. Encrypted on Cloud Storage with user-supplied encryption key
- B. A separate decryption key will be given to each authorized user.
- C. In a BigQuery dataset that is viewable only by authorized personnel, with the Data Access log used to provide the auditability.
- D. In Cloud SQL, with separate database user names to each use
- E. The Cloud SQL Admin activity logs will be used to provide the auditability.
- F. In a bucket on Cloud Storage that is accessible only by an AppEngine service that collects user information and logs the access before providing a link to the bucket.

Answer: B

NEW QUESTION 234

- (Exam Topic 6)

You used Cloud Dataprep to create a recipe on a sample of data in a BigQuery table. You want to reuse this recipe on a daily upload of data with the same schema, after the load job with variable execution time completes. What should you do?

- A. Create a cron schedule in Cloud Dataprep.
- B. Create an App Engine cron job to schedule the execution of the Cloud Dataprep job.
- C. Export the recipe as a Cloud Dataprep template, and create a job in Cloud Scheduler.
- D. Export the Cloud Dataprep job as a Cloud Dataflow template, and incorporate it into a Cloud Composer job.

Answer: C

NEW QUESTION 236

- (Exam Topic 6)

You have a query that filters a BigQuery table using a WHERE clause on timestamp and ID columns. By using bq query --dry_run you learn that the query triggers a full scan of the table, even though the filter on timestamp and ID selects a tiny fraction of the overall data. You want to reduce the amount of data scanned by BigQuery with minimal changes to existing SQL queries. What should you do?

- A. Create a separate table for each ID.
- B. Use the LIMIT keyword to reduce the number of rows returned.
- C. Recreate the table with a partitioning column and clustering column.
- D. Use the bq query --maximum_bytes_billed flag to restrict the number of bytes billed.

Answer: B

NEW QUESTION 239

- (Exam Topic 6)

You launched a new gaming app almost three years ago. You have been uploading log files from the previous day to a separate Google BigQuery table with the table name format LOGS_YYYYMMDD. You have been using table wildcard functions to generate daily and monthly reports for all time ranges. Recently, you discovered that some queries that cover long date ranges are exceeding the limit of 1,000 tables and failing. How can you resolve this issue?

- A. Convert all daily log tables into date-partitioned tables
- B. Convert the sharded tables into a single partitioned table
- C. Enable query caching so you can cache data from previous months
- D. Create separate views to cover each month, and query from these views

Answer: A

NEW QUESTION 241

- (Exam Topic 6)

You need to migrate a 2TB relational database to Google Cloud Platform. You do not have the resources to significantly refactor the application that uses this database and cost to operate is of primary concern.

Which service do you select for storing and serving your data?

- A. Cloud Spanner
- B. Cloud Bigtable
- C. Cloud Firestore
- D. Cloud SQL

Answer: D

NEW QUESTION 244

- (Exam Topic 6)

You work for a global shipping company. You want to train a model on 40 TB of data to predict which ships in each geographic region are likely to cause delivery delays on any given day. The model will be based on multiple attributes collected from multiple sources. Telemetry data, including location in GeoJSON format, will be pulled from each ship and loaded every hour. You want to have a dashboard that shows how many and which ships are likely to cause delays within a region.

You want to use a storage solution that has native functionality for prediction and geospatial processing. Which storage solution should you use?

- A. BigQuery
- B. Cloud Bigtable
- C. Cloud Datastore
- D. Cloud SQL for PostgreSQL

Answer: A

NEW QUESTION 247

- (Exam Topic 6)

You work for a bank. You have a labelled dataset that contains information on already granted loan application and whether these applications have been defaulted. You have been asked to train a model to predict default rates for credit applicants.

What should you do?

- A. Increase the size of the dataset by collecting additional data.
- B. Train a linear regression to predict a credit default risk score.
- C. Remove the bias from the data and collect applications that have been declined loans.
- D. Match loan applicants with their social profiles to enable feature engineering.

Answer: B

NEW QUESTION 250

- (Exam Topic 6)

You are planning to migrate your current on-premises Apache Hadoop deployment to the cloud. You need to ensure that the deployment is as fault-tolerant and cost-effective as possible for long-running batch jobs. You want to use a managed service. What should you do?

- A. Deploy a Cloud Dataproc cluster
- B. Use a standard persistent disk and 50% preemptible worker
- C. Store data in Cloud Storage, and change references in scripts from hdfs:// to gs://
- D. Deploy a Cloud Dataproc cluster
- E. Use an SSD persistent disk and 50% preemptible worker
- F. Store data in Cloud Storage, and change references in scripts from hdfs:// to gs://
- G. Install Hadoop and Spark on a 10-node Compute Engine instance group with standard instance
- H. Install the Cloud Storage connector, and store the data in Cloud Storage
- I. Change references in scripts from hdfs:// to gs://
- J. Install Hadoop and Spark on a 10-node Compute Engine instance group with preemptible instances. Store data in HDF
- K. Change references in scripts from hdfs:// to gs://

Answer: A

NEW QUESTION 253

- (Exam Topic 6)

You need to copy millions of sensitive patient records from a relational database to BigQuery. The total size of the database is 10 TB. You need to design a solution that is secure and time-efficient. What should you do?

- A. Export the records from the database as an Avro file
- B. Upload the file to GCS using gsutil, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- C. Export the records from the database as an Avro file
- D. Copy the file onto a Transfer Appliance and send it to Google, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- E. Export the records from the database into a CSV file
- F. Create a public URL for the CSV file, and then use Storage Transfer Service to move the file to Cloud Storage
- G. Load the CSV file into BigQuery using the BigQuery web UI in the GCP Console.
- H. Export the records from the database as an Avro file
- I. Create a public URL for the Avro file, and then use Storage Transfer Service to move the file to Cloud Storage
- J. Load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.

Answer: A

NEW QUESTION 257

- (Exam Topic 6)

Your company is currently setting up data pipelines for their campaign. For all the Google Cloud Pub/Sub streaming data, one of the important business requirements is to be able to periodically identify the inputs and their timings during their campaign. Engineers have decided to use windowing and transformation in Google Cloud Dataflow for this purpose. However, when testing this feature, they find that the Cloud Dataflow job fails for the all streaming insert. What is the most likely cause of this problem?

- A. They have not assigned the timestamp, which causes the job to fail
- B. They have not set the triggers to accommodate the data coming in late, which causes the job to fail
- C. They have not applied a global windowing function, which causes the job to fail when the pipeline is created
- D. They have not applied a non-global windowing function, which causes the job to fail when the pipeline is created

Answer: C

NEW QUESTION 258

- (Exam Topic 6)

An organization maintains a Google BigQuery dataset that contains tables with user-level data. They want to expose aggregates of this data to other Google Cloud projects, while still controlling access to the user-level data. Additionally, they need to minimize their overall storage cost and ensure the analysis cost for other projects is assigned to those projects. What should they do?

- A. Create and share an authorized view that provides the aggregate results.
- B. Create and share a new dataset and view that provides the aggregate results.
- C. Create and share a new dataset and table that contains the aggregate results.
- D. Create dataViewer Identity and Access Management (IAM) roles on the dataset to enable sharing.

Answer: D

Explanation:

Reference: <https://cloud.google.com/bigquery/docs/access-control>

NEW QUESTION 261

- (Exam Topic 6)

Your company receives both batch- and stream-based event data. You want to process the data using Google Cloud Dataflow over a predictable time period. However, you realize that in some instances data can arrive late or out of order. How should you design your Cloud Dataflow pipeline to handle data that is late or out of order?

- A. Set a single global window to capture all the data.
- B. Set sliding windows to capture all the lagged data.
- C. Use watermarks and timestamps to capture the lagged data.
- D. Ensure every datasource type (stream or batch) has a timestamp, and use the timestamps to define the logic for lagged data.

Answer: B

NEW QUESTION 263

- (Exam Topic 6)

You're using Bigtable for a real-time application, and you have a heavy load that is a mix of read and writes. You've recently identified an additional use case and need to perform hourly an analytical job to calculate certain statistics across the whole database. You need to ensure both the reliability of your production application as well as the analytical workload. What should you do?

- A. Export Bigtable dump to GCS and run your analytical job on top of the exported files.
- B. Add a second cluster to an existing instance with a multi-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- C. Add a second cluster to an existing instance with a single-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- D. Increase the size of your existing cluster twice and execute your analytics workload on your new resized cluster.

Answer: B

NEW QUESTION 267

- (Exam Topic 6)

You have a data stored in BigQuery. The data in the BigQuery dataset must be highly available. You need to define a storage, backup, and recovery strategy of this data that minimizes cost. How should you configure the BigQuery table?

- A. Set the BigQuery dataset to be regional
- B. In the event of an emergency, use a point-in-time snapshot to recover the data.
- C. Set the BigQuery dataset to be multi-regional
- D. Create a scheduled query to make copies of the data to tables suffixed with the time of the backup
- E. In the event of an emergency, use the backup copy of the table.
- F. Set the BigQuery dataset to be multi-regional
- G. In the event of an emergency, use a point-in-time snapshot to recover the data.
- H. Set the BigQuery dataset to be multi-regional
- I. Create a scheduled query to make copies of the data to tables suffixed with the time of the backup
- J. In the event of an emergency, use the backup copy of the table.

Answer: B

NEW QUESTION 270

- (Exam Topic 6)

You want to migrate an on-premises Hadoop system to Cloud Dataproc. Hive is the primary tool in use, and the data format is Optimized Row Columnar (ORC). All ORC files have been successfully copied to a Cloud Storage bucket. You need to replicate some data to the cluster's local Hadoop Distributed File System (HDFS) to maximize performance. What are two ways to start using Hive in Cloud Dataproc? (Choose two.)

- A. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to HDFS
- B. Mount the Hive tables locally.
- C. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to any node of the Dataproc cluster
- D. Mount the Hive tables locally.
- E. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to the master node of the Dataproc cluster
- F. Then run the Hadoop utility to copy them to HDFS
- G. Mount the Hive tables from HDFS.
- H. Leverage Cloud Storage connector for Hadoop to mount the ORC files as external Hive table
- I. Replicate external Hive tables to the native ones.
- J. Load the ORC files into BigQuery
- K. Leverage BigQuery connector for Hadoop to mount the BigQuery tables as external Hive table
- L. Replicate external Hive tables to the native ones.

Answer: BC

NEW QUESTION 273

- (Exam Topic 6)

You have a petabyte of analytics data and need to design a storage and processing platform for it. You must be able to perform data warehouse-style analytics on the data in Google Cloud and expose the dataset as files for batch analysis tools in other cloud providers. What should you do?

- A. Store and process the entire dataset in BigQuery.
- B. Store and process the entire dataset in Cloud Bigtable.
- C. Store the full dataset in BigQuery, and store a compressed copy of the data in a Cloud Storage bucket.
- D. Store the warm data as files in Cloud Storage, and store the active data in BigQuery.
- E. Keep this ratio as 80% warm and 20% active.

Answer: D

NEW QUESTION 278

- (Exam Topic 6)

You have Cloud Functions written in Node.js that pull messages from Cloud Pub/Sub and send the data to BigQuery. You observe that the message processing rate on the Pub/Sub topic is orders of magnitude higher than anticipated, but there is no error logged in Stackdriver Log Viewer. What are the two most likely causes of this problem? Choose 2 answers.

- A. Publisher throughput quota is too small.
- B. Total outstanding messages exceed the 10-MB maximum.
- C. Error handling in the subscriber code is not handling run-time errors properly.
- D. The subscriber code cannot keep up with the messages.
- E. The subscriber code does not acknowledge the messages that it pulls.

Answer: CD

NEW QUESTION 282

- (Exam Topic 6)

You are creating a new pipeline in Google Cloud to stream IoT data from Cloud Pub/Sub through Cloud Dataflow to BigQuery. While previewing the data, you notice that roughly 2% of the data appears to be corrupt. You need to modify the Cloud Dataflow pipeline to filter out this corrupt data. What should you do?

- A. Add a SideInput that returns a Boolean if the element is corrupt.
- B. Add a ParDo transform in Cloud Dataflow to discard corrupt elements.
- C. Add a Partition transform in Cloud Dataflow to separate valid data from corrupt data.
- D. Add a GroupByKey transform in Cloud Dataflow to group all of the valid data together and discard the rest.

Answer: B

NEW QUESTION 285

- (Exam Topic 6)

A data scientist has created a BigQuery ML model and asks you to create an ML pipeline to serve predictions. You have a REST API application with the requirement to serve predictions for an individual user ID with latency under 100 milliseconds. You use the following query to generate predictions: `SELECT predicted_label, user_id FROM ML.PREDICT (MODEL 'dataset.model', table user_features)`. How should you create the ML pipeline?

- A. Add a WHERE clause to the query, and grant the BigQuery Data Viewer role to the application service account.
- B. Create an Authorized View with the provided query.
- C. Share the dataset that contains the view with the application service account.
- D. Create a Cloud Dataflow pipeline using BigQueryIO to read results from the query.
- E. Grant the Dataflow Worker role to the application service account.
- F. Create a Cloud Dataflow pipeline using BigQueryIO to read predictions for all users from the query. Write the results to Cloud Bigtable using BigtableI/O.
- G. Grant the Bigtable Reader role to the application service account so that the application can read predictions for individual users from Cloud Bigtable.

Answer: D

NEW QUESTION 289

- (Exam Topic 6)

You are building a new data pipeline to share data between two different types of applications: jobs generators and job runners. Your solution must scale to accommodate increases in usage and must accommodate the addition of new applications without negatively affecting the performance of existing ones. What should you do?

- A. Create an API using App Engine to receive and send messages to the applications.
- B. Use a Cloud Pub/Sub topic to publish jobs, and use subscriptions to execute them.
- C. Create a table on Cloud SQL, and insert and delete rows with the job information.
- D. Create a table on Cloud Spanner, and insert and delete rows with the job information.

Answer: A

NEW QUESTION 292

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your Professional-Data-Engineer Exam with Our Prep Materials Via below:

<https://www.certleader.com/Professional-Data-Engineer-dumps.html>