



Google

Exam Questions Professional-Cloud-Architect

Google Certified Professional - Cloud Architect (GCP)

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study.

Mountkirk Games wants you to design their new testing strategy. How should the test coverage differ from their existing backends on the other platforms?

- A. Tests should scale well beyond the prior approaches.
- B. Unit tests are no longer required, only end-to-end tests.
- C. Tests should be applied after the release is in the production environment.
- D. Tests should include directly testing the Google Cloud Platform (GCP) infrastructure.

Answer: A

Explanation:

From Scenario:

A few of their games were more popular than expected, and they had problems scaling their application servers, MySQL databases, and analytics tools.

Requirements for Game Analytics Platform include: Dynamically scale up or down based on game activity

NEW QUESTION 2

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study.

Mountkirk Games wants to set up a real-time analytics platform for their new game. The new platform must meet their technical requirements. Which combination of Google technologies will meet all of their requirements?

- A. Container Engine, Cloud Pub/Sub, and Cloud SQL
- B. Cloud Dataflow, Cloud Storage, Cloud Pub/Sub, and BigQuery
- C. Cloud SQL, Cloud Storage, Cloud Pub/Sub, and Cloud Dataflow
- D. Cloud Dataproc, Cloud Pub/Sub, Cloud SQL, and Cloud Dataflow
- E. Cloud Pub/Sub, Compute Engine, Cloud Storage, and Cloud Dataproc

Answer: B

Explanation:

A real time requires Stream / Messaging so Pub/Sub, Analytics by Big Query.

Ingest millions of streaming events per second from anywhere in the world with Cloud Pub/Sub, powered by Google's unique, high-speed private network. Process the streams with Cloud Dataflow to ensure reliable, exactly-once, low-latency data transformation. Stream the transformed data into BigQuery, the cloud-native data warehousing service, for immediate analysis via SQL or popular visualization tools.

From scenario: They plan to deploy the game's backend on Google Compute Engine so they can capture streaming metrics, run intensive analytics.

Requirements for Game Analytics Platform

- Dynamically scale up or down based on game activity
- Process incoming data on the fly directly from the game servers
- Process data that arrives late because of slow mobile networks
- Allow SQL queries to access at least 10 TB of historical data
- Process files that are regularly uploaded by users' mobile devices
- Use only fully managed services

References: <https://cloud.google.com/solutions/big-data/stream-analytics/>

NEW QUESTION 3

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study.

Mountkirk Games has deployed their new backend on Google Cloud Platform (GCP). You want to create a thorough testing process for new versions of the backend before they are released to the public. You want the testing environment to scale in an economical way. How should you design the process?

- A. Create a scalable environment in GCP for simulating production load.
- B. Use the existing infrastructure to test the GCP-based backend at scale.
- C. Build stress tests into each component of your application using resources internal to GCP to simulate load.
- D. Create a set of static environments in GCP to test different levels of load — for example, high, medium, and low.

Answer: A

Explanation:

From scenario: Requirements for Game Backend Platform

- Dynamically scale up or down based on game activity
- Connect to a managed NoSQL database service
- Run customize Linux distro

NEW QUESTION 4

- (Exam Topic 2)

For this question, refer to the TerramEarth case study.

TerramEarth plans to connect all 20 million vehicles in the field to the cloud. This increases the volume to 20 million 600 byte records a second for 40 TB an hour. How should you design the data ingestion?

- A. Vehicles write data directly to GCS.
- B. Vehicles write data directly to Google Cloud Pub/Sub.
- C. Vehicles stream data directly to Google BigQuery.
- D. Vehicles continue to write data using the existing system (FTP).

Answer: B

Explanation:

<https://cloud.google.com/solutions/data-lifecycle-cloud-platform>
<https://cloud.google.com/solutions/designing-connected-vehicle-platform>

NEW QUESTION 5

- (Exam Topic 2)

For this question, refer to the TerramEarth case study.

The TerramEarth development team wants to create an API to meet the company's business requirements. You want the development team to focus their development effort on business value versus creating a custom framework. Which method should they use?

- A. Use Google App Engine with Google Cloud Endpoint
- B. Focus on an API for dealers and partners.
- C. Use Google App Engine with a JAX-RS Jersey Java-based framework
- D. Focus on an API for the public.
- E. Use Google App Engine with the Swagger (open API Specification) framework
- F. Focus on an API for the public.
- G. Use Google Container Engine with a Django Python container
- H. Focus on an API for the public.
- I. Use Google Container Engine with a Tomcat container with the Swagger (Open API Specification) framework
- J. Focus on an API for dealers and partners.

Answer: A

Explanation:

https://cloud.google.com/endpoints/docs/openapi/about-cloud-endpoints?hl=en_US&_ga=2.21787131.-1712523
<https://cloud.google.com/endpoints/docs/openapi/architecture-overview> <https://cloud.google.com/storage/docs/gsutil/commands/test>
Develop, deploy, protect and monitor your APIs with Google Cloud Endpoints. Using an Open API Specification or one of our API frameworks, Cloud Endpoints gives you the tools you need for every phase of API development.
From scenario: Business Requirements
Decrease unplanned vehicle downtime to less than 1 week, without increasing the cost of carrying surplus inventory
Support the dealer network with more data on how their customers use their equipment to better position new products and services
Have the ability to partner with different companies – especially with seed and fertilizer suppliers in the fast-growing agricultural business – to create compelling joint offerings for their customers.
Reference: <https://cloud.google.com/certification/guides/cloud-architect/casestudy-terramearth>

NEW QUESTION 6

- (Exam Topic 2)

Your agricultural division is experimenting with fully autonomous vehicles. You want your architecture to promote strong security during vehicle operation. Which two architecture should you consider?

Choose 2 answers:

- A. Treat every micro service call between modules on the vehicle as untrusted.
- B. Require IPv6 for connectivity to ensure a secure address space.
- C. Use a trusted platform module (TPM) and verify firmware and binaries on boot.
- D. Use a functional programming language to isolate code execution cycles.
- E. Use multiple connectivity subsystems for redundancy.
- F. Enclose the vehicle's drive electronics in a Faraday cage to isolate chips.

Answer: AC


NEW QUESTION 7

- (Exam Topic 2)


For this question, refer to the TerramEarth case study.

TerramEarth's CTO wants to use the raw data from connected vehicles to help identify approximately when a vehicle in the development team to focus their failure. You want to allow analysts to centrally query the vehicle data. Which architecture should you recommend?


A)




B)



C)



D)




- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

Explanation:

<https://cloud.google.com/solutions/iot/> <https://cloud.google.com/solutions/designing-connected-vehicle-platform>
https://cloud.google.com/solutions/designing-connected-vehicle-platform#data_ingestion
<http://www.eweek.com/big-data-and-analytics/google-touts-value-of-cloud-iot-core-for-analyzing-connected-car-data>
<https://cloud.google.com/solutions/iot/> The push endpoint can be a load balancer. A container cluster can be used. Cloud Pub/Sub for Stream Analytics



References: <https://cloud.google.com/pubsub/> <https://cloud.google.com/solutions/iot/> <https://cloud.google.com/solutions/designing-connected-vehicle-platform>
https://cloud.google.com/solutions/designing-connected-vehicle-platform#data_ingestion
<http://www.eweek.com/big-data-and-analytics/google-touts-value-of-cloud-iot-core-for-analyzing-connected-car>
<https://cloud.google.com/solutions/iot/>

NEW QUESTION 8

- (Exam Topic 2)

For this question, refer to the TerramEarth case study.

TerramEarth's 20 million vehicles are scattered around the world. Based on the vehicle's location its telemetry data is stored in a Google Cloud Storage (GCS) regional bucket (US, Europe, or Asia). The CTO has asked you to run a report on the raw telemetry data to determine why vehicles are breaking down after 100 K miles. You want to run this job on all the data. What is the most cost-effective way to run this job?

- A. Move all the data into 1 zone, then launch a Cloud Dataproc cluster to run the job.
- B. Move all the data into 1 region, then launch a Google Cloud Dataproc cluster to run the job.
- C. Launch a cluster in each region to preprocess and compress the raw data, then move the data into a multi region bucket and use a Dataproc cluster to finish the job.
- D. Launch a cluster in each region to preprocess and compress the raw data, then move the data into a region bucket and use a Cloud Dataproc cluster to finish the job.

Answer: D

Explanation:

Storage guarantees 2 replicates which are geo diverse (100 miles apart) which can get better remote latency and availability.

More importantly, is that multiregional heavily leverages Edge caching and CDNs to provide the content to the end users.

All this redundancy and caching means that Multiregional comes with overhead to sync and ensure consistency between geo-diverse areas. As such, it's much better for write-once-read-many scenarios. This means frequently accessed (e.g. "hot" objects) around the world, such as website content, streaming videos, gaming or mobile applications.

References:

<https://medium.com/google-cloud/google-cloud-storage-what-bucket-class-for-the-best-performance-5c847ac8f>

NEW QUESTION 9

- (Exam Topic 2)

For this question refer to the TerramEarth case study

Operational parameters such as oil pressure are adjustable on each of TerramEarth's vehicles to increase their efficiency, depending on their environmental conditions. Your primary goal is to increase the operating efficiency of all 20 million cellular and unconnected vehicles in the field How can you accomplish this goal?

- A. Have your engineers inspect the data for patterns, and then create an algorithm with rules that make operational adjustments automatically.
- B. Capture all operating data, train machine learning models that identify ideal operations, and run locally to make operational adjustments automatically.
- C. Implement a Google Cloud Dataflow streaming job with a sliding window, and use Google Cloud Messaging (GCM) to make operational adjustments automatically.
- D. Capture all operating data, train machine learning models that identify ideal operations, and host in Google Cloud Machine Learning (ML) Platform to make operational adjustments automatically.

Answer: B

NEW QUESTION 10

- (Exam Topic 2)

For this question refer to the TerramEarth case study.

Which of TerramEarth's legacy enterprise processes will experience significant change as a result of increased Google Cloud Platform adoption.

- A. Opex/capex allocation, LAN changes, capacity planning
- B. Capacity planning, TCO calculations, opex/capex allocation
- C. Capacity planning, utilization measurement, data center expansion
- D. Data Center expansion, TCO calculations, utilization measurement

Answer: B

Explanation:

Capacity planning, TCO calculations, opex/capex allocation From the case study, it can conclude that Management (CXO) all concern rapid provision of resources (infrastructure) for growing as well as cost management, such as Cost optimization in Infrastructure, trade up front capital expenditures (Capex) for ongoing operating expenditures (Opex), and Total cost of ownership (TCO)

NEW QUESTION 10

- (Exam Topic 3)

For this question, refer to the JencoMart case study.

JencoMart wants to move their User Profiles database to Google Cloud Platform. Which Google Database should they use?

- A. Cloud Spanner
- B. Google BigQuery
- C. Google Cloud SQL
- D. Google Cloud Datastore

Answer: D

Explanation:

<https://cloud.google.com/datastore/docs/concepts/overview> Common workloads for Google Cloud Datastore:

- > User profiles
- > Product catalogs
- > Game state

References: <https://cloud.google.com/storage-options/> <https://cloud.google.com/datastore/docs/concepts/overview>

NEW QUESTION 14

- (Exam Topic 3)

For this question, refer to the JencoMart case study.

The JencoMart security team requires that all Google Cloud Platform infrastructure is deployed using a least privilege model with separation of duties for administration between production and development resources. What Google domain and project structure should you recommend?

- A. Create two G Suite accounts to manage users: one for development/test/staging and one for production. Each account should contain one project for every application.
- B. Create two G Suite accounts to manage users: one with a single project for all development applications and one with a single project for all production applications.
- C. Create a single G Suite account to manage users with each stage of each application in its own project.
- D. Create a single G Suite account to manage users with one project for the development/test/staging environment and one project for the production environment.

Answer: D

Explanation:

Note: The principle of least privilege and separation of duties are concepts that, although semantically different, are intrinsically related from the standpoint of security. The intent behind both is to prevent people from having higher privilege levels than they actually need

- > Principle of Least Privilege: Users should only have the least amount of privileges required to perform their job and no more. This reduces authorization exploitation by limiting access to resources such as targets, jobs, or monitoring templates for which they are not authorized.
- > Separation of Duties: Beyond limiting user privilege level, you also limit user duties, or the specific jobs they can perform. No user should be given responsibility for more than one related function. This limits the ability of a user to perform a malicious action and then cover up that action.

References: <https://cloud.google.com/kms/docs/separation-of-duties>

NEW QUESTION 16

- (Exam Topic 3)

For this question, refer to the JencoMart case study.

JencoMart has decided to migrate user profile storage to Google Cloud Datastore and the application servers to Google Compute Engine (GCE). During the migration, the existing infrastructure will need access to Datastore to upload the data. What service account key-management strategy should you recommend?

- A. Provision service account keys for the on-premises infrastructure and for the GCE virtual machines (VMs).
- B. Authenticate the on-premises infrastructure with a user account and provision service account keys for the VMs.
- C. Provision service account keys for the on-premises infrastructure and use Google Cloud Platform (GCP) managed keys for the VMs
- D. Deploy a custom authentication service on GCE/Google Container Engine (GKE) for the on-premises infrastructure and use GCP managed keys for the VMs.

Answer: A

Explanation:

<https://cloud.google.com/iam/docs/understanding-service-accounts>

Migrating data to Google Cloud Platform

Let's say that you have some data processing that happens on another cloud provider and you want to transfer the processed data to Google Cloud Platform. You can use a service account from the virtual machines on the external cloud to push the data to Google Cloud Platform. To do this, you must create and download a service account key when you create the service account and then use that key from the external process to call the Cloud Platform APIs.

References:

https://cloud.google.com/iam/docs/understanding-service-accounts#migrating_data_to_google_cloud_platform

NEW QUESTION 19

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

Dress4Win has asked you to recommend machine types they should deploy their application servers to. How should you proceed?

- A. Perform a mapping of the on-premises physical hardware cores and RAM to the nearest machine types in the cloud.
- B. Recommend that Dress4Win deploy application servers to machine types that offer the highest RAM to CPU ratio available.

- C. Recommend that Dress4Win deploy into production with the smallest instances available, monitor them over time, and scale the machine type up until the desired performance is reached.
- D. Identify the number of virtual cores and RAM associated with the application server virtual machines align them to a custom machine type in the cloud, monitor performance, and scale the machine types up until the desired performance is reached.

Answer: C

NEW QUESTION 22

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

Dress4Win has asked you for advice on how to migrate their on-premises MySQL deployment to the cloud. They want to minimize downtime and performance impact to their on-premises solution during the migration. Which approach should you recommend?

- A. Create a dump of the on-premises MySQL master server, and then shut it down, upload it to the cloud environment, and load into a new MySQL cluster.
- B. Setup a MySQL replica server/slave in the cloud environment, and configure it for asynchronous replication from the MySQL master server on-premises until cutover.
- C. Create a new MySQL cluster in the cloud, configure applications to begin writing to both on-premises and cloud MySQL masters, and destroy the original cluster at cutover.
- D. Create a dump of the MySQL replica server into the cloud environment, load it into: Google Cloud Datastore, and configure applications to read/write to Cloud Datastore at cutover.

Answer: B

NEW QUESTION 26

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

Dress4Win has configured a new uptime check with Google Stackdriver for several of their legacy services. The Stackdriver dashboard is not reporting the services as healthy. What should they do?

- A. Install the Stackdriver agent on all of the legacy web servers.
- B. In the Cloud Platform Console download the list of the uptime servers' IP addresses and create an inbound firewall rule
- C. Configure their load balancer to pass through the User-Agent HTTP header when the value matches GoogleStackdriverMonitoring-UptimeChecks (<https://cloud.google.com/monitoring>)
- D. Configure their legacy web servers to allow requests that contain user-Agent HTTP header when the value matches GoogleStackdriverMonitoring—UptimeChecks (<https://cloud.google.com/monitoring>)

Answer: B

NEW QUESTION 31

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

The Dress4Win security team has disabled external SSH access into production virtual machines (VMs) on Google Cloud Platform (GCP). The operations team needs to remotely manage the VMs, build and push Docker containers, and manage Google Cloud Storage objects. What can they do?

- A. Grant the operations engineers access to use Google Cloud Shell.
- B. Configure a VPN connection to GCP to allow SSH access to the cloud VMs.
- C. Develop a new access request process that grants temporary SSH access to cloud VMs when an operations engineer needs to perform a task.
- D. Have the development team build an API service that allows the operations team to execute specific remote procedure calls to accomplish their tasks.

Answer: A

NEW QUESTION 33

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

You want to ensure Dress4Win's sales and tax records remain available for infrequent viewing by auditors for at least 10 years. Cost optimization is your top priority. Which cloud services should you choose?

- A. Google Cloud Storage Coldline to store the data, and gsutil to access the data.
- B. Google Cloud Storage Nearline to store the data, and gsutil to access the data.
- C. Google Bigtable with US or EU as location to store the data, and gcloud to access the data.
- D. BigQuery to store the data, and a web server cluster in a managed instance group to access the data. Google Cloud SQL mirrored across two distinct regions to store the data, and a Redis cluster in a managed instance group to access the data.

Answer: A

Explanation:

References: <https://cloud.google.com/storage/docs/storage-classes>

NEW QUESTION 36

- (Exam Topic 4)

Dress4win has end to end tests covering 100% of their endpoints.

They want to ensure that the move of cloud does not introduce any new bugs.

Which additional testing methods should the developers employ to prevent an outage?

- A. They should run the end to end tests in the cloud staging environment to determine if the code is working as intended.
- B. They should enable google stack driver debugger on the application code to show errors in the code
- C. They should add additional unit tests and production scale load tests on their cloud staging environment.
- D. They should add canary tests so developers can measure how much of an impact the new release causes to latency

Answer: B

NEW QUESTION 40

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

Dress4Win would like to become familiar with deploying applications to the cloud by successfully deploying some applications quickly, as is. They have asked for your recommendation. What should you advise?

- A. Identify self-contained applications with external dependencies as a first move to the cloud.
- B. Identify enterprise applications with internal dependencies and recommend these as a first move to the cloud.
- C. Suggest moving their in-house databases to the cloud and continue serving requests to on-premise applications.
- D. Recommend moving their message queuing servers to the cloud and continue handling requests to on-premise applications.

Answer: A

Explanation:

<https://cloud.google.com/blog/products/gcp/the-five-phases-of-migrating-to-google-cloud-platform>

NEW QUESTION 45

- (Exam Topic 5)

You have an application deployed on Kubernetes Engine using a Deployment named echo-deployment. The deployment is exposed using a Service called echo-service. You need to perform an update to the application with minimal downtime to the application. What should you do?

- A. Use `kubectl set image deployment/echo-deployment <new-image>`
- B. Use the rolling update functionality of the Instance Group behind the Kubernetes cluster
- C. Update the deployment yaml file with the new container image
- D. Use `kubectl delete deployment/echo-deployment` and `kubectl create -f <yaml-file>`
- E. Update the service yaml file with the new container image
- F. Use `kubectl delete service/echoservice` and `kubectl create -f <yaml-file>`

Answer: A

Explanation:

https://cloud.google.com/kubernetes-engine/docs/how-to/updating-apps#updating_an_application

NEW QUESTION 48

- (Exam Topic 5)

Your company has decided to build a backup replica of their on-premises user authentication PostgreSQL database on Google Cloud Platform. The database is 4 TB, and large updates are frequent. Replication requires private address space communication. Which networking approach should you use?

- A. Google Cloud Dedicated Interconnect
- B. Google Cloud VPN connected to the data center network
- C. A NAT and TLS translation gateway installed on-premises
- D. A Google Compute Engine instance with a VPN server installed connected to the data center network

Answer: A

Explanation:

<https://cloud.google.com/docs/enterprise/best-practices-for-enterprise-organizations>

Google Cloud Dedicated Interconnect provides direct physical connections and RFC 1918 communication between your on-premises network and Google's network. Dedicated Interconnect enables you to transfer large amounts of data between networks, which can be more cost effective than purchasing additional bandwidth over the public Internet or using VPN tunnels.

Benefits:

- Traffic between your on-premises network and your VPC network doesn't traverse the public Internet. Traffic traverses a dedicated connection with fewer hops, meaning there are less points of failure where traffic might get dropped or disrupted.
- Your VPC network's internal (RFC 1918) IP addresses are directly accessible from your on-premises network. You don't need to use a NAT device or VPN tunnel to reach internal IP addresses. Currently, you can only reach internal IP addresses over a dedicated connection. To reach Google external IP addresses, you must use a separate connection.
- You can scale your connection to Google based on your needs. Connection capacity is delivered over one or more 10 Gbps Ethernet connections, with a maximum of eight connections (80 Gbps total per interconnect).
- The cost of egress traffic from your VPC network to your on-premises network is reduced. A dedicated connection is generally the least expensive method if you have a high-volume of traffic to and from Google's network.

References: <https://cloud.google.com/interconnect/docs/details/dedicated>

NEW QUESTION 50

- (Exam Topic 5)

Your company has successfully migrated to the cloud and wants to analyze their data stream to optimize operations. They do not have any existing code for this analysis, so they are exploring all their options. These options include a mix of batch and stream processing, as they are running some hourly jobs and live-processing some data as it comes in. Which technology should they use for this?

- A. Google Cloud Dataproc
- B. Google Cloud Dataflow
- C. Google Container Engine with Bigtable
- D. Google Compute Engine with Google BigQuery

Answer: B

Explanation:

Dataflow is for processing both the Batch and Stream.

Cloud Dataflow is a fully-managed service for transforming and enriching data in stream (real time) and batch (historical) modes with equal reliability and expressiveness -- no more complex workarounds or compromises needed.

References: <https://cloud.google.com/dataflow/>

NEW QUESTION 53

- (Exam Topic 5)

Your company has developed a monolithic, 3-tier application to allow external users to upload and share files. The solution cannot be easily enhanced and lacks reliability. The development team would like to re-architect the application to adopt microservices and a fully managed service approach, but they need to convince their leadership that the effort is worthwhile. Which advantage(s) should they highlight to leadership?

- A. The new approach will be significantly less costly, make it easier to manage the underlying infrastructure, and automatically manage the CI/CD pipelines.
- B. The monolithic solution can be converted to a container with Docker.
- C. The generated container can then be deployed into a Kubernetes cluster.
- D. The new approach will make it easier to decouple infrastructure from application, develop and release new features, manage the underlying infrastructure, manage CI/CD pipelines and perform A/B testing, and scale the solution if necessary.
- E. The process can be automated with Migrate for Compute Engine.

Answer: C

Explanation:

The new approach will make it easier to decouple infrastructure from an application, develop and release new features, manage the underlying infrastructure, manage CI/CD pipelines and perform A/B testing, and scale the solution if necessary.

NEW QUESTION 57

- (Exam Topic 5)

Your organization requires that metrics from all applications be retained for 5 years for future analysis in possible legal proceedings. Which approach should you use?

- A. Grant the security team access to the logs in each Project.
- B. Configure Stackdriver Monitoring for all Projects, and export to BigQuery.
- C. Configure Stackdriver Monitoring for all Projects with the default retention policies.
- D. Configure Stackdriver Monitoring for all Projects, and export to Google Cloud Storage.

Answer: D

Explanation:

Overview of storage classes, price, and use cases <https://cloud.google.com/storage/docs/storage-classes>

Why export logs? <https://cloud.google.com/logging/docs/export/>

StackDriver Quotas and Limits for Monitoring <https://cloud.google.com/monitoring/quotas> The BigQuery pricing. <https://cloud.google.com/bigquery/pricing>

NEW QUESTION 59

- (Exam Topic 5)

You are using Cloud SQL as the database backend for a large CRM deployment. You want to scale as usage increases and ensure that you don't run out of storage, maintain 75% CPU usage cores, and keep replication lag below 60 seconds. What are the correct steps to meet your requirements?

- A. 1) Enable automatic storage increase for the instance.2) Create a Stackdriver alert when CPU usage exceeds 75%, and change the instance type to reduce CPU usage.3) Create a Stackdriver alert for replication lag, and shard the database to reduce replication time.
- B. 1) Enable automatic storage increase for the instance.2) Change the instance type to a 32-core machine type to keep CPU usage below 75%.3) Create a Stackdriver alert for replication lag, and shard the database to reduce replication time.
- C. 1) Create a Stackdriver alert when storage exceeds 75%, and increase the available storage on the instance to create more space.2) Deploy memcached to reduce CPU load.3) Change the instance type to a 32-core machine type to reduce replication lag.
- D. 1) Create a Stackdriver alert when storage exceeds 75%, and increase the available storage on the instance to create more space.2) Deploy memcached to reduce CPU load.3) Create a Stackdriver alert for replication lag, and change the instance type to a 32-core machine type to reduce replication lag.

Answer: A

NEW QUESTION 64

- (Exam Topic 5)

You have developed an application using Cloud ML Engine that recognizes famous paintings from uploaded images. You want to test the application and allow specific people to upload images for the next 24 hours. Not all users have a Google Account. How should you have users upload images?

- A. Have users upload the images to Cloud Storage
- B. Protect the bucket with a password that expires after 24 hours.
- C. Have users upload the images to Cloud Storage using a signed URL that expires after 24 hours.
- D. Create an App Engine web application where users can upload image
- E. Configure App Engine to disable the application after 24 hour
- F. Authenticate users via Cloud Identity.
- G. Create an App Engine web application where users can upload images for the next 24 hours. Authenticate users via Cloud Identity.

Answer: A

Explanation:

<https://cloud.google.com/blog/products/storage-data-transfer/uploading-images-directly-to-cloud-storage-by-usi>

NEW QUESTION 65

- (Exam Topic 5)

Your company has just recently activated Cloud Identity to manage users. The Google Cloud Organization has been configured as wed. The security learn needs to secure protects that will be part of the Organization. They want to prohibit IAM users outside the domain from gaining permissions from now on. What should they do?

- A. Configure an organization policy to restrict identities by domain
- B. Configure an organization policy to block creation of service accounts
- C. Configure Cloud Scheduler to trigger a Cloud Function every hour that removes all users that don't belong to the Cloud identity domain from all projects.
- D. Create a technical user (e.g. crawler@yourdomain.com), and give it the protect owner role at root organization level Write a bash script that• Lists all me IAM rules of all projects within the organization• Deletes all users that do not belong to the company domainCreate a Compute Engine instance in a project within the Organization and configure gcloud to be executed with technical user credentials Configure a cron job that executes the bash script every hour.

Answer: A

NEW QUESTION 70

- (Exam Topic 5)

You need to deploy an application to Google Cloud. The application receives traffic via TCP and reads and writes data to the filesystem. The application does not support horizontal scaling. The application process requires full control over the data on the file system because concurrent access causes corruption. The business is willing to accept a downtime when an incident occurs, but the application must be available 24/7 to support their business operations. You need to design the architecture of this application on Google Cloud.

What should you do?

- A. Use a managed instance group with instances in multiple zones, use Cloud Filestore, and use an HTTP load balancer in front of the instances.
- B. Use a managed instance group with instances in multiple zones, use Cloud Filestore, and use a network load balancer in front of the instances.
- C. Use an unmanaged instance group with an active and standby instance in different zones, use a regional persistent disk, and use an HTTP load balancer in front of the instances.
- D. Use an unmanaged instance group with an active and standby instance in different zones, use a regional persistent disk, and use a network load balancer in front of the instances.

Answer: D

Explanation:

Reference: <https://cloud.google.com/compute/docs/instance-groups>

NEW QUESTION 73

- (Exam Topic 5)

Your BigQuery project has several users. For audit purposes, you need to see how many queries each user ran in the last month.

- A. Connect Google Data Studio to BigQuery
- B. Create a dimension for the users and a metric for the amount of queries per user.
- C. In the BigQuery interface, execute a query on the JOBS table to get the required information.
- D. Use 'bq show' to list all job
- E. Per job, use 'bq ls' to list job information and get the required information.
- F. Use Cloud Audit Logging to view Cloud Audit Logs, and create a filter on the query operation to get the required information.

Answer: C

Explanation:

<https://cloud.google.com/bigquery/docs/managing-jobs>

NEW QUESTION 77

- (Exam Topic 5)

Your company has sensitive data in Cloud Storage buckets. Data analysts have Identity Access Management (IAM) permissions to read the buckets. You want to prevent data analysts from retrieving the data in the buckets from outside the office network. What should you do?

- A. * 1. Create a VPC Service Controls perimeter that includes the projects with the buckets.* 2. Create an access level with the CIDR of the office network.
- B. * 1. Create a firewall rule for all instances in the Virtual Private Cloud (VPC) network for source range.* 2. Use the Classless Inter-domain Routing (CIDR) of the office network.
- C. * 1. Create a Cloud Function to remove IAM permissions from the buckets, and another Cloud Function to add IAM permissions to the buckets.* 2. Schedule the Cloud Functions with Cloud Scheduler to add permissions at the start of business and remove permissions at the end of business.
- D. * 1. Create a Cloud VPN to the office network.* 2. Configure Private Google Access for on-premises hosts.

Answer: A

Explanation:

For all Google Cloud services secured with VPC Service Controls, you can ensure that: Resources within a perimeter are accessed only from clients within authorized VPC networks using Private Google Access with either Google Cloud or on-premises. <https://cloud.google.com/vpc-service-controls/docs/overview>
<https://cloud.google.com/vpc-service-controls/docs/overview>. You create a service control across your VPC and any cloud bucket or any project resource to restrict access. Anything outside of it can't access the resources within service control perimeter

NEW QUESTION 78

- (Exam Topic 5)

Your company is designing its data lake on Google Cloud and wants to develop different ingestion pipelines to collect unstructured data from different sources. After the data is stored in Google Cloud, it will be processed in several data pipelines to build a recommendation engine for end users on the website. The structure of the data retrieved from the source systems can change at any time. The data must be stored exactly as it was retrieved for reprocessing purposes in case the data structure is incompatible with the current processing pipelines. You need to design an architecture to support the use case after you retrieve the data. What should you do?

- A. Send the data through the processing pipeline, and then store the processed data in a BigQuery table for reprocessing.
- B. Store the data in a BigQuery table

- C. Design the processing pipelines to retrieve the data from the table.
- D. Send the data through the processing pipeline, and then store the processed data in a Cloud Storage bucket for reprocessing.
- E. Store the data in a Cloud Storage bucket
- F. Design the processing pipelines to retrieve the data from the bucket

Answer: D

NEW QUESTION 80

- (Exam Topic 5)

Your company's test suite is a custom C++ application that runs tests throughout each day on Linux virtual machines. The full test suite takes several hours to complete, running on a limited number of on-premises servers reserved for testing. Your company wants to move the testing infrastructure to the cloud, to reduce the amount of time it takes to fully test a change to the system, while changing the tests as little as possible. Which cloud infrastructure should you recommend?

- A. Google Compute Engine unmanaged instance groups and Network Load Balancer
- B. Google Compute Engine managed instance groups with auto-scaling
- C. Google Cloud Dataproc to run Apache Hadoop jobs to process each test
- D. Google App Engine with Google Stackdriver for logging

Answer: B

Explanation:

<https://cloud.google.com/compute/docs/instance-groups/>

Google Compute Engine enables users to launch virtual machines (VMs) on demand. VMs can be launched from the standard images or custom images created by users.

Managed instance groups offer autoscaling capabilities that allow you to automatically add or remove instances from a managed instance group based on increases or decreases in load. Autoscaling helps your applications gracefully handle increases in traffic and reduces cost when the need for resources is lower.

NEW QUESTION 81

- (Exam Topic 5)

You are developing a globally scaled frontend for a legacy streaming backend data API. This API expects events in strict chronological order with no repeat data for proper processing.

Which products should you deploy to ensure guaranteed-once FIFO (first-in, first-out) delivery of data?

- A. Cloud Pub/Sub alone
- B. Cloud Pub/Sub to Cloud DataFlow
- C. Cloud Pub/Sub to Stackdriver
- D. Cloud Pub/Sub to Cloud SQL

Answer: B

Explanation:

Reference <https://cloud.google.com/pubsub/docs/ordering>

NEW QUESTION 85

- (Exam Topic 5)

Your company runs several databases on a single MySQL instance. They need to take backups of a specific database at regular intervals. The backup activity needs to complete as quickly as possible and cannot be allowed to impact disk performance. How should you configure the storage?

- A. Configure a cron job to use the gcloud tool to take regular backups using persistent disk snapshots.
- B. Mount a Local SSD volume as the backup location
- C. After the backup is complete, use gsutil to move the backup to Google Cloud Storage.
- D. Use gcsfuse to mount a Google Cloud Storage bucket as a volume directly on the instance and write backups to the mounted location using mysqldump
- E. Mount additional persistent disk volumes onto each virtual machine (VM) instance in a RAID10 array and use LVM to create snapshots to send to Cloud Storage.

Answer: B

Explanation:

<https://cloud.google.com/compute/docs/instances/sql-server/best-practices>

NEW QUESTION 90

- (Exam Topic 5)

Your company wants to try out the cloud with low risk. They want to archive approximately 100 TB of their log data to the cloud and test the analytics features available to them there, while also retaining that data as a long-term disaster recovery backup. Which two steps should they take? Choose 2 answers

- A. Load logs into Google BigQuery.
- B. Load logs into Google Cloud SQL.
- C. Import logs into Google Stackdriver.
- D. Insert logs into Google Cloud Bigtable.
- E. Upload log files into Google Cloud Storage.

Answer: AE

NEW QUESTION 92

- (Exam Topic 5)

Your organization has stored sensitive data in a Cloud Storage bucket. For regulatory reasons, your company must be able to rotate the encryption key used to encrypt the data in the bucket. The data will be processed in Dataproc. You want to follow Google-recommended practices for security. What should you do?

- A. Create a key with Cloud Key Management Service (KMS) Encrypt the data using the encrypt method of Cloud KMS.
- B. Create a key with Cloud Key Management Service (KMS). Set the encryption key on the bucket to the Cloud KMS key.
- C. Generate a GPG key pair
- D. Encrypt the data using the GPG key
- E. Upload the encrypted data to the bucket.
- F. Generate an AES-256 encryption key
- G. Encrypt the data in the bucket using the customer-supplied encryption keys feature.

Answer: B

Explanation:

<https://cloud.google.com/storage/docs/encryption/using-customer-managed-keys#add-object-key> <https://cloud.google.com/storage/docs/encryption/using-customer-managed-keys>

NEW QUESTION 94

- (Exam Topic 5)

The development team has provided you with a Kubernetes Deployment file. You have no infrastructure yet and need to deploy the application. What should you do?

- A. Use gcloud to create a Kubernetes cluster
- B. Use Deployment Manager to create the deployment.
- C. Use gcloud to create a Kubernetes cluster
- D. Use kubectl to create the deployment.
- E. Use kubectl to create a Kubernetes cluster
- F. Use Deployment Manager to create the deployment.
- G. Use kubectl to create a Kubernetes cluster
- H. Use kubectl to create the deployment.

Answer: B

Explanation:

<https://cloud.google.com/kubernetes-engine/docs/how-to/creating-a-cluster>

NEW QUESTION 97

- (Exam Topic 5)

You need to migrate Hadoop jobs for your company's Data Science team without modifying the underlying infrastructure. You want to minimize costs and infrastructure management effort. What should you do?

- A. Create a Dataproc cluster using standard worker instances.
- B. Create a Dataproc cluster using preemptible worker instances.
- C. Manually deploy a Hadoop cluster on Compute Engine using standard instances.
- D. Manually deploy a Hadoop cluster on Compute Engine using preemptible instances.

Answer: B

Explanation:

Reference: <https://cloud.google.com/architecture/hadoop/hadoop-gcp-migration-jobs>

NEW QUESTION 98

- (Exam Topic 5)

You are designing an application for use only during business hours. For the minimum viable product release, you'd like to use a managed product that automatically "scales to zero" so you don't incur costs when there is no activity. Which primary compute resource should you choose?

- A. Cloud Functions
- B. Compute Engine
- C. Kubernetes Engine
- D. AppEngine flexible environment

Answer: A

Explanation:

<https://cloud.google.com/serverless-options>

NEW QUESTION 100

- (Exam Topic 5)

Your company just finished a rapid lift and shift to Google Compute Engine for your compute needs. You have another 9 months to design and deploy a more cloud-native solution. Specifically, you want a system that is no-ops and auto-scaling. Which two compute products should you choose? Choose 2 answers

- A. Compute Engine with containers
- B. Google Kubernetes Engine with containers
- C. Google App Engine Standard Environment
- D. Compute Engine with custom instance types
- E. Compute Engine with managed instance groups

Answer: BC

Explanation:

B: With Container Engine, Google will automatically deploy your cluster for you, update, patch, secure the nodes.

Kubernetes Engine's cluster autoscaler automatically resizes clusters based on the demands of the workloads you want to run.

C: Solutions like Datastore, BigQuery, AppEngine, etc are truly NoOps.

App Engine by default scales the number of instances running up and down to match the load, thus providing consistent performance for your app at all times while minimizing idle instances and thus reducing cost.

Note: At a high level, NoOps means that there is no infrastructure to build out and manage during usage of the platform. Typically, the compromise you make with NoOps is that you lose control of the underlying infrastructure.

References:

<https://www.quora.com/How-well-does-Google-Container-Engine-support-Google-Cloud-Platform%E2%80%99>

NEW QUESTION 103

- (Exam Topic 5)

Your customer is moving their corporate applications to Google Cloud Platform. The security team wants detailed visibility of all projects in the organization. You provision the Google Cloud Resource Manager and set up yourself as the org admin. What Google Cloud Identity and Access Management (Cloud IAM) roles should you give to the security team'?

- A. Org viewer, project owner
- B. Org viewer, project viewer
- C. Org admin, project browser
- D. Project owner, network admin

Answer: B

Explanation:

<https://cloud.google.com/iam/docs/using-iam-securely>

NEW QUESTION 108

- (Exam Topic 5)

Your company sends all Google Cloud logs to Cloud Logging. Your security team wants to monitor the logs. You want to ensure that the security team can react quickly if an anomaly such as an unwanted firewall change or server breach is detected. You want to follow Google-recommended practices. What should you do?

- A. Schedule a cron job with Cloud Schedule
- B. The scheduled job queries the logs every minute for the relevant events.
- C. Export logs to BigQuery, and trigger a query in BigQuery to process the log data for the relevant events.
- D. Export logs to a Pub/Sub topic, and trigger Cloud Function with the relevant log events.
- E. Export logs to a Cloud Storage bucket, and trigger Cloud Run with the relevant log events.

Answer: C

Explanation:

<https://cloud.google.com/blog/products/management-tools/automate-your-response-to-a-cloud-logging-event>

NEW QUESTION 110

- (Exam Topic 5)

You need to upload files from your on-premises environment to Cloud Storage. You want the files to be encrypted on Cloud Storage using customer-supplied encryption keys. What should you do?

- A. Supply the encryption key in a .boto configuration file
- B. Use gsutil to upload the files.
- C. Supply the encryption key using gcloud confi
- D. Use gsutil to upload the files to that bucket.
- E. Use gsutil to upload the files, and use the flag --encryption-key to supply the encryption key.
- F. Use gsutil to create a bucket, and use the flag --encryption-key to supply the encryption key
- G. Use gsutil to upload the files to that bucket.

Answer: A

Explanation:

<https://cloud.google.com/storage/docs/encryption/customer-supplied-keys#gsutil>

NEW QUESTION 113

- (Exam Topic 5)

A lead software engineer tells you that his new application design uses websockets and HTTP sessions that are not distributed across the web servers. You want to help him ensure his application will run properly on Google Cloud Platform. What should you do?

- A. Help the engineer to convert his websocket code to use HTTP streaming.
- B. Review the encryption requirements for websocket connections with the security team.
- C. Meet with the cloud operations team and the engineer to discuss load balancer options.
- D. Help the engineer redesign the application to use a distributed user session service that does not rely on websockets and HTTP sessions.

Answer: C

Explanation:

Google Cloud Platform (GCP) HTTP(S) load balancing provides global load balancing for HTTP(S) requests destined for your instances. The HTTP(S) load balancer has native support for the WebSocket protocol.

NEW QUESTION 117

- (Exam Topic 5)

Your company is using Google Cloud. You have two folders under the Organization: Finance and Shopping. The members of the development team are in a Google Group. The development team group has been assigned the Project Owner role on the Organization. You want to prevent the development team from creating resources in projects in the Finance folder. What should you do?

- A. Assign the development team group the Project Viewer role on the Finance folder, and assign the development team group the Project Owner role on the Shopping folder.
- B. Assign the development team group only the Project Viewer role on the Finance folder.
- C. Assign the development team group the Project Owner role on the Shopping folder, and remove the development team group Project Owner role from the Organization.
- D. Assign the development team group only the Project Owner role on the Shopping folder.

Answer: C

Explanation:

<https://cloud.google.com/resource-manager/docs/cloud-platform-resource-hierarchy>

"Roles are always inherited, and there is no way to explicitly remove a permission for a lower-level resource that is granted at a higher level in the resource hierarchy. Given the above example, even if you were to remove the Project Editor role from Bob on the "Test GCP Project", he would still inherit that role from the "Dept Y" folder, so he would still have the permissions for that role on "Test GCP Project"."

Reference: <https://cloud.google.com/resource-manager/docs/creating-managing-folders>

NEW QUESTION 120

- (Exam Topic 5)

Your company is migrating its on-premises data center into the cloud. As part of the migration, you want to integrate Kubernetes Engine for workload orchestration. Parts of your architecture must also be PCI DSS-compliant. Which of the following is most accurate?

- A. App Engine is the only compute platform on GCP that is certified for PCI DSS hosting.
- B. Kubernetes Engine cannot be used under PCI DSS because it is considered shared hosting.
- C. Kubernetes Engine and GCP provide the tools you need to build a PCI DSS-compliant environment.
- D. All Google Cloud services are usable because Google Cloud Platform is certified PCI-compliant.

Answer: D

Explanation:

<https://cloud.google.com/security/compliance/pci-dss>

NEW QUESTION 121

- (Exam Topic 5)

Your company has a stateless web API that performs scientific calculations. The web API runs on a single Google Kubernetes Engine (GKE) cluster. The cluster is currently deployed in us-central1. Your company has expanded to offer your API to customers in Asia. You want to reduce the latency for the users in Asia. What should you do?

- A. Use a global HTTP(s) load balancer with Cloud CDN enabled
- B. Create a second GKE cluster in asia-southeast1, and expose both API's using a Service of type Load Balance
- C. Add the public Ips to the Cloud DNS zone
- D. Increase the memory and CPU allocated to the application in the cluster
- E. Create a second GKE cluster in asia-southeast1, and use kubemci to create a global HTTP(s) load balancer

Answer: D

Explanation:

https://cloud.google.com/kubernetes-engine/docs/concepts/multi-cluster-ingress#how_works

<https://github.com/GoogleCloudPlatform/k8s-multicluster-ingress> <https://cloud.google.com/blog/products/gcp/how-to-deploy-geographically-distributed-services-on-kubernetes-e>

NEW QUESTION 124

- (Exam Topic 5)

Your web application must comply with the requirements of the European Union's General Data Protection Regulation (GDPR). You are responsible for the technical architecture of your web application. What should you do?

- A. Ensure that your web application only uses native features and services of Google Cloud Platform, because Google already has various certifications and provides "pass-on" compliance when you use native features.
- B. Enable the relevant GDPR compliance setting within the GCP Console for each of the services in use within your application.
- C. Ensure that Cloud Security Scanner is part of your test planning strategy in order to pick up any compliance gaps.
- D. Define a design for the security of data in your web application that meets GDPR requirements.

Answer: D

Explanation:

<https://cloud.google.com/security/gdpr/?tab=tab4>

Reference: <https://www.mobiloud.com/blog/gdpr-compliant-mobile-app/>

NEW QUESTION 127

- (Exam Topic 5)

Your team is developing a web application that will be deployed on Google Kubernetes Engine (GKE). Your CTO expects a successful launch and you need to ensure your application can handle the expected load of tens of thousands of users. You want to test the current deployment to ensure the latency of your application stays below a certain threshold. What should you do?

- A. Use a load testing tool to simulate the expected number of concurrent users and total requests to your application, and inspect the results.

- B. Enable autoscaling on the GKE cluster and enable horizontal pod autoscaling on your application deployment
- C. Send curl requests to your application, and validate if the auto scaling works.
- D. Replicate the application over multiple GKE clusters in every Google Cloud regio
- E. Configure a global HTTP(S) load balancer to expose the different clusters over a single global IP address.
- F. Use Cloud Debugger in the development environment to understand the latency between the different microservices.

Answer: B

NEW QUESTION 131

- (Exam Topic 5)

Your company wants you to build a highly reliable web application with a few public APIs as the backend. You don't expect a lot of user traffic, but traffic could spike occasionally. You want to leverage Cloud Load Balancing, and the solution must be cost-effective for users. What should you do?

- A. Store static content such as HTML and images in Cloud CD
- B. Host the APIs on App Engine and store the user data in Cloud SQL.
- C. Store static content such as HTML and images in a Cloud Storage bucket
- D. Host the APIs on a zonal Google Kubernetes Engine cluster with worker nodes in multiple zones, and save the user data in Cloud Spanner.
- E. Store static content such as HTML and images in Cloud CD
- F. Use Cloud Run to host the APIs and save the user data in Cloud SQL.
- G. Store static content such as HTML and images in a Cloud Storage bucket
- H. Use Cloud Functions to host the APIs and save the user data in Firestore.

Answer: D

Explanation:

<https://cloud.google.com/load-balancing/docs/https/setting-up-https-serverless#gcloud:-cloud-functions> <https://cloud.google.com/blog/products/networking/better-load-balancing-for-app-engine-cloud-run-and-function>

NEW QUESTION 134

- (Exam Topic 5)

You are working in a highly secured environment where public Internet access from the Compute Engine VMs is not allowed. You do not yet have a VPN connection to access an on-premises file server. You need to install specific software on a Compute Engine instance. How should you install the software?

- A. Upload the required installation files to Cloud Storage
- B. Configure the VM on a subnet with a Private Google Access subne
- C. Assign only an internal IP address to the V
- D. Download the installation files to the VM using gsutil.
- E. Upload the required installation files to Cloud Storage and use firewall rules to block all traffic except the IP address range for Cloud Storage
- F. Download the files to the VM using gsutil.
- G. Upload the required installation files to Cloud Source Repositories
- H. Configure the VM on a subnet with a Private Google Access subne
- I. Assign only an internal IP address to the V
- J. Download the installation files to the VM using gcloud.
- K. Upload the required installation files to Cloud Source Repositories and use firewall rules to block all traffic except the IP address range for Cloud Source Repositories
- L. Download the files to the VM using gsutil.

Answer: A

Explanation:

<https://cloud.google.com/vpc/docs/private-access-options#pga-supported>

NEW QUESTION 136

- (Exam Topic 5)

Your company wants to start using Google Cloud resources but wants to retain their on-premises Active Directory domain controller for identity management. What should you do?

- A. Use the Admin Directory API to authenticate against the Active Directory domain controller.
- B. Use Google Cloud Directory Sync to synchronize Active Directory usernames with cloud identities and configure SAML SSO.
- C. Use Cloud Identity-Aware Proxy configured to use the on-premises Active Directory domain controller as an identity provider.
- D. Use Compute Engine to create an Active Directory (AD) domain controller that is a replica of the onpremises AD domain controller using Google Cloud Directory Sync.

Answer: B

Explanation:

https://cloud.google.com/solutions/federating-gcp-with-active-directory-introduction#implementing_federation

NEW QUESTION 139

- (Exam Topic 5)

Your company has an application deployed on Anthos clusters (formerly Anthos GKE) that is running multiple microservices. The cluster has both Anthos Service Mesh and Anthos Config Management configured. End users inform you that the application is responding very slowly. You want to identify the microservice that is causing the delay. What should you do?

- A. Use the Service Mesh visualization in the Cloud Console to inspect the telemetry between the microservices.
- B. Use Anthos Config Management to create a ClusterSelector selecting the relevant cluster
- C. On the Google Cloud Console page for Google Kubernetes Engine, view the Workloads and filter on the cluster
- D. Inspect the configurations of the filtered workloads.
- E. Use Anthos Config Management to create a namespaceSelector selecting the relevant cluster namespace

- F. On the Google Cloud Console page for Google Kubernetes Engine, visit the workloads and filter on the namespace
- G. Inspect the configurations of the filtered workloads.
- H. Reinstall istio using the default istio profile in order to collect request latency
- I. Evaluate the telemetry between the microservices in the Cloud Console.

Answer: A

Explanation:

The Anthos Service Mesh pages in the Google Cloud Console provide both summary and in-depth metrics, charts, and graphs that enable you to observe service behavior. You can monitor the overall health of your services, or drill down on a specific service to set a service level objective (SLO) or troubleshoot an issue.
<https://cloud.google.com/service-mesh/docs/observability/explore-dashboard>
<https://cloud.google.com/anthos/service-mesh>

NEW QUESTION 144

- (Exam Topic 5)

Your company is running its application workloads on Compute Engine. The applications have been deployed in production, acceptance, and development environments. The production environment is business-critical and is used 24/7, while the acceptance and development environments are only critical during office hours. Your CFO has asked you to optimize these environments to achieve cost savings during idle times. What should you do?

- A. Create a shell script that uses the `gcloud` command to change the machine type of the development and acceptance instances to a smaller machine type outside of office hour
- B. Schedule the shell script on one of the production instances to automate the task.
- C. Use Cloud Scheduler to trigger a Cloud Function that will stop the development and acceptance environments after office hours and start them just before office hours.
- D. Deploy the development and acceptance applications on a managed instance group and enable autoscaling.
- E. Use regular Compute Engine instances for the production environment, and use preemptible VMs for the acceptance and development environments.

Answer: B

Explanation:

Reference: <https://cloud.google.com/blog/products/it-ops/best-practices-for-optimizing-your-cloud-costs>

NEW QUESTION 146

- (Exam Topic 5)

Your team will start developing a new application using microservices architecture on Kubernetes Engine. As part of the development lifecycle, any code change that has been pushed to the remote develop branch on your GitHub repository should be built and tested automatically. When the build and test are successful, the relevant microservice will be deployed automatically in the development environment. You want to ensure that all code deployed in the development environment follows this process. What should you do?

- A. Have each developer install a pre-commit hook on their workstation that tests the code and builds the container when committing on the development branch
- B. After a successful commit, have the developer deploy the newly built container image on the development cluster.
- C. Install a post-commit hook on the remote git repository that tests the code and builds the container when code is pushed to the development branch
- D. After a successful commit, have the developer deploy the newly built container image on the development cluster.
- E. Create a Cloud Build trigger based on the development branch that tests the code, builds the container, and stores it in Container Registry
- F. Create a deployment pipeline that watches for new images and deploys the new image on the development cluster
- G. Ensure only the deployment tool has access to deploy new versions.
- H. Create a Cloud Build trigger based on the development branch to build a new container image and store it in Container Registry
- I. Rely on Vulnerability Scanning to ensure the code tests succeed
- J. As the final step of the Cloud Build process, deploy the new container image on the development cluster
- K. Ensure only Cloud Build has access to deploy new versions.

Answer: C

Explanation:

<https://cloud.google.com/container-registry/docs/overview>

Create a Cloud Build trigger based on the development branch that tests the code, builds the container, and stores it in Container Registry. Create a deployment pipeline that watches for new images and deploys the new image on the development cluster. Ensure only the deployment tool has access to deploy new versions.

NEW QUESTION 148

- (Exam Topic 5)

You need to reduce the number of unplanned rollbacks of erroneous production deployments in your company's web hosting platform. Improvement to the QA/Test processes accomplished an 80% reduction. Which additional two approaches can you take to further reduce the rollbacks? Choose 2 answers

- A. Introduce a green-blue deployment model.
- B. Replace the QA environment with canary releases.
- C. Fragment the monolithic platform into microservices.
- D. Reduce the platform's dependency on relational database systems.
- E. Replace the platform's relational database systems with a NoSQL database.

Answer: AC

NEW QUESTION 151

- (Exam Topic 5)

A news feed web service has the following code running on Google App Engine. During peak load, users report that they can see news articles they already viewed. What is the most likely cause of this problem?

```
import news
from flask import Flask, redirect, request
from flask.ext.api import status
from google.appengine.api import users

app = Flask(__name__)
sessions = {}

@app.route("/")
def homepage():
    user = users.get_current_user()
    if not user:
        return "Invalid login",
        status.HTTP_401_UNAUTHORIZED

    if user not in sessions:
        sessions[user] = {"viewed": []}

    news_articles = news.get_new_news (user, sessions [user]
["viewed"])
    sessions [user] ["viewed"] += [n["id"] for n
in news_articles]

    return news.render(news_articles)

if __name__ == "__main__":
    app.run()
```

- A. The session variable is local to just a single instance.
- B. The session variable is being overwritten in Cloud Datastore.
- C. The URL of the API needs to be modified to prevent caching.
- D. The HTTP Expires header needs to be set to -1 to stop caching.

Answer: A

Explanation:

<https://stackoverflow.com/questions/3164280/google-app-engine-cache-list-in-session-variable?rq=1>

NEW QUESTION 154

- (Exam Topic 5)

You are designing a large distributed application with 30 microservices. Each of your distributed microservices needs to connect to a database back-end. You want to store the credentials securely. Where should you store the credentials?

- A. In the source code
- B. In an environment variable
- C. In a secret management system
- D. In a config file that has restricted access through ACLs

Answer: C

Explanation:

https://cloud.google.com/docs/authentication/production#providing_credentials_to_your_application

NEW QUESTION 159

- (Exam Topic 5)

During a high traffic portion of the day, one of your relational databases crashes, but the replica is never promoted to a master. You want to avoid this in the future. What should you do?

- A. Use a different database.
- B. Choose larger instances for your database.
- C. Create snapshots of your database more regularly.
- D. Implement routinely scheduled failovers of your databases.

Answer: D

Explanation:

<https://cloud.google.com/solutions/dr-scenarios-planning-guide>

NEW QUESTION 161

- (Exam Topic 5)

Your company pushes batches of sensitive transaction data from its application server VMs to Cloud Pub/Sub for processing and storage. What is the Google-recommended way for your application to authenticate to the required Google Cloud services?

- A. Ensure that VM service accounts are granted the appropriate Cloud Pub/Sub IAM roles.

- B. Ensure that VM service accounts do not have access to Cloud Pub/Sub, and use VM access scopes to grant the appropriate Cloud Pub/Sub IAM roles.
- C. Generate an OAuth2 access token for accessing Cloud Pub/Sub, encrypt it, and store it in Cloud Storage for access from each VM.
- D. Create a gateway to Cloud Pub/Sub using a Cloud Function, and grant the Cloud Function service account the appropriate Cloud Pub/Sub IAM roles.

Answer: A

NEW QUESTION 163

- (Exam Topic 5)

You are tasked with building an online analytical processing (OLAP) marketing analytics and reporting tool. This requires a relational database that can operate on hundreds of terabytes of data. What is the Google recommended tool for such applications?

- A. Cloud Spanner, because it is globally distributed
- B. Cloud SQL, because it is a fully managed relational database
- C. Cloud Firestore, because it offers real-time synchronization across devices
- D. BigQuery, because it is designed for large-scale processing of tabular data

Answer: A

Explanation:

Reference: <https://cloud.google.com/files/BigQueryTechnicalWP.pdf>

NEW QUESTION 168

- (Exam Topic 5)

A development manager is building a new application He asks you to review his requirements and identify what cloud technologies he can use to meet them. The application must

- * 1. Be based on open-source technology for cloud portability
- * 2. Dynamically scale compute capacity based on demand
- * 3. Support continuous software delivery
- * 4. Run multiple segregated copies of the same application stack
- * 5. Deploy application bundles using dynamic templates
- * 6. Route network traffic to specific services based on URL

Which combination of technologies will meet all of his requirements?

- A. Google Container Engine, Jenkins, and Helm
- B. Google Container Engine and Cloud Load Balancing
- C. Google Compute Engine and Cloud Deployment Manager
- D. Google Compute Engine, Jenkins, and Cloud Load Balancing

Answer: A

Explanation:

Helm for managing Kubernetes

Kubernetes can base on the URL to route traffic to different location (path) <https://cloud.google.com/kubernetes-engine/docs/tutorials/http-balancer> eg. apiVersion: networking.k8s.io/v1beta1

kind: Ingress metadata:

name: fanout-ingress spec:

rules:

- http: paths:

- path: /* backend: serviceName: web servicePort: 8080

- path: /v2/* backend: serviceName: web2 servicePort: 8080

NEW QUESTION 171

- (Exam Topic 5)

You have an application that makes HTTP requests to Cloud Storage. Occasionally the requests fail with HTTP status codes of 5xx and 429.

How should you handle these types of errors?

- A. Use gRPC instead of HTTP for better performance.
- B. Implement retry logic using a truncated exponential backoff strategy.
- C. Make sure the Cloud Storage bucket is multi-regional for geo-redundancy.
- D. Monitor <https://status.cloud.google.com/feed.atom> and only make requests if Cloud Storage is not reporting an incident.

Answer: A

Explanation:

Reference https://cloud.google.com/storage/docs/json_api/v1/status-codes

NEW QUESTION 173

- (Exam Topic 5)

Your company has just acquired another company, and you have been asked to integrate their existing Google Cloud environment into your company's data center. Upon investigation, you discover that some of the RFC 1918 IP ranges being used in the new company's Virtual Private Cloud (VPC) overlap with your data center IP space. What should you do to enable connectivity and make sure that there are no routing conflicts when connectivity is established?

- A. Create a Cloud VPN connection from the new VPC to the data center, create a Cloud Router, and apply new IP addresses so there is no overlapping IP space.
- B. Create a Cloud VPN connection from the new VPC to the data center, and create a Cloud NAT instance to perform NAT on the overlapping IP space.
- C. Create a Cloud VPN connection from the new VPC to the data center, create a Cloud Router, and apply a custom route advertisement to block the overlapping IP space.
- D. Create a Cloud VPN connection from the new VPC to the data center, and apply a firewall rule that blocks the overlapping IP space.

Answer: A

Explanation:

To connect two networks together we need (1) either VPN or interconnect and (2) peering. When there is peering, you cannot have conflicting IP addresses. You can use either Cloud VPN or Cloud Interconnect to securely connect your on-premises network to your VPC network. (<https://cloud.google.com/vpc/docs/vpc-peering#transit-network>) At the time of peering, Google Cloud checks to see if there are any subnet IP ranges that overlap subnet IP ranges in the other network. If there is any overlap, peering is not established. (<https://cloud.google.com/vpc/docs/vpc-peering#considerations>) NAT is used to translate private to public IP and vice versa, however because we are connecting 2 networks together, they become private IPs. So it is not applicable.

NEW QUESTION 177

- (Exam Topic 5)

Your organization has decided to restrict the use of external IP addresses on instances to only approved instances. You want to enforce this requirement across all of your Virtual Private Clouds (VPCs). What should you do?

- A. Remove the default route on all VPC
- B. Move all approved instances into a new subnet that has a default route to an internet gateway.
- C. Create a new VPC in custom mode
- D. Create a new subnet for the approved instances, and set a default route to the internet gateway on this new subnet.
- E. Implement a Cloud NAT solution to remove the need for external IP addresses entirely.
- F. Set an Organization Policy with a constraint on constraints/compute.vmExternallpAccess
- G. List the approved instances in the allowedValues list.

Answer: D

Explanation:

Reference: <https://cloud.google.com/compute/docs/ip-addresses/reserve-static-external-ip-address> <https://cloud.google.com/compute/docs/ip-addresses/reserve-static-external-ip-address#disableexternalip>

you might want to restrict external IP address so that only specific VM instances can use them. This option can help to prevent data exfiltration or maintain network isolation. Using an Organization Policy, you can restrict external IP addresses to specific VM instances with constraints to control use of external IP addresses for your VM instances within an organization or a project.

NEW QUESTION 181

- (Exam Topic 5)

You are working with a data warehousing team that performs data analysis. The team needs to process data from external partners, but the data contains personally identifiable information (PII). You need to process and store the data without storing any of the PII data. What should you do?

- A. Create a Dataflow pipeline to retrieve the data from the external source
- B. As part of the pipeline use the Cloud Data Loss Prevention (Cloud DLP) API to remove any PII data Store the result in BigQuery
- C. Create a Dataflow pipeline to retrieve the data from the external source
- D. As part of the pipeline store all non-PII data in BigQuery and store all PII data in a Cloud Storage bucket that has a retention policy set.
- E. Ask the external partners to upload an data on Cloud Storage Configure Bucket Lock for the bucket Create a Dataflow pipeline to read the data from the bucket As part of the pipeline, use the Cloud Data Loss Prevention (Cloud DLP) API to remove any PII data Store the result in BigQuery
- F. Ask the external partners to import all data in your BigQuery dataset Create a dataflow pipeline to copy the data into a new table As part of the Dataflow bucket skip all data in columns that have PII data

Answer: A

Explanation:

Create a Dataflow pipeline to retrieve the data from the external sources, he did not specify the way he is going to create it, it might be a pub/sub or external table or whatever.

NEW QUESTION 184

- (Exam Topic 5)

Your company has just recently activated Cloud Identity to manage users. The Google Cloud Organization has been configured as wed. The security team needs to secure protects that will be part of the Organization. They want to prohibit IAM users outside the domain from gaining permissions from now on. What should they do?

- A. Configure an organization policy to restrict identities by domain
- B. Configure an organization policy to block creation of service accounts
- C. Configure Cloud Scheduler to trigger a Cloud Function every hour that removes all users that don't belong to the Cloud identity domain from all projects.

Answer: A

NEW QUESTION 189

- (Exam Topic 5)

You are deploying a PHP App Engine Standard service with SQL as the backend. You want to minimize the number of queries to the database. What should you do?

- A. Set the memcache service level to dedicate
- B. Create a key from the hash of the query, and return database values from memcache before issuing a query to Cloud SQL.
- C. Set the memcache service level to dedicate
- D. Create a cron task that runs every minute to populate the cache with keys containing query results.
- E. Set the memcache service level to share
- F. Create a cron task that runs every minute to save all expected queries to a key called "cached-queries".
- G. Set the memcache service level to share
- H. Create a key called "cached-queries", and return database values from the key before using a query to Cloud SQL.

Answer: A

Explanation:

<https://cloud.google.com/appengine/docs/standard/php/memcache/using>

NEW QUESTION 194

- (Exam Topic 5)

You created a pipeline that can deploy your source code changes to your infrastructure in instance groups for self healing. One of the changes negatively affects your key performance indicator. You are not sure how to fix it and investigation could take up to a week. What should you do

- A. Log in to a server, and iterate a fix locally
- B. Change the instance group template to the previous one, and delete all instances.
- C. Revert the source code change and rerun the deployment pipeline
- D. Log into the servers with the bad code change, and swap in the previous code

Answer: C

NEW QUESTION 199

- (Exam Topic 5)

You need to design a solution for global load balancing based on the URL path being requested. You need to ensure operations reliability and end-to-end in-transit encryption based on Google best practices. What should you do?

- A. Create a cross-region load balancer with URL Maps.
- B. Create an HTTPS load balancer with URL maps.
- C. Create appropriate instance groups and instance
- D. Configure SSL proxy load balancing.
- E. Create a global forwarding rule
- F. Configure SSL proxy balancing.

Answer: B

Explanation:

Reference <https://cloud.google.com/load-balancing/docs/https/url-map>

NEW QUESTION 200

- (Exam Topic 5)

Your development team has installed a new Linux kernel module on the batch servers in Google Compute Engine (GCE) virtual machines (VMs) to speed up the nightly batch process. Two days after the installation, 50% of web application deployed in the same nightly batch run. You want to collect details on the failure to pass back to the development team. Which three actions should you take? Choose 3 answers

- A. Use Stackdriver Logging to search for the module log entries.
- B. Read the debug GCE Activity log using the API or Cloud Console.
- C. Use gcloud or Cloud Console to connect to the serial console and observe the logs.
- D. Identify whether a live migration event of the failed server occurred, using in the activity log.
- E. Adjust the Google Stackdriver timeline to match the failure time, and observe the batch server metrics.
- F. Export a debug VM into an image, and run the image on a local server where kernel log messages will be displayed on the native screen.

Answer: ACE

Explanation:

<https://www.flexera.com/blog/cloud/2013/12/google-compute-engine-live-migration-passes-the-test/> "With live migration, the virtual machines are moved without any downtime or noticeable service degradation"

NEW QUESTION 201

- (Exam Topic 5)

You are creating a solution to remove backup files older than 90 days from your backup Cloud Storage bucket. You want to optimize ongoing Cloud Storage spend. What should you do?

- A. Write a lifecycle management rule in XML and push it to the bucket with gsutil.
- B. Write a lifecycle management rule in JSON and push it to the bucket with gsutil.
- C. Schedule a cron script using `gsutil ls -lr gs://backups/**` to find and remove items older than 90 days.
- D. Schedule a cron script using `gsutil ls -l gs://backups/**` to find and remove items older than 90 days and schedule it with cron.

Answer: B

Explanation:

<https://cloud.google.com/storage/docs/gsutil/commands/lifecycle>

NEW QUESTION 202

- (Exam Topic 5)

You want to automate the creation of a managed instance group and a startup script to install the OS package dependencies. You want to minimize the startup time for VMs in the instance group. What should you do?

- A. Use Terraform to create the managed instance group and a startup script to install the OS package dependencies.
- B. Create a custom VM image with all OS package dependencies
- C. Use Deployment Manager to create the managed instance group with the VM image.

- D. Use Puppet to create the managed instance group and install the OS package dependencies.
- E. Use Deployment Manager to create the managed instance group and Ansible to install the OS package dependencies.

Answer: B

Explanation:

"Custom images are more deterministic and start more quickly than instances with startup scripts. However, startup scripts are more flexible and let you update the apps and settings in your instances more easily." https://cloud.google.com/compute/docs/instance-templates/create-instance-templates#using_custom_or_public_i

NEW QUESTION 207

- (Exam Topic 5)

You have an application that will run on Compute Engine. You need to design an architecture that takes into account a disaster recovery plan that requires your application to fail over to another region in case of a regional outage. What should you do?

- A. Deploy the application on two Compute Engine instances in the same project but in a different region. Use the first instance to serve traffic, and use the HTTP load balancing service to fail over to the standby instance in case of a disaster.
- B. Deploy the application on a Compute Engine instance.
- C. Use the instance to serve traffic, and use the HTTP load balancing service to fail over to an instance on your premises in case of a disaster.
- D. Deploy the application on two Compute Engine instance groups, each in the same project but in a different region.
- E. Use the first instance group to serve traffic, and use the HTTP load balancing service to fail over to the standby instance group in case of a disaster.
- F. Deploy the application on two Compute Engine instance groups, each in separate project and a different region.
- G. Use the first instance group to serve traffic, and use the HTTP load balancing service to fail over to the standby instance in case of a disaster.

Answer: C

NEW QUESTION 208

- (Exam Topic 5)

You are working at a sports association whose members range in age from 8 to 30. The association collects a large amount of health data, such as sustained injuries. You are storing this data in BigQuery. Current legislation requires you to delete such information upon request of the subject. You want to design a solution that can accommodate such a request. What should you do?

- A. Use a unique identifier for each individual.
- B. Upon a deletion request, delete all rows from BigQuery with this identifier.
- C. When ingesting new data in BigQuery, run the data through the Data Loss Prevention (DLP) API to identify any personal information.
- D. As part of the DLP scan, save the result to Data Catalog.
- E. Upon a deletion request, query Data Catalog to find the column with personal information.
- F. Create a BigQuery view over the table that contains all data.
- G. Upon a deletion request, exclude the rows that affect the subject's data from this view.
- H. Use this view instead of the source table for all analysis tasks.
- I. Use a unique identifier for each individual.
- J. Upon a deletion request, overwrite the column with the unique identifier with a salted SHA256 of its value.

Answer: B

Explanation:

Current legislation requires you to delete "SUCH" information upon request of the subject. " So from that point of view the question is not to delete the entire user records but specific data related to personal health data. With DLP you can use InfoTypes and InfoType detectors to specifically scan for those entries and how to act upon them (link <https://cloud.google.com/dlp/docs/concepts-infotypes>)
<https://cloud.google.com/dlp/#section-6>

NEW QUESTION 212

- (Exam Topic 5)

Your company has a networking team and a development team. The development team runs applications on Compute Engine instances that contain sensitive data. The development team requires administrative permissions for Compute Engine. Your company requires all network resources to be managed by the networking team. The development team does not want the networking team to have access to the sensitive data on the instances. What should you do?

- A. * 1. Create a project with a standalone VPC and assign the Network Admin role to the networking team.* 2. Create a second project with a standalone VPC and assign the Compute Admin role to the development team.* 3. Use Cloud VPN to join the two VPCs.
- B. * 1. Create a project with a standalone Virtual Private Cloud (VPC), assign the Network Admin role to the networking team, and assign the Compute Admin role to the development team.
- C. * 1. Create a project with a Shared VPC and assign the Network Admin role to the networking team.* 2. Create a second project without a VPC, configure it as a Shared VPC service project, and assign the Compute Admin role to the development team.
- D. * 1. Create a project with a standalone VPC and assign the Network Admin role to the networking team.* 2. Create a second project with a standalone VPC and assign the Compute Admin role to the development team.* 3. Use VPC Peering to join the two VPCs.

Answer: C

Explanation:

In this scenario, a large organization has a central team that manages security and networking controls for the entire organization. Developers do not have permissions to make changes to any network or security settings defined by the security and networking team but they are granted permission to create resources such as virtual machines in shared subnets. To facilitate this the organization makes use of a shared VPC (Virtual Private Cloud). A shared VPC allows creation of a VPC network of RFC 1918 IP spaces that associated projects (service projects) can then use. Developers using the associated projects can create VM instances in the shared VPC network spaces. The organization's network and security admins can create subnets, VPNs, and firewall rules usable by all the projects in the VPC network.

https://cloud.google.com/iam/docs/job-functions/networking#single_team_manages_security_network_for_orga

Reference: <https://cloud.google.com/vpc/docs/shared-vpc>

NEW QUESTION 213

- (Exam Topic 5)

You need to develop procedures to verify resilience of disaster recovery for remote recovery using GCP. Your production environment is hosted on-premises. You need to establish a secure, redundant connection between your on-premises network and the GCP network. What should you do?

- A. Verify that Dedicated Interconnect can replicate files to GC
- B. Verify that direct peering can establish a secure connection between your networks if Dedicated Interconnect fails.
- C. Verify that Dedicated Interconnect can replicate files to GC
- D. Verify that Cloud VPN can establish a secure connection between your networks if Dedicated Interconnect fails.
- E. Verify that the Transfer Appliance can replicate files to GC
- F. Verify that direct peering can establish a secure connection between your networks if the Transfer Appliance fails.
- G. Verify that the Transfer Appliance can replicate files to GC
- H. Verify that Cloud VPN can establish a secure connection between your networks if the Transfer Appliance fails.

Answer: B

Explanation:

<https://cloud.google.com/interconnect/docs/how-to/direct-peering>

NEW QUESTION 216

- (Exam Topic 5)

You are implementing a single Cloud SQL MySQL second-generation database that contains business-critical transaction data. You want to ensure that the minimum amount of data is lost in case of catastrophic failure. Which two features should you implement? (Choose two.)

- A. Sharding
- B. Read replicas
- C. Binary logging
- D. Automated backups
- E. Semisynchronous replication

Answer: CD

Explanation:

Backups help you restore lost data to your Cloud SQL instance. Additionally, if an instance is having a problem, you can restore it to a previous state by using the backup to overwrite it. Enable automated backups for any instance that contains necessary data. Backups protect your data from loss or damage.

Enabling automated backups, along with binary logging, is also required for some operations, such as clone and replica creation.

Reference: <https://cloud.google.com/sql/docs/mysql/backup-recovery/backups>

NEW QUESTION 217

- (Exam Topic 5)

You have deployed several instances on Compute Engine. As a security requirement, instances cannot have a public IP address. There is no VPN connection between Google Cloud and your office, and you need to connect via SSH into a specific machine without violating the security requirements. What should you do?

- A. Configure Cloud NAT on the subnet where the instance is hosted
- B. Create an SSH connection to the Cloud NAT IP address to reach the instance.
- C. Add all instances to an unmanaged instance group
- D. Configure TCP Proxy Load Balancing with the instance group as a backend
- E. Connect to the instance using the TCP Proxy IP.
- F. Configure Identity-Aware Proxy (IAP) for the instance and ensure that you have the role of IAP-secured Tunnel Use
- G. Use the gcloud command line tool to ssh into the instance.
- H. Create a bastion host in the network to SSH into the bastion host from your office location
- I. From the bastion host, SSH into the desired instance.

Answer: C

Explanation:

https://cloud.google.com/iap/docs/using-tcp-forwarding#tunneling_with_ssh

Leveraging the BeyondCorp security model. "This January, we enhanced context-aware access capabilities in Cloud Identity-Aware Proxy (IAP) to help you protect SSH and RDP access to your virtual machines (VMs)—without needing to provide your VMs with public IP addresses, and without having to set up bastion hosts."

<https://cloud.google.com/blog/products/identity-security/cloud-iap-enables-context-aware-access-to-vm-s-via-ssh>

Reference: <https://cloud.google.com/solutions/connecting-securely>

NEW QUESTION 218

- (Exam Topic 5)

You are running a cluster on Kubernetes Engine to serve a web application. Users are reporting that a specific part of the application is not responding anymore. You notice that all pods of your deployment keep restarting after 2 seconds. The application writes logs to standard output. You want to inspect the logs to find the cause of the issue. Which approach can you take?

- A. Review the Stackdriver logs for each Compute Engine instance that is serving as a node in the cluster.
- B. Review the Stackdriver logs for the specific Kubernetes Engine container that is serving the unresponsive part of the application.
- C. Connect to the cluster using gcloud credentials and connect to a container in one of the pods to read the logs.
- D. Review the Serial Port logs for each Compute Engine instance that is serving as a node in the cluster.

Answer: B

NEW QUESTION 221

- (Exam Topic 5)

You are deploying an application on App Engine that needs to integrate with an on-premises database. For security purposes, your on-premises database must not be accessible through the public Internet. What should you do?

- A. Deploy your application on App Engine standard environment and use App Engine firewall rules to limit access to the open on-premises database.
- B. Deploy your application on App Engine standard environment and use Cloud VPN to limit access to the on-premises database.
- C. Deploy your application on App Engine flexible environment and use App Engine firewall rules to limit access to the on-premises database.
- D. Deploy your application on App Engine flexible environment and use Cloud VPN to limit access to the on-premises database.

Answer: D

Explanation:

<https://cloud.google.com/appengine/docs/flexible/python/using-third-party-databases>

NEW QUESTION 223

- (Exam Topic 5)

You are configuring the cloud network architecture for a newly created project in Google Cloud that will host applications in Compute Engine. Compute Engine virtual machine instances will be created in two different subnets (sub-a and sub-b) within a single region.

- Instances in sub-a will have public IP addresses
- Instances in sub-b will have only private IP addresses

To download updated packages, instances must connect to a public repository outside the boundaries of Google Cloud. You need to allow sub-b to access the external repository. What should you do?

- A. Enable Private Google Access on sub-b
- B. Configure Cloud NAT and select sub-b in the NAT mapping section
- C. Configure a bastion host instance in sub-a to connect to instances in sub-b
- D. Enable Identity Aware Proxy for TCP forwarding for instances in sub-b

Answer: B

NEW QUESTION 227

- (Exam Topic 5)

You have deployed an application to Kubernetes Engine, and are using the Cloud SQL proxy container to make the Cloud SQL database available to the services running on Kubernetes. You are notified that the application is reporting database connection issues. Your company policies require a post-mortem. What should you do?

- A. Use `gcloud sql instances restart`.
- B. Validate that the Service Account used by the Cloud SQL proxy container still has the Cloud Build Editor role.
- C. In the GCP Console, navigate to Stackdriver Logging
- D. Consult logs for Kubernetes Engine and Cloud SQL.
- E. In the GCP Console, navigate to Cloud SQL
- F. Restore the latest backup
- G. Use `kubectl` to restart all pods.

Answer: C

NEW QUESTION 232

- (Exam Topic 5)

Your organization has a 3-tier web application deployed in the same network on Google Cloud Platform. Each tier (web, API, and database) scales independently of the others. Network traffic should flow through the web to the API tier and then on to the database tier. Traffic should not flow between the web and the database tier. How should you configure the network?

- A. Add each tier to a different subnetwork.
- B. Set up software based firewalls on individual VMs.
- C. Add tags to each tier and set up routes to allow the desired traffic flow.
- D. Add tags to each tier and set up firewall rules to allow the desired traffic flow.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/aws/building-three-tier-architectures-with-security-groups/>

Google Cloud Platform (GCP) enforces firewall rules through rules and tags. GCP rules and tags can be defined once and used across all regions.

References: <https://cloud.google.com/docs/compare/openstack/> <https://aws.amazon.com/it/blogs/aws/building-three-tier-architectures-with-security-groups/>

NEW QUESTION 236

- (Exam Topic 5)

Your company and one of its partners each have a Google Cloud project in separate organizations. Your company's project (prj-a) runs in Virtual Private Cloud (vpc-a). The partner's project (prj-b) runs in vpc-b. There are two instances running on vpc-a and one instance running on vpc-b. Subnets defined in both VPCs are not overlapping. You need to ensure that all instances communicate with each other via internal IPs, minimizing latency and maximizing throughput. What should you do?

- A. Set up a network peering between vpc-a and vpc-b
- B. Set up a VPN between vpc-a and vpc-b using Cloud VPN
- C. Configure IAP TCP forwarding on the instance in vpc-b and then launch the following `gcloud` command from one of the instances in vpc-a:
* 1. Create an additional instance in vpc-a * 2. Create an additional instance in vpc-b * 3. Install OpenVPN in newly created instances * 4. Configure a VPN tunnel between vpc-a and vpc-b with the help of OpenVPN

Answer: C

NEW QUESTION 239

- (Exam Topic 5)

You need to deploy an application on Google Cloud that must run on a Debian Linux environment. The application requires extensive configuration in order to

operate correctly. You want to ensure that you can install Debian distribution updates with minimal manual intervention whenever they become available. What should you do?

- A. Create a Compute Engine instance template using the most recent Debian image
- B. Create an instance from this template, and install and configure the application as part of the startup script
- C. Repeat this process whenever a new Google-managed Debian image becomes available.
- D. Create a Debian-based Compute Engine instance, install and configure the application, and use OS patch management to install available updates.
- E. Create an instance with the latest available Debian image
- F. Connect to the instance via SSH, and install and configure the application on the instance
- G. Repeat this process whenever a new Google-managed Debian image becomes available.
- H. Create a Docker container with Debian as the base image
- I. Install and configure the application as part of the Docker image creation process
- J. Host the container on Google Kubernetes Engine and restart the container whenever a new update is available.

Answer: B

Explanation:

Reference: <https://cloud.google.com/compute/docs/os-patch-management>

NEW QUESTION 243

- (Exam Topic 5)

You have developed a non-critical update to your application that is running in a managed instance group, and have created a new instance template with the update that you want to release. To prevent any possible impact to the application, you don't want to update any running instances. You want any new instances that are created by the managed instance group to contain the new update. What should you do?

- A. Start a new rolling restart operation.
- B. Start a new rolling replace operation.
- C. Start a new rolling update
- D. Select the Proactive update mode.
- E. Start a new rolling update
- F. Select the Opportunistic update mode.

Answer: D

Explanation:

In certain scenarios, an opportunistic update is useful because you don't want to cause instability to the system if it can be avoided. For example, if you have a non-critical update that can be applied as necessary without any urgency and you have a MIG that is actively being autoscaled, perform an opportunistic update so that Compute Engine does not actively tear down your existing instances to apply the update. When resizing down, the autoscaler preferentially terminates instances with the old template as well as instances that are not yet in a RUNNING state.

NEW QUESTION 247

- (Exam Topic 5)

You are developing your microservices application on Google Kubernetes Engine. During testing, you want to validate the behavior of your application in case a specific microservice should suddenly crash. What should you do?

- A. Add a taint to one of the nodes of the Kubernetes cluster
- B. For the specific microservice, configure a pod anti-affinity label that has the name of the tainted node as a value.
- C. Use Istio's fault injection on the particular microservice whose faulty behavior you want to simulate.
- D. Destroy one of the nodes of the Kubernetes cluster to observe the behavior.
- E. Configure Istio's traffic management features to steer the traffic away from a crashing microservice.

Answer: B

Explanation:

Microservice runs on all nodes. The Micro service runs on Pod, Pod runs on Nodes. Nodes is nothing but Virtual machines. Once deployed the application microservices will get deployed across all Nodes. Destroying one node may not mimic the behaviour of microservice crashing as it may be running in other nodes.
link: <https://istio.io/latest/docs/tasks/traffic-management/fault-injection/>

NEW QUESTION 250

- (Exam Topic 5)

You are migrating your on-premises solution to Google Cloud in several phases. You will use Cloud VPN to maintain a connection between your on-premises systems and Google Cloud until the migration is completed.

You want to make sure all your on-premises systems remain reachable during this period. How should you organize your networking in Google Cloud?

- A. Use the same IP range on Google Cloud as you use on-premises
- B. Use the same IP range on Google Cloud as you use on-premises for your primary IP range and use a secondary range that does not overlap with the range you use on-premises
- C. Use an IP range on Google Cloud that does not overlap with the range you use on-premises
- D. Use an IP range on Google Cloud that does not overlap with the range you use on-premises for your primary IP range and use a secondary range with the same IP range as you use on-premises

Answer: C

NEW QUESTION 253

- (Exam Topic 6)

For this question, refer to the Dress4Win case study. You are responsible for the security of data stored in Cloud Storage for your company, Dress4Win. You have already created a set of Google Groups and assigned the appropriate users to those groups. You should use Google best practices and implement the simplest design to meet the requirements.

Considering Dress4Win's business and technical requirements, what should you do?

- A. Assign custom IAM roles to the Google Groups you created in order to enforce security requirements. Encrypt data with a customer-supplied encryption key when storing files in Cloud Storage.
- B. Assign custom IAM roles to the Google Groups you created in order to enforce security requirements. Enable default storage encryption before storing files in Cloud Storage.
- C. Assign predefined IAM roles to the Google Groups you created in order to enforce security requirements. Utilize Google's default encryption at rest when storing files in Cloud Storage.
- D. Assign predefined IAM roles to the Google Groups you created in order to enforce security requirement
- E. Ensure that the default Cloud KMS key is set before storing files in Cloud Storage.

Answer: D

Explanation:

<https://cloud.google.com/iam/docs/understanding-service-accounts>

NEW QUESTION 255

- (Exam Topic 6)

For this question, refer to the Dress4Win case study. You want to ensure that your on-premises architecture meets business requirements before you migrate your solution.

What change in the on-premises architecture should you make?

- A. Replace RabbitMQ with Google Pub/Sub.
- B. Downgrade MySQL to v5.7, which is supported by Cloud SQL for MySQL.
- C. Resize compute resources to match predefined Compute Engine machine types.
- D. Containerize the micro services and host them in Google Kubernetes Engine.

Answer: C

NEW QUESTION 258

- (Exam Topic 7)

For this question, refer to the TerramEarth case study. Considering the technical requirements, how should you reduce the unplanned vehicle downtime in GCP?

- A. Use BigQuery as the data warehouse
- B. Connect all vehicles to the network and stream data into BigQuery using Cloud Pub/Sub and Cloud Dataflow
- C. Use Google Data Studio for analysis and reporting.
- D. Use BigQuery as the data warehouse
- E. Connect all vehicles to the network and upload gzip files to a Multi-Regional Cloud Storage bucket using gcloud
- F. Use Google Data Studio for analysis and reporting.
- G. Use Cloud Dataproc Hive as the data warehouse
- H. Upload gzip files to a MultiRegional Cloud Storage bucket
- I. Upload this data into BigQuery using gcloud
- J. Use Google data Studio for analysis and reporting.
- K. Use Cloud Dataproc Hive as the data warehouse
- L. Directly stream data into partitioned Hive table
- M. Use Pig scripts to analyze data.

Answer: A

NEW QUESTION 263

- (Exam Topic 7)

For this question, refer to the TerramEarth case study. TerramEarth has decided to store data files in Cloud Storage. You need to configure Cloud Storage lifecycle rule to store 1 year of data and minimize file storage cost.

Which two actions should you take?

- A. Create a Cloud Storage lifecycle rule with Age: "30", Storage Class: "Standard", and Action: "Set to Coldline", and create a second GCS life-cycle rule with Age: "365", Storage Class: "Coldline", and Action: "Delete".
- B. Create a Cloud Storage lifecycle rule with Age: "30", Storage Class: "Coldline", and Action: "Set to Nearline", and create a second GCS life-cycle rule with Age: "91", Storage Class: "Coldline", and Action: "Set to Nearline".
- C. Create a Cloud Storage lifecycle rule with Age: "90", Storage Class: "Standard", and Action: "Set to Nearline", and create a second GCS life-cycle rule with Age: "91", Storage Class: "Nearline", and Action: "Set to Coldline".
- D. Create a Cloud Storage lifecycle rule with Age: "30", Storage Class: "Standard", and Action: "Set to Coldline", and create a second GCS life-cycle rule with Age: "365", Storage Class: "Nearline", and Action: "Delete".

Answer: A

NEW QUESTION 264

- (Exam Topic 7)

TerramEarth has about 1 petabyte (PB) of vehicle testing data in a private data center. You want to move the data to Cloud Storage for your machine learning team. Currently, a 1-Gbps interconnect link is available for you. The machine learning team wants to start using the data in a month. What should you do?

- A. Request Transfer Appliances from Google Cloud, export the data to appliances, and return the appliances to Google Cloud.
- B. Configure the Storage Transfer service from Google Cloud to send the data from your data center to Cloud Storage
- C. Make sure there are no other users consuming the 1 Gbps link, and use multi-thread transfer to upload the data to Cloud Storage.
- D. Export files to an encrypted USB device, send the device to Google Cloud, and request an import of the data to Cloud Storage

Answer: A

NEW QUESTION 267

- (Exam Topic 7)

For this question, refer to the TerramEarth case study. To be compliant with European GDPR regulation, TerramEarth is required to delete data generated from its European customers after a period of 36 months when it contains personal data. In the new architecture, this data will be stored in both Cloud Storage and BigQuery. What should you do?

- A. Create a BigQuery table for the European data, and set the table retention period to 36 month
- B. For Cloud Storage, use gsutil to enable lifecycle management using a DELETE action with an Age condition of 36 months.
- C. Create a BigQuery table for the European data, and set the table retention period to 36 month
- D. For Cloud Storage, use gsutil to create a SetStorageClass to NONE action when with an Age condition of 36 months.
- E. Create a BigQuery time-partitioned table for the European data, and set the partition expiration period to 36 month
- F. For Cloud Storage, use gsutil to enable lifecycle management using a DELETE action with an Age condition of 36 months.
- G. Create a BigQuery time-partitioned table for the European data, and set the partition period to 36 month
- H. For Cloud Storage, use gsutil to create a SetStorageClass to NONE action with an Age condition of 36 months.

Answer: C

Explanation:

<https://cloud.google.com/bigquery/docs/managing-partitioned-tables#partition-expiration> <https://cloud.google.com/storage/docs/lifecycle>

NEW QUESTION 272

- (Exam Topic 8)

For this question, refer to the Mountkirk Games case study. You are in charge of the new Game Backend Platform architecture. The game communicates with the backend over a REST API.

You want to follow Google-recommended practices. How should you design the backend?

- A. Create an instance template for the backen
- B. For every region, deploy it on a multi-zone managed instance grou
- C. Use an L4 load balancer.
- D. Create an instance template for the backen
- E. For every region, deploy it on a single-zone managed instance grou
- F. Use an L4 load balancer.
- G. Create an instance template for the backen
- H. For every region, deploy it on a multi-zone managed instance grou
- I. Use an L7 load balancer.
- J. Create an instance template for the backen
- K. For every region, deploy it on a single-zone managed instance grou
- L. Use an L7 load balancer.

Answer: C

Explanation:

https://cloud.google.com/solutions/gaming/cloud-game-infrastructure#dedicated_game_server

NEW QUESTION 275

- (Exam Topic 8)

For this question, refer to the Mountkirk Games case study. Mountkirk Games wants you to design a way to test the analytics platform's resilience to changes in mobile network latency. What should you do?

- A. Deploy failure injection software to the game analytics platform that can inject additional latency to mobile client analytics traffic.
- B. Build a test client that can be run from a mobile phone emulator on a Compute Engine virtual machine, and run multiple copies in Google Cloud Platform regions all over the world to generate realistic traffic.
- C. Add the ability to introduce a random amount of delay before beginning to process analytics files uploaded from mobile devices.
- D. Create an opt-in beta of the game that runs on players' mobile devices and collects response times from analytics endpoints running in Google Cloud Platform regions all over the world.

Answer: D

NEW QUESTION 278

- (Exam Topic 8)

For this question, refer to the Mountkirk Games case study. You need to analyze and define the technical architecture for the database workloads for your company, Mountkirk Games. Considering the business and technical requirements, what should you do?

- A. Use Cloud SQL for time series data, and use Cloud Bigtable for historical data queries.
- B. Use Cloud SQL to replace MySQL, and use Cloud Spanner for historical data queries.
- C. Use Cloud Bigtable to replace MySQL, and use BigQuery for historical data queries.
- D. Use Cloud Bigtable for time series data, use Cloud Spanner for transactional data, and use BigQuery for historical data queries.

Answer: D

Explanation:

<https://cloud.google.com/bigtable/docs/schema-design-time-series>

NEW QUESTION 280

- (Exam Topic 8)

For this question, refer to the Mountkirk Games case study. You need to analyze and define the technical architecture for the compute workloads for your company, Mountkirk Games. Considering the Mountkirk Games business and technical requirements, what should you do?

- A. Create network load balancer
- B. Use preemptible Compute Engine instances.
- C. Create network load balancer

- D. Use non-preemptible Compute Engine instances.
- E. Create a global load balancer with managed instance groups and autoscaling policie
- F. Use preemptible Compute Engine instances.
- G. Create a global load balancer with managed instance groups and autoscaling policie
- H. Use non-preemptible Compute Engine instances.

Answer: D

NEW QUESTION 282

- (Exam Topic 8)

Your development team has created a mobile game app. You want to test the new mobile app on Android and iOS devices with a variety of configurations. You need to ensure that testing is efficient and cost-effective.

What should you do?

- A. Upload your mobile app to the Firebase Test Lab, and test the mobile app on Android and iOS devices.
- B. Create Android and iOS VMs on Google Cloud, install the mobile app on the VMs, and test the mobile app.
- C. Create Android and iOS containers on Google Kubernetes Engine (GKE), install the mobile app on the containers, and test the mobile app.
- D. Upload your mobile app with different configurations to Firebase Hosting and test each configuration.

Answer: C

NEW QUESTION 284

- (Exam Topic 8)

Your development teams release new versions of games running on Google Kubernetes Engine (GKE) daily. You want to create service level indicators (SLIs) to evaluate the quality of the new versions from the user's perspective. What should you do?

- A. Create CPU Utilization and Request Latency as service level indicators.
- B. Create GKE CPU Utilization and Memory Utilization as service level indicators.
- C. Create Request Latency and Error Rate as service level indicators.
- D. Create Server Uptime and Error Rate as service level indicators.

Answer: C

NEW QUESTION 287

- (Exam Topic 8)

You are implementing Firestore for Mountkirk Games. Mountkirk Games wants to give a new game programmatic access to a legacy game's Firestore database. Access should be as restricted as possible. What should you do?

- A. Create a service account (SA) in the legacy game's Google Cloud project, add this SA in the new game's IAM page, and then give it the Firebase Admin role in both projects
- B. Create a service account (SA) in the legacy game's Google Cloud project, add a second SA in the new game's IAM page, and then give the Organization Admin role to both SAs
- C. Create a service account (SA) in the legacy game's Google Cloud project, give it the Firebase Admin role, and then migrate the new game to the legacy game's project.
- D. Create a service account (SA) in the legacy game's Google Cloud project, give the SA the Organization Admin rule and then give it the Firebase Admin role in both projects

Answer: B

NEW QUESTION 289

- (Exam Topic 8)

You need to optimize batch file transfers into Cloud Storage for Mountkirk Games' new Google Cloud solution.

The batch files contain game statistics that need to be staged in Cloud Storage and be processed by an extract transform load (ETL) tool. What should you do?

- A. Use gsutil to batch move files in sequence.
- B. Use gsutil to batch copy the files in parallel.
- C. Use gsutil to extract the files as the first part of ETL.
- D. Use gsutil to load the files as the last part of ETL.

Answer: B

Explanation:

Reference: <https://cloud.google.com/storage/docs/gsutil/commands/cp>

NEW QUESTION 292

- (Exam Topic 9)

For this question, refer to the Helicopter Racing League (HRL) case study. The HRL development team releases a new version of their predictive capability application every Tuesday evening at 3 a.m. UTC to a repository. The security team at HRL has developed an in-house penetration test Cloud Function called Airwolf.

The security team wants to run Airwolf against the predictive capability application as soon as it is released every Tuesday. You need to set up Airwolf to run at the recurring weekly cadence. What should you do?

- A. Set up Cloud Tasks and a Cloud Storage bucket that triggers a Cloud Function.
- B. Set up a Cloud Logging sink and a Cloud Storage bucket that triggers a Cloud Function.
- C. Configure the deployment job to notify a Pub/Sub queue that triggers a Cloud Function.
- D. Set up Identity and Access Management (IAM) and Confidential Computing to trigger a Cloud Function.

Answer: A

NEW QUESTION 295

- (Exam Topic 9)

For this question, refer to the Helicopter Racing League (HRL) case study. HRL wants better prediction accuracy from their ML prediction models. They want you to use Google's AI Platform so HRL can understand and interpret the predictions. What should you do?

- A. Use Explainable AI.
- B. Use Vision AI.
- C. Use Google Cloud's operations suite.
- D. Use Jupyter Notebooks.

Answer: A

Explanation:

Reference: <https://cloud.google.com/ai-platform/prediction/docs/aiExplanation:s/preparing-metadata>

NEW QUESTION 298

- (Exam Topic 9)

For this question, refer to the Helicopter Racing League (HRL) case study. Your team is in charge of creating a payment card data vault for card numbers used to bill tens of thousands of viewers, merchandise consumers, and season ticket holders. You need to implement a custom card tokenization service that meets the following requirements:

- It must provide low latency at minimal cost.
- It must be able to identify duplicate credit cards and must not store plaintext card numbers.
- It should support annual key rotation.

Which storage approach should you adopt for your tokenization service?

- A. Store the card data in Secret Manager after running a query to identify duplicates.
- B. Encrypt the card data with a deterministic algorithm stored in Firestore using Datastore mode.
- C. Encrypt the card data with a deterministic algorithm and shard it across multiple Memorystore instances.
- D. Use column-level encryption to store the data in Cloud SQL.

Answer: B

NEW QUESTION 303

- (Exam Topic 10)

For this question, refer to the EHR Healthcare case study. You are responsible for ensuring that EHR's use of Google Cloud will pass an upcoming privacy compliance audit. What should you do? (Choose two.)

- A. Verify EHR's product usage against the list of compliant products on the Google Cloud compliance page.
- B. Advise EHR to execute a Business Associate Agreement (BAA) with Google Cloud.
- C. Use Firebase Authentication for EHR's user facing applications.
- D. Implement Prometheus to detect and prevent security breaches on EHR's web-based applications.
- E. Use GKE private clusters for all Kubernetes workloads.

Answer: AB

Explanation:

<https://cloud.google.com/security/compliance/hipaa>

NEW QUESTION 307

- (Exam Topic 10)

For this question, refer to the EHR Healthcare case study. EHR has single Dedicated Interconnect connection between their primary data center and Googles network. This connection satisfies EHR's network and security policies:

- On-premises servers without public IP addresses need to connect to cloud resources without public IP addresses
- Traffic flows from production network mgmt. servers to Compute Engine virtual machines should never traverse the public internet.

You need to upgrade the EHR connection to comply with their requirements. The new connection design must support business critical needs and meet the same network and security policy requirements. What should you do?

- A. Add a new Dedicated Interconnect connection
- B. Upgrade the bandwidth on the Dedicated Interconnect connection to 100 G
- C. Add three new Cloud VPN connections
- D. Add a new Carrier Peering connection

Answer: A

Explanation:

The case does not call out the throughput being an issue. However, to achieve 99.99%, you need to have 4 connections as per Google recommendations. However, in the options only A has the option to add an additional Interconnect connection.

<https://cloud.google.com/network-connectivity/docs/interconnect/concepts/dedicated-overview#availability>

NEW QUESTION 308

- (Exam Topic 10)

For this question, refer to the EHR Healthcare case study. You need to define the technical architecture for securely deploying workloads to Google Cloud. You also need to ensure that only verified containers are deployed using Google Cloud services. What should you do? (Choose two.)

- A. Enable Binary Authorization on GKE, and sign containers as part of a CI/CD pipeline.
- B. Configure Jenkins to utilize Kritis to cryptographically sign a container as part of a CI/CD pipeline.
- C. Configure Container Registry to only allow trusted service accounts to create and deploy containers from the registry.
- D. Configure Container Registry to use vulnerability scanning to confirm that there are no vulnerabilities before deploying the workload.

Answer: A

Explanation:

Binary Authorization to ensure only verified containers are deployed To ensure deployment are secure and and consistent, automatically scan images for vulnerabilities with container analysis (https://cloud.google.com/docs/ci-cd/overview?hl=en&skip_cache=true)

NEW QUESTION 310

- (Exam Topic 10)

You need to upgrade the EHR connection to comply with their requirements. The new connection design must support business-critical needs and meet the same network and security policy requirements. What should you do?

- A. Add a new Dedicated Interconnect connection.
- B. Upgrade the bandwidth on the Dedicated Interconnect connection to 100 G.
- C. Add three new Cloud VPN connections.
- D. Add a new Carrier Peering connection.

Answer: D

NEW QUESTION 311

- (Exam Topic 10)

For this question, refer to the EHR Healthcare case study. You need to define the technical architecture for hybrid connectivity between EHR's on-premises systems and Google Cloud. You want to follow Google's recommended practices for production-level applications. Considering the EHR Healthcare business and technical requirements, what should you do?

- A. Configure two Partner Interconnect connections in one metro (City), and make sure the Interconnect connections are placed in different metro zones.
- B. Configure two VPN connections from on-premises to Google Cloud, and make sure the VPN devices on-premises are in separate racks.
- C. Configure Direct Peering between EHR Healthcare and Google Cloud, and make sure you are peering at least two Google locations.
- D. Configure two Dedicated Interconnect connections in one metro (City) and two connections in another metro, and make sure the Interconnect connections are placed in different metro zones.

Answer: D

Explanation:

based on the requirement of secure and high-performance connection between on-premises systems to Google Cloud
<https://cloud.google.com/network-connectivity/docs/interconnect/tutorials/partner-creating-9999-availability>

NEW QUESTION 316

.....

Relate Links

100% Pass Your Professional-Cloud-Architect Exam with Exambible Prep Materials

<https://www.exambible.com/Professional-Cloud-Architect-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>