

Microsoft

Exam Questions PL-100

Microsoft Power Platform App Maker



NEW QUESTION 1

- (Topic 4)

You design a canvas app for users to search thousands of records. You select a data source that supports delegation to optimize performance. You need to create the app so that it takes advantage of the delegable functionality of the data source. What should you do?

- A. Run multiple processes simultaneously.
- B. Use the query functions the data source provides.
- C. Use the data returned from the data source in multiple languages.
- D. Connect to the same data source as different users at run time.

Answer: B

NEW QUESTION 2

DRAG DROP - (Topic 4)

You create multiple apps as part of an unmanaged solution. You need to move the apps to another environment.

You need to pick the appropriate solution type for each requirement.

Which types of solutions should you create? To answer, drag the appropriate solution types to the correct requirements. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Requirement	Solution type
Edit existing components of the solution.	Unmanaged
Add new components to the solution.	Unmanaged
Export the solution.	Managed

Box 1: Unmanaged

Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution.

Box 2: Unmanaged

Box 3: Managed

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

NEW QUESTION 3

- (Topic 4)

You are an app designer for a hotel.

The hotel wants to create an app to help the housekeeping staff schedule work. You need to create a new environment for the app.

Where should you create the environment?

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. Dynamics 365 Admin center

Answer: A

Explanation:

Manage environment in the Power Platform admin center. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/create-environment>

NEW QUESTION 4

- (Topic 4)

You create a canvas app within a Power Platform environment.

You need to identify potential accessibility issues for the canvas app before making the app available to other users.

Which tool should you use?

- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: B

Explanation:

Find accessibility issues

* 1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.



* 2. In the menu that appears, select Accessibility.
A list of issues appears, sorted first by severity and then by screen.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 5

DRAG DROP - (Topic 4)
You create an app with multiple screens.
Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.
You need to create a reusable gallery that displays information based on the current record.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.
NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Add a gallery control.

Add an input property.

Create a component.

Add a screen.

Create a form.

Add an output property.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
- Create a component
- Add an input property
- Add a gallery control
From <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component> step 10 and 11

NEW QUESTION 6

- (Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.
Development and testing must be performed using production data. Multiple testers must be used at each testing stage.
You need to provision and configure new environments for development and testing. Solution:
? Provision production environments named P1 and P2.
? Copy the current production environment to P1 and P2.
? Use P1 for development and P2 for testing.
Does the solution meet the goal?

A. Yes
B. No

Answer: B

Explanation:
Production: This is intended to be used for permanent work in an organization. Don't use production environment for development and testing.
Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 7

DRAG DROP - (Topic 4)
You are an app and report maker. You provide visualizations for two departments in an organization.
Each department requires department-specific visualizations:

Department	Requirement
Department1	Provide unstructured answers to free text survey questions.
Department2	Chart real-time data in columns that groups complaints by category, urgency, and status.

You need to create the visualizations.
Which chart type should you use? To answer, drag the appropriate chart type to the correct requirements. Each chart type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Chart types	Requirement	Chart type
Multi-series	Unstructured answers to free text survey questions.	
Tag		
Stacked column	Real-time column chart that groups complaints by category, urgency, and status.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Tag
Box 2: Multi-series
Multi-series charts: Charts that display data with multiple series values mapped to a single category value.

NEW QUESTION 8

DRAG DROP - (Topic 4)
You are creating a canvas app that reads and writes to a data source.
You need to configure the app to perform create and update data operations.
Which functions should you use? To answer, drag the appropriate functions to the correct data operations. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE; Each correct selection is worth one point.

Functions	Answer Area
Patch	
Update	
AddColumns	

Data operation	Function
Replace an entire record.	
Update specific columns.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Functions	Answer Area
Patch	
Update	
AddColumns	

Data operation	Function
Replace an entire record.	Patch
Update specific columns.	AddColumns

NEW QUESTION 9

- (Topic 4)
You create a dashboard in Power BI. You share the dashboard with the sales team. Sales team members report that they can see information for the entire company. You need to ensure that the team is able to see only data for their team.
Where must you configure this restriction?

- A. Dashboard
- B. Report
- C. Dataset
- D. Settings

Answer: C

Explanation:

Restrict access to the dataset.
Note: Another way of setting access is through manage permission in the dashboard, report, or dataset. If you share a dashboard, by default the report and the dataset will also be shared as read-only for users.
Reference:
<https://radacad.com/dashboard-sharing-and-manage-permissions-in-power-bi-simple-but- useful>

NEW QUESTION 10

- (Topic 4)

A company uses Power Apps in a single Microsoft Dataverse environment.

Users are divided into two groups about not a canvas app should work. The company decides that each group of users will try a version of the app for one week and switch to the other version of the app the following week.

You need to manage the app creation. What should you do?

- A. Create one app with two different version numbers.
- B. Create one app with two different version notes.
- C. Create two apps with the same name.
- D. Create two apps with different app names.

Answer: A

NEW QUESTION 10

- (Topic 4)

Each maker at a company has a separate Common Data Service environment. You are customizing a canvas app. You create two new entities in your environment.

You are leaving for a vacation. Another maker will continue customizing the app in your absence.

You need to transfer the work to the other maker and ensure that you can work on the updated app when you return from your vacation.

What should you export?

- A. unmanaged solution that includes all customizations
- B. the default solution
- C. a managed solution that includes all customizations
- D. the app

Answer: A

Explanation:

Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs->

NEW QUESTION 12

DRAG DROP - (Topic 4)

You create a canvas app for a store.

The logo must appear as the background image for the app. A loading spinner must display on the screen as the app loads.

You need to add the features to the app.

What should you modify? To answer, drag the appropriate form areas to the correct requests. Each form area may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Screen areas	Feature request	Screen area
<div>Form</div>	Add logo.	<div></div>
<div>Gallery</div>		
<div>Screen</div>	Add loading spinner.	<div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Screen

You can add an image to a screen in several different ways. One way is to upload an image to the app, go to the Media tab, and then click on the image to add it to a screen.

Note: Configure graphical elements in your app, including images, photos, and elements of a pen control.

BackgroundImage – The name of an image file that appears in the background of a screen. Applies to the Screen control.

Box 2: Screen

Out Of Box Canvas App, provide a property called LoadingSpinner and LoadingSpinnerColor.

LoadingSpinner property is used to displaying a Canvas App OOB Loader Image unless your screen finishes loading.

Click on the Screen in your Canvas App and then You'll be able to see LoadingSpinner and LoadingSpinnerColor Property.

NEW QUESTION 15

- (Topic 4)

You create a model-driven app for salespeople.

Users must interact with a business process flow that invokes multiple tables. You need to instruct users where to find the business process flow, which component should you use?

- A. form
- B. command bar

- C. dashboard
- D. site map

Answer: D

NEW QUESTION 17

HOTSPOT - (Topic 4)

A company uses a model-driven app. You create a Power BI sales report. The executive of the company wants all users to see tiles from the report in the model- driven app. You need to ensure all users can see the tiles. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Step	Setting
Allow addition of Power BI visualization tiles.	<div><div></div><div>▼</div><div>Power Platform Environment settings</div><div>Power Apps settings</div><div>Power BI Service settings</div><div>Power BI Desktop settings</div></div>
Add tiles to a dashboard.	<div><div></div><div>▼</div><div>Create a personal dashboard</div><div>Create a Power BI dashboard.</div><div>Create a system dashboard.</div></div>
Allow users to view tiles.	<div><div></div><div>▼</div><div>Share tile and share dashboard.</div><div>Share report and share dashboard.</div><div>Share tile and publish dashboard.</div><div>Share report and publish dashboard.</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power Platform Environment settings
Before users can embed Power BI visualizations on personal dashboards, the organization-wide setting must be enabled.
? In the Power Platform admin center, select an environment.
? Select Settings > Product > Features.
? Under Embedded content set Power BI visualization embedding to On to enable or Off to disable.
? Select Save.

Box 2: Create a personal dashboard
You can embed Power BI tiles on your personal dashboard.
? Open your app and go to Dashboards.
? Select an existing personal dashboard or select New to create one.
? On the dashboard, select an area where you want the tile to appear, and then select Power BI Tile on the toolbar.
? Add new Power BI tile.
? In the Power BI Tile dialog, select the workspace and then select the Power BI tile that you want to display on your dashboard. Select Enable for mobile if you want to make the tile available for Dynamics 365 for tablets and Dynamics 365 for phones.
? Select another area of the dashboard and repeat this step to add another Power BI tile, or other component, such as a chart or list, to your dashboard.
? Select Save to save your dashboard.

Box 3: Share report and share dashboard.
To share your personal dashboard that contains Power BI visualizations you must same credentials and appropriate level of access in both services. To share your personal dashboard in your app, go to Dashboards. In the list of dashboards, select the personal dashboard you want, and then select SHARE DASHBOARD.

NEW QUESTION 20

DRAG DROP - (Topic 4)

DRAG DROP

A company is creating Power Apps apps for their customer service team. You must create a final released solution to export to their test environment that cannot be changed in the new environment. You need to determine the types of solutions to use. Which type of solution should you use? To answer, drag the appropriate solution types to the correct conditions. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Solution type	Condition	Solution type
Managed	Assign a publisher for the first time	Solution type
Unmanaged	Export the solution	Solution type

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Unmanaged
Unmanaged solutions are used in development environments while you make changes to your application.
Box 2: Managed
Managed solutions are used to deploy to any environment that isn't a development environment for that solution.

NEW QUESTION 24

- (Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.
Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.
You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Category classification model.
Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

A Category classification model categorizes text by its meaning. Reference:
<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>

NEW QUESTION 28

DRAG DROP - (Topic 4)
DRAG DROP
A commercial bakery uses an inventory system to track ingredients consumed in their production line. The workers use iPads to interact with the system and reserve the ingredients for the next batch. Data from the system is extracted as a .csv file.
You need to create a Power BI report from the extracted data by using only an iPad. Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select manual data.	
Log into the Power BI service.	
Install Power BI Desktop and log in.	
Select Create.	
Select Use first row as headers.	
Paste the data.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Select manual data.	Log into the Power BI service.
Log into the Power BI service.	Install Power BI Desktop and log in.
Install Power BI Desktop and log in.	Select Create.
Select Create.	Select Use first row as headers.
Select Use first row as headers.	Paste the data.
Paste the data.	

NEW QUESTION 31

DRAG DROP - (Topic 4)
A company is building multiple Power Apps apps to support a mobile sales team. The apps must all share a common control that has custom properties.
You need to create a solution for the apps.
Which objects should you use? To answer, drag the appropriate objects to the correct to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Objects	Requirement	Object
Entity	Reuse the custom control for multiple canvas apps.	
Component		
Component library	Receive input data through a custom property.	
Component framework		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Component library
Components are reusable building blocks for canvas apps so that app makers can create custom controls to use inside an app, or across apps using a component library. Components can use advanced features such as custom properties and enable complex capabilities.
By creating a component library, app makers easily share and update one or more components with other makers.
Component libraries are containers of component definitions that make it easy to: Discover and search components.
Publish updates.
Notify app makers of available component updates.
Box 2: Component
A component can receive input values and emit data if you create one or more custom properties.

NEW QUESTION 34

- (Topic 3)
You need to resolve the instructor's issue and ensure that the same issue does not occur again. What should you use?

- A. Gallery
- B. Combo box
- C. Custom component
- D. Choices

Answer: D

NEW QUESTION 35

DRAG DROP - (Topic 3)
You need to select a design approach for the required features.
Which app type should you use? To answer, drag the appropriate app types to the correct requirements. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

App types	Requirement	App type
Microsoft Power Platform portal page	Record student attendance start and end times.	
Power Apps canvas app	Ensure that instructors can upload menus.	
Power Virtual Agents chatbot		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

App types	Requirement	App type
Microsoft Power Platform portal page	Record student attendance start and end times.	Microsoft Power Platform portal page
Power Apps canvas app	Ensure that instructors can upload menus.	Power Apps canvas app
Power Virtual Agents chatbot		

NEW QUESTION 36

- (Topic 3)
You need to implement reporting to support the college marketing efforts. Which type of dashboard should you use?

- A. Power BI
- B. Interactive
- C. Model-driven

Answer: A

NEW QUESTION 40

- (Topic 2)

You need to create a flow for moving data from the Sales Log to the Job Setup entity. Which type of flow should you use?

- A. a scheduled flow for the Job Setup entity
- B. an instant (button) flow for the Sales Log
- C. a business process flow for the Job Setup entity
- D. an automated flow for the Sales Log

Answer: A

Explanation:

Scenario: Automatically perform the following actions immediately when a sale is won:

? Generate a sequential job number.

? Copy key sales information to the Job Setup entity used by manufacturing.

NEW QUESTION 44

- (Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.

A component library provides a centralized and managed repository of components for reusability.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 49

- (Topic 2)

You need to connect to the data source for the Job Setup app. What should you do?

- A. Configure a scheduled synchronization with the Common Data Service database
- B. Configure SQL Server database permissions
- C. Create a stored procedure that retrieves time records for a specific employee
- D. Configure an on-premises data gateway

Answer: D

Explanation:

Scenario: The Job Setup entity must store its data in the existing on-premises SQL Server instance.

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, Power Apps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/gateway-reference>

NEW QUESTION 53

- (Topic 2)

You need to implement the change requested by the operations manager. Which control should you use?

BF70D5D

- A. Camera
- B. Shape
- C. Add picture
- D. Image

Answer: D

Explanation:

Scenario: The operations manager asks that the time tracking app display the employee's photo once they have scanned their badge.

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION 55

HOTSPOT - (Topic 2)

You need to meet the requirement for the time tracking app.

Which controls should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Solution
Automatically record the duration of work when a job number is read.	<div><div></div><div>Card</div><div>Rating</div><div>Slider</div><div>Timer</div></div>
Read the employee’s number into the app.	<div><div></div><div>Barcode-scanner</div><div>Card</div><div>Image</div><div>Shape</div></div>
Display a photo of an employee when the employee badge is read.	<div><div></div><div>Camera</div><div>Card</div><div>Icon</div><div>Image</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Timer

A Timer control in Power Apps is a control that can determine how your app responds after a certain amount of time passes.

Box 2: Barcode scanner

The Barcode scanner control for canvas apps scans barcodes, QR codes, and data-matrix codes on an Android or iOS device.

Box 3: Image

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.

NEW QUESTION 60

- (Topic 2)

You need to modify the entity form to resolve the customer request number issue. What should you do?

- A. Use a calculated field
- B. Change the data type of the customer request number field to Lookup
- C. Change the data type of the customer request number field to Autonumber

Answer: C

Explanation:

Scenario: Users report that the customer request number is difficult to interpret. They request that you change the number to a system generated sequential number. Autonumber columns are columns that automatically generate alphanumeric strings whenever they are created.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/autonumber-fields>

NEW QUESTION 65

- (Topic 1)

You need to resolve the issue for User1.

What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Option
Submit a status report.	<div><div></div><div>Dynamics 365 mobile app</div><div>Power Apps Studio</div><div>Power Apps mobile app</div><div>Azure mobile app</div></div>
Edit an existing status report.	<div><div></div><div>Azure SQL Database</div><div>Connector</div><div>SQL Lite DB</div><div>Collections</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
 Box 1: Power Apps mobile app Scenario:
 User1 often works in a warehouse that does not have internet connectivity. User1 needs to edit an existing status report and submit a new status report.
 The app must be able to run both online and offline. If the mobile device on which the app runs is connected to the internet, the app must immediately submit the status report.
 You can build offline capabilities in your PowerApps app so your app users can access some data or save some data even when they don't have an internet connection.
 Box 2: Connector
 Scenario: Azure SQL Database is used to store other data
 Use the SQL Server connector to connect to SQL Server, in either Azure or an on- premises database, so that you can manage your data with create, read, update, and delete operations.

NEW QUESTION 66

HOTSPOT - (Topic 1)
 You need to roll back the mobile app to an earlier version.

Requirement	Action
Identify the currently published version and view version notes.	<div>▼</div> <div>View the session details page for the app in Power Apps Studio.</div> <div>View environment details for the app in the Power Admin portal.</div> <div>View details for the app in the Power Apps Maker portal.</div>
Revert to an earlier version of the app.	<div>▼</div> <div>Select Restore on the previous version of the app.</div> <div>Export the previous version of the app and import as a new version.</div> <div>Delete versions of the app until the desired version is the most recent.</div>

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Action
Identify the currently published version and view version notes.	<div>▼</div> <div>View the session details page for the app in Power Apps Studio.</div> <div>View environment details for the app in the Power Admin portal.</div> <div>View details for the app in the Power Apps Maker portal.</div>
Revert to an earlier version of the app.	<div>▼</div> <div>Select Restore on the previous version of the app.</div> <div>Export the previous version of the app and import as a new version.</div> <div>Delete versions of the app until the desired version is the most recent.</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: View the sessions details page for the app in Power Apps Studio
 Use PowerApps Studio, select the App, and choose and you will be directed to the app's Versions tab in PowerApps portal. There should be one version marked Live.

Details • Share • Versions • Settings					
PowerApps keeps a version history of your apps.					
VERSION	MODIFIED	MODIFIED BY	POWERAPPS RELEASE ?	PUBLISHED	COMMENT
1	6/7/2017 9:01:43 AM	Karthik Bharathy	2.0.659	Live	

Box 2: Select Restore on the previous version of the app. Restore an app from your account
 ? Open powerapps.com, and then click or tap Apps in the left navigation bar.
 ? Near the right edge, click or tap the info icon for the app that you want to restore.
 ? Click or tap the Versions tab, and then click or tap Restore for the version that you want to restore.

Details • Share • Versions • Settings • Analytics (preview)					
PowerApps keeps a version history of your apps.					
VERSION	MODIFIED	MODIFIED BY	POWERAPPS RELEASE ?	PUBLISHED	COMMENT
2	8/20/2018 2:24:29 PM	Firstname Lastname	3.18081.19	Live	<div>⌵ Restore</div> <div>🗑 Delete</div>
1	7/9/2018 10:55:48 AM	Firstname LastName	3.18071.36		<div>⌵ Restore</div> <div>🗑 Delete</div>

NEW QUESTION 68

- (Topic 1)
 You need to meet the requirements for sales representative that submit status reports. How should you configure the flow?

- A. Add a parallel branch that uses the value of a dynamic content variable

- B. Add a number functions action that evaluates the risk value by using a static variable to determine if an email is required
- C. Add a condition that evaluates the risk value by using a dynamic content variable
- D. Add a data operation action that evaluates a dynamic content variable

Answer: C

Explanation:

Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received. Include a dashboard that shows all currently active quotes, their status in the sales cycle, the probability of closing, and estimated manufacturing and installation dates, by customer, product division, status, and salesperson.

NEW QUESTION 70

DRAG DROP - (Topic 1)

You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements. Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

Tools

Solution Checker

App Checker

Object Detector

Preview the app

Answer Area

Requirement	Tool
Accessibility	<div>Tool</div>
Deployment	<div>Tool</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: App Checker
Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse. Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio.
Box 2: Solution Checker
Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines. Use solution checker to validate your model-driven apps in Power Apps.

NEW QUESTION 71

HOTSPOT - (Topic 1)

You need to create a flow for sending required emails to the regional manager. How should you create the flow? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Option

Type

Flow type to use

Instant

Automated

Business Process

Scheduled

Trigger to start flow

HTTP Webhook

Power Apps

Common Data Service when a record is created

Office 365 Outlook Send an email

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated
Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

- ? When a row is created, updated, or deleted
- ? When an action is performed
- ? When a flow step is run from a business process flow

NEW QUESTION 74

- (Topic 4)

An automobile company uses Power Apps. The company uses a model-driven app to manage customers and repairs.

The Customer table has a custom column of type text named Best time to call. On the Repair form, employees require the Best time to call column to be displayed next to the customer name.

You need to modify the model-driven app to display the Best time to call column.

Which two steps should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add The Best time to call column to the quick view Repair form.
- B. Create a quick view form for the Repair table.
- C. Create a quick view form for the Customer table.

Answer: CD

NEW QUESTION 77

HOTSPOT - (Topic 4)

You are creating a Power Automate flow.

You have an array that contains items with different color attributes. You plan to filter the array by using the following filter expression within the flow: @or(equals(item()['color'], 'red'),contains(item()['color'],'blue')) The filter returns results only when the expression resolves to true.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The filter expression yields a result if the array contains the color orange	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color red	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color sky blue	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

The item color must be red, or item color contains blue. Box 3: Yes

NEW QUESTION 79

- (Topic 4)

A company is consolidating communications processes by using Microsoft Teams and Microsoft Power Platform technologies.

A Power Automate flow monitors social media channels to identify high-impact trends. When the Power Automate flow identifies the trends, consistently formatted and standardized feedback must be collected from the channel members within Teams.

You need to streamline the Power Automate and Teams communication process.

What should you use?

- A. AI Builder
- B. Common Data Service business process flows
- C. Adaptive cards
- D. Integrated approval flows

Answer: A

Explanation:

"Microsoft Power Platform and AI Builder components allowed us to quickly deliver an innovative and well-integrated solution within our Dynamics 365 platform for our marketing and sales business partners. The platform is a game-changer in this new world of rapid app delivery."

Jim Parker: Web and Collaboration Services Manager

Reference:

<https://customers.microsoft.com/en-au/story/810656-hexion-manufacturing-power-platform>

NEW QUESTION 80

- (Topic 4)

You need to set the value for a global variable named RunningTotal to 5 and navigate to the previous screen named MainScreen. Which formula should you use?

- A. UpdateContext({ RunningTotal: 5 }); Navigate(MainScreen, ScreenTransition.Cover, RunningTotal);
- B. If(Value(TextBox1.Text) >= 0, (Set(RunningTotal, 5); Back();), Color.Green)
- C. UpdateContext({ RunningTotal:5 }); Back()
- D. Set(RunningTotal, 5); Back();

Answer: D

Explanation:

You set the value of the global variable with the Set function. Set(MyVar, 1) sets the global variable MyVar to a value of 1. Use the Back and Navigate function to change which screen is displayed. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-variables>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function- navigate>

NEW QUESTION 85

- (Topic 4)

A company uses Power Apps. The company creates a solution that contains the following items:

- environment setting
- flow that accesses Microsoft Dataverse
- plug-in with an unsecure configuration
- environment variable with a default value

The company plans to import solutions manually.

You need to document the solution component type that prompts for user input. Which component type should you document?

- A. Environment variable
- B. Environment setting
- C. Connection reference

Answer: D

NEW QUESTION 86

- (Topic 4)

A company uses Microsoft Power Platform. You create a solution with components You deploy the solution in the production environment Users report issues with a process. You open the last imported solution. You need to troubleshoot the issue. What should you view?

- A. Solution dependencies
- B. Solution classic view
- C. History

Answer: D

NEW QUESTION 91

HOTSPOT - (Topic 4)

A coworker creates a canvas app.

The canvas app contains the following formula. The formula is attached to the OnVisible property of the first screen that users see:

```
Collect (
Toolbox,
{
    Tool: "Hammer",
    Quantity: 1
},
{
    Tool: "Screwdriver",
    Quantity: 2
})
```

You are updating the canvas app.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Yes	No
The formula will update multiple records in a data source named Toolbox if the records exist.	<input type="radio"/>	<input type="radio"/>
A local collection is created to store data if a data source named Toolbox does not already exist.	<input type="radio"/>	<input type="radio"/>
If a collection named Toolbox exists the formula will clear any existing records before making any changes.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Records are added, not updated.

Box 2: Yes

The Collect function adds records to a data source. Syntax: Collect(DataSource, Item, ...)

DataSource – Required. The data source that you want to add data to. If it doesn't already exist, a new collection is created.

Item(s) - Required. One or more records or tables to add to the data source.

Box 3: No

No records are cleared.

NEW QUESTION 95

- (Topic 4)

A company uses Microsoft Power Apps.

You need to create a canvas app to display a Microsoft Power BI report. The report must use the context of a selected record in the app. Data in a Power BI control must be filtered to display the context of the selected record.

You need to propose the right solution.

Solution: Add Power Apps to Power BI using Power Apps for Power BI visualization. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 97

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

? Provision sandbox environments named S1 and S2.

? Copy the production environment to both S1 and S2.

? Use S1 for development and S2 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 101

- (Topic 4)

You have a Power Platform solution that uses Common Data Service.

You need to secure all fields that support field-level security. Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 105

HOTSPOT - (Topic 4)

You are a technical assistant for a legal services organization. The company uses SharePoint to manage documents and Microsoft Dataverse as the data store.

The company has strict rules about access, permissions, and privacy.

Lawyers and paralegals use Microsoft Teams for communications and collaboration. Employees use personal devices to access legal files. You do not have access to the admin area in Microsoft Power Platform.

You need to ensure that these rules are observed consistently and managed in one place.
 Which type of app should you create? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Requirement	App type
Access client billing details	<div> <div></div> <div> Canvas app in Microsoft Teams Canvas app in SharePoint Model-driven app in SharePoint Model-driven app in Microsoft Teams </div> </div>
Log phone calls and schedule appointments with clients and the team assigned to them	<div> <div></div> <div> Dynamics 365 App for Outlook Microsoft Teams calendar SharePoint calendar </div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Model-driven app in Microsoft Teams
 A user's ability to see and use apps is controlled by sharing the application with the user. Sharing of canvas apps is done directly with a user or Azure AD group but is still subject to Dataverse security roles. Sharing of model-driven apps is done via Dataverse security roles.
 Box 2: Sharepoint Calendar

NEW QUESTION 107

- (Topic 4)
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.
 Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.
 You need to ensure that users can scan packing slip information into the form. Proposed solution: Use an Entity Extraction model.
 Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

AI Builder entity extraction models recognize specific data in the text that you target based on your business needs. The model identifies key elements in the text and then classifies them into predefined categories. This can help you transform unstructured data into structured data that's machine-readable. You can then apply processing to retrieve information, extract facts, and answer questions.
 Note: Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.
 Reference:
<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>
<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in- powerapps>

NEW QUESTION 111

- (Topic 4)
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.
 The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared

in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a business rule on the appropriate data entity with a scope of entity.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft->

NEW QUESTION 113

DRAG DROP - (Topic 4)

DRAG DROP


You are creating a model-driven app.

You must create new components to ensure data from related records can be displayed on a record form.

You need to select the component types.

Which component types should you use? To answer, drag the appropriate component types to the correct data. Each component type may be used once, more than once, or not at all. You may need to drag the spirt bar between panes or scroll to view/ content.

NOTE: Each correct selection is worth one point.



A. Mastered

B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 116

- (Topic 4)

In a Common Data Service database, you create a canvas app and a custom entity. The

app also reads data from the Account entity in the Common Data Service database.

Entity access permissions will be controlled by the Common Data Service User security role. You create a Common Data Service solution.

You need to replicate the changes to a new Common Data Service database.

Which two components should you include with the canvas app? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Custom entity

B. Account entity

C. Common Data Service User security role

D. Sitemap

Answer: BC

NEW QUESTION 119

HOTSPOT - (Topic 4)

A company uses two SQL Server environments and two Common Data Service environments.

The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct.

You need to assign security access.

What should you assign? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role	Security access
Admin users for SQL environments	<div><div></div><div>Environment Maker</div><div>Environment Admin</div><div>System Administrator and Environment Security group</div><div>Power Platform Administrator and Environment Security group</div></div>
Admin users for Common Data Service environments	<div><div></div><div>Environment Maker</div><div>Environment Admin</div><div>Global Administrator</div><div>System Administrator</div></div>
Users that create Common Data Service apps	<div><div></div><div>System Customizer</div><div>Environment Maker</div><div>Environment Admin</div><div>System Administrator</div></div>
Users that create SQL apps	<div><div></div><div>System Customizer</div><div>Environment Maker</div><div>Environment Admin</div><div>System Administrator</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: System Administrator and Environment Security group Security model for the databases
When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.
Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.
Box 2: Environment Admin
TheEnvironment Adminrole can perform all administrative actions on an environment, including the following:
? Add or remove a user from either the Environment Admin or Environment Maker role.
Box 3: Environment Maker
Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:
Box 4: System Customizer
System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

NEW QUESTION 122

HOTSPOT - (Topic 4)
A production line app maker at a manufacturing company creates a canvas app that looks for available inventory in a SQL database. The production line workers use the inventory app across all work centers.
The production line workers report the following app issues from the shop floor:
? The app reports a delegation warning.
? Voice command functionality is unreliable.
You have minimal information about the issues. You are not allowed to enter the production facility.
You need to troubleshoot the issues.
How should you troubleshoot the issues? To answer, select the appropriate options in the answer area.

Issue	Action
The app reports a delegation warning.	<div><div></div><div>Use the LookUp function</div><div>Check the number of items in the collection</div><div>Check the number of dataset items</div></div>
Voice command functionality is unreliable.	<div><div></div><div>Use the App checker/Runtime feature</div><div>Use the Advanced Tools/Monitor feature</div><div>Use the App checker/Accessibility feature</div><div>Use Advanced Tools/Performance feature</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Check the number of items in the collection

If the data in your data source exceeds 500 records and a function can't be delegated, Power Apps might not be able to retrieve all of the data, and your app may have wrong results.

Note: Delegation is where the expressiveness of Power Apps formulas meets the need to minimize data moving over the network. In short, Power Apps will delegate the processing of data to the data source, rather than moving the data to the app for processing locally.

Box 2: Use the Advanced Tools/Monitor feature

Monitor is available by default for all canvas apps. Using Monitor, you can trace events as they occur in a canvas app during the authoring experience in Power Apps Studio, or you can use Monitor to debug the published version of a canvas app.

Example: Consider the scenario where an app has been deployed, and the initial version of the app experiences performance degradation. The app also intermittently generates errors with no clear pattern. Loading data in the app succeeds most of the time, but fails sometimes.

When you check Monitor, you see data operations as expected. However, you also see several responses that have HTTP status code 429, indicating that there have been too many requests in a specific timeframe.

NEW QUESTION 123

DRAG DROP - (Topic 4)

You have the following Common Data Service entities: BusinessContracts and

You need to configure an N:N relationship between the two entities.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select Add relationship and then select the many-to-many relationship option.	
Select the BusinessAccounts entity as the related entity.	
Open the relationship tab of the BusinessContracts entity.	
Choose the Relationship Name and Relationship Entity Prefix.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Open the relationship tab of the BusinessContracts entity. View entity relationships

From the Power Apps portal, select either Model-driven or Canvas design mode. Select Data > Entities and select the entity that has the relationships you want to view. With the Relationships tab selected, you can select the following views:

Step 2: Select Add relationship.. Create relationships

While viewing entity relationships, in the command bar, select Add relationship and choose Many-to-many.

Step 3: Select the BusinessAccounts entity as the related entity.

NEW QUESTION 127

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom column that converts the order total to USD by using the relationship between order local currency and the USD exchange rate table in Power BI Desktop and display this column in a Power BI chart by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 129

- (Topic 4)

The postal service uses a system based on the Microsoft Database to manage the delivery of packages.

To improve the delivery service, the management requires the delivery staff to use personal cell phones to communicate the location and the exact time of each delivery.

You need to design a solution. What should you do?

- A. Create a button flow with user input for the delivery time and location
- B. Create a UI flow that sends the delivery time and location
- C. Create a button flow with full address and timestamp trigger tokens

Answer: B

Explanation:

Button trigger tokens are data points that are known and available to the device on which a button flow is running. These tokens change based on factors such as the current time or the geographic location of the device at a given moment.

Note: For example, if you are running a button flow on a smart phone, it is likely that the phone knows the time at your current location as well as the date and your current address. In this context, the time, date and address where the phone is located are all determined at the time the button flow runs. They are automatically available for use in any button flows that are executed on the device. You can use these trigger tokens to build useful flows that will minimize repetitive tasks such as providing your location to someone or tracking how much time you spent on a particular job/service call.

Reference:

<https://docs.microsoft.com/en-us/power-automate/introduction-to-button-trigger-tokens>

NEW QUESTION 131

DRAG DROP - (Topic 4)

You have an existing Power Apps environment.

You need to create a Common Data Service database for the environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select Create my database

Configure currency and language settings

Configure database collation settings

Set the environment type to **Production**

Select an existing environment

Answer Area

>

<

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Select an existing environment Add a database in the admin center:

- * 1. In the admin center, in the left navigation pane, select Environments.
- * 2. Select the environment to which you want to add the database.

Step 2: Select Create my database

- * 3. Select + Add database

Step 3: Configure currency and language settings

- * 4. Enter the following, and then select Add.

Setting	Description
Language	The default language for this environment.
Currency	The base currency used for reporting.
Enable Dynamics 365 apps	Select Yes and make a selection to automatically deploy apps such as Dynamics 365 Sales and Dynamics 365 Customer Service.
Deploy sample apps and data	Select Yes to include sample apps and data. Sample data gives you something to experiment with as you learn. You must select No for Enable Dynamics 365 apps for this setting to appear.
Security group	Select a security group to restrict access to this environment.

NEW QUESTION 133

- (Topic 4)

A company has a Common Data Service custom entity that stores customer account data. You need to create a relationship between the custom entity and the Account entity. Which two tools can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. SQL Server Management Studio
- D. Visual Studio Code

Answer: BC

Explanation:

There are two designers you can use to create and edit 1:N (one-to-many) or N:1 (many-to- one) relationships:

? You can create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships in Power Apps portal

? You can create and edit create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships using solution explorer

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-1n-relationships>

NEW QUESTION 137

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

? Create an Object Detection custom model in AI Builder.

? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To train an object detection model to recognize your objects, you have to gather images that contain those objects.

The first thing you'll do when you create an AI Builder object detection model is to define its domain.

Upload images

Then Train and publish your object detection model

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 141

HOTSPOT - (Topic 4)

HOTSPOT

Users in your company vote on color choices for marketing materials by using the following canvas app:



Users enter color names into a text control and then select Add color to add the color to the Color options radio control. You must remove all the listed colors when a user selects Clear Selection

You need to implement the functionality.

Which Power Fx formulas should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action	Power Fx formula
User selects Add color .	<div><div>If(txtColor.Value <> "", Collect(ColorList, txtColor.Value))</div><div>If(txtColor.Value <> "", Collect(ColorList, txtColor.Value))</div><div>If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text))</div><div>If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))</div></div>
User selects Clear Selection .	<div><div>Revert(radioselector); ClearCollect(ColorList, txtColor.Value)</div><div>Reset(radioselector); Clear(ColorList)</div><div>Reset(radioselector); Refresh(ColorList)</div><div>Revert(radioselector); Remove(ColorList)</div><div>Revert(radioselector); ClearCollect(ColorList, txtColor.Value)</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Power Fx formula
User selects Add color.	<div><div>If(txtColor.Value <>"", Collect(ColorList, txtColor.Value))</div><div>If(txtColor.Value <>"", Collect(ColorList, txtColor.Value))</div><div>If(Value(txtColor.Text) <>"", Collect(ColorList, txtColor.Text))</div><div>If(Value(txtColor.Color) <>"", Collect(ColorList, txtColor.Color))</div></div>
User selects Clear Selection.	<div><div>Revert(radioselector); ClearCollect(ColorList, txtColor.Value)</div><div>Reset(radioselector); Clear(ColorList)</div><div>Reset(radioselector); Refresh(ColorList)</div><div>Revert(radioselector); Remove(ColorList)</div><div>Revert(radioselector); ClearCollect(ColorList, txtColor.Value)</div></div>

NEW QUESTION 142

- (Topic 4)

A company is onboarding new workers to the Microsoft Power Platform.

A user reports an access issue with a Power Apps app. The user provides no additional information about the access issue.

You need to troubleshoot the app and data security configurations for the user. Which tool should you use?

- A. Azure AD Security review
- B. User information page
- C. Accessibility checker
- D. Run diagnostics

Answer: D

Explanation:

User access diagnostic tool in the Power Platform admin center:

Several factors influence user access in a Microsoft Dataverse environment. To help administrators with diagnosing user access to an environment and reasons for access or no access, the new “Run diagnostics” feature in the Power Platform admin center provides basic access diagnostics for individual users in the environment. The feature helps to detect potential causes to user sign-in and other issues and suggests potential mitigations.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/troubleshooting-user-needs-read-write-access-organization>

NEW QUESTION 143

HOTSPOT - (Topic 4)

A company uses Microsoft Power Platform. The company categorizes customers into Specialty shop, Grocery store, Wholesaler, and Seasonal market groups by using a custom choice type column.

The staff uses a model-driven app with an interactive dashboard that displays all customer

You must update the app to provide the following functionality:

- Display selected customers by type in the interactive dashboard.
- Search for customers across multiple tables by postal code by entering any number of characters.

You need to configure the system.

Which configuration options should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Configuration
Display customers by type.	<div><div>Enable sync with global choice.</div><div>Enable the global filter.</div><div>Enable the searchable property.</div><div>Enable sync with global choice.</div><div>Enable the sortable property.</div></div>
Search by postal code.	<div><div>Enable the searchable property.</div><div>Find by setting in quick find.</div><div>Filter by setting in quick find.</div><div>Enable the searchable property.</div><div>Enable the global filter on the postal code.</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement

Display customers by type.

Search by postal code.

Configuration

Enable sync with global choice.
Enable the global filter.
Enable the searchable property.
Enable sync with global choice.
Enable the sortable property.

Enable the searchable property.
Find by setting in quick find.
Filter by setting in quick find.
Enable the searchable property.
Enable the global filter on the postal code.

NEW QUESTION 148

DRAG DROP - (Topic 4)

DRAG DROP

A company is migrating to a new Microsoft 365 tenant. You create an expense

You need to move the latest version of the canvas app and cloud flow to the new tenant. Which three actions should you perform in sequence? To answer, move the appropriate

actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Import the app.	
Publish all changes.	
Create a copy of the app in the cloud.	
Export the app as a package.	
Share the app with a user in the new tenant.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Import the app.	Create a copy of the app in the cloud.
Publish all changes.	Export the app as a package.
Create a copy of the app in the cloud.	Share the app with a user in the new tenant.
Export the app as a package.	
Share the app with a user in the new tenant.	

NEW QUESTION 149

- (Topic 4)

A company is using Power Virtual Agents in Microsoft Teams to expose Microsoft Dataverse data to employees.

You create a chatbot that retrieves a list of customers by postal code from a Dataverse table. The chatbot will accept requests from a user and must connect to Dataverse to retrieve the data.

You need to connect the chatbot to the Dataverse table. What should you use?

- A. Table
- B. Power Apps
- C. Microsoft Teams
- D. Power Virtual Agents
- E. Power Automate

Answer: C

Explanation:

Dataverse for Teams is the “lite” version of Dataverse. It is a low-code platform designed to build relatively simple (but still powerful) apps, using a user-friendly interface and remaining within Microsoft Teams. This new update means that users now have the possibility to create Power Apps apps, Power Automate flows and Power Virtual Agents bots without leaving the Teams platform.

Reference:

<https://docs.microsoft.com/en-us/learn/paths/work-power-platform-teams/>

<https://docs.microsoft.com/en-us/learn/modules/create-chatbot-power-virtual-agents-dataverse-teams/5-call-action-pull-data>

NEW QUESTION 154

HOTSPOT - (Topic 4)

Rangers in national parks report wildlife they encounter during patrols. The rangers record observations in a notebook when they are on patrol. The rangers manually enter observation data when they are in the office. You are designing an app that allows rangers to record their observations while they are on patrol.

The wildlife is modeled as a custom table named Wildlife. The model has relationships to the annotation entity and to a custom entity named Wildlife Details. In the Wildlife Details entity, rangers capture more information as they observe an animal's habitat. When observing wildlife, rangers must indicate whether an animal requires medical attention. The app must synchronize and save data to Common Data Service when connectivity is available.

You need to design the app.
 What should you do? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Requirement	Action
Enter notes related to wildlife records.	<input type="text"/> <ul style="list-style-type: none"> Enable the Wildlife entity and annotation entity for mobile offline. Enable the attachments entity and the annotation entity for mobile offline. Enable the Wildlife entity for mobile offline and enable attachments on the Wildlife entity. Enable the Wildlife entity for mobile offline and use the timeline control for the Wildlife form.
Enter wildlife details as related records.	<input type="text"/> <ul style="list-style-type: none"> Allow feedback on the Wildlife Details entity. Enable the Wildlife Details entity for mobile offline. Enable change tracking on the Wildlife Details entity. Enable attachments on the Wildlife Details entity and enable the Wildlife Details entity for mobile offline.
Indicate that an animal requires medical attention.	<input type="text"/> <ul style="list-style-type: none"> Create a business rule. Create a business process. Create a Power Automate flow.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Enable the Wildlife entity and the annotation entity for mobile offline

Note: As part of the 2020 Wave 2 release, we made generally available offline capabilities for model driven apps for users of Power Apps. Makers and administrators can now configure apps to be available offline on a user's device, and users can continue to complete their tasks against the local cache on their phone even with intermittent or no network connectivity. When the network is re-established, the users' changes are seamlessly synchronized back to the cloud.

Box 2: Enable attachments on the Wildlife Details entity and enable Wildlife Details entity for mobile offline.

Box 3: Create a business process.

Business process flows. Ensure that people enter data consistently and follow the same steps every time they work in an app by creating a business process flow.

Note: Power Automate includes several types of processes, each designed for a different purpose:

? Automated flows. Create a flow that performs one or more tasks automatically

? Button flows.

? Scheduled flows. Create a flow that performs one or more tasks on a schedule such as once a day, on a specific date, or after a certain time.

? Business process flows. Ensure that people enter data consistently and follow the same steps every time they work in an app by creating a business process flow.

? Workflows and actions. Dynamics 365 customizers may be familiar with the classic Microsoft Dataverse processes, which are workflows and actions.

NEW QUESTION 158

- (Topic 4)

A company uses a canvas app. The last published version of the app is version 18.

You edit the app. You save your updates and run the app. When you test the app, you discover you deleted a screen.

You need to restore the last published version of the app.

What is the version number of the app after you successfully restore it?

- A. 17
- B. 18
- C. 18.1
- D. 20

Answer: B

NEW QUESTION 162

- (Topic 4)

A company receives its marketing campaign performance report as a Microsoft Excel file. The company stores the file in Microsoft SharePoint.

A user updates the Excel file daily with updated data.

The company needs a solution that automatically displays the latest analytics.

You need to create a basic report that contains pie charts that display the most profitable channels.

You need to propose the right solution.

Solution: Microsoft Power BI report querying Excel file using its path. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 167

- (Topic 4)

You create a Microsoft Power BI report with multiple visualizations displayed together. The report must be available to users in all security roles. You need to display the report in a model-driven app. What should you embed?

- A. Power BI dashboard on a model-driven form.
- B. Power BI tile on a model-driven form.
- C. Power BI dashboard on a model-driven dashboard.
- D. Power BI tile on a model-driven dashboard.

Answer: D

NEW QUESTION 170

- (Topic 4)

A company stores financial files in Microsoft SharePoint document libraries. When a user uploads a new file, the user's manager must approve the request. You need to design a cloud flow to meet The requirement.

Which three actions should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. When a file is created trigger
- B. Get direct reports action
- C. Wait for an approval action
- D. When an item or a file is modified trigger
- E. When an item is created trigger
- F. Assign manager action
- G. Start and wait for an approval action
- H. Get manager action

Answer: AFG

NEW QUESTION 171

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a Power Automate flow with conditions that use entered data as default data.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-classic-common-data-service-workflows>

NEW QUESTION 175

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Power Apps. The company has a SharePoint list that contains the names of partner organizations and the country/region of the partners The company requires a canvas app that has a gallery screen to display the information in the SharePoint list. Users must be able to:

- * Return results for the exact word that was searched.
- * View the latest records at the top of the gallery.
- * Use a dropdown control to list the countries/regions of the partners. The list must display each country/region only once.

You need to create the gallery screen in a canvas app.

Which functions should you use? To answer, drag the appropriate functions to the correct activities. Each function may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

Functions

Match

Sort

Distinct

IsMatch

Answer Area

Activity

Return results for the exact word that was searched.

View latest entry at the top

Display duplicate countries/regions only once.

Function

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Functions

Match

Sort

Distinct

IsMatch

Answer Area

Activity

Return results for the exact word that was searched.

View latest entry at the top

Display duplicate countries/regions only once.

Function

Match

Sort

Distinct

NEW QUESTION 177

- (Topic 4)

You create an automated flow by using Power Automate. The flow appears under My Flows and is connected to the development environment. The development environment has a solution to move components into a production environment. You need to ensure that you can transfer the flow to another environment. What should you do?

- A. Add the flow to the default solution of the development environment and export as a managed solution.
- B. Change the environment for the flow.
- C. Add the flow to the existing solution.
- D. Add the flow to the default solution of the production environment.

Answer: A

Explanation:

It is very normal for a developer to build the power automate in one environment and then export that automate & import it to another destination environment. Exporting our Solution

After validating our flows work in our test environment, we now want to promote it to our production environment. We can export our solution by finding it in our Solutions experience, clicking on the ..., selecting Export.

Reference:

<https://flow.microsoft.com/en-us/blog/solutions-in-microsoft-flow/>

NEW QUESTION 181

DRAG DROP - (Topic 4)

You are designing a canvas app that will be used by all users including users who have
Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions. Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Outcomes

Not visible to any users

Visible to sighted users only

Visible to screen-reader users only

Visible to both sighted and screen-reader users

Answer Area

Action

Set the values for the X and Y properties of a control to move the control off-screen.

Set the Color and other related properties of a control to transparent.

Set the Height and Width properties of a control to 1.

Outcome

Outcome

Outcome

Outcome

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Outcomes

Not visible to any users

Visible to sighted users only

Visible to screen-reader users only

Visible to both sighted and screen-reader users

Answer Area

Action

Set the values for the X and Y properties of a control to move the control off-screen.

Set the Color and other related properties of a control to transparent.

Set the Height and Width properties of a control to 1.

Outcome

Visible to sighted users only

Visible to screen-reader users only

Not visible to any users

NEW QUESTION 183

DRAG DROP - (Topic 4)

A company uses Power Automate.

The company requires three cloud flows for the following:

- Send email notifications to a team member after an expense request is approved.
- If a document is uploaded to OneDrive. forward the document as an email attachment.
- Send an email at 4:00 PM on Fridays to remind team members to submit timesheets. You need to create the cloud flows.

Which cloud flow types should you create? To answer, drag the appropriate cloud flows to the correct activities. Each cloud flow may be used once, more than once, or not at all. You

NOTE: Each correct selection is worth one point.

Cloud flows

Automated

Scheduled

Instant

Answer Area

Activity

Send notifications after expense request approvals.

Forward new OneDrive documents as attachments.

Send timesheet reminder emails at 4:00 PM on Fridays.

Cloud flow

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Cloud flows

Automated

Scheduled

Instant

Answer Area

Activity

Send notifications after expense request approvals.

Forward new OneDrive documents as attachments.

Send timesheet reminder emails at 4:00 PM on Fridays.

Cloud flow

Instant

Automated

Scheduled

NEW QUESTION 188

- (Topic 4)
A company uses Microsoft Teams. A coworker creates a chatbot. The coworker observes unexpected behavior with the chatbot. You need to troubleshoot the chatbot.
Which two actions should you recommend to the coworker? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Ask the coworker to assign you to the owner role for the team.
- B. In Advanced tools, select Monitor.
- C. Ask the coworker to add you to their team.
- D. Select the chatbot and then select the Share button.

Answer: AB

NEW QUESTION 191

HOTSPOT - (Topic 4)
A company uses several forms for biannual performance evaluations. The company several performance areas that have a score of 1-10. A paragraph explains the score.
The company must scan completed performance evaluations into a Common Data Service entity by using a Power Apps app. The information in the documents must automatically map to entities and convert into quantifiable information.
If any key phrases in the scored topics cause concern, the company must follow a series of actions to prepare for a follow up.
You need to extract the information and perform the actions when the evaluations are scanned.
Which component should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Component
Convert the evaluations from images to data	<div><div></div><div>AI Builder</div><div>Power BI</div><div>Dataflows</div><div>Business rules</div></div>
Convert a form processing variable to an integer	<div><div></div><div>Initialize variable</div><div>Add dynamic content</div><div>Append to string variable</div><div>Extract entities and their types from text</div></div>
Use the flow action to convert a form processing variable to an integer	<div><div></div><div>Scope</div><div>Do until</div><div>Condition</div><div>Apply to each</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AI Builder
The object detection component of AI Builder for PowerApps takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.
Box 2: Extract entities and their types from text
The Entity extraction prebuilt model identifies and classifies key elements from text into pre-defined entities. You can use the prebuilt model out of the box in power apps and power automate.
Box 3: Scope
Scope is a simple way to put similar actions and conditions together like a Stage.

NEW QUESTION 192

DRAG DROP - (Topic 4)

A company uses Power Apps. You design the interface for a new model-driven app.

Users must interact with data from records related to the primary record form in the following ways:

- Use related business process flows.
- Display primary and related form columns.

You need to configure the forms without using additional customizations.

Which form types should you use? To answer, drag the appropriate form types to the correct requirements. Each form type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct answer is worth one point.

Form types		Requirement	Form type
Quick view form		Use related business process flows.	
Main form dialog		Display related columns along with other primary form columns.	
Quick create form			
Main form component control			

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Form types		Requirement	Form type
Quick view form		Use related business process flows.	Main form component control
Main form dialog		Display related columns along with other primary form columns.	Quick view form
Quick create form			
Main form component control			

NEW QUESTION 197

DRAG DROP - (Topic 4)

You create a custom field on the Account entity.

Members of TeamA must have full access to the field. Members of TeamB must have no access to the field.

You need to configure security.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add TeamA to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to Yes .	
Add TeamB to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to No .	
Enable field-level security for the field.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security for the field

Step 2: Create a field security profile and set all the permissions for the custom attribute to Yes.

Step 3: Add TeamA to the field security profile.

Note: Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

? Enable field security on one or more fields for a given entity.

? Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

NEW QUESTION 202

HOTSPOT - (Topic 4)


You are developing an app for a package delivery company. Delivery team members will use the app on their phones. Distribution center team members will use a web-based version of the app that runs on tablet devices.

When a delivery person arrives at a location and the package recipient is present, the app must capture the recipient's signature. If the recipient is not available, the app must capture a picture of the drop-off location or the person receiving the package.

You need to design phone-based and web-based versions of the app.

Which app type and media control should you use? To answer, configure the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

App Type: Screens
To insert the Camera control in your PowerApps program you can use the blank screen, and select Insert->Media->Camera.
Media Type: Camera
Use the Camera control to capture pictures with a device's camera. The device must have a camera and the user must authorize the app to use the camera.
Tap or select the camera control to capture a picture from the camera.
The most recently captured picture is available through the Photo property. With this property, the images can be:
? Viewed with the Image control. Use the Image control to view the captured image.
? Temporarily put in a variable or a collection.
? Stored in a database.
? Transmitted as a base64 encoded text string.

NEW QUESTION 203

HOTSPOT - (Topic 4)
HOTSPOT

The customer service team of a company uses a model-driven app to log customer interactions. The app contains two tables: one to track customer interactions and one to track products.
The team requires an interactive dashboard to display the activities. The dashboard must display the products that have the most complaints. Each chart must display the associated data.
You need to create the dashboard-
Which features should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Activity	Feature
Display customer interactions and products.	<div>Single-stream dashboard</div> <div>Multi-stream dashboard</div> <div>Single-stream dashboard</div> <div>Standard dashboard</div>
Display charts with associated data.	<div>Default Chart</div> <div>Show Chart Only</div> <div>Display Chart Selection</div> <div>Default Chart</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity	Feature
Display customer interactions and products.	<div>Single-stream dashboard</div>
Display charts with associated data.	<div>Default Chart</div>

NEW QUESTION 205

- (Topic 4)
You are creating an employee directory canvas app. The app must display name, address, and a photo of each employee. You need to select a control type that will display the

- A. Address input
- B. List box
- C. Gallery
- D. Data table

Answer: C

NEW QUESTION 209

HOTSPOT - (Topic 4)

A company is creating new app for use by technicians.

Previous versions of the app do not render properly on tablets and phones. You need to ensure that the new app renders properly on all devices.

Which design element should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Design element
Create an app that does not specify a screen size in the design	<div><div></div><div>▼</div><div>Phone form factor</div><div>Tablet form factor</div><div>Blank canvas app</div><div>Model-driven app</div></div>
Lock the screen size for an app that needs to be set to a specific resolution	<div><div></div><div>▼</div><div>Aspect ratio</div><div>Orientation</div><div>Image positioning</div><div>Display mode</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Tablet form factor Box 2: Aspect version

Customize a canvas app by changing its screen size.

? Sign in to Power Apps.

? Open the app to edit.


? Select Settings.

? Select Display.

? (Tablet apps only) Under Aspect ratio, perform either of these steps:

? Select the ratio that matches the target device for this app.

? Select Custom to set your own size, and then specify a width between 50 - 3840 and a height between 50 - 2160.



NEW QUESTION 214

DRAG DROP - (Topic 4)

The company is adding a multi-stream interactive dashboard to a model-driven app.
The company requires configuration of the dashboard to filter the table data based on modified accounts over the last month.
You need to configure the filters for the model-driven app dashboard.
Which configuration should you use? To answer, drag the appropriate locations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Configurations

Filter by

Table view

Filter table

Time frame

Answer Area

Requirement	Configuration
Configure visual filter attributes that the dashboard can use.	
Configure the field that the dashboard uses to filter the table data monthly.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Filter table
Filter Table: The visual filters and global filter attributes are based on this table.
Box 2: Filter By
Filter By: The column that the time frame filter applies to.

NEW QUESTION 216

HOTSPOT - (Topic 4)
HOTSPOT

Inspectors for a city building department use a Microsoft Teams channel, inspectors use SharePoint to view construction bylaws, rules, and regulations.
The city clerk email inspectors links to new bylaw proposal, inspectors vote on the proposals and provide additional feedback.

You need to demonstrate to the city clerk how they can automate the process
Which option should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Flow element	Option
Type of flow.	<div>Cloud flow</div> <div>Desktop flow</div> <div>Business process flow</div>
Trigger type.	<div>Manually trigger a flow.</div> <div>For a selected message in Microsoft Teams.</div> <div>For a selected file in SharePoint.</div> <div>When a flow is run from a business process flow.</div>
Flow step to replace emailing the links.	<div>Get changes for an item in SharePoint.</div> <div>Post an adaptive card to a channel and wait for a response.</div> <div>Post a choice of options to a user in Teams.</div> <div>Send an email with options.</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Flow element	Option
Type of flow.	<div>Cloud flow</div> <div>Desktop flow</div> <div>Business process flow</div>
Trigger type.	<div>Manually trigger a flow.</div> <div>For a selected message in Microsoft Teams.</div> <div>For a selected file in SharePoint.</div> <div>When a flow is run from a business process flow.</div>
Flow step to replace emailing the links.	<div>Get changes for an item in SharePoint.</div> <div>Post an adaptive card to a channel and wait for a response.</div> <div>Post a choice of options to a user in Teams.</div> <div>Send an email with options.</div>

NEW QUESTION 221

- (Topic 4)
You are designing an interactive report for a model-driven app. The report will use more than five million records. The query that retrieves data for the report requires more than five minutes to complete.
You need to create the report. Which option should you use?

- A. Interactive dashboard
- B. Power BI
- C. Standard dashboard

Answer: B

NEW QUESTION 225

DRAG DROP - (Topic 4)
You are designing an app for a bank. You plan to use the following entities in the app:

Entity	Comments
Clients	Clients are assigned to a branch office
Bank accounts	A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners
Branch offices	Clients are assigned to a branch office
Employees	Each employee works at only one branch office

You need to configure the relationships between the entities.
Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Relationship types

One-to-one

One-to-many

Many-to-one

Many-to-many

Answer Area

Relationship		
Source entity	Target entity	Relationship type
Clients	Bank accounts	<div>Relationship type</div>
Clients	Branch offices	<div>Relationship type</div>
Branch offices	Employees	<div>Relationship type</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: Many-to-many
Box 2: Many-to-one
A client have a single branch office.
A branch office can have many clients.
Box 3: One-to-many
A branch office can have many employees. An employee only works at one branch office.

NEW QUESTION 226

HOTSPOT - (Topic 4)
You use Microsoft Power BI Desktop to create a report. Users note that column headings are confusing.
You need to modify some columns and delete other columns.
Which tool should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Modification	Tool
Rename a column	<div><div>Power Query Editor</div><div>Report canvas</div><div>Filters pane</div><div>Power Query Editor</div></div>
Delete a column	<div><div>Fields pane</div><div>Report canvas</div><div>Fields pane</div><div>Filters pane</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Modification

Rename a column

Delete a column

Tool

Power Query Editor

Report canvas

Filters pane

Power Query Editor

Fields pane

Report canvas

Fields pane

Filters pane

NEW QUESTION 230

- (Topic 4)
A company is implementing the Microsoft Power Platform to assist with consolidation of onsite inspections and audits of retail stores. Currently, the data used by the retail store inspections is located across multiple systems.
The canvas app must use one database to view and record all data used in the inspection process.
You need to design the solution.
Which three capabilities should you implement? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Use an embedded access management framework for user security.
- B. Execute real-time data operations against external data sources through virtual entities.
- C. Store data used by a Power Apps app on both iOS and Android mobile platforms.
- D. Use Azure Data Lake storage to host the transactional data.

Answer: BCE

Explanation:
B: Virtual tables (also known as virtual entities) enable the integration of data residing in external systems by seamlessly representing that data as tables in Microsoft Dataverse, without replication of data and often without custom coding.
CE: Authenticating to a Gen 1 DataLakeStore Account Gen 1 uses OAuth 2.0 in Azure AD for authentication.
Reference:
<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 233

HOTSPOT - (Topic 4)
: 189 HOTSPOT
A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage.
Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic

Limits the number of records that can be added.

Allows for advanced development tasks for apps specific to Microsoft Teams.

Has the most granular level of security to account for column-level security in Microsoft Teams.

Solution

Microsoft Dataverse for Teams

Microsoft Dataverse

Microsoft Dataverse for Teams

Microsoft Dataverse

Microsoft Dataverse

Microsoft Dataverse for Teams

Microsoft Dataverse

Microsoft Dataverse

Microsoft Dataverse for Teams

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Characteristic

Limits the number of records that can be added.

Allows for advanced development tasks for apps specific to Microsoft Teams.

Has the most granular level of security to account for column-level security in Microsoft Teams.

Solution

Microsoft Dataverse for Teams

Microsoft Dataverse

Microsoft Dataverse for Teams

Microsoft Dataverse

Microsoft Dataverse

Microsoft Dataverse for Teams

Microsoft Dataverse

Microsoft Dataverse

Microsoft Dataverse for Teams

NEW QUESTION 237

- (Topic 4)

A company is using Microsoft Power Platform and Microsoft Teams to approve work contracts.

A manager must view all approved contracts in the past year that the company sent or received. The manager must approve any pending contracts. The solution must minimize effort.

You need to recommend a solution for the company. What should you recommend?

- A. Create a Microsoft Teams team with a tab that exposes all approvals.
- B. Install the Microsoft Teams approvals app.
- C. Embed a Power Apps app within a Microsoft Teams channel.
- D. Create a Power BI dashboard that includes all approval requests.
- E. Embed a SharePoint list into a Microsoft Teams channel.

Answer: B

NEW QUESTION 239

DRAG DROP - (Topic 4)

You are an app builder for a medical office. The medical office uses activities to book appointments and business process flows to track patient status. The cleaning staff wants the app to connect directly to a Microsoft Excel workbook to track cleaning tasks. The office does not have access to reporting tools including Power BI.

You need to create apps for the following groups of users. Apps must not require

Groups	Comments	Requirements
Reception area staff	Users will access the app only from desktop devices in the office.	Users must be able to access contacts and display activities as a doughnut chart.
Medical staff	Users will access the app from tablet devices.	Users must be able to access activities and business process flows.
Cleaning staff	Users will access the app only from mobile phone devices.	Users must be able to interact with a checklist to mark cleaning tasks as completed.

Which type of app should you build for each group? To answer, drag the appropriate app types to the correct groups. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

App types

Canvas app

Model-driven app

Embedded canvas app

Answer Area

Group	App type
Reception area staff	App type
Medical staff	App type
Cleaning staff	App type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

App types

Canvas app

Model-driven app

Embedded canvas app

Answer Area

Group	App type
Reception area staff	Canvas app
Medical staff	Embedded canvas app
Cleaning staff	Model-driven app

NEW QUESTION 240

- (Topic 4)

A company creates an app that uses Microsoft Dataverse tables.

The app creator wants to verify that the app is operating as expected by using a sample set of real-world data.

You need to import the sample data into Dataverse tables.

Which two technologies can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power BI
- B. SharePoint
- C. Power Query
- D. Dataflows

Answer: CD

Explanation:

C: You can create a table in Dataverse and fill that table with data from an OData feed by using Power Query. You can use the same techniques to integrate data from these online and on-premises sources, among others:

SQL Server Salesforce IBM DB2
Access
Excel Web APIs
OData feeds Text files
D: You can create a new Dataverse table that stores all the metadata from the dataflow run. For every refresh of a dataflow, a record is added to this table. You can also store metadata for multiple dataflow runs in the same table.
Reference:
<https://docs.microsoft.com/en-us/power-query/dataflows/load-dataflow-metadata-into-dataverse-table>
<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 243

HOTSPOT - (Topic 4)
You need to store a list of products and their colors. You have a Power Apps app that includes the following elements:
? a text box for the product name
? a drop-down list for the product color
? a button to add a product to the list
? a status message that shows whether the addition of a product to the list was successful
The button uses the following formula:

```
Collect(  
    colProductList,  
    {  
        Product: txtProductName.Text, Color: drpColors.Selected.Value  
    }  
);  
Set(  
    vStatusMessage, "Added '" & txtProductName.Text & "'"  
);  
timStatusMessage.Start;
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must explicitly declare the collection before you can add product names and colors to the collection.	<input type="radio"/>	<input type="radio"/>
The formula stores the product name and the color in a collection.	<input type="radio"/>	<input type="radio"/>
vStatusMessage is a context variable that is used to store the status message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
The Collect function adds records to a data source. If the data source doesn't already exist, a collection is created.
Box 2: Yes
Box 3: No
Use the Set function to set the value of a global variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

NEW QUESTION 248

DRAG DROP - (Topic 4)
A company uses Power Automate and Power Apps to streamline business processes. You need to use AI Builder to analyze customer reviews of the company's products.
In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Action

Publish the model.

Connect data to the model.

Train the model.

Use the model in a Power Automate flow.

Answer Area

- A. Mastered


B. Not Mastered

Answer: A

Explanation:

Step 1: Connect data to the model.

First create an AI Builder form processing model for the customer reviews you want to process.



Step 2: Train the model. Step 3: Publish the model.

Step 4: Use the model in a Power Automate flow.

Once you train and publish the model, create a solution-aware flow in Power Automate.

NEW QUESTION 251

- (Topic 4)

You are creating a canvas app.

You need to display a limited list of choices to the end user. You must standardize the values and appearance of the list across all forms.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a drop-down field in the app
- B. Create a Global Option Set
- C. Add a new business rule
- D. Add a component to the component library

Answer: AB

Explanation:

A global Option Set can be shared across entities. Reference:

<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION 252

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

? Create a Prediction custom model in AI Builder.

? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model

Note: AI Builder prediction models analyze patterns in historical data that you provide. Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

NEW QUESTION 253

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment. When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column. Solution: Update the column length in the development environment. Export the solution as a managed solution, import the solution into production Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 258


- (Topic 4)
 You create and publish a canvas app component library to perform complex calculations. You discover an error in one of the calculations. You correct the issue and publish the canvas app. You need to ensure that the co-worker uses the updated version of the component library. What should you do?

- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library

Answer: C

Explanation:

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library. Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:



Select Review, and you'll see the option to update the component:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 260

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-100 Practice Test Here](#)