

Microsoft

Exam Questions AZ-801

Configuring Windows Server Hybrid Advanced Services



NEW QUESTION 1

You are planning the deployment of Microsoft Sentinel.
Which type of Microsoft Sentinel data connector should you use to meet the security requirements?

- A. Threat Intelligence - TAXII
- B. Azure Active Directory
- C. Microsoft Defender for Cloud
- D. Microsoft Defender for Identity

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/defender-for-identity/cas-isp-legacy-protocols>

NEW QUESTION 2

HOTSPOT
You need to configure BitLocker on Server4.
On which volumes can you turn on BitLocker, and on which volumes can you turn on auto-unlock? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

BitLocker:

D only

C and D only

D, E, and F only

C, D, E, and F

Auto-unlock:

D only

C and D only

D, E, and F only

C, D, E, and F

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/refs/refs-overview>
<https://docs.microsoft.com/enus/powershell/module/bitlocker/enable-bitlockerautounlock?view=windowsserver2022-ps>

NEW QUESTION 3

HOTSPOT
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| User1 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input type="radio"/> |
| User2 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input type="radio"/> |
| User3 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| User1 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input checked="" type="radio"/> |
| User2 can sign in to Server4 by using Remote Desktop. | <input checked="" type="radio"/> | <input type="radio"/> |
| User3 can sign in to Server4 by using Remote Desktop. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 4

You need to back up Server 4 to meet the technical requirements.
What should you do first?

- A. Deploy Microsoft Azure Backup Server (MABS).
- B. Configure Windows Server Backup.
- C. Install the Microsoft Azure Recovery Services (MARS) agent.
- D. Configure Storage Replica.

Answer: C

Explanation:
Reference: <https://docs.microsoft.com/en-us/azure/backup/install-mars-agent>

NEW QUESTION 5

HOTSPOT
You are planning the www.fabrikam.com website migration to support the Azure migration plan.
How should you configure WebApp1? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To enable WebApp1 to handle requests for the website:

Add a custom domain name.

Create a deployment slot.

Create a private endpoint.

To point client connections to WebApp1:

Add HTTP redirect rules on WEB1 and WEB2.

Implement Azure Front Door.

Implement Azure Traffic Manager.

Modify a DNS record.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: Add a custom domain name
To migrate www.fabrikam.com website to an Azure App Service web app, you need to add Fabrikam.com as a custom domain in Azure. This will make the domain name available to use in the web app.
Box 2: Modify a DNS record
You need to change the DNS record for www.fabrikam.com to point to the Azure web app. HTTP redirect rules won't work because WEB1 and WEB2 will be decommissioned.
Reference: <https://docs.microsoft.com/en-us/azure/app-service/app-service-web-tutorial-custom-domain?tabs=a%2Cazurecli>

NEW QUESTION 6

HOTSPOT
You are planning the migration of APP3 and APP4 to support the Azure migration plan.
What should you do on Cluster1 and in Azure before you perform the migration? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

On Cluster1:

Configure Azure Network Adapter.
Create a Point-to-Site (P2S) VPN connection to Vnet1.
Import the Azure Migrate appliance.
Install the Azure File Sync agent.
Install the Windows Server Migration Tools.

In Azure:

Create a premium block blobs Azure Storage account.
Create a private endpoint.
Create a VPN gateway.
Create an Azure Migrate project.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/tutorial-discover-hyper-v>

NEW QUESTION 7

HOTSPOT

You need to implement alerts for the domain controllers. The solution must meet the technical requirements.

What should you do on the domain controllers, and what should you create on Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

On the domain controllers:

Create a Data Collector Set in Performance Monitor.
Modify the Performance Monitor Users group.
Install the Azure Monitor agent.

In Azure:

Create an Azure SQL database.
Create a Storage Sync Service.
Create an Azure Log Analytics workspace.
Create an Azure Storage account.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/azure-monitor-agentoverview?tabs=PowerShellWindows>

NEW QUESTION 8

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From Virus & threat protection, you configure Tamper Protection Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlledfolders?view=o365-worldwide>

NEW QUESTION 9

You have 100 Azure virtual machines that run Windows Server. The virtual machines are onboarded to Microsoft Defender for Cloud. You need to shut down a virtual machine automatically if Microsoft Defender for Cloud generates the "Antimalware disabled in the virtual machine" alert for the virtual machine. What should you use in Microsoft Defender for Cloud?

- A. a logic app
- B. a workbook
- C. a security policy
- D. adaptive network hardening

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/defender-for-cloud/managing-and-responding-alerts>

NEW QUESTION 10

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant by using password hash synchronization.

You have a Microsoft 365 subscription.

All devices are hybrid Azure AD-joined.

Users report that they must enter their password manually when accessing Microsoft 365 applications.

You need to reduce the number of times the users are prompted for their password when they access Microsoft 365 and Azure services.

What should you do?

- A. In Azure AD, configure a Conditional Access policy for the Microsoft Office 365 applications.
- B. In the DNS zone of the AD DS domain, create an autodiscover record.
- C. From Azure AD Connect, enable single sign-on (SSO).
- D. From Azure AD Connect, configure pass-through authentication.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 10

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains the domains shown in the following table.

| Name | Domain controller | Configuration |
|-----------------|-------------------|------------------------------------|
| fabrikam.com | DC1 | PDC emulator |
| | DC2 | Infrastructure master |
| | DC3 | Read-only domain controller (RODC) |
| eu.fabrikam.com | DC4 | PDC emulator |
| | DC5 | Infrastructure master |
| | DC6 | Read-only domain controller (RODC) |

You are implementing Microsoft Defender for Identity sensors.

You need to install the sensors on the minimum number of domain controllers. The solution must ensure that Defender for Identity will detect all the security risks in both the domains.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Domain controllers that require the sensors:

- ☐ DC1 and DC4 only
- ☐ DC2 and DC5 only
- ☐ DC1, DC2, DC4, and DC5 only
- ☐ All the domain controllers in the forest

Authentication information that must be provided during the sensor installation:

- ☐ An AD DS group managed service account (gMSA)
- ☐ A cloud-only user from Azure Active Directory (Azure AD)
- ☐ The access key generated by the Microsoft Defender for Identity portal

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/technical-faq#deployment> <https://docs.microsoft.com/en-us/defenderforidentity/>

install-step4

NEW QUESTION 11

You have an Azure virtual machine named VM1.
 You enable Microsoft Defender SmartScreen on VM1.
 You need to ensure that the SmartScreen messages displayed to users are logged.
 What should you do?

- A. From a command prompt, run WinRM quickconfig.
- B. From the local Group Policy, modify the Advanced Audit Policy Configuration settings.
- C. From Event Viewer, enable the Debug log.
- D. From the Windows Security app, configure the Virus & threat protection settings.

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-smartscreen/microsoftdefendersmartscreenoverview>


NEW QUESTION 12

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



App1 Properties

General Failover

App1

Name:
 App1

Preferred Owners
 Select the preferred owners for this clustered role. Use the buttons to list them in order from most preferred at the top to least preferred at the bottom.


☐ Server1
☐ Server2

Priority: Medium

Status: Running
 Node: Server2

OK Cancel Apply

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)



The screenshot shows the 'App1 Properties' dialog box with the 'Failover' tab selected. The 'Failover' section contains instructions: 'Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.' and 'If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.' Below this, 'Maximum failures in the specified period:' is set to 3, and 'Period (hours):' is set to 6. The 'Failback' section contains instructions: 'Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).' There are two radio buttons: 'Prevent failback' (unselected) and 'Allow failback' (selected). Under 'Allow failback', there are two options: 'Immediately' (selected) and 'Failback between' (unselected). The 'Failback between' option has two input fields, both set to 0, followed by 'and' and 'hours'.

Server1 shuts down unexpectedly.
You need to ensure that when you start Server1, App1 continues to run on Server2.
Solution: From the Failover settings, you select Prevent failback.
Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Prevent failback setting will prevent the cluster failing back to Server1.

NEW QUESTION 15

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a failover cluster named Cluster1 that hosts an application named App1.
The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



The screenshot shows the 'App1 Properties' dialog box with the 'General' tab selected. The 'Name' field is 'App1'. The 'Preferred Owners' section contains instructions: 'Select the preferred owners for this clustered role. Use the buttons to list them in order from most preferred at the top to least preferred at the bottom.' Below this, there is a list box with 'Server1' and 'Server2'. To the right of the list box are two buttons: 'Up' and 'Down'. Below the list box, the 'Priority' is set to 'Medium'. The 'Status' is 'Running' and the 'Node' is 'Server2'.

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

App1 Properties

General

Failover

Failover

Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.

If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.

Maximum failures in the specified period:

3

Period (hours):

6

Failback

Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).

Prevent failback

Allow failback

Immediately

Failback between

0

and

0

hours

OK

Cancel

Apply

Server1 shuts down unexpectedly.
 You need to ensure that when you start Server1, App1 continues to run on Server2.
 Solution: From the General settings, you move Server2 up.
 Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:
 Server1 and Server2 are both unticked so the order they are listed in has no effect on whether the cluster will fail back.

NEW QUESTION 18
 DRAG DROP

You have three servers named Server1, Server2, Server3 that run Windows Server and have the Hyper-V server role installed.
 You plan to create a hyper-converged cluster to host Hyper-V virtual machines.
 You need to ensure that you can store virtual machines in Storage Spaces Direct.
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.
 Select and Place:

Actions

Create a failover cluster.

Create a Distributed File System (DFS) namespace.

Enable Storage Spaces Direct.

Create a volume.

Add a Scale-Out File Server for application role.

Create a file share.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Reference: <https://docs.microsoft.com/en-us/system-center/vmm/s2d-hyper-converged?view=sc-vmm-2019>

NEW QUESTION 19
 HOTSPOT

You have a Hyper-V failover cluster named Cluster1 that uses a cloud witness. Cluster1 hosts a virtual machine named VM1 that runs Windows Server.
 You need to fail over VM1 automatically to a different node when a service named Service1 on VM1 fails.
 What should you do on Cluster1 and VM1? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Cluster1:

▼

Modify the settings of the VM1 cluster role.
Configure monitoring of the VM1 cluster role.
Change the startup priority of the VM1 cluster role.

VM1:

▼

Configure the Startup Type of Service1.
Configure the Recovery settings of Service1.
Configure the Startup and Recovery settings.
Install and configure the Azure Monitor agent.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Cluster1:

▼

Modify the settings of the VM1 cluster role.
Configure monitoring of the VM1 cluster role.
Change the startup priority of the VM1 cluster role.

VM1:

▼

Configure the Startup Type of Service1.
Configure the Recovery settings of Service1.
Configure the Startup and Recovery settings.
Install and configure the Azure Monitor agent.

NEW QUESTION 21

DRAG DROP

You have two Azure virtual machines named VM1 and VM2. VM1 is backed up to an Azure Recovery Services vault daily and retains backups for 30 days. You need to restore an individual file named C:\Data\Important.docx from VM1 to VM2. The solution must minimize administrative effort.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Unmount the disks.
Download the file recovery script for VM1.
Copy the file by using Azure Storage Explorer.
Copy the file by using File Explorer.
Restore the file by using Windows Server Backup.
Run the file recovery script on VM2.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/backup-azure-restore-files-from-vm>

NEW QUESTION 23

DRAG DROP

You have an Azure subscription that contains an Azure Recovery Services vault. You have an on-premises physical server that runs Windows Server.

You need to back up the server daily to Azure.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.
Select and Place:

| Actions | Answer Area |
|--|-------------|
| On Server1, install and register the Azure Connected Machine agent. | |
| Schedule a backup. | |
| On Server1, install and register the Azure Site Recovery Mobility service agent. | |
| Download the Vault Credentials file. | |
| Install and register the Microsoft Azure Recovery Services (MARS) agent. | |
| Create a recovery plan. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Reference: <https://docs.microsoft.com/en-us/azure/backup/tutorial-backup-windows-server-to-azure>

NEW QUESTION 28
DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. The domain contains two domain controllers named DC1 and DC2. The system state of the domain controllers is backed up daily at 23:00 by using Windows Server Backup.
You have an organizational unit (OU) named ParisUsers that contains 1,000 users.
At 08:00, DC1 shuts down for hardware maintenance. The maintenance completes, but DC1 remains shut down.
At 09:00, an administrative error causes the manager attribute of each user in ParisUsers to be deleted.
You need to recover the user account details as quickly as possible. The solution must minimize data loss.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

| Actions | Answer Area |
|---|-------------|
| Start DC1 normally. | |
| Perform an authoritative restore on DC1. | |
| Recover all the user objects in the Active Directory Recycle Bin. | |
| Start DC1 by using the Last Known Good Configuration. | |
| Start DC1 in Directory Services Restore Mode. | |
| Perform a system state restore on DC1. | |

- A. Mastered
- B. Not Mastered

Answer: A

| Actions | Answer Area |
|---|---|
| Start DC1 normally. | Start DC1 in Directory Services Restore Mode. |
| | Perform a system state restore on DC1. |
| Recover all the user objects in the Active Directory Recycle Bin. | Perform an authoritative restore on DC1. |
| Start DC1 by using the Last Known Good Configuration. | |

NEW QUESTION 31

You have an on-premises server that runs Windows Server and has the Web Server (IIS) server role installed. The server hosts a web app that connects to an on-premises Microsoft SQL Server database.

You plan to migrate the web app to an Azure App Services web app. The database will remain on-premises. You need to ensure that the migrated web app can access the database. What should you configure in Azure?

- A. an Azure SQL managed instance
- B. an on-premises data gateway
- C. Azure Extended Network
- D. a Hybrid Connection

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/app-service/app-service-hybrid-connections>

NEW QUESTION 34

You have two file servers named Server1 and Server2 that run Windows Server. Server1 contains a shared folder named Data. Data contains 10TB of data. You plan to decommission Server1. You need to migrate the files from Data to a new shared folder on Server2. The solution must meet the following requirements: Ensure that share, file, and folder permissions are copied. After the initial copy occurs, ensure that changes in \\Server1\Data can be synced to the destination without initiating a full copy. Minimize administrative effort. What should you use?

- A. xcopy
- B. Storage Replica
- C. Storage Migration Service
- D. azcopy

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview#why-use-storagemigration-service>

NEW QUESTION 39

HOTSPOT

You have two servers that have the Web Server (IIS) server role installed. The servers are configured as shown in the following table.

| Name | Operating system |
|---------|---------------------|
| Server1 | Windows Server 2016 |
| Server2 | Windows Server 2022 |

Both servers are configured to enable website deployment by using the Web Deployment Tool. Server1 hosts a website named Site1 that has Web Deploy Publishing configured.

You plan to migrate Site1 to Server2.

You need to perform a pull synchronization of Site1 by using the Web Deployment Agent Service.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
msdeploy -verb:sync -source:  
    apphostconfig="Site1"  
    apphostconfig="Site1",computername=Server1  
    apphostconfig="Site1",computername=Server2  
    package=c:\site1.zip  
-dest:  
    apphostconfig="Site1"  
    apphostconfig="Site1",computername=Server1  
    apphostconfig="Site1",computername=Server2  
    package=c:\site1.zip
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/iis/publish/using-web-deploy/synchronize-iis>

NEW QUESTION 43

HOTSPOT

You have a server that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts a single website that has the following configurations:

Is accessible by using a URL of <https://www.contoso.com:8443> and has an SSL certificate that was issued by a third-party certification authority (CA) in the Microsoft Trusted Root Program Uses anonymous authentication Was developed by using PHP You plan to use APP Service Migration Assistant to migrate the website to Azure App Service.


You need to migrate the website. The solution must minimize the number of changes made to the existing website.

What should you do manually to ensure that the website migration is successful? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

On Server1: 

| |
|--|
| Change the authentication method. |
| Change the listening port of the website. |
| Redevelop the website code by using ASP.NET. |

In Azure: 

| |
|---|
| Create an App Service plan. |
| Copy the source files of the website. |
| Configure a certificate and a custom domain name. |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/learn/modules/migrate-app-service-migration-assistant/3-understand-assessment>

<https://docs.microsoft.com/en-us/learn/modules/migrate-app-service-migration-assistant/5-understand-migration>

NEW QUESTION 48

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed.

You import the Azure Migrate appliance as VM1.

You need to register VM1 with Azure Migrate.

What should you do in Azure Migrate? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a project.
B. Add a migration tool.
C. Add an assessment tool.
D. Generate a project key.
E. Download the Azure Migrate installer script ZIP file.

Answer: ADE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/how-to-set-up-appliance-hyper-v>

NEW QUESTION 52

You have two servers that run Windows Server as shown in the following table.

| Name | Location | Domain/workgroup |
|---------|-----------------------|------------------|
| Server1 | On-premises | Domain |
| Server2 | Azure virtual machine | Workgroup |

You need to copy the contents of volume E from Server1 to Server2. The solution must meet the following requirements:

Ensure that files in-use are copied. Minimize administrative effort.

What should you use?

- A. Storage Migration Service
B. Azure File Sync
C. Azure Backup
D. Storage Replica

Answer: A

NEW QUESTION 57

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You run the Active Directory Migration Tool (ADMT).

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 61

You have a server named Server1 that runs the Remote Desktop Session Host role service. Server1 has five custom applications installed. Users who sign in to Server1 report that the server is slow. Task Manager shows that the average CPU usage on Server1 is above 90 percent. You suspect that a custom application on Server1 is consuming excessive processor capacity. You plan to create a Data Collector Set in Performance Monitor to gather performance statistics from Server1. You need to view the resources used by each of the five applications. Which object should you add to the Data Collector Set?

- A. Processor information
- B. Processor
- C. Process
- D. Processor performance

Answer: C

NEW QUESTION 64

You plan to deploy the Azure Monitor agent to 100 on-premises servers that run Windows Server. Which parameters should you provide when you install the agent?

- A. the client ID and the secret of an Azure service principal
- B. the name and the access key of an Azure Storage account
- C. a connection string for an Azure SQL database
- D. the ID and the key of an Azure Log Analytics workspace

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/configure-azure-monitor>

NEW QUESTION 66

Your on-premises network contains two subnets. The subnets contain servers that run Windows Server as shown in the following table.

| Name | IP address |
|---------|---------------|
| Server1 | 192.168.1.10 |
| Server2 | 192.168.0.250 |
| Server3 | 192.168.0.240 |
| Server4 | 192.168.0.10 |

Server4 has the following IP configurations:
Ethernet adapter Ethernet:
Connection-specific DNS Suffix . . . :
IPv4 Address : 192.168.0.10
Subnet Mask : 255.255.255.0
Default Gateway : 192.168.0.1
From Server4, you can ping Server1 and Server2 successfully. When you ping Server3, you get a Request timed out response. From Server2, you can ping Server1 and Server3 successfully. The misconfiguration of which component on Server3 can cause the Request timed out response?

- A. default gateway
- B. IP address
- C. subnet mask
- D. DNS server

Answer: C

NEW QUESTION 69

HOTSPOT
You have a server named Server1 that runs Windows Server. On Server1, you create a Data Collector Set named CollectorSet1 based on the Basic template. You need to configure CollectorSet1 to meet the following requirements: Older performance counter logs must be overwritten by new ones. Performance counter logging must stop if there is less than 500 MB of free disk space. What should you configure for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

Older performance counter logs must be overwritten by new ones:

The Configuration properties
The Data Manager properties
The Performance Counter properties

Performance counter logging must stop if there is less than 500 MB of free disk space:

The Configuration properties
The Data Manager properties
The Performance Counter properties

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Older performance counter logs must be overwritten by new ones:

The Configuration properties
The Data Manager properties
The Performance Counter properties

Performance counter logging must stop if there is less than 500 MB of free disk space:

The Configuration properties
The Data Manager properties
The Performance Counter properties

NEW QUESTION 72

You have an Azure virtual machine named VM1.

You install an application on VM1, and then restart the virtual machine.

After the restart, you get the following error message: "Boot failure. Reboot and Select proper Boot Device or Insert Boot Media in selected Boot Device." You need to mount the operating system disk offline from VM1 to a temporary virtual machine to troubleshoot the issue.

Which command should you run in Azure CLI?

- A. az vm repair create
- B. az vm boot-diagnostics enable
- C. az vm capture
- D. az vm disk attach

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/cli/azure/vm/repair?view=azure-cli-latest>

NEW QUESTION 73

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-801 Practice Exam Features:

- * AZ-801 Questions and Answers Updated Frequently
- * AZ-801 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-801 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-801 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-801 Practice Test Here](#)