

Google

Exam Questions Professional-Data-Engineer

Google Professional Data Engineer Exam



NEW QUESTION 1

- (Exam Topic 1)

You have spent a few days loading data from comma-separated values (CSV) files into the Google BigQuery table CLICK_STREAM. The column DT stores the epoch time of click events. For convenience, you chose a simple schema where every field is treated as the STRING type. Now, you want to compute web session durations of users who visit your site, and you want to change its data type to the TIMESTAMP. You want to minimize the migration effort without making future queries computationally expensive. What should you do?

- A. Delete the table CLICK_STREAM, and then re-create it such that the column DT is of the TIMESTAMP type
- B. Reload the data.
- C. Add a column TS of the TIMESTAMP type to the table CLICK_STREAM, and populate the numeric values from the column TS for each row
- D. Reference the column TS instead of the column DT from now on.
- E. Create a view CLICK_STREAM_V, where strings from the column DT are cast into TIMESTAMP values
- F. Reference the view CLICK_STREAM_V instead of the table CLICK_STREAM from now on.
- G. Add two columns to the table CLICK_STREAM: TS of the TIMESTAMP type and IS_NEW of the BOOLEAN type
- H. Reload all data in append mode
- I. For each appended row, set the value of IS_NEW to true
- J. For future queries, reference the column TS instead of the column DT, with the WHERE clause ensuring that the value of IS_NEW must be true.
- K. Construct a query to return every row of the table CLICK_STREAM, while using the built-in function to cast strings from the column DT into TIMESTAMP values
- L. Run the query into a destination table NEW_CLICK_STREAM, in which the column TS is the TIMESTAMP type
- M. Reference the table NEW_CLICK_STREAM instead of the table CLICK_STREAM from now on
- N. In the future, new data is loaded into the table NEW_CLICK_STREAM.

Answer: D

NEW QUESTION 2

- (Exam Topic 1)

Your software uses a simple JSON format for all messages. These messages are published to Google Cloud Pub/Sub, then processed with Google Cloud Dataflow to create a real-time dashboard for the CFO. During testing, you notice that some messages are missing in the dashboard. You check the logs, and all messages are being published to Cloud Pub/Sub successfully. What should you do next?

- A. Check the dashboard application to see if it is not displaying correctly.
- B. Run a fixed dataset through the Cloud Dataflow pipeline and analyze the output.
- C. Use Google Stackdriver Monitoring on Cloud Pub/Sub to find the missing messages.
- D. Switch Cloud Dataflow to pull messages from Cloud Pub/Sub instead of Cloud Pub/Sub pushing messages to Cloud Dataflow.

Answer: B

NEW QUESTION 3

- (Exam Topic 1)

Business owners at your company have given you a database of bank transactions. Each row contains the user ID, transaction type, transaction location, and transaction amount. They ask you to investigate what type of machine learning can be applied to the data. Which three machine learning applications can you use? (Choose three.)

- A. Supervised learning to determine which transactions are most likely to be fraudulent.
- B. Unsupervised learning to determine which transactions are most likely to be fraudulent.
- C. Clustering to divide the transactions into N categories based on feature similarity.
- D. Supervised learning to predict the location of a transaction.
- E. Reinforcement learning to predict the location of a transaction.
- F. Unsupervised learning to predict the location of a transaction.

Answer: BCE

NEW QUESTION 4

- (Exam Topic 1)

You work for a car manufacturer and have set up a data pipeline using Google Cloud Pub/Sub to capture anomalous sensor events. You are using a push subscription in Cloud Pub/Sub that calls a custom HTTPS endpoint that you have created to take action on these anomalous events as they occur. Your custom HTTPS endpoint keeps getting an inordinate amount of duplicate messages. What is the most likely cause of these duplicate messages?

- A. The message body for the sensor event is too large.
- B. Your custom endpoint has an out-of-date SSL certificate.
- C. The Cloud Pub/Sub topic has too many messages published to it.
- D. Your custom endpoint is not acknowledging messages within the acknowledgement deadline.

Answer: B

NEW QUESTION 5

- (Exam Topic 1)

Your company has hired a new data scientist who wants to perform complicated analyses across very large datasets stored in Google Cloud Storage and in a Cassandra cluster on Google Compute Engine. The scientist primarily wants to create labelled data sets for machine learning projects, along with some visualization tasks. She reports that her laptop is not powerful enough to perform her tasks and it is slowing her down. You want to help her perform her tasks. What should you do?

- A. Run a local version of Jupiter on the laptop.
- B. Grant the user access to Google Cloud Shell.
- C. Host a visualization tool on a VM on Google Compute Engine.
- D. Deploy Google Cloud Datalab to a virtual machine (VM) on Google Compute Engine.

Answer: B

NEW QUESTION 6

- (Exam Topic 1)

Your company uses a proprietary system to send inventory data every 6 hours to a data ingestion service in the cloud. Transmitted data includes a payload of several fields and the timestamp of the transmission. If there are any concerns about a transmission, the system re-transmits the data. How should you deduplicate the data most efficiently?

- A. Assign global unique identifiers (GUID) to each data entry.
- B. Compute the hash value of each data entry, and compare it with all historical data.
- C. Store each data entry as the primary key in a separate database and apply an index.
- D. Maintain a database table to store the hash value and other metadata for each data entry.

Answer: D

NEW QUESTION 7

- (Exam Topic 1)

You are building a model to make clothing recommendations. You know a user's fashion preference is likely to change over time, so you build a data pipeline to stream new data back to the model as it becomes available.

How should you use this data to train the model?

- A. Continuously retrain the model on just the new data.
- B. Continuously retrain the model on a combination of existing data and the new data.
- C. Train on the existing data while using the new data as your test set.
- D. Train on the new data while using the existing data as your test set.

Answer: D

NEW QUESTION 8

- (Exam Topic 1)

You designed a database for patient records as a pilot project to cover a few hundred patients in three clinics. Your design used a single database table to represent all patients and their visits, and you used self-joins to generate reports. The server resource utilization was at 50%. Since then, the scope of the project has expanded. The database must now store 100 times more patient records. You can no longer run the reports, because they either take too long or they encounter errors with insufficient compute resources. How should you adjust the database design?

- A. Add capacity (memory and disk space) to the database server by the order of 200.
- B. Shard the tables into smaller ones based on date ranges, and only generate reports with prespecified date ranges.
- C. Normalize the master patient-record table into the patient table and the visits table, and create other necessary tables to avoid self-join.
- D. Partition the table into smaller tables, with one for each clinic.
- E. Run queries against the smaller table pairs, and use unions for consolidated reports.

Answer: B

NEW QUESTION 9

- (Exam Topic 1)

Your company is running their first dynamic campaign, serving different offers by analyzing real-time data during the holiday season. The data scientists are collecting terabytes of data that rapidly grows every hour during their 30-day campaign. They are using Google Cloud Dataflow to preprocess the data and collect the feature (signals) data that is needed for the machine learning model in Google Cloud Bigtable. The team is observing suboptimal performance with reads and writes of their initial load of 10 TB of data. They want to improve this performance while minimizing cost. What should they do?

- A. Redefine the schema by evenly distributing reads and writes across the row space of the table.
- B. The performance issue should be resolved over time as the size of the Bigtable cluster is increased.
- C. Redesign the schema to use a single row key to identify values that need to be updated frequently in the cluster.
- D. Redesign the schema to use row keys based on numeric IDs that increase sequentially per user viewing the offers.

Answer: A

NEW QUESTION 10

- (Exam Topic 1)

You are building a model to predict whether or not it will rain on a given day. You have thousands of input features and want to see if you can improve training speed by removing some features while having a minimum effect on model accuracy. What can you do?

- A. Eliminate features that are highly correlated to the output labels.
- B. Combine highly co-dependent features into one representative feature.
- C. Instead of feeding in each feature individually, average their values in batches of 3.
- D. Remove the features that have null values for more than 50% of the training records.

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

Your company is using WHILECARD tables to query data across multiple tables with similar names. The SQL statement is currently failing with the following error:

```
# Syntax error : Expected end of statement but got "-" at [4:11] SELECT age
FROM
bigquery-public-data.noaa_gsod.gsod WHERE
age != 99
AND_TABLE_SUFFIX = '1929' ORDER BY
```

age DESC

Which table name will make the SQL statement work correctly?

- A. 'bigquery-public-data.noaa_gsod.gsod'
- B. bigquery-public-data.noaa_gsod.gsod*
- C. 'bigquery-public-data.noaa_gsod.gsod'*
- D. 'bigquery-public-data.noaa_gsod.gsod'*

Answer: D

NEW QUESTION 11

- (Exam Topic 1)

Your weather app queries a database every 15 minutes to get the current temperature. The frontend is powered by Google App Engine and server millions of users. How should you design the frontend to respond to a database failure?

- A. Issue a command to restart the database servers.
- B. Retry the query with exponential backoff, up to a cap of 15 minutes.
- C. Retry the query every second until it comes back online to minimize staleness of data.
- D. Reduce the query frequency to once every hour until the database comes back online.

Answer: B

NEW QUESTION 13

- (Exam Topic 2)

Flowlogistic is rolling out their real-time inventory tracking system. The tracking devices will all send package-tracking messages, which will now go to a single Google Cloud Pub/Sub topic instead of the Apache Kafka cluster. A subscriber application will then process the messages for real-time reporting and store them in Google BigQuery for historical analysis. You want to ensure the package data can be analyzed over time.

Which approach should you take?

- A. Attach the timestamp on each message in the Cloud Pub/Sub subscriber application as they are received.
- B. Attach the timestamp and Package ID on the outbound message from each publisher device as they are sent to Cloud Pub/Sub.
- C. Use the NOW () function in BigQuery to record the event's time.
- D. Use the automatically generated timestamp from Cloud Pub/Sub to order the data.

Answer: B

NEW QUESTION 14

- (Exam Topic 3)

Given the record streams MJTelco is interested in ingesting per day, they are concerned about the cost of Google BigQuery increasing. MJTelco asks you to provide a design solution. They require a single large data table called tracking_table. Additionally, they want to minimize the cost of daily queries while performing fine-grained analysis of each day's events. They also want to use streaming ingestion. What should you do?

- A. Create a table called tracking_table and include a DATE column.
- B. Create a partitioned table called tracking_table and include a TIMESTAMP column.
- C. Create sharded tables for each day following the pattern tracking_table_YYYYMMDD.
- D. Create a table called tracking_table with a TIMESTAMP column to represent the day.

Answer: B

NEW QUESTION 18

- (Exam Topic 3)

You need to compose visualization for operations teams with the following requirements:

- Telemetry must include data from all 50,000 installations for the most recent 6 weeks (sampling once every minute)
- The report must not be more than 3 hours delayed from live data.
- The actionable report should only show suboptimal links.
- Most suboptimal links should be sorted to the top.
- Suboptimal links can be grouped and filtered by regional geography.
- User response time to load the report must be <5 seconds.

You create a data source to store the last 6 weeks of data, and create visualizations that allow viewers to see multiple date ranges, distinct geographic regions, and unique installation types. You always show the latest data without any changes to your visualizations. You want to avoid creating and updating new visualizations each month. What should you do?

- A. Look through the current data and compose a series of charts and tables, one for each possible combination of criteria.
- B. Look through the current data and compose a small set of generalized charts and tables bound to criteria filters that allow value selection.
- C. Export the data to a spreadsheet, compose a series of charts and tables, one for each possible combination of criteria, and spread them across multiple tabs.
- D. Load the data into relational database tables, write a Google App Engine application that queries all rows, summarizes the data across each criteria, and then renders results using the Google Charts and visualization API.

Answer: B

NEW QUESTION 20

- (Exam Topic 3)

You need to compose visualizations for operations teams with the following requirements: Which approach meets the requirements?

- A. Load the data into Google Sheets, use formulas to calculate a metric, and use filters/sorting to show only suboptimal links in a table.
- B. Load the data into Google BigQuery tables, write Google Apps Script that queries the data, calculates the metric, and shows only suboptimal rows in a table in

Google Sheets.

C. Load the data into Google Cloud Datastore tables, write a Google App Engine Application that queries all rows, applies a function to derive the metric, and then renders results in a table using the Google charts and visualization API.

D. Load the data into Google BigQuery tables, write a Google Data Studio 360 report that connects to your data, calculates a metric, and then uses a filter expression to show only suboptimal rows in a table.

Answer: C

NEW QUESTION 21

- (Exam Topic 3)

You create a new report for your large team in Google Data Studio 360. The report uses Google BigQuery as its data source. It is company policy to ensure employees can view only the data associated with their region, so you create and populate a table for each region. You need to enforce the regional access policy to the data.

Which two actions should you take? (Choose two.)

A. Ensure all the tables are included in global dataset.

B. Ensure each table is included in a dataset for a region.

C. Adjust the settings for each table to allow a related region-based security group view access.

D. Adjust the settings for each view to allow a related region-based security group view access.

E. Adjust the settings for each dataset to allow a related region-based security group view access.

Answer: BD

NEW QUESTION 23

- (Exam Topic 4)

You are designing the database schema for a machine learning-based food ordering service that will predict what users want to eat. Here is some of the information you need to store:

The user profile: What the user likes and doesn't like to eat

The user account information: Name, address, preferred meal times

The order information: When orders are made, from where, to whom

The database will be used to store all the transactional data of the product. You want to optimize the data schema. Which Google Cloud Platform product should you use?

A. BigQuery

B. Cloud SQL

C. Cloud Bigtable

D. Cloud Datastore

Answer: A

NEW QUESTION 26

- (Exam Topic 4)

You are deploying a new storage system for your mobile application, which is a media streaming service. You decide the best fit is Google Cloud Datastore. You have entities with multiple properties, some of which can take on multiple values. For example, in the entity 'Movie' the property 'actors' and the property 'tags' have multiple values but the property 'date released' does not. A typical query would ask for all movies with actor=<actorname> ordered by date_released or all movies with tag=Comedy ordered by date_released. How should you avoid a combinatorial explosion in the number of indexes?

A. Manually configure the index in your index config as follows:

Indexes:

```
-kind: Movie
  Properties:
    -name: actors
    name: date_released
-kind: Movie
  Properties:
    -name: tags
    name: date_released
```

B. Manually configure the index in your index config as follows:

Indexes:

```
-kind: Movie
  Properties:
    -name: actors
    -name: tags
-name: date_published
```

C. Set the following in your entity options: `exclude_from_indexes = 'actors, tags'`

D. Set the following in your entity options: `exclude_from_indexes = 'date_published'`

- A. Option A
- B. Option B.
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 30

- (Exam Topic 5)

What is the recommended action to do in order to switch between SSD and HDD storage for your Google Cloud Bigtable instance?

- A. create a third instance and sync the data from the two storage types via batch jobs
- B. export the data from the existing instance and import the data into a new instance
- C. run parallel instances where one is HDD and the other is SDD
- D. the selection is final and you must resume using the same storage type

Answer: B

Explanation:

When you create a Cloud Bigtable instance and cluster, your choice of SSD or HDD storage for the cluster is permanent. You cannot use the Google Cloud Platform Console to change the type of storage that is used for the cluster.

If you need to convert an existing HDD cluster to SSD, or vice-versa, you can export the data from the existing instance and import the data into a new instance.

Alternatively, you can write

a Cloud Dataflow or Hadoop MapReduce job that copies the data from one instance to another. Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd->

NEW QUESTION 35

- (Exam Topic 5)

If you're running a performance test that depends upon Cloud Bigtable, all the choices except one below are recommended steps. Which is NOT a recommended step to follow?

- A. Do not use a production instance.
- B. Run your test for at least 10 minutes.
- C. Before you test, run a heavy pre-test for several minutes.
- D. Use at least 300 GB of data.

Answer: A

Explanation:

If you're running a performance test that depends upon Cloud Bigtable, be sure to follow these steps as you plan and execute your test:

Use a production instance. A development instance will not give you an accurate sense of how a production instance performs under load.

Use at least 300 GB of data. Cloud Bigtable performs best with 1 TB or more of data. However, 300 GB of data is enough to provide reasonable results in a

performance test on a 3-node cluster. On larger clusters, use 100 GB of data per node.

Before you test, run a heavy pre-test for several minutes. This step gives Cloud Bigtable a chance to balance data across your nodes based on the access patterns it observes.

Run your test for at least 10 minutes. This step lets Cloud Bigtable further optimize your data, and it helps ensure that you will test reads from disk as well as cached reads from memory.

Reference: <https://cloud.google.com/bigtable/docs/performance>

NEW QUESTION 38

- (Exam Topic 5)

Which of these operations can you perform from the BigQuery Web UI?

- A. Upload a file in SQL format.
- B. Load data with nested and repeated fields.
- C. Upload a 20 MB file.
- D. Upload multiple files using a wildcard.

Answer: B

Explanation:

You can load data with nested and repeated fields using the Web UI. You cannot use the Web UI to:

- Upload a file greater than 10 MB in size
- Upload multiple files at the same time
- Upload a file in SQL format

All three of the above operations can be performed using the "bq" command. Reference: <https://cloud.google.com/bigquery/loading-data>

NEW QUESTION 40

- (Exam Topic 5)

Which of these rules apply when you add preemptible workers to a Dataproc cluster (select 2 answers)?

- A. Preemptible workers cannot use persistent disk.
- B. Preemptible workers cannot store data.
- C. If a preemptible worker is reclaimed, then a replacement worker must be added manually.
- D. A Dataproc cluster cannot have only preemptible workers.

Answer: BD

Explanation:

The following rules will apply when you use preemptible workers with a Cloud Dataproc cluster: Processing only—Since preemptibles can be reclaimed at any time, preemptible workers do not store data.

Preemptibles added to a Cloud Dataproc cluster only function as processing nodes.

No preemptible-only clusters—To ensure clusters do not lose all workers, Cloud Dataproc cannot create preemptible-only clusters.

Persistent disk size—As a default, all preemptible workers are created with the smaller of 100GB or the primary worker boot disk size. This disk space is used for local caching of data and is not available through HDFS.

The managed group automatically re-adds workers lost due to reclamation as capacity permits. Reference:

<https://cloud.google.com/dataproc/docs/concepts/preemptible-vms>

NEW QUESTION 43

- (Exam Topic 5)

What Dataflow concept determines when a Window's contents should be output based on certain criteria being met?

- A. Sessions
- B. OutputCriteria
- C. Windows
- D. Triggers

Answer: D

Explanation:

Triggers control when the elements for a specific key and window are output. As elements arrive, they are put into one or more windows by a Window transform and its associated WindowFn, and then passed to the associated Trigger to determine if the Windows contents should be output.

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/transforms/windowing/Tri>

NEW QUESTION 47

- (Exam Topic 5)

Does Dataflow process batch data pipelines or streaming data pipelines?

- A. Only Batch Data Pipelines
- B. Both Batch and Streaming Data Pipelines
- C. Only Streaming Data Pipelines
- D. None of the above

Answer: B

Explanation:

Dataflow is a unified processing model, and can execute both streaming and batch data pipelines Reference: <https://cloud.google.com/dataflow/>

NEW QUESTION 49

- (Exam Topic 5)

To run a TensorFlow training job on your own computer using Cloud Machine Learning Engine, what would your command start with?

- A. gcloud ml-engine local train
- B. gcloud ml-engine jobs submit training
- C. gcloud ml-engine jobs submit training local
- D. You can't run a TensorFlow program on your own computer using Cloud ML Engine .

Answer: A

Explanation:

gcloud ml-engine local train - run a Cloud ML Engine training job locally

This command runs the specified module in an environment similar to that of a live Cloud ML Engine Training Job.

This is especially useful in the case of testing distributed models, as it allows you to validate that you are

properly interacting with the Cloud ML Engine cluster configuration. Reference: <https://cloud.google.com/sdk/gcloud/reference/ml-engine/local/train>

NEW QUESTION 50

- (Exam Topic 5)

What are two methods that can be used to denormalize tables in BigQuery?

- A. 1) Split table into multiple tables; 2) Use a partitioned table
- B. 1) Join tables into one table; 2) Use nested repeated fields
- C. 1) Use a partitioned table; 2) Join tables into one table
- D. 1) Use nested repeated fields; 2) Use a partitioned table

Answer: B

Explanation:

The conventional method of denormalizing data involves simply writing a fact, along with all its dimensions, into a flat table structure. For example, if you are dealing with sales transactions, you would write each individual fact to a record, along with the accompanying dimensions such as order and customer information. The other method for denormalizing data takes advantage of BigQuery's native support for nested and repeated structures in JSON or Avro input data. Expressing records using nested and repeated structures can provide a more natural representation of the underlying data. In the case of the sales order, the outer part of a JSON structure would contain the order and customer information, and the inner part of the structure would contain the individual line items of the order, which would be represented as nested, repeated elements.

Reference: https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing_data

NEW QUESTION 52

- (Exam Topic 5)

Cloud Bigtable is Google's Big Data database service.

- A. Relational
- B. MySQL
- C. NoSQL
- D. SQL Server

Answer: C

Explanation:

Cloud Bigtable is Google's NoSQL Big Data database service. It is the same database that Google uses for services, such as Search, Analytics, Maps, and Gmail. It is used for requirements that are low latency and high throughput including Internet of Things (IoT), user analytics, and financial data analysis.

Reference: <https://cloud.google.com/bigtable/>

NEW QUESTION 53

- (Exam Topic 5)

The CUSTOM tier for Cloud Machine Learning Engine allows you to specify the number of which types of cluster nodes?

- A. Workers
- B. Masters, workers, and parameter servers
- C. Workers and parameter servers
- D. Parameter servers

Answer: C

Explanation:

The CUSTOM tier is not a set tier, but rather enables you to use your own cluster specification. When you use this tier, set values to configure your processing cluster according to these guidelines:

You must set TrainingInput.masterType to specify the type of machine to use for your master node. You may set TrainingInput.workerCount to specify the number of workers to use.

You may set TrainingInput.parameterServerCount to specify the number of parameter servers to use.

You can specify the type of machine for the master node, but you can't specify more than one master node. Reference: https://cloud.google.com/ml-engine/docs/training-overview#job_configuration_parameters

NEW QUESTION 54

- (Exam Topic 5)

How can you get a neural network to learn about relationships between categories in a categorical feature?

- A. Create a multi-hot column
- B. Create a one-hot column
- C. Create a hash bucket

D. Create an embedding column

Answer: D

Explanation:

There are two problems with one-hot encoding. First, it has high dimensionality, meaning that instead of having just one value, like a continuous feature, it has many values, or dimensions. This makes computation more time-consuming, especially if a feature has a very large number of categories. The second problem is that it doesn't encode any relationships between the categories. They are completely independent from each other, so the network has no way of knowing which ones are similar to each other.

Both of these problems can be solved by representing a categorical feature with an embedding

column. The idea is that each category has a smaller vector with, let's say, 5 values in it. But unlike a one-hot vector, the values are not usually 0. The values are weights, similar to the weights that are used for basic features in a neural network. The difference is that each category has a set of weights (5 of them in this case).

You can think of each value in the embedding vector as a feature of the category. So, if two categories are very similar to each other, then their embedding vectors should be very similar too.

Reference:

<https://cloudacademy.com/google/introduction-to-google-cloud-machine-learning-engine-course/a-wide-and-dee>

NEW QUESTION 57

- (Exam Topic 5)

Which of the following statements is NOT true regarding Bigtable access roles?

- A. Using IAM roles, you cannot give a user access to only one table in a project, rather than all tables in a project.
- B. To give a user access to only one table in a project, grant the user the Bigtable Editor role for that table.
- C. You can configure access control only at the project level.
- D. To give a user access to only one table in a project, you must configure access through your application.

Answer: B

Explanation:

For Cloud Bigtable, you can configure access control at the project level. For example, you can grant the ability to:

Read from, but not write to, any table within the project.

Read from and write to any table within the project, but not manage instances. Read from and write to any table within the project, and manage instances.

Reference: <https://cloud.google.com/bigtable/docs/access-control>

NEW QUESTION 58

- (Exam Topic 5)

Which of the following is not true about Dataflow pipelines?

- A. Pipelines are a set of operations
- B. Pipelines represent a data processing job
- C. Pipelines represent a directed graph of steps
- D. Pipelines can share data between instances

Answer: D

Explanation:

The data and transforms in a pipeline are unique to, and owned by, that pipeline. While your program can create multiple pipelines, pipelines cannot share data or transforms

Reference: <https://cloud.google.com/dataflow/model/pipelines>

NEW QUESTION 59

- (Exam Topic 5)

Which Java SDK class can you use to run your Dataflow programs locally?

- A. LocalRunner
- B. DirectPipelineRunner
- C. MachineRunner
- D. LocalPipelineRunner

Answer: B

Explanation:

DirectPipelineRunner allows you to execute operations in the pipeline directly, without any optimization. Useful for small local execution and tests

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

NEW QUESTION 60

- (Exam Topic 5)

To give a user read permission for only the first three columns of a table, which access control method would you use?

- A. Primitive role
- B. Predefined role
- C. Authorized view
- D. It's not possible to give access to only the first three columns of a table.

Answer: C

Explanation:

An authorized view allows you to share query results with particular users and groups without giving them read access to the underlying tables. Authorized views can only be created in a dataset that does not contain the tables queried by the view. When you create an authorized view, you use the view's SQL query to restrict access to only the rows and columns you want the users to see. Reference: <https://cloud.google.com/bigquery/docs/views#authorized-views>

NEW QUESTION 62

- (Exam Topic 5)

You have a job that you want to cancel. It is a streaming pipeline, and you want to ensure that any data that is in-flight is processed and written to the output. Which of the following commands can you use on the Dataflow monitoring console to stop the pipeline job?

- A. Cancel
- B. Drain
- C. Stop
- D. Finish

Answer: B

Explanation:

Using the Drain option to stop your job tells the Dataflow service to finish your job in its current state. Your job will immediately stop ingesting new data from input sources, but the Dataflow service will preserve any existing resources (such as worker instances) to finish processing and writing any buffered data in your pipeline. Reference: <https://cloud.google.com/dataflow/pipelines/stopping-a-pipeline>

NEW QUESTION 66

- (Exam Topic 5)

You want to use a BigQuery table as a data sink. In which writing mode(s) can you use BigQuery as a sink?

- A. Both batch and streaming
- B. BigQuery cannot be used as a sink
- C. Only batch
- D. Only streaming

Answer: A

Explanation:

When you apply a BigQueryIO.Write transform in batch mode to write to a single table, Dataflow invokes a BigQuery load job. When you apply a BigQueryIO.Write transform in streaming mode or in batch mode using a function to specify the destination table, Dataflow uses BigQuery's streaming inserts. Reference: <https://cloud.google.com/dataflow/model/bigquery-io>

NEW QUESTION 67

- (Exam Topic 5)

If a dataset contains rows with individual people and columns for year of birth, country, and income, how many of the columns are continuous and how many are categorical?

- A. 1 continuous and 2 categorical
- B. 3 categorical
- C. 3 continuous
- D. 2 continuous and 1 categorical

Answer: D

Explanation:

The columns can be grouped into two types—categorical and continuous columns:

A column is called categorical if its value can only be one of the categories in a finite set. For example, the native country of a person (U.S., India, Japan, etc.) or the education level (high school, college, etc.) are categorical columns.

A column is called continuous if its value can be any numerical value in a continuous range. For example, the capital gain of a person (e.g. \$14,084) is a continuous column.

Year of birth and income are continuous columns. Country is a categorical column.

You could use bucketization to turn year of birth and/or income into categorical features, but the raw columns are continuous.

Reference: https://www.tensorflow.org/tutorials/wide#reading_the_census_data

NEW QUESTION 71

- (Exam Topic 5)

By default, which of the following windowing behavior does Dataflow apply to unbounded data sets?

- A. Windows at every 100 MB of data
- B. Single, Global Window
- C. Windows at every 1 minute
- D. Windows at every 10 minutes

Answer: B

Explanation:

Dataflow's default windowing behavior is to assign all elements of a PCollection to a single, global window, even for unbounded PCollections

Reference: <https://cloud.google.com/dataflow/model/pcollection>

NEW QUESTION 73

- (Exam Topic 5)

The YARN ResourceManager and the HDFS NameNode interfaces are available on a Cloud Dataproc cluster .

- A. application node
- B. conditional node
- C. master node
- D. worker node

Answer: C

Explanation:

The YARN ResourceManager and the HDFS NameNode interfaces are available on a Cloud Dataproc cluster master node. The cluster master-host-name is the name of your Cloud Dataproc cluster followed by an -m suffix—for example, if your cluster is named "my-cluster", the master-host-name would be "my-cluster-m". Reference: <https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#interfaces>

NEW QUESTION 78

- (Exam Topic 5)

When a Cloud Bigtable node fails, is lost.

- A. all data
- B. no data
- C. the last transaction
- D. the time dimension

Answer: B

Explanation:

A Cloud Bigtable table is sharded into blocks of contiguous rows, called tablets, to help balance the workload of queries. Tablets are stored on Colossus, Google's file system, in SSTable format. Each tablet is associated with a specific Cloud Bigtable node.

Data is never stored in Cloud Bigtable nodes themselves; each node has pointers to a set of tablets that are stored on Colossus. As a result:

Rebalancing tablets from one node to another is very fast, because the actual data is not copied. Cloud Bigtable simply updates the pointers for each node.

Recovery from the failure of a Cloud Bigtable node is very fast, because only metadata needs to be migrated to the replacement node.

When a Cloud Bigtable node fails, no data is lost Reference: <https://cloud.google.com/bigtable/docs/overview>

NEW QUESTION 82

- (Exam Topic 5)

The for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline.

- A. Cloud Dataflow connector
- B. DataFlow SDK
- C. BigQuery API
- D. BigQuery Data Transfer Service

Answer: A

Explanation:

The Cloud Dataflow connector for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline. You can use the connector for both batch and streaming operations.

Reference: <https://cloud.google.com/bigtable/docs/dataflow-hbase>

NEW QUESTION 84

- (Exam Topic 5)

Cloud Dataproc is a managed Apache Hadoop and Apache service.

- A. Blaze
- B. Spark
- C. Fire
- D. Ignite

Answer: B

Explanation:

Cloud Dataproc is a managed Apache Spark and Apache Hadoop service that lets you use open source data tools for batch processing, querying, streaming, and machine learning.

Reference: <https://cloud.google.com/dataproc/docs/>

NEW QUESTION 88

- (Exam Topic 5)

You are developing a software application using Google's Dataflow SDK, and want to use conditional, for loops and other complex programming structures to create a branching pipeline. Which component will be used for the data processing operation?

- A. PCollection
- B. Transform
- C. Pipeline
- D. Sink API

Answer: B

Explanation:

In Google Cloud, the Dataflow SDK provides a transform component. It is responsible for the data processing operation. You can use conditional, for loops, and other complex programming structure to create a branching pipeline.

Reference: <https://cloud.google.com/dataflow/model/programming-model>

NEW QUESTION 91

- (Exam Topic 5)

Which of the following is NOT true about Dataflow pipelines?

- A. Dataflow pipelines are tied to Dataflow, and cannot be run on any other runner
- B. Dataflow pipelines can consume data from other Google Cloud services
- C. Dataflow pipelines can be programmed in Java
- D. Dataflow pipelines use a unified programming model, so can work both with streaming and batch data sources

Answer: A

Explanation:

Dataflow pipelines can also run on alternate runtimes like Spark and Flink, as they are built using the Apache Beam SDKs

Reference: <https://cloud.google.com/dataflow/>

NEW QUESTION 93

- (Exam Topic 5)

Which SQL keyword can be used to reduce the number of columns processed by BigQuery?

- A. BETWEEN
- B. WHERE
- C. SELECT
- D. LIMIT

Answer: C

Explanation:

SELECT allows you to query specific columns rather than the whole table.

LIMIT, BETWEEN, and WHERE clauses will not reduce the number of columns processed by BigQuery.

Reference:

https://cloud.google.com/bigquery/launch-checklist#architecture_design_and_development_checklist

NEW QUESTION 94

- (Exam Topic 5)

Cloud Bigtable is a recommended option for storing very large amounts of _____ ?

- A. multi-keyed data with very high latency
- B. multi-keyed data with very low latency
- C. single-keyed data with very low latency
- D. single-keyed data with very high latency

Answer: C

Explanation:

Cloud Bigtable is a sparsely populated table that can scale to billions of rows and thousands of columns, allowing you to store terabytes or even petabytes of data. A single value in each row is indexed; this value is known as the row key. Cloud Bigtable is ideal for storing very large amounts of single-keyed data with very low latency. It supports high read and write throughput at low latency, and it is an ideal data source for MapReduce operations.

Reference: <https://cloud.google.com/bigtable/docs/overview>

NEW QUESTION 97

- (Exam Topic 6)

You have a data pipeline with a Cloud Dataflow job that aggregates and writes time series metrics to Cloud Bigtable. This data feeds a dashboard used by thousands of users across the organization. You need to support additional concurrent users and reduce the amount of time required to write the data. Which two actions should you take? (Choose two.)

- A. Configure your Cloud Dataflow pipeline to use local execution
- B. Increase the maximum number of Cloud Dataflow workers by setting `maxNumWorkers` in `PipelineOptions`
- C. Increase the number of nodes in the Cloud Bigtable cluster
- D. Modify your Cloud Dataflow pipeline to use the Flatten transform before writing to Cloud Bigtable
- E. Modify your Cloud Dataflow pipeline to use the `CoGroupByKey` transform before writing to Cloud Bigtable

Answer: DE

NEW QUESTION 98

- (Exam Topic 6)

Your team is responsible for developing and maintaining ETLs in your company. One of your Dataflow jobs is failing because of some errors in the input data, and you need to improve reliability of the pipeline (incl. being able to reprocess all failing data). What should you do?

- A. Add a filtering step to skip these types of errors in the future, extract erroneous rows from logs.
- B. Add a try... catch block to your DoFn that transforms the data, extract erroneous rows from logs.
- C. Add a try... catch block to your DoFn that transforms the data, write erroneous rows to PubSub directly from the DoFn.
- D. Add a try... catch block to your DoFn that transforms the data, use a sideOutput to create a PCollection that can be stored to PubSub later.

Answer: C

NEW QUESTION 100

- (Exam Topic 6)

You work for a mid-sized enterprise that needs to move its operational system transaction data from an on-premises database to GCP. The database is about 20 TB in size. Which database should you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

Answer: A

NEW QUESTION 105

- (Exam Topic 6)

You have a requirement to insert minute-resolution data from 50,000 sensors into a BigQuery table. You expect significant growth in data volume and need the data to be available within 1 minute of ingestion for real-time analysis of aggregated trends. What should you do?

- A. Use bq load to load a batch of sensor data every 60 seconds.
- B. Use a Cloud Dataflow pipeline to stream data into the BigQuery table.
- C. Use the INSERT statement to insert a batch of data every 60 seconds.
- D. Use the MERGE statement to apply updates in batch every 60 seconds.

Answer: C

NEW QUESTION 110

- (Exam Topic 6)

Your infrastructure includes a set of YouTube channels. You have been tasked with creating a process for sending the YouTube channel data to Google Cloud for analysis. You want to design a solution that allows your world-wide marketing teams to perform ANSI SQL and other types of analysis on up-to-date YouTube channels log data. How should you set up the log data transfer into Google Cloud?

- A. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- B. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Regional bucket as a final destination.
- C. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- D. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Regional storage bucket as a final destination.

Answer: B

NEW QUESTION 112

- (Exam Topic 6)

Your company maintains a hybrid deployment with GCP, where analytics are performed on your anonymized customer data. The data are imported to Cloud Storage from your data center through parallel uploads to a data transfer server running on GCP. Management informs you that the daily transfers take too long and have asked you to fix the problem. You want to maximize transfer speeds. Which action should you take?

- A. Increase the CPU size on your server.
- B. Increase the size of the Google Persistent Disk on your server.
- C. Increase your network bandwidth from your datacenter to GCP.
- D. Increase your network bandwidth from Compute Engine to Cloud Storage.

Answer: C

NEW QUESTION 117

- (Exam Topic 6)

You are designing storage for two relational tables that are part of a 10-TB database on Google Cloud. You want to support transactions that scale horizontally. You also want to optimize data for range queries on nonkey columns. What should you do?

- A. Use Cloud SQL for storag
- B. Add secondary indexes to support query patterns.
- C. Use Cloud SQL for storag
- D. Use Cloud Dataflow to transform data to support query patterns.
- E. Use Cloud Spanner for storag
- F. Add secondary indexes to support query patterns.
- G. Use Cloud Spanner for storag
- H. Use Cloud Dataflow to transform data to support query patterns.

Answer: D

Explanation:

Reference: <https://cloud.google.com/solutions/data-lifecycle-cloud-platform>

NEW QUESTION 118

- (Exam Topic 6)

Your company needs to upload their historic data to Cloud Storage. The security rules don't allow access from external IPs to their on-premises resources. After an initial upload, they will add new data from existing on-premises applications every day. What should they do?

- A. Execute gsutil rsync from the on-premises servers.
- B. Use Cloud Dataflow and write the data to Cloud Storage.

- C. Write a job template in Cloud Dataproc to perform the data transfer.
- D. Install an FTP server on a Compute Engine VM to receive the files and move them to Cloud Storage.

Answer: B

NEW QUESTION 123

- (Exam Topic 6)

You are a retailer that wants to integrate your online sales capabilities with different in-home assistants, such as Google Home. You need to interpret customer voice commands and issue an order to the backend systems. Which solutions should you choose?

- A. Cloud Speech-to-Text API
- B. Cloud Natural Language API
- C. Dialogflow Enterprise Edition
- D. Cloud AutoML Natural Language

Answer: D

NEW QUESTION 124

- (Exam Topic 6)

Your organization has been collecting and analyzing data in Google BigQuery for 6 months. The majority of the data analyzed is placed in a time-partitioned table named events_partitioned. To reduce the cost of queries, your organization created a view called events, which queries only the last 14 days of data. The view is described in legacy SQL. Next month, existing applications will be connecting to BigQuery to read the events data via an ODBC connection. You need to ensure the applications can connect. Which two actions should you take? (Choose two.)

- A. Create a new view over events using standard SQL
- B. Create a new partitioned table using a standard SQL query
- C. Create a new view over events_partitioned using standard SQL
- D. Create a service account for the ODBC connection to use for authentication
- E. Create a Google Cloud Identity and Access Management (Cloud IAM) role for the ODBC connection and shared "events"

Answer: AE

NEW QUESTION 128

- (Exam Topic 6)

You need to move 2 PB of historical data from an on-premises storage appliance to Cloud Storage within six months, and your outbound network capacity is constrained to 20 Mb/sec. How should you migrate this data to Cloud Storage?

- A. Use Transfer Appliance to copy the data to Cloud Storage
- B. Use gsutil cp -J to compress the content being uploaded to Cloud Storage
- C. Create a private URL for the historical data, and then use Storage Transfer Service to copy the data to Cloud Storage
- D. Use trickle or ionice along with gsutil cp to limit the amount of bandwidth gsutil utilizes to less than 20 Mb/sec so it does not interfere with the production traffic

Answer: A

NEW QUESTION 132

- (Exam Topic 6)

You are a head of BI at a large enterprise company with multiple business units that each have different priorities and budgets. You use on-demand pricing for BigQuery with a quota of 2K concurrent on-demand slots per project. Users at your organization sometimes don't get slots to execute their query and you need to correct this. You'd like to avoid introducing new projects to your account. What should you do?

- A. Convert your batch BQ queries into interactive BQ queries.
- B. Create an additional project to overcome the 2K on-demand per-project quota.
- C. Switch to flat-rate pricing and establish a hierarchical priority model for your projects.
- D. Increase the amount of concurrent slots per project at the Quotas page at the Cloud Console.

Answer: C

Explanation:

Reference <https://cloud.google.com/blog/products/gcp/busting-12-myths-about-bigquery>

NEW QUESTION 136

- (Exam Topic 6)

You decided to use Cloud Datastore to ingest vehicle telemetry data in real time. You want to build a storage system that will account for the long-term data growth, while keeping the costs low. You also want to create snapshots of the data periodically, so that you can make a point-in-time (PIT) recovery, or clone a copy of the data for Cloud Datastore in a different environment. You want to archive these snapshots for a long time. Which two methods can accomplish this? Choose 2 answers.


- A. Use managed export, and store the data in a Cloud Storage bucket using Nearline or Coldline class.
- B. Use managed export, and then import to Cloud Datastore in a separate project under a unique namespace reserved for that export.
- C. Use managed export, and then import the data into a BigQuery table created just for that export, and delete temporary export files.
- D. Write an application that uses Cloud Datastore client libraries to read all the entities
- E. Treat each entity as a BigQuery table row via BigQuery streaming insert
- F. Assign an export timestamp for each export, and attach it as an extra column for each row
- G. Make sure that the BigQuery table is partitioned using the export timestamp column.
- H. Write an application that uses Cloud Datastore client libraries to read all the entities
- I. Format the exported data into a JSON file
- J. Apply compression before storing the data in Cloud Source Repositories.

Answer: CE

NEW QUESTION 141

- (Exam Topic 6)

You have some data, which is shown in the graphic below. The two dimensions are X and Y, and the shade of each dot represents what class it is. You want to classify this data accurately using a linear algorithm.



To do this you need to add a synthetic feature. What should the value of that feature be?

- A. X^2+Y^2
- B. X^2
- C. Y^2
- D. $\cos(X)$

Answer: D

NEW QUESTION 142

- (Exam Topic 6)

Your company has a hybrid cloud initiative. You have a complex data pipeline that moves data between cloud provider services and leverages services from each of the cloud providers. Which cloud-native service should you use to orchestrate the entire pipeline?

- A. Cloud Dataflow
- B. Cloud Composer
- C. Cloud Dataprep
- D. Cloud Dataproc

Answer: D

NEW QUESTION 145

- (Exam Topic 6)

After migrating ETL jobs to run on BigQuery, you need to verify that the output of the migrated jobs is the same as the output of the original. You've loaded a table containing the output of the original job and want to compare the contents with output from the migrated job to show that they are identical. The tables do not contain a primary key column that would enable you to join them together for comparison.

What should you do?

- A. Select random samples from the tables using the RAND() function and compare the samples.
- B. Select random samples from the tables using the HASH() function and compare the samples.
- C. Use a Dataproc cluster and the BigQuery Hadoop connector to read the data from each table and calculate a hash from non-timestamp columns of the table after sortin
- D. Compare the hashes of each table.
- E. Create stratified random samples using the OVER() function and compare equivalent samples from each table.

Answer: B

NEW QUESTION 150

- (Exam Topic 6)

You plan to deploy Cloud SQL using MySQL. You need to ensure high availability in the event of a zone failure. What should you do?

- A. Create a Cloud SQL instance in one zone, and create a failover replica in another zone within the same region.
- B. Create a Cloud SQL instance in one zone, and create a read replica in another zone within the same region.
- C. Create a Cloud SQL instance in one zone, and configure an external read replica in a zone in a different region.
- D. Create a Cloud SQL instance in a region, and configure automatic backup to a Cloud Storage bucket in the same region.

Answer: C

NEW QUESTION 153

- (Exam Topic 6)

You are integrating one of your internal IT applications and Google BigQuery, so users can query BigQuery from the application's interface. You do not want

individual users to authenticate to BigQuery and you do not want to give them access to the dataset. You need to securely access BigQuery from your IT application.

What should you do?

- A. Create groups for your users and give those groups access to the dataset
- B. Integrate with a single sign-on (SSO) platform, and pass each user's credentials along with the query request
- C. Create a service account and grant dataset access to that account
- D. Use the service account's private key to access the dataset
- E. Create a dummy user and grant dataset access to that user
- F. Store the username and password for that user in a file on the files system, and use those credentials to access the BigQuery dataset

Answer: C

NEW QUESTION 154

- (Exam Topic 6)

You are selecting services to write and transform JSON messages from Cloud Pub/Sub to BigQuery for a data pipeline on Google Cloud. You want to minimize service costs. You also want to monitor and accommodate input data volume that will vary in size with minimal manual intervention. What should you do?

- A. Use Cloud Dataproc to run your transformation
- B. Monitor CPU utilization for the cluster
- C. Resize the number of worker nodes in your cluster via the command line.
- D. Use Cloud Dataproc to run your transformation
- E. Use the diagnose command to generate an operational output archive
- F. Locate the bottleneck and adjust cluster resources.
- G. Use Cloud Dataflow to run your transformation
- H. Monitor the job system lag with Stackdriver
- I. Use the default autoscaling setting for worker instances.
- J. Use Cloud Dataflow to run your transformation
- K. Monitor the total execution time for a sampling of jobs
- L. Configure the job to use non-default Compute Engine machine types when needed.

Answer: B

NEW QUESTION 157

- (Exam Topic 6)

You are designing storage for very large text files for a data pipeline on Google Cloud. You want to support ANSI SQL queries. You also want to support compression and parallel load from the input locations using Google recommended practices. What should you do?

- A. Transform text files to compressed Avro using Cloud Dataflow
- B. Use BigQuery for storage and query.
- C. Transform text files to compressed Avro using Cloud Dataflow
- D. Use Cloud Storage and BigQuery permanent linked tables for query.
- E. Compress text files to gzip using the Grid Computing Tool
- F. Use BigQuery for storage and query.
- G. Compress text files to gzip using the Grid Computing Tool
- H. Use Cloud Storage, and then import into Cloud Bigtable for query.

Answer: D

NEW QUESTION 161

- (Exam Topic 6)

You have historical data covering the last three years in BigQuery and a data pipeline that delivers new data to BigQuery daily. You have noticed that when the Data Science team runs a query filtered on a date column and limited to 30–90 days of data, the query scans the entire table. You also noticed that your bill is increasing more quickly than you expected. You want to resolve the issue as cost-effectively as possible while maintaining the ability to conduct SQL queries. What should you do?

- A. Re-create the tables using DDL
- B. Partition the tables by a column containing a TIMESTAMP or DATE Type.
- C. Recommend that the Data Science team export the table to a CSV file on Cloud Storage and use Cloud Datalab to explore the data by reading the files directly.
- D. Modify your pipeline to maintain the last 30–90 days of data in one table and the longer history in a different table to minimize full table scans over the entire history.
- E. Write an Apache Beam pipeline that creates a BigQuery table per day
- F. Recommend that the Data Science team use wildcards on the table name suffixes to select the data they need.

Answer: C

NEW QUESTION 163

- (Exam Topic 6)

You want to build a managed Hadoop system as your data lake. The data transformation process is composed of a series of Hadoop jobs executed in sequence. To accomplish the design of separating storage from compute, you decided to use the Cloud Storage connector to store all input data, output data, and intermediary data. However, you noticed that one Hadoop job runs very slowly with Cloud Dataproc, when compared with the on-premises bare-metal Hadoop environment (8-core nodes with 100-GB RAM). Analysis shows that this particular Hadoop job is disk I/O intensive. You want to resolve the issue. What should you do?

- A. Allocate sufficient memory to the Hadoop cluster, so that the intermediary data of that particular Hadoop job can be held in memory
- B. Allocate sufficient persistent disk space to the Hadoop cluster, and store the intermediate data of that particular Hadoop job on native HDFS
- C. Allocate more CPU cores of the virtual machine instances of the Hadoop cluster so that the networking bandwidth for each instance can scale up
- D. Allocate additional network interface card (NIC), and configure link aggregation in the operating system to use the combined throughput when working with Cloud Storage

Answer: A

NEW QUESTION 165

- (Exam Topic 6)

You are responsible for writing your company's ETL pipelines to run on an Apache Hadoop cluster. The pipeline will require some checkpointing and splitting pipelines. Which method should you use to write the pipelines?

- A. PigLatin using Pig
- B. HiveQL using Hive
- C. Java using MapReduce
- D. Python using MapReduce

Answer: D

NEW QUESTION 169

- (Exam Topic 6)

You work for a shipping company that uses handheld scanners to read shipping labels. Your company has strict data privacy standards that require scanners to only transmit recipients' personally identifiable information (PII) to analytics systems, which violates user privacy rules. You want to quickly build a scalable solution using cloud-native managed services to prevent exposure of PII to the analytics systems. What should you do?

- A. Create an authorized view in BigQuery to restrict access to tables with sensitive data.
- B. Install a third-party data validation tool on Compute Engine virtual machines to check the incoming data for sensitive information.
- C. Use Stackdriver logging to analyze the data passed through the total pipeline to identify transactions that may contain sensitive information.
- D. Build a Cloud Function that reads the topics and makes a call to the Cloud Data Loss Prevention AP
- E. Use the tagging and confidence levels to either pass or quarantine the data in a bucket for review.

Answer: A

NEW QUESTION 171

- (Exam Topic 6)

Each analytics team in your organization is running BigQuery jobs in their own projects. You want to enable each team to monitor slot usage within their projects. What should you do?

- A. Create a Stackdriver Monitoring dashboard based on the BigQuery metric query/scanned_bytes
- B. Create a Stackdriver Monitoring dashboard based on the BigQuery metric slots/allocated_for_project
- C. Create a log export for each project, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric
- D. Create an aggregated log export at the organization level, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric

Answer: D

NEW QUESTION 173

- (Exam Topic 6)

You are implementing security best practices on your data pipeline. Currently, you are manually executing jobs as the Project Owner. You want to automate these jobs by taking nightly batch files containing non-public information from Google Cloud Storage, processing them with a Spark Scala job on a Google Cloud Dataproc cluster, and depositing the results into Google BigQuery. How should you securely run this workload?

- A. Restrict the Google Cloud Storage bucket so only you can see the files
- B. Grant the Project Owner role to a service account, and run the job with it
- C. Use a service account with the ability to read the batch files and to write to BigQuery
- D. Use a user account with the Project Viewer role on the Cloud Dataproc cluster to read the batch files and write to BigQuery

Answer: B

NEW QUESTION 177

- (Exam Topic 6)

You are operating a Cloud Dataflow streaming pipeline. The pipeline aggregates events from a Cloud Pub/Sub subscription source, within a window, and sinks the resulting aggregation to a Cloud Storage bucket. The source has consistent throughput. You want to monitor an alert on behavior of the pipeline with Cloud Stackdriver to ensure that it is processing data. Which Stackdriver alerts should you create?

- A. An alert based on a decrease of subscription/num_undelivered_messages for the source and a rate of change increase of instance/storage/used_bytes for the destination
- B. An alert based on an increase of subscription/num_undelivered_messages for the source and a rate of change decrease of instance/storage/used_bytes for the destination
- C. An alert based on a decrease of instance/storage/used_bytes for the source and a rate of change increase of subscription/num_undelivered_messages for the destination
- D. An alert based on an increase of instance/storage/used_bytes for the source and a rate of change decrease of subscription/num_undelivered_messages for the destination

Answer: B

NEW QUESTION 179

- (Exam Topic 6)

You are building a new application that you need to collect data from in a scalable way. Data arrives continuously from the application throughout the day, and you expect to generate approximately 150 GB of JSON data per day by the end of the year. Your requirements are:

- ▶ Decoupling producer from consumer
- ▶ Space and cost-efficient storage of the raw ingested data, which is to be stored indefinitely
- ▶ Near real-time SQL query
- ▶ Maintain at least 2 years of historical data, which will be queried with SQ

Which pipeline should you use to meet these requirements?

- A. Create an application that provides an AP
- B. Write a tool to poll the API and write data to Cloud Storage as gzipped JSON files.
- C. Create an application that writes to a Cloud SQL database to store the dat
- D. Set up periodic exports of the database to write to Cloud Storage and load into BigQuery.
- E. Create an application that publishes events to Cloud Pub/Sub, and create Spark jobs on Cloud Dataproc to convert the JSON data to Avro format, stored on HDFS on Persistent Disk.
- F. Create an application that publishes events to Cloud Pub/Sub, and create a Cloud Dataflow pipeline that transforms the JSON event payloads to Avro, writing the data to Cloud Storage and BigQuery.

Answer: A

NEW QUESTION 181

- (Exam Topic 6)

An online retailer has built their current application on Google App Engine. A new initiative at the company mandates that they extend their application to allow their customers to transact directly via the application.

They need to manage their shopping transactions and analyze combined data from multiple datasets using a business intelligence (BI) tool. They want to use only a single database for this purpose. Which Google Cloud database should they choose?

- A. BigQuery
- B. Cloud SQL
- C. Cloud BigTable
- D. Cloud Datastore

Answer: C

NEW QUESTION 185

- (Exam Topic 6)

You used Cloud Dataprep to create a recipe on a sample of data in a BigQuery table. You want to reuse this recipe on a daily upload of data with the same schema, after the load job with variable execution time completes. What should you do?

- A. Create a cron schedule in Cloud Dataprep.
- B. Create an App Engine cron job to schedule the execution of the Cloud Dataprep job.
- C. Export the recipe as a Cloud Dataprep template, and create a job in Cloud Scheduler.
- D. Export the Cloud Dataprep job as a Cloud Dataflow template, and incorporate it into a Cloud Composer job.

Answer: C

NEW QUESTION 188

- (Exam Topic 6)

You've migrated a Hadoop job from an on-prem cluster to dataproc and GCS. Your Spark job is a complicated analytical workload that consists of many shuffling operations and initial data are parquet files (on average 200-400 MB size each). You see some degradation in performance after the migration to Dataproc, so you'd like to optimize for it. You need to keep in mind that your organization is very cost-sensitive, so you'd like to continue using Dataproc on preemptibles (with 2 non-preemptible workers only) for this workload. What should you do?

- A. Increase the size of your parquet files to ensure them to be 1 GB minimum.
- B. Switch to TFRecords formats (app
- C. 200MB per file) instead of parquet files.
- D. Switch from HDDs to SSDs, copy initial data from GCS to HDFS, run the Spark job and copy results back to GCS.
- E. Switch from HDDs to SSDs, override the preemptible VMs configuration to increase the boot disk size.

Answer: C

NEW QUESTION 192

- (Exam Topic 6)

You have a query that filters a BigQuery table using a WHERE clause on timestamp and ID columns. By using bq query --dry_run you learn that the query triggers a full scan of the table, even though the filter on timestamp and ID select a tiny fraction of the overall data. You want to reduce the amount of data scanned by BigQuery with minimal changes to existing SQL queries. What should you do?

- A. Create a separate table for each ID.
- B. Use the LIMIT keyword to reduce the number of rows returned.
- C. Recreate the table with a partitioning column and clustering column.
- D. Use the bq query --maximum_bytes_billed flag to restrict the number of bytes billed.

Answer: B

NEW QUESTION 194

- (Exam Topic 6)

Your United States-based company has created an application for assessing and responding to user actions. The primary table's data volume grows by 250,000 records per second. Many third parties use your application's APIs to build the functionality into their own frontend applications. Your application's APIs should

comply with the following requirements:

- Single global endpoint
 - ANSI SQL support
 - Consistent access to the most up-to-date data
- What should you do?

- A. Implement BigQuery with no region selected for storage or processing.
- B. Implement Cloud Spanner with the leader in North America and read-only replicas in Asia and Europe.
- C. Implement Cloud SQL for PostgreSQL with the master in North America and read replicas in Asia and Europe.
- D. Implement Cloud Bigtable with the primary cluster in North America and secondary clusters in Asia and Europe.

Answer: B

NEW QUESTION 199

- (Exam Topic 6)

Your company is selecting a system to centralize data ingestion and delivery. You are considering messaging and data integration systems to address the requirements. The key requirements are:

- The ability to seek to a particular offset in a topic, possibly back to the start of all data ever captured
 - Support for publish/subscribe semantics on hundreds of topics
 - Retain per-key ordering
- Which system should you choose?

- A. Apache Kafka
- B. Cloud Storage
- C. Cloud Pub/Sub
- D. Firebase Cloud Messaging

Answer: A

NEW QUESTION 203

- (Exam Topic 6)

You work for a global shipping company. You want to train a model on 40 TB of data to predict which ships in each geographic region are likely to cause delivery delays on any given day. The model will be based on multiple attributes collected from multiple sources. Telemetry data, including location in GeoJSON format, will be pulled from each ship and loaded every hour. You want to have a dashboard that shows how many and which ships are likely to cause delays within a region. You want to use a storage solution that has native functionality for prediction and geospatial processing. Which storage solution should you use?

- A. BigQuery
- B. Cloud Bigtable
- C. Cloud Datastore
- D. Cloud SQL for PostgreSQL

Answer: A

NEW QUESTION 204

- (Exam Topic 6)

You work for a bank. You have a labelled dataset that contains information on already granted loan application and whether these applications have been defaulted. You have been asked to train a model to predict default rates for credit applicants. What should you do?

- A. Increase the size of the dataset by collecting additional data.
- B. Train a linear regression to predict a credit default risk score.
- C. Remove the bias from the data and collect applications that have been declined loans.
- D. Match loan applicants with their social profiles to enable feature engineering.

Answer: B

NEW QUESTION 205

- (Exam Topic 6)

You are planning to migrate your current on-premises Apache Hadoop deployment to the cloud. You need to ensure that the deployment is as fault-tolerant and cost-effective as possible for long-running batch jobs. You want to use a managed service. What should you do?

- A. Deploy a Cloud Dataproc cluster
- B. Use a standard persistent disk and 50% preemptible worker
- C. Store data in Cloud Storage, and change references in scripts from hdfs:// to gs://
- D. Deploy a Cloud Dataproc cluster
- E. Use an SSD persistent disk and 50% preemptible worker
- F. Store data in Cloud Storage, and change references in scripts from hdfs:// to gs://
- G. Install Hadoop and Spark on a 10-node Compute Engine instance group with standard instance
- H. Install the Cloud Storage connector, and store the data in Cloud Storage
- I. Change references in scripts from hdfs:// to gs://
- J. Install Hadoop and Spark on a 10-node Compute Engine instance group with preemptible instances. Store data in HDF
- K. Change references in scripts from hdfs:// to gs://

Answer: A

NEW QUESTION 209

- (Exam Topic 6)

You need to copy millions of sensitive patient records from a relational database to BigQuery. The total size of the database is 10 TB. You need to design a

solution that is secure and time-efficient. What should you do?

- A. Export the records from the database as an Avro file
- B. Upload the file to GCS using gsutil, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- C. Export the records from the database as an Avro file
- D. Copy the file onto a Transfer Appliance and send it to Google, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- E. Export the records from the database into a CSV file
- F. Create a public URL for the CSV file, and then use Storage Transfer Service to move the file to Cloud Storage
- G. Load the CSV file into BigQuery using the BigQuery web UI in the GCP Console.
- H. Export the records from the database as an Avro file
- I. Create a public URL for the Avro file, and then use Storage Transfer Service to move the file to Cloud Storage
- J. Load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.

Answer: A

NEW QUESTION 213

- (Exam Topic 6)

You have several Spark jobs that run on a Cloud Dataproc cluster on a schedule. Some of the jobs run in sequence, and some of the jobs run concurrently. You need to automate this process. What should you do?

- A. Create a Cloud Dataproc Workflow Template
- B. Create an initialization action to execute the jobs
- C. Create a Directed Acyclic Graph in Cloud Composer
- D. Create a Bash script that uses the Cloud SDK to create a cluster, execute jobs, and then tear down the cluster

Answer: A

NEW QUESTION 217

- (Exam Topic 6)

Your company receives both batch- and stream-based event data. You want to process the data using Google Cloud Dataflow over a predictable time period. However, you realize that in some instances data can arrive late or out of order. How should you design your Cloud Dataflow pipeline to handle data that is late or out of order?

- A. Set a single global window to capture all the data.
- B. Set sliding windows to capture all the lagged data.
- C. Use watermarks and timestamps to capture the lagged data.
- D. Ensure every datasource type (stream or batch) has a timestamp, and use the timestamps to define the logic for lagged data.

Answer: B

NEW QUESTION 221

- (Exam Topic 6)

You are implementing several batch jobs that must be executed on a schedule. These jobs have many interdependent steps that must be executed in a specific order. Portions of the jobs involve executing shell scripts, running Hadoop jobs, and running queries in BigQuery. The jobs are expected to run for many minutes up to several hours. If the steps fail, they must be retried a fixed number of times. Which service should you use to manage the execution of these jobs?

- A. Cloud Scheduler
- B. Cloud Dataflow
- C. Cloud Functions
- D. Cloud Composer

Answer: A

NEW QUESTION 225

- (Exam Topic 6)

You are designing a cloud-native historical data processing system to meet the following conditions:

- The data being analyzed is in CSV, Avro, and PDF formats and will be accessed by multiple analysis tools including Cloud Dataproc, BigQuery, and Compute Engine.
 - A streaming data pipeline stores new data daily.
 - Performance is not a factor in the solution.
 - The solution design should maximize availability.
- How should you design data storage for this solution?

- A. Create a Cloud Dataproc cluster with high availability
- B. Store the data in HDFS, and perform analysis as needed.
- C. Store the data in BigQuery
- D. Access the data using the BigQuery Connector or Cloud Dataproc and Compute Engine.
- E. Store the data in a regional Cloud Storage bucket
- F. Access the bucket directly using Cloud Dataproc, BigQuery, and Compute Engine.
- G. Store the data in a multi-regional Cloud Storage bucket
- H. Access the data directly using Cloud Dataproc, BigQuery, and Compute Engine.

Answer: C

NEW QUESTION 228

- (Exam Topic 6)

You're using Bigtable for a real-time application, and you have a heavy load that is a mix of read and writes. You've recently identified an additional use case and need to perform hourly an analytical job to calculate certain statistics across the whole database. You need to ensure both the reliability of your production application as well as the analytical workload.

What should you do?

- A. Export Bigtable dump to GCS and run your analytical job on top of the exported files.
- B. Add a second cluster to an existing instance with a multi-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- C. Add a second cluster to an existing instance with a single-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- D. Increase the size of your existing cluster twice and execute your analytics workload on your new resized cluster.

Answer: B

NEW QUESTION 233

- (Exam Topic 6)

You have a data stored in BigQuery. The data in the BigQuery dataset must be highly available. You need to define a storage, backup, and recovery strategy of this data that minimizes cost. How should you configure the BigQuery table?

- A. Set the BigQuery dataset to be regional
- B. In the event of an emergency, use a point-in-time snapshot to recover the data.
- C. Set the BigQuery dataset to be regional
- D. Create a scheduled query to make copies of the data to tables suffixed with the time of the backup
- E. In the event of an emergency, use the backup copy of the table.
- F. Set the BigQuery dataset to be multi-regional
- G. In the event of an emergency, use a point-in-time snapshot to recover the data.
- H. Set the BigQuery dataset to be multi-regional
- I. Create a scheduled query to make copies of the data to tables suffixed with the time of the backup
- J. In the event of an emergency, use the backup copy of the table.

Answer: B

NEW QUESTION 235

- (Exam Topic 6)

Your neural network model is taking days to train. You want to increase the training speed. What can you do?

- A. Subsample your test dataset.
- B. Subsample your training dataset.
- C. Increase the number of input features to your model.
- D. Increase the number of layers in your neural network.

Answer: D

Explanation:

Reference: <https://towardsdatascience.com/how-to-increase-the-accuracy-of-a-neural-network-9f5d1c6f407d>

NEW QUESTION 239

- (Exam Topic 6)

You are deploying MariaDB SQL databases on GCE VM Instances and need to configure monitoring and alerting. You want to collect metrics including network connections, disk IO and replication status from MariaDB with minimal development effort and use StackDriver for dashboards and alerts. What should you do?

- A. Install the OpenCensus Agent and create a custom metric collection application with a StackDriver exporter.
- B. Place the MariaDB instances in an Instance Group with a Health Check.
- C. Install the StackDriver Logging Agent and configure fluentd in_tail plugin to read MariaDB logs.
- D. Install the StackDriver Agent and configure the MySQL plugin.

Answer: C

NEW QUESTION 244

- (Exam Topic 6)

You have Cloud Functions written in Node.js that pull messages from Cloud Pub/Sub and send the data to BigQuery. You observe that the message processing rate on the Pub/Sub topic is orders of magnitude higher than anticipated, but there is no error logged in Stackdriver Log Viewer. What are the two most likely causes of this problem? Choose 2 answers.

- A. Publisher throughput quota is too small.
- B. Total outstanding messages exceed the 10-MB maximum.
- C. Error handling in the subscriber code is not handling run-time errors properly.
- D. The subscriber code cannot keep up with the messages.
- E. The subscriber code does not acknowledge the messages that it pulls.

Answer: CD

NEW QUESTION 248

- (Exam Topic 6)

You store historic data in Cloud Storage. You need to perform analytics on the historic data. You want to use a solution to detect invalid data entries and perform data transformations that will not require programming or knowledge of SQL. What should you do?

- A. Use Cloud Dataflow with Beam to detect errors and perform transformations.
- B. Use Cloud Dataprep with recipes to detect errors and perform transformations.
- C. Use Cloud Dataproc with a Hadoop job to detect errors and perform transformations.
- D. Use federated tables in BigQuery with queries to detect errors and perform transformations.

Answer: A

NEW QUESTION 253

- (Exam Topic 6)

You work for an advertising company, and you've developed a Spark ML model to predict click-through rates at advertisement blocks. You've been developing everything at your on-premises data center, and now your company is migrating to Google Cloud. Your data center will be migrated to BigQuery. You periodically retrain your Spark ML models, so you need to migrate existing training pipelines to Google Cloud. What should you do?

- A. Use Cloud ML Engine for training existing Spark ML models
- B. Rewrite your models on TensorFlow, and start using Cloud ML Engine
- C. Use Cloud Dataproc for training existing Spark ML models, but start reading data directly from BigQuery
- D. Spin up a Spark cluster on Compute Engine, and train Spark ML models on the data exported from BigQuery

Answer: A

NEW QUESTION 258

- (Exam Topic 6)

You have an Apache Kafka Cluster on-prem with topics containing web application logs. You need to replicate the data to Google Cloud for analysis in BigQuery and Cloud Storage. The preferred replication method is mirroring to avoid deployment of Kafka Connect plugins. What should you do?

- A. Deploy a Kafka cluster on GCE VM Instance
- B. Configure your on-prem cluster to mirror your topics to the cluster running in GC
- C. Use a Dataproc cluster or Dataflow job to read from Kafka and write to GCS.
- D. Deploy a Kafka cluster on GCE VM Instances with the PubSub Kafka connector configured as a Sink connector
- E. Use a Dataproc cluster or Dataflow job to read from Kafka and write to GCS.
- F. Deploy the PubSub Kafka connector to your on-prem Kafka cluster and configure PubSub as a Source connector
- G. Use a Dataflow job to read from PubSub and write to GCS.
- H. Deploy the PubSub Kafka connector to your on-prem Kafka cluster and configure PubSub as a Sink connector
- I. Use a Dataflow job to read from PubSub and write to GCS.

Answer: A

NEW QUESTION 259

- (Exam Topic 6)

You work for a shipping company that has distribution centers where packages move on delivery lines to route them properly. The company wants to add cameras to the delivery lines to detect and track any visual damage to the packages in transit. You need to create a way to automate the detection of damaged packages and flag them for human review in real time while the packages are in transit. Which solution should you choose?

- A. Use BigQuery machine learning to be able to train the model at scale, so you can analyze the packages in batches.
- B. Train an AutoML model on your corpus of images, and build an API around that model to integrate with the package tracking applications.
- C. Use the Cloud Vision API to detect for damage, and raise an alert through Cloud Function
- D. Integrate the package tracking applications with this function.
- E. Use TensorFlow to create a model that is trained on your corpus of image
- F. Create a Python notebook in Cloud Datalab that uses this model so you can analyze for damaged packages.

Answer: A

NEW QUESTION 260

- (Exam Topic 6)

You want to archive data in Cloud Storage. Because some data is very sensitive, you want to use the "Trust No One" (TNO) approach to encrypt your data to prevent the cloud provider staff from decrypting your data. What should you do?

- A. Use `gcloud kms keys create` to create a symmetric key
- B. Then use `gcloud kms encrypt` to encrypt each archival file with the key and unique additional authenticated data (AAD). Use `gsutil cp` to upload each encrypted file to the Cloud Storage bucket, and keep the AAD outside of Google Cloud.
- C. Use `gcloud kms keys create` to create a symmetric key
- D. Then use `gcloud kms encrypt` to encrypt each archival file with the key
- E. Use `gsutil cp` to upload each encrypted file to the Cloud Storage bucket
- F. Manually destroy the key previously used for encryption, and rotate the key once and rotate the key once.
- G. Specify customer-supplied encryption key (CSEK) in the `.boto` configuration file
- H. Use `gsutil cp` to upload each archival file to the Cloud Storage bucket
- I. Save the CSEK in Cloud Memorystore as permanent storage of the secret.
- J. Specify customer-supplied encryption key (CSEK) in the `.boto` configuration file
- K. Use `gsutil cp` to upload each archival file to the Cloud Storage bucket
- L. Save the CSEK in a different project that only the security team can access.

Answer: B

NEW QUESTION 264

- (Exam Topic 6)

A data scientist has created a BigQuery ML model and asks you to create an ML pipeline to serve predictions. You have a REST API application with the requirement to serve predictions for an individual user ID with latency under 100 milliseconds. You use the following query to generate predictions: `SELECT`

predicted_label, user_id FROM ML.PREDICT (MODEL 'dataset.model', table user_features). How should you create the ML pipeline?

- A. Add a WHERE clause to the query, and grant the BigQuery Data Viewer role to the application service account.
- B. Create an Authorized View with the provided query
- C. Share the dataset that contains the view with the application service account.
- D. Create a Cloud Dataflow pipeline using BigQueryIO to read results from the query
- E. Grant the Dataflow Worker role to the application service account.
- F. Create a Cloud Dataflow pipeline using BigQueryIO to read predictions for all users from the query. Write the results to Cloud Bigtable using BigtableIO
- G. Grant the Bigtable Reader role to the application service account so that the application can read predictions for individual users from Cloud Bigtable.

Answer: D

NEW QUESTION 268

- (Exam Topic 6)

You are building a data pipeline on Google Cloud. You need to prepare data using a casual method for a machine-learning process. You want to support a logistic regression model. You also need to monitor and adjust for null values, which must remain real-valued and cannot be removed. What should you do?

- A. Use Cloud Dataprep to find null values in sample source data
- B. Convert all nulls to 'none' using a Cloud Dataproc job.
- C. Use Cloud Dataprep to find null values in sample source data
- D. Convert all nulls to 0 using a Cloud Dataprep job.
- E. Use Cloud Dataflow to find null values in sample source data
- F. Convert all nulls to 'none' using a Cloud Dataprep job.
- G. Use Cloud Dataflow to find null values in sample source data
- H. Convert all nulls to using a custom script.

Answer: C

NEW QUESTION 273

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Data-Engineer Practice Exam Features:

- * Professional-Data-Engineer Questions and Answers Updated Frequently
- * Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Data-Engineer Practice Test Here](#)