

Exam Questions AWS-Solution-Architect-Associate

Amazon AWS Certified Solutions Architect - Associate

<https://www.2passeasy.com/dumps/AWS-Solution-Architect-Associate/>



NEW QUESTION 1

- (Exam Topic 1)

A company performs monthly maintenance on its AWS infrastructure. During these maintenance activities, the company needs to rotate the credentials for its Amazon ROS for MySQL databases across multiple AWS Regions

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the credentials as secrets in AWS Secrets Manager
- B. Use multi-Region secret replication for the required Regions Configure Secrets Manager to rotate the secrets on a schedule
- C. Store the credentials as secrets in AWS Systems Manager by creating a secure string parameter Use multi-Region secret replication for the required Regions Configure Systems Manager to rotate the secrets on a schedule
- D. Store the credentials in an Amazon S3 bucket that has server-side encryption (SSE) enabled Use Amazon EventBridge (Amazon CloudWatch Events) to invoke an AWS Lambda function to rotate the credentials
- E. Encrypt the credentials as secrets by using AWS Key Management Service (AWS KMS) multi-Region customer managed keys Store the secrets in an Amazon DynamoDB global table Use an AWS Lambda function to retrieve the secrets from DynamoDB Use the RDS API to rotate the secrets.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/security/how-to-replicate-secrets-aws-secrets-manager-multiple-regions/>

NEW QUESTION 2

- (Exam Topic 1)

A company is preparing to store confidential data in Amazon S3 For compliance reasons the data must be encrypted at rest Encryption key usage must be logged for auditing purposes. Keys must be rotated every year.

Which solution meets these requirements and «the MOST operationally efficient?

- A. Server-side encryption with customer-provided keys (SSE-C)
- B. Server-side encryption with Amazon S3 managed keys (SSE-S3)
- C. Server-side encryption with AWS KMS (SSE-KMS) customer master keys (CMKs) with manual rotation
- D. Server-side encryption with AWS KMS (SSE-KMS) customer master keys (CMKs) with automate rotation

Answer: D

Explanation:

<https://docs.aws.amazon.com/kms/latest/developerguide/rotate-keys.html>

When you enable automatic key rotation for a customer managed key, AWS KMS generates new cryptographic material for the KMS key every year. AWS KMS also saves the KMS key's older cryptographic material in perpetuity so it can be used to decrypt data that the KMS key encrypted.

Key rotation in AWS KMS is a cryptographic best practice that is designed to be transparent and easy to use. AWS KMS supports optional automatic key rotation only for customer managed CMKs. Enable and disable key rotation. Automatic key rotation is disabled by default on customer managed CMKs. When you enable (or re-enable) key rotation, AWS KMS automatically rotates the CMK 365 days after the enable date and every 365 days thereafter.

NEW QUESTION 3

- (Exam Topic 1)

A solutions architect is designing a new hybrid architecture to extend a company's on-premises infrastructure to AWS The company requires a highly available connection with consistent low latency to an AWS Region. The company needs to minimize costs and is willing to accept slower traffic if the primary connection fails.

What should the solutions architect do to meet these requirements?

- A. Provision an AWS Direct Connect connection to a Region Provision a VPN connection as a backup if the primary Direct Connect connection fails.
- B. Provision a VPN tunnel connection to a Region for private connectivity
- C. Provision a second VPN tunnel for private connectivity and as a backup if the primary VPN connection fails.
- D. Provision an AWS Direct Connect connection to a Region Provision a second Direct Connect connection to the same Region as a backup if the primary Direct Connect connection fails.
- E. Provision an AWS Direct Connect connection to a Region Use the Direct Connect failover attribute from the AWS CLI to automatically create a backup connection if the primary Direct Connect connection fails.

Answer: A

Explanation:

"In some cases, this connection alone is not enough. It is always better to guarantee a fallback connection as the backup of DX. There are several options, but implementing it with an AWS Site-To-Site VPN is a real cost-effective solution that can be exploited to reduce costs or, in the meantime, wait for the setup of a second DX."

<https://www.proud2becloud.com/hybrid-cloud-networking-backup-aws-direct-connect-network-connection-with>

NEW QUESTION 4

- (Exam Topic 1)

A company runs a shopping application that uses Amazon DynamoDB to store customer information. In case of data corruption, a solutions architect needs to design a solution that meets a recovery point objective (RPO) of 15 minutes and a recovery time objective (RTO) of 1 hour.

What should the solutions architect recommend to meet these requirements?

- A. Configure DynamoDB global table
- B. For RPO recovery, point the application to a different AWS Region.
- C. Configure DynamoDB point-in-time recovery
- D. For RPO recovery, restore to the desired point in time.
- E. Export the DynamoDB data to Amazon S3 Glacier on a daily basis
- F. For RPO recovery, import the data from S3 Glacier to DynamoDB.
- G. Schedule Amazon Elastic Block Store (Amazon EBS) snapshots for the DynamoDB table every 15 minutes
- H. For RPO recovery, restore the DynamoDB table by using the EBS snapshot.

Answer: B

Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/PointInTimeRecovery.html>

NEW QUESTION 5

- (Exam Topic 1)

A company is hosting a web application on AWS using a single Amazon EC2 instance that stores user-uploaded documents in an Amazon EBS volume. For better scalability and availability, the company duplicated the architecture and created a second EC2 instance and EBS volume in another Availability Zone placing both behind an Application Load Balancer. After completing this change, users reported that, each time they refreshed the website, they could see one subset of their documents or the other, but never all of the documents at the same time. What should a solutions architect propose to ensure users see all of their documents at once?

- A. Copy the data so both EBS volumes contain all the documents.
- B. Configure the Application Load Balancer to direct a user to the server with the documents
- C. Copy the data from both EBS volumes to Amazon EFS. Modify the application to save new documents to Amazon EFS
- D. Configure the Application Load Balancer to send the request to both servers. Return each document from the correct server.

Answer: A

Explanation:

Amazon EFS provides file storage in the AWS Cloud. With Amazon EFS, you can create a file system, mount the file system on an Amazon EC2 instance, and then read and write data to and from your file system. You can mount an Amazon EFS file system in your VPC, through the Network File System versions 4.0 and a4.1 (NFSv4) protocol. We recommend using a current generation Linux NFSv4.1 client, such as those found in the latest Amazon Linux, Redhat, and Ubuntu AMIs, in conjunction with the Amazon EFS Mount Helper. For instructions, see Using the amazon-efs-utils Tools.

For a list of Amazon EC2 Linux Amazon Machine Images (AMIs) that support this protocol, see NFS Support. For some AMIs, you'll need to install an NFS client to mount your file system on your Amazon EC2 instance. For instructions, see Installing the NFS Client.

You can access your Amazon EFS file system concurrently from multiple NFS clients, so applications that scale beyond a single connection can access a file system. Amazon EC2 instances running in multiple Availability Zones within the same AWS Region can access the file system, so that many users can access and share a common data source.

<https://docs.aws.amazon.com/efs/latest/ug/how-it-works.html#how-it-works-ec2>

NEW QUESTION 6

- (Exam Topic 1)

A company has an automobile sales website that stores its listings in a database on Amazon RDS. When an automobile is sold, the listing needs to be removed from the website, and the data must be sent to multiple target systems. Which design should a solutions architect recommend?

- A. Create an AWS Lambda function triggered when the database on Amazon RDS is updated to send the information to an Amazon Simple Queue Service (Amazon SQS) queue for the targets to consume
- B. Create an AWS Lambda function triggered when the database on Amazon RDS is updated to send the information to an Amazon Simple Queue Service (Amazon SQS) FIFO queue for the targets to consume
- C. Subscribe to an RDS event notification and send an Amazon Simple Queue Service (Amazon SQS) queue fanned out to multiple Amazon Simple Notification Service (Amazon SNS) topics. Use AWS Lambda functions to update the targets
- D. Subscribe to an RDS event notification and send an Amazon Simple Notification Service (Amazon SNS) topic fanned out to multiple Amazon Simple Queue Service (Amazon SQS) queues. Use AWS Lambda functions to update the targets

Answer: D

Explanation:

<https://docs.aws.amazon.com/lambda/latest/dg/services-rds.html> <https://docs.aws.amazon.com/lambda/latest/dg/with-sns.html>

NEW QUESTION 7

- (Exam Topic 1)

A company recently signed a contract with an AWS Managed Service Provider (MSP) Partner for help with an application migration initiative. A solutions architect needs to share an Amazon Machine Image (AMI) from an existing AWS account with the MSP Partner's AWS account. The AMI is backed by Amazon Elastic Block Store (Amazon EBS) and uses a customer managed customer master key (CMK) to encrypt EBS volume snapshots.

What is the MOST secure way for the solutions architect to share the AMI with the MSP Partner's AWS account?

- A. Make the encrypted AMI and snapshots publicly available
- B. Modify the CMK's key policy to allow the MSP Partner's AWS account to use the key
- C. Modify the launchPermission property of the AMI
- D. Share the AMI with the MSP Partner's AWS account only
- E. Modify the CMK's key policy to allow the MSP Partner's AWS account to use the key.
- F. Modify the launchPermission property of the AMI. Share the AMI with the MSP Partner's AWS account only
- G. Modify the CMK's key policy to trust a new CMK that is owned by the MSP Partner for encryption.
- H. Export the AMI from the source account to an Amazon S3 bucket in the MSP Partner's AWS account. Encrypt the S3 bucket with a CMK that is owned by the MSP Partner. Copy and launch the AMI in the MSP Partner's AWS account.

Answer: B

Explanation:

Share the existing KMS key with the MSP external account because it has already been used to encrypt the AMI snapshot.

<https://docs.aws.amazon.com/kms/latest/developerguide/key-policy-modifying-external-accounts.html>

NEW QUESTION 8

- (Exam Topic 1)

A company is running a popular social media website. The website gives users the ability to upload images to share with other users. The company wants to make sure that the images do not contain inappropriate content. The company needs a solution that minimizes development effort.

What should a solutions architect do to meet these requirements?

- A. Use Amazon Comprehend to detect inappropriate content
- B. Use human review for low-confidence predictions.
- C. Use Amazon Rekognition to detect inappropriate content
- D. Use human review for low-confidence predictions.
- E. Use Amazon SageMaker to detect inappropriate content
- F. Use ground truth to label low-confidence predictions.
- G. Use AWS Fargate to deploy a custom machine learning model to detect inappropriate content
- H. Use ground truth to label low-confidence predictions.

Answer: B

Explanation:

<https://docs.aws.amazon.com/rekognition/latest/dg/moderation.html?pg=ln&sec=ft> <https://docs.aws.amazon.com/rekognition/latest/dg/a2i-rekognition.html>

NEW QUESTION 9

- (Exam Topic 1)

A company has an on-premises application that generates a large amount of time-sensitive data that is backed up to Amazon S3. The application has grown and there are user complaints about internet bandwidth limitations. A solutions architect needs to design a long-term solution that allows for both timely backups to Amazon S3 and with minimal impact on internet connectivity for internal users.

Which solution meets these requirements?

- A. Establish AWS VPN connections and proxy all traffic through a VPC gateway endpoint
- B. Establish a new AWS Direct Connect connection and direct backup traffic through this new connection.
- C. Order daily AWS Snowball devices Load the data onto the Snowball devices and return the devices to AWS each day.
- D. Submit a support ticket through the AWS Management Console Request the removal of S3 service limits from the account.

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

A company wants to reduce the cost of its existing three-tier web architecture. The web, application, and database servers are running on Amazon EC2 instances for the development, test, and production environments. The EC2 instances average 30% CPU utilization during peak hours and 10% CPU utilization during non-peak hours.

The production EC2 instances run 24 hours a day. The development and test EC2 instances run for at least 8 hours each day. The company plans to implement automation to stop the development and test EC2 instances when they are not in use.

Which EC2 instance purchasing solution will meet the company's requirements MOST cost-effectively?

- A. Use Spot Instances for the production EC2 instance
- B. Use Reserved Instances for the development and test EC2 instances.
- C. Use Reserved Instances for the production EC2 instance
- D. Use On-Demand Instances for the development and test EC2 instances.
- E. Use Spot blocks for the production EC2 instance
- F. Use Reserved Instances for the development and test EC2 instances.
- G. Use On-Demand Instances for the production EC2 instance
- H. Use Spot blocks for the development and test EC2 instances.

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

A company is designing an application where users upload small files into Amazon S3. After a user uploads a file, the file requires one-time simple processing to transform the data and save the data in JSON format for later analysis.

Each file must be processed as quickly as possible after it is uploaded. Demand will vary. On some days, users will upload a high number of files. On other days, users will upload a few files or no files.

Which solution meets these requirements with the LEAST operational overhead?

- A. Configure Amazon EMR to read text files from Amazon S3. Run processing scripts to transform the data
- B. Store the resulting JSON file in an Amazon Aurora DB cluster.
- C. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue
- D. Use Amazon EC2 instances to read from the queue and process the data
- E. Store the resulting JSON file in Amazon DynamoDB.
- F. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue
- G. Use an AWS Lambda function to read from the queue and process the data
- H. Store the resulting JSON file in Amazon DynamoDB
- I. Most Voted
- J. Configure Amazon EventBridge (Amazon CloudWatch Events) to send an event to Amazon Kinesis Data Streams when a new file is uploaded
- K. Use an AWS Lambda function to consume the event from the stream and process the data
- L. Store the resulting JSON file in Amazon Aurora DB cluster.

Answer: C

Explanation:

Amazon S3 sends event notifications about S3 buckets (for example, object created, object removed, or object restored) to an SNS topic in the same Region.

The SNS topic publishes the event to an SQS queue in the central Region.

The SQS queue is configured as the event source for your Lambda function and buffers the event messages for the Lambda function.

The Lambda function polls the SQS queue for messages and processes the Amazon S3 event notifications according to your application's requirements.

<https://docs.aws.amazon.com/prescriptive-guidance/latest/patterns/subscribe-a-lambda-function-to-event-notifications.html>

NEW QUESTION 12

- (Exam Topic 1)

A development team needs to host a website that will be accessed by other teams. The website contents consist of HTML, CSS, client-side JavaScript, and images. Which method is the MOST cost-effective for hosting the website?

- A. Containerize the website and host it in AWS Fargate.
- B. Create an Amazon S3 bucket and host the website there.
- C. Deploy a web server on an Amazon EC2 instance to host the website.
- D. Configure an Application Load Balancer with an AWS Lambda target that uses the Express.js framework.

Answer: B

Explanation:

In Static Websites, Web pages are returned by the server which are prebuilt. They use simple languages such as HTML, CSS, or JavaScript.

There is no processing of content on the server (according to the user) in Static Websites. Web pages are returned by the server with no change therefore, static Websites are fast.

There is no interaction with databases.

Also, they are less costly as the host does not need to support server-side processing with different languages.

=====

In Dynamic Websites, Web pages are returned by the server which are processed during runtime means they are not prebuilt web pages but they are built during runtime according to the user's demand.

These use server-side scripting languages such as PHP, Node.js, ASP.NET and many more supported by the server.

So, they are slower than static websites but updates and interaction with databases are possible.

NEW QUESTION 17

- (Exam Topic 1)

A company's containerized application runs on an Amazon EC2 instance. The application needs to download security certificates before it can communicate with other business applications. The company wants a highly secure solution to encrypt and decrypt the certificates in near real time. The solution also needs to store data in highly available storage after the data is encrypted.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create AWS Secrets Manager secrets for encrypted certificate
- B. Manually update the certificates as needed
- C. Control access to the data by using fine-grained IAM access.
- D. Create an AWS Lambda function that uses the Python cryptography library to receive and perform encryption operation
- E. Store the function in an Amazon S3 bucket.
- F. Create an AWS Key Management Service (AWS KMS) customer managed key
- G. Allow the EC2 role to use the KMS key for encryption operation
- H. Store the encrypted data on Amazon S3.
- I. Create an AWS Key Management Service (AWS KMS) customer managed key
- J. Allow the EC2 role to use the KMS key for encryption operation
- K. Store the encrypted data on Amazon Elastic Block Store (Amazon EBS) volumes.

Answer: D

NEW QUESTION 18

- (Exam Topic 1)

A company has an application that ingests incoming messages. These messages are then quickly consumed by dozens of other applications and microservices. The number of messages varies drastically and sometimes spikes as high as 100,000 each second. The company wants to decouple the solution and increase scalability. Which solution meets these requirements?

- A. Persist the messages to Amazon Kinesis Data Analytics
- B. All the applications will read and process the messages.
- C. Deploy the application on Amazon EC2 instances in an Auto Scaling group, which scales the number of EC2 instances based on CPU metrics.
- D. Write the messages to Amazon Kinesis Data Streams with a single shard
- E. All applications will read from the stream and process the messages.
- F. Publish the messages to an Amazon Simple Notification Service (Amazon SNS) topic with one or more Amazon Simple Queue Service (Amazon SQS) subscriptions
- G. All applications then process the messages from the queues.

Answer: D

Explanation:

<https://aws.amazon.com/sqs/features/>

By routing incoming requests to Amazon SQS, the company can decouple the job requests from the processing instances. This allows them to scale the number of instances based on the size of the queue, providing more resources when needed. Additionally, using an Auto Scaling group based on the queue size will automatically scale the number of instances up or down depending on the workload. Updating the software to read from the queue will allow it to process the job requests in a more efficient manner, improving the performance of the system.

NEW QUESTION 20

- (Exam Topic 1)

A company provides a Voice over Internet Protocol (VoIP) service that uses UDP connections. The service consists of Amazon EC2 instances that run in an Auto Scaling group. The company has deployments across multiple AWS Regions.

The company needs to route users to the Region with the lowest latency. The company also needs automated failover between Regions.

Which solution will meet these requirements?

- A. Deploy a Network Load Balancer (NLB) and an associated target group
- B. Associate the target group with the Auto Scaling group
- C. Use the NLB as an AWS Global Accelerator endpoint in each Region.
- D. Deploy an Application Load Balancer (ALB) and an associated target group

- E. Associate the target group with the Auto Scaling group
- F. Use the ALB as an AWS Global Accelerator endpoint in each Region.
- G. Deploy a Network Load Balancer (NLB) and an associated target group
- H. Associate the target group with the Auto Scaling group
- I. Create an Amazon Route 53 latency record that points to aliases for each NL
- J. Create an Amazon CloudFront distribution that uses the latency record as an origin.
- K. Deploy an Application Load Balancer (ALB) and an associated target group
- L. Associate the target group with the Auto Scaling group
- M. Create an Amazon Route 53 weighted record that points to aliases for each AL
- N. Deploy an Amazon CloudFront distribution that uses the weighted record as an origin.

Answer: D

Explanation:

<https://aws.amazon.com/global-accelerator/faqs/>

HTTP /HTTPS - ALB ; TCP and UDP - NLB; Lowest latency routing and more throughput. Also supports failover, uses Anycast Ip addressing - Global Accelerator Caching at Edge Locations – Cloudfront

WS Global Accelerator automatically checks the health of your applications and routes user traffic only to healthy application endpoints. If the health status changes or you make configuration updates, AWS Global Accelerator reacts instantaneously to route your users to the next available endpoint..

NEW QUESTION 25

- (Exam Topic 1)

A solutions architect is designing a two-tier web application. The application consists of a public-facing web tier hosted on Amazon EC2 in public subnets. The database tier consists of Microsoft SQL Server running on Amazon EC2 in a private subnet. Security is a high priority for the company. How should security groups be configured in this situation? (Select TWO)

- A. Configure the security group for the web tier to allow inbound traffic on port 443 from 0.0.0.0/0.
- B. Configure the security group for the web tier to allow outbound traffic on port 443 from 0.0.0.0/0.
- C. Configure the security group for the database tier to allow inbound traffic on port 1433 from the security group for the web tier.
- D. Configure the security group for the database tier to allow outbound traffic on ports 443 and 1433 to the security group for the web tier.
- E. Configure the security group for the database tier to allow inbound traffic on ports 443 and 1433 from the security group for the web tier.

Answer: AC

Explanation:

"Security groups create an outbound rule for every inbound rule." Not completely right. Stateful does NOT mean that if you create an inbound (or outbound) rule, it will create an outbound (or inbound) rule. What it does mean is: suppose you create an inbound rule on port 443 for the X ip. When a request enters on port 443 from X ip, it will allow traffic out for that request in the port 443. However, if you look at the outbound rules, there will not be any outbound rule on port 443 unless explicitly create it. In ACLs, which are stateless, you would have to create an inbound rule to allow incoming requests and an outbound rule to allow your application responds to those incoming requests.

https://docs.aws.amazon.com/vpc/latest/userguide/VPC_SecurityGroups.html#SecurityGroupRules

NEW QUESTION 30

- (Exam Topic 1)

A company is using a SQL database to store movie data that is publicly accessible. The database runs on an Amazon RDS Single-AZ DB instance. A script runs queries at random intervals each day to record the number of new movies that have been added to the database. The script must report a final total during business hours. The company's development team notices that the database performance is inadequate for development tasks when the script is running. A solutions architect must recommend a solution to resolve this issue. Which solution will meet this requirement with the LEAST operational overhead?

- A. Modify the DB instance to be a Multi-AZ deployment
- B. Create a read replica of the database. Configure the script to query only the read replica.
- C. Instruct the development team to manually export the entries in the database at the end of each day.
- D. Use Amazon ElastiCache to cache the common queries that the script runs against the database.

Answer: B

NEW QUESTION 33

- (Exam Topic 1)

A company is developing a two-tier web application on AWS. The company's developers have deployed the application on an Amazon EC2 instance that connects directly to a backend Amazon RDS database. The company must not hardcode database credentials in the application. The company must also implement a solution to automatically rotate the database credentials on a regular basis.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the database credentials in the instance metadata.
- B. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and instance metadata at the same time.
- C. Store the database credentials in a configuration file in an encrypted Amazon S3 bucket.
- D. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and the credentials in the configuration file at the same time.
- E. Use S3 Versioning to ensure the ability to fall back to previous values.
- F. Store the database credentials as a secret in AWS Secrets Manager.
- G. Turn on automatic rotation for the secret.
- H. Attach the required permission to the EC2 role to grant access to the secret.
- I. Store the database credentials as encrypted parameters in AWS Systems Manager Parameter Store.
- J. Turn on automatic rotation for the encrypted parameter.
- K. Attach the required permission to the EC2 role to grant access to the encrypted parameters.

Answer: C

Explanation:

https://docs.aws.amazon.com/secretsmanager/latest/userguide/create_database_secret.html

NEW QUESTION 34

- (Exam Topic 1)

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}
```

What is the effect of this policy?

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10 100 100 1 in the us-east-1 Region
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254

Answer: C

Explanation:

as the policy prevents anyone from doing any EC2 action on any region except us-east-1 and allows only users with source ip 10.100.100.0/24 to terminate instances. So user with source ip 10.100.100.254 can terminate instances in us-east-1 region.

NEW QUESTION 37

- (Exam Topic 1)

A company runs multiple Windows workloads on AWS. The company's employees use Windows file shares that are hosted on two Amazon EC2 instances. The file shares synchronize data between themselves and maintain duplicate copies. The company wants a highly available and durable storage solution that preserves how users currently access the files. What should a solutions architect do to meet these requirements?

- A. Migrate all the data to Amazon S3 Set up IAM authentication for users to access files
- B. Set up an Amazon S3 File Gateway
- C. Mount the S3 File Gateway on the existing EC2 Instances.
- D. Extend the file share environment to Amazon FSx for Windows File Server with a Multi-AZ configuratio
- E. Migrate all the data to FSx for Windows File Server.
- F. Extend the file share environment to Amazon Elastic File System (Amazon EFS) with a Multi-AZ configuratio
- G. Migrate all the data to Amazon EFS.

Answer: A

NEW QUESTION 41

- (Exam Topic 1)

A company's application integrates with multiple software-as-a-service (SaaS) sources for data collection. The company runs Amazon EC2 instances to receive the data and to upload the data to an Amazon S3 bucket for analysis. The same EC2 instance that receives and uploads the data also sends a notification to the user when an upload is complete. The company has noticed slow application performance and wants to improve the performance as much as possible. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an Auto Scaling group so that EC2 instances can scale ou

- B. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- C. Create an Amazon AppFlow flow to transfer data between each SaaS source and the S3 bucket. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for each SaaS source to send output data
- E. Configure the S3 bucket as the rule's target
- F. Create a second EventBridge (CloudWatch Events) rule to send events when the upload to the S3 bucket is complete
- G. Configure an Amazon Simple Notification Service (Amazon SNS) topic as the second rule's target.
- H. Create a Docker container to use instead of an EC2 instance
- I. Host the containerized application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon CloudWatch Container Insights to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

Answer: B

Explanation:

Amazon AppFlow is a fully managed integration service that enables you to securely transfer data between Software-as-a-Service (SaaS) applications like Salesforce, SAP, Zendesk, Slack, and ServiceNow, and AWS services like Amazon S3 and Amazon Redshift, in just a few clicks.
<https://aws.amazon.com/appflow/>

NEW QUESTION 42

- (Exam Topic 1)

A company needs to configure a real-time data ingestion architecture for its application. The company needs an API, a process that transforms data as the data is streamed, and a storage solution for the data.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Deploy an Amazon EC2 instance to host an API that sends data to an Amazon Kinesis data stream. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source
- B. Use AWS Lambda functions to transform the data
- C. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- D. Deploy an Amazon EC2 instance to host an API that sends data to AWS Glue
- E. Stop source/destination checking on the EC2 instance
- F. Use AWS Glue to transform the data and to send the data to Amazon S3.
- G. Configure an Amazon API Gateway API to send data to an Amazon Kinesis data stream
- H. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source
- I. Use AWS Lambda functions to transform the data
- J. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- K. Configure an Amazon API Gateway API to send data to AWS Glue
- L. Use AWS Lambda functions to transform the data
- M. Use AWS Glue to send the data to Amazon S3.

Answer: C

NEW QUESTION 43

- (Exam Topic 1)

A company uses 50 TB of data for reporting. The company wants to move this data from on premises to AWS. A custom application in the company's data center runs a weekly data transformation job. The company plans to pause the application until the data transfer is complete and needs to begin the transfer process as soon as possible.

The data center does not have any available network bandwidth for additional workloads. A solutions architect must transfer the data and must configure the transformation job to continue to run in the AWS Cloud.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use AWS DataSync to move the data. Create a custom transformation job by using AWS Glue.
- B. Order an AWS Snowcone device to move the data. Deploy the transformation application to the device.
- C. Order an AWS Snowball Edge Storage Optimized device.
- D. Copy the data to the device.
- E. Create a custom transformation job by using AWS Glue.
- F. Order an AWS
- G. Snowball Edge Storage Optimized device that includes Amazon EC2 compute. Copy the data to the device. Create a new EC2 instance on AWS to run the transformation application.

Answer: C

NEW QUESTION 46

- (Exam Topic 1)

An image-processing company has a web application that users use to upload images. The application uploads the images into an Amazon S3 bucket. The company has set up S3 event notifications to publish the object creation events to an Amazon Simple Queue Service (Amazon SQS) standard queue. The SQS queue serves as the event source for an AWS Lambda function that processes the images and sends the results to users through email.

Users report that they are receiving multiple email messages for every uploaded image. A solutions architect determines that SQS messages are invoking the Lambda function more than once, resulting in multiple email messages.

What should the solutions architect do to resolve this issue with the LEAST operational overhead?

- A. Set up long polling in the SQS queue by increasing the ReceiveMessage wait time to 30 seconds.
- B. Change the SQS standard queue to an SQS FIFO queue.
- C. Use the message deduplication ID to discard duplicate messages.
- D. Increase the visibility timeout in the SQS queue to a value that is greater than the total of the function timeout and the batch window timeout.
- E. Modify the Lambda function to delete each message from the SQS queue immediately after the message is read before processing.

Answer: C

NEW QUESTION 49

- (Exam Topic 1)

A company has an Amazon S3 bucket that contains critical data. The company must protect the data from accidental deletion. Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

- A. Enable versioning on the S3 bucket.
- B. Enable MFA Delete on the S3 bucket.
- C. Create a bucket policy on the S3 bucket.
- D. Enable default encryption on the S3 bucket.
- E. Create a lifecycle policy for the objects in the S3 bucket.

Answer: AB

NEW QUESTION 52

- (Exam Topic 1)

A company observes an increase in Amazon EC2 costs in its most recent bill. The billing team notices unwanted vertical scaling of instance types for a couple of EC2 instances. A solutions architect needs to create a graph comparing the last 2 months of EC2 costs and perform an in-depth analysis to identify the root cause of the vertical scaling.

How should the solutions architect generate the information with the LEAST operational overhead?

- A. Use AWS Budgets to create a budget report and compare EC2 costs based on instance types.
- B. Use Cost Explorer's granular filtering feature to perform an in-depth analysis of EC2 costs based on instance types.
- C. Use graphs from the AWS Billing and Cost Management dashboard to compare EC2 costs based on instance types for the last 2 months.
- D. Use AWS Cost and Usage Reports to create a report and send it to an Amazon S3 bucket. Use Amazon QuickSight with Amazon S3 as a source to generate an interactive graph based on instance types.

Answer: B

Explanation:

AWS Cost Explorer is a tool that enables you to view and analyze your costs and usage. You can explore your usage and costs using the main graph, the Cost Explorer cost and usage reports, or the Cost Explorer RI reports. You can view data for up to the last 12 months, forecast how much you're likely to spend for the next 12 months, and get recommendations for what Reserved Instances to purchase. You can use Cost Explorer to identify areas that need further inquiry and see trends that you can use to understand your costs. <https://docs.aws.amazon.com/cost-management/latest/userguide/ce-what-is.html>

NEW QUESTION 53

- (Exam Topic 1)

A company hosts a data lake on AWS. The data lake consists of data in Amazon S3 and Amazon RDS for PostgreSQL. The company needs a reporting solution that provides data visualization and includes all the data sources within the data lake. Only the company's management team should have full access to all the visualizations. The rest of the company should have only limited access.

Which solution will meet these requirements?

- A. Create an analysis in Amazon QuickSight.
- B. Connect all the data sources and create new dataset.
- C. Publish dashboards to visualize the data.
- D. Share the dashboards with the appropriate IAM roles.
- E. Create an analysis in Amazon QuickSight.
- F. Connect all the data sources and create new dataset.
- G. Publish dashboards to visualize the data.
- H. Share the dashboards with the appropriate users and groups.
- I. Create an AWS Glue table and crawler for the data in Amazon S3. Create an AWS Glue extract, transform, and load (ETL) job to produce report.
- J. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.
- K. Create an AWS Glue table and crawler for the data in Amazon S3. Use Amazon Athena Federated Query to access data within Amazon RDS for PostgreSQL.
- L. Generate reports by using Amazon Athena.
- M. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.

Answer: A

NEW QUESTION 58

- (Exam Topic 1)

A social media company allows users to upload images to its website. The website runs on Amazon EC2 instances. During upload requests, the website resizes the images to a standard size and stores the resized images in Amazon S3. Users are experiencing slow upload requests to the website.

The company needs to reduce coupling within the application and improve website performance. A solutions architect must design the most operationally efficient process for image uploads.

Which combination of actions should the solutions architect take to meet these requirements? (Choose two.)

- A. Configure the application to upload images to S3 Glacier.
- B. Configure the web server to upload the original images to Amazon S3.
- C. Configure the application to upload images directly from each user's browser to Amazon S3 through the use of a presigned URL.
- D. Configure S3 Event Notifications to invoke an AWS Lambda function when an image is uploaded.
- E. Use the function to resize the image.
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function on a schedule to resize uploaded images.

Answer: BD

NEW QUESTION 60

- (Exam Topic 1)

A solutions architect must design a highly available infrastructure for a website. The website is powered by Windows web servers that run on Amazon EC2 instances. The solutions architect must implement a solution that can mitigate a large-scale DDoS attack that originates from thousands of IP addresses.

Downtime is not acceptable for the website.

Which actions should the solutions architect take to protect the website from such an attack? (Select TWO.)

- A. Use AWS Shield Advanced to stop the DDoS attack.
- B. Configure Amazon GuardDuty to automatically block the attackers.
- C. Configure the website to use Amazon CloudFront for both static and dynamic content.
- D. Use an AWS Lambda function to automatically add attacker IP addresses to VPC network ACLs.
- E. Use EC2 Spot Instances in an Auto Scaling group with a target tracking scaling policy that is set to 80% CPU utilization

Answer: AC

Explanation:

(<https://aws.amazon.com/cloudfront>)

NEW QUESTION 62

- (Exam Topic 1)

A company is building an application in the AWS Cloud. The application will store data in Amazon S3 buckets in two AWS Regions. The company must use an AWS Key Management Service (AWS KMS) customer managed key to encrypt all data that is stored in the S3 buckets. The data in both S3 buckets must be encrypted and decrypted with the same KMS key. The data and the key must be stored in each of the two Regions.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an S3 bucket in each Region Configure the S3 buckets to use server-side encryption with Amazon S3 managed encryption keys (SSE-S3) Configure replication between the S3 buckets.
- B. Create a customer managed multi-Region KMS key
- C. Create an S3 bucket in each Region
- D. Configure replication between the S3 buckets
- E. Configure the application to use the KMS key with client-side encryption.
- F. Create a customer managed KMS key and an S3 bucket in each Region Configure the S3 buckets to use server-side encryption with Amazon S3 managed encryption keys (SSE-S3) Configure replication between the S3 buckets.
- G. Create a customer managed KMS key and an S3 bucket in each Region Configure the S3 buckets to use server-side encryption with AWS KMS keys (SSE-KMS) Configure replication between the S3 buckets.

Answer: B

Explanation:

From <https://docs.aws.amazon.com/kms/latest/developerguide/custom-key-store-overview.html>

For most users, the default AWS KMS key store, which is protected by FIPS 140-2 validated cryptographic modules, fulfills their security requirements. There is no need to add an extra layer of maintenance responsibility or a dependency on an additional service. However, you might consider creating a custom key store if your organization has any of the following requirements: Key material cannot be stored in a shared environment. Key material must be subject to a secondary, independent audit path. The HSMs that generate and store key material must be certified at FIPS 140-2 Level 3.

<https://docs.aws.amazon.com/kms/latest/developerguide/custom-key-store-overview.html>

<https://docs.aws.amazon.com/kms/latest/developerguide/multi-region-keys-overview.html>

NEW QUESTION 67

- (Exam Topic 1)

A company has a production web application in which users upload documents through a web interface or a mobile app. According to a new regulatory requirement, new documents cannot be modified or deleted after they are stored.

What should a solutions architect do to meet this requirement?

- A. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning and S3 Object Lock enabled
- B. Store the uploaded documents in an Amazon S3 bucket
- C. Configure an S3 Lifecycle policy to archive the documents periodically.
- D. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning enabled Configure an ACL to restrict all access to read-only.
- E. Store the uploaded documents on an Amazon Elastic File System (Amazon EFS) volume
- F. Access the data by mounting the volume in read-only mode.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/object-lock-overview.html>

NEW QUESTION 69

- (Exam Topic 1)

A company has an application that runs on Amazon EC2 instances and uses an Amazon Aurora database. The EC2 instances connect to the database by using user names and passwords that are stored locally in a file. The company wants to minimize the operational overhead of credential management.

What should a solutions architect do to accomplish this goal?

- A. Use AWS Secrets Manager
- B. Turn on automatic rotation.
- C. Use AWS Systems Manager Parameter Store
- D. Turn on automatic rotation.
- E. Create an Amazon S3 bucket to store objects that are encrypted with an AWS Key Management Service (AWS KMS) encryption key
- G. Migrate the credential file to the S3 bucket
- H. Point the application to the S3 bucket.
- I. Create an encrypted Amazon Elastic Block Store (Amazon EBS) volume (or each EC2 instance)
- J. Attach the new EBS volume to each EC2 instance
- K. Migrate the credential file to the new EBS volume
- L. Point the application to the new EBS volume.

Answer: A

Explanation:

<https://aws.amazon.com/cn/blogs/security/how-to-connect-to-aws-secrets-manager-service-within-a-virtual-private-network/> <https://aws.amazon.com/blogs/security/rotate-amazon-rds-database-credentials-automatically-with-aws-secrets-manager/>

NEW QUESTION 71

- (Exam Topic 1)

A company has a data ingestion workflow that consists the following:

- An Amazon Simple Notification Service (Amazon SNS) topic for notifications about new data deliveries
- An AWS Lambda function to process the data and record metadata

The company observes that the ingestion workflow fails occasionally because of network connectivity issues. When such a failure occurs, the Lambda function does not ingest the corresponding data unless the company manually reruns the job.

Which combination of actions should a solutions architect take to ensure that the Lambda function ingests all data in the future? (Select TWO.)

- A. Configure the Lambda function in multiple Availability Zones.
- B. Create an Amazon Simple Queue Service (Amazon SQS) queue, and subscribe it to the SNS topic.
- C. Increase the CPU and memory that are allocated to the Lambda function.
- D. Increase provisioned throughput for the Lambda function.
- E. Modify the Lambda function to read from an Amazon Simple Queue Service (Amazon SQS) queue

Answer: BE

NEW QUESTION 74

- (Exam Topic 1)

A company has an application that generates a large number of files, each approximately 5 MB in size. The files are stored in Amazon S3. Company policy requires the files to be stored for 4 years before they can be deleted. Immediate accessibility is always required as the files contain critical business data that is not easy to reproduce. The files are frequently accessed in the first 30 days of the object creation but are rarely accessed after the first 30 days.

Which storage solution is MOST cost-effective?

- A. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Glacier 30 days from object creation. Delete the files 4 years after object creation.
- B. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) 30 days from object creation. Delete the files 4 years after object creation.
- C. Delete the files 4 years after object creation.
- D. Create an S3 bucket lifecycle policy to move files from S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Delete the files 4 years after object creation.
- E. Delete the files 4 years after object creation.
- F. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Move the files to S3 Glacier 4 years after object creation.

Answer: B

Explanation:

https://aws.amazon.com/s3/storage-classes/?trk=66264cd8-3b73-416c-9693-ea7cf4fe846a&sc_channel=ps&s_k

NEW QUESTION 75

- (Exam Topic 2)

A gaming company hosts a browser-based application on AWS. The users of the application consume a large number of videos and images that are stored in Amazon S3. This content is the same for all users.

The application has increased in popularity, and millions of users worldwide are accessing these media files. The company wants to provide the files to the users while reducing the load on the origin.

Which solution meets these requirements MOST cost-effectively?

- A. Deploy an AWS Global Accelerator accelerator in front of the web servers.
- B. Deploy an Amazon CloudFront web distribution in front of the S3 bucket.
- C. Deploy an Amazon ElastiCache for Redis instance in front of the web servers.
- D. Deploy an Amazon ElastiCache for Memcached instance in front of the web servers.

Answer: B

NEW QUESTION 78

- (Exam Topic 2)

An online retail company has more than 50 million active customers and receives more than 25,000 orders each day. The company collects purchase data for customers and stores this data in Amazon S3. Additional customer data is stored in Amazon RDS.

The company wants to make all the data available to various teams so that the teams can perform analytics.

The solution must provide the ability to manage fine-grained permissions for the data and must minimize operational overhead.

Which solution will meet these requirements?

- A. Migrate the purchase data to write directly to Amazon RDS.
- B. Use RDS access controls to limit access.
- C. Schedule an AWS Lambda function to periodically copy data from Amazon RDS to Amazon S3. Create an AWS Glue crawler.
- D. Use Amazon Athena to query the data.
- E. Use S3 policies to limit access.
- F. Create a data lake by using AWS Lake Formation.
- G. Create an AWS Glue JDBC connection to Amazon RDS.
- H. Register the S3 bucket in Lake Formation.
- I. Use Lake Formation access controls to limit access.
- J. Create an Amazon Redshift cluster.
- K. Schedule an AWS Lambda function to periodically copy data from Amazon S3 and Amazon RDS to Amazon Redshift.
- L. Use Amazon Redshift access controls to limit access.

Answer: D

NEW QUESTION 83

- (Exam Topic 2)

A company is migrating its on-premises PostgreSQL database to Amazon Aurora PostgreSQL. The on-premises database must remain online and accessible during the migration. The Aurora database must remain synchronized with the on-premises database. Which combination of actions must a solutions architect take to meet these requirements? (Choose two.)

- A. Create an ongoing replication task.
- B. Create a database backup of the on-premises database
- C. Create an AWS Database Migration Service (AWS DMS) replication server
- D. Convert the database schema by using the AWS Schema Conversion Tool (AWS SCT).
- E. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to monitor the database synchronization

Answer: CD

NEW QUESTION 86

- (Exam Topic 2)

A company wants to run a gaming application on Amazon EC2 instances that are part of an Auto Scaling group in the AWS Cloud. The application will transmit data by using UDP packets. The company wants to ensure that the application can scale out and in as traffic increases and decreases. What should a solutions architect do to meet these requirements?

- A. Attach a Network Load Balancer to the Auto Scaling group
- B. Attach an Application Load Balancer to the Auto Scaling group.
- C. Deploy an Amazon Route 53 record set with a weighted policy to route traffic appropriately
- D. Deploy a NAT instance that is configured with port forwarding to the EC2 instances in the Auto Scaling group.

Answer: B

NEW QUESTION 88

- (Exam Topic 2)

A company has an AWS account used for software engineering. The AWS account has access to the company's on-premises data center through a pair of AWS Direct Connect connections. All non-VPC traffic routes to the virtual private gateway.

A development team recently created an AWS Lambda function through the console. The development team needs to allow the function to access a database that runs in a private subnet in the company's data center.

Which solution will meet these requirements?

- A. Configure the Lambda function to run in the VPC with the appropriate security group.
- B. Set up a VPN connection from AWS to the data center
- C. Route the traffic from the Lambda function through the VPN.
- D. Update the route tables in the VPC to allow the Lambda function to access the on-premises data center through Direct Connect.
- E. Create an Elastic IP address
- F. Configure the Lambda function to send traffic through the Elastic IP address without an elastic network interface.

Answer: A

Explanation:

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-vpc.html#vpc-managing-eni>

NEW QUESTION 93

- (Exam Topic 2)

A company uses a popular content management system (CMS) for its corporate website. However, the required patching and maintenance are burdensome. The company is redesigning its website and wants a new solution. The website will be updated four times a year and does not need to have any dynamic content available. The solution must provide high scalability and enhanced security.

Which combination of changes will meet these requirements with the LEAST operational overhead? (Choose two.)

- A. Deploy an AWS WAF web ACL in front of the website to provide HTTPS functionality
- B. Create and deploy an AWS Lambda function to manage and serve the website content
- C. Create the new website and an Amazon S3 bucket. Deploy the website on the S3 bucket with static website hosting enabled
- D. Create the new website
- E. Deploy the website by using an Auto Scaling group of Amazon EC2 instances behind an Application Load Balancer.

Answer: AD

NEW QUESTION 98

- (Exam Topic 2)

A solutions architect must design a solution that uses Amazon CloudFront with an Amazon S3 origin to store a static website. The company's security policy requires that all website traffic be inspected by AWS WAF.

How should the solutions architect comply with these requirements?

- A. Configure an S3 bucket policy to accept requests coming from the AWS WAF Amazon Resource Name (ARN) only.
- B. Configure Amazon CloudFront to forward all incoming requests to AWS WAF before requesting content from the S3 origin.
- C. Configure a security group that allows Amazon CloudFront IP addresses to access Amazon S3 only. Associate AWS WAF to CloudFront.
- D. Configure Amazon CloudFront and Amazon S3 to use an origin access identity (OAI) to restrict access to the S3 bucket.
- E. Enable AWS WAF on the distribution.

Answer: D

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-web-aws-waf.html>

NEW QUESTION 101

- (Exam Topic 2)

A company wants to migrate its MySQL database from on premises to AWS. The company recently experienced a database outage that significantly impacted the business. To ensure this does not happen again, the company wants a reliable database solution on AWS that minimizes data loss and stores every transaction on at least two nodes.

Which solution meets these requirements?

- A. Create an Amazon RDS DB instance with synchronous replication to three nodes in three Availability Zones.
- B. Create an Amazon RDS MySQL DB instance with Multi-AZ functionality enabled to synchronously replicate the data.
- C. Create an Amazon RDS MySQL DB instance and then create a read replica in a separate AWS Region that synchronously replicates the data.
- D. Create an Amazon EC2 instance with a MySQL engine installed that triggers an AWS Lambda function to synchronously replicate the data to an Amazon RDS MySQL DB instance.

Answer: B

Explanation:

Q: What does Amazon RDS manage on my behalf?

Amazon RDS manages the work involved in setting up a relational database: from provisioning the infrastructure capacity you request to installing the database software. Once your database is up and running, Amazon RDS automates common administrative tasks such as performing backups and patching the software that powers your database. With optional Multi-AZ deployments, Amazon RDS also manages synchronous data replication across Availability Zones with automatic failover.

<https://aws.amazon.com/rds/faqs/>

NEW QUESTION 105

- (Exam Topic 2)

A company has a highly dynamic batch processing job that uses many Amazon EC2 instances to complete it. The job is stateless in nature, can be started and stopped at any given time with no negative impact, and typically takes upwards of 60 minutes total to complete. The company has asked a solutions architect to design a scalable and cost-effective solution that meets the requirements of the job.

What should the solutions architect recommend?

- A. Implement EC2 Spot Instances
- B. Purchase EC2 Reserved Instances
- C. Implement EC2 On-Demand Instances
- D. Implement the processing on AWS Lambda

Answer: A

NEW QUESTION 110

- (Exam Topic 2)

A company is planning to move its data to an Amazon S3 bucket. The data must be encrypted when it is stored in the S3 bucket. Additionally, the encryption key must be automatically rotated every year.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Move the data to the S3 bucket
- B. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use the built-in key rotation behavior of SSE-S3 encryption keys.
- C. Create an AWS Key Management Service (AWS KMS) customer managed key
- D. Enable automatic key rotation
- E. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- F. Move the data to the S3 bucket.
- G. Create an AWS Key Management Service (AWS KMS) customer managed key
- H. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- I. Move the data to the S3 bucket
- J. Manually rotate the KMS key every year.
- K. Encrypt the data with customer key material before moving the data to the S3 bucket
- L. Create an AWS Key Management Service (AWS KMS) key without key material
- M. Import the customer key material into the KMS key
- N. Enable automatic key rotation.

Answer: C

NEW QUESTION 113

- (Exam Topic 2)

A company runs a web-based portal that provides users with global breaking news, local alerts, and weather updates. The portal delivers each user a personalized view by using a mixture of static and dynamic content. Content is served over HTTPS through an API server running on an Amazon EC2 instance behind an Application Load Balancer (ALB). The company wants the portal to provide this content to its users across the world as quickly as possible.

How should a solutions architect design the application to ensure the LEAST amount of latency for all users?

- A. Deploy the application stack in a single AWS Region
- B. Use Amazon CloudFront to serve all static and dynamic content by specifying the ALB as an origin.
- C. Deploy the application stack in two AWS Regions
- D. Use an Amazon Route 53 latency routing policy to serve all content from the ALB in the closest Region.
- E. Deploy the application stack in a single AWS Region
- F. Use Amazon CloudFront to serve the static content
- G. Serve the dynamic content directly from the ALB.
- H. Deploy the application stack in two AWS Regions
- I. Use an Amazon Route 53 geolocation routing policy to serve all content from the ALB in the closest Region.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/deliver-your-apps-dynamic-content-using-amaz>

NEW QUESTION 117

- (Exam Topic 2)

An ecommerce company hosts its analytics application in the AWS Cloud. The application generates about 300 MB of data each month. The data is stored in JSON format. The company is evaluating a disaster recovery solution to back up the data. The data must be accessible in milliseconds if it is needed, and the data must be kept for 30 days.

Which solution meets these requirements MOST cost-effectively?

- A. Amazon OpenSearch Service (Amazon Elasticsearch Service)
- B. Amazon S3 Glacier
- C. Amazon S3 Standard
- D. Amazon RDS for PostgreSQL

Answer: C

NEW QUESTION 120

- (Exam Topic 2)

A company's website provides users with downloadable historical performance reports. The website needs a solution that will scale to meet the company's website demands globally. The solution should be cost-effective, limit the provisioning of infrastructure resources, and provide the fastest possible response time.

Which combination should a solutions architect recommend to meet these requirements?

- A. Amazon CloudFront and Amazon S3
- B. AWS Lambda and Amazon DynamoDB
- C. Application Load Balancer with Amazon EC2 Auto Scaling
- D. Amazon Route 53 with internal Application Load Balancers

Answer: A

Explanation:

Cloudfront for rapid response and s3 to minimize infrastructure.

NEW QUESTION 124

- (Exam Topic 2)

A company wants to migrate its existing on-premises monolithic application to AWS.

The company wants to keep as much of the front- end code and the backend code as possible. However, the company wants to break the application into smaller applications. A different team will manage each application. The company needs a highly scalable solution that minimizes operational overhead.

Which solution will meet these requirements?

- A. Host the application on AWS Lambda Integrate the application with Amazon API Gateway.
- B. Host the application with AWS Amplif
- C. Connect the application to an Amazon API Gateway API that is integrated with AWS Lambda.
- D. Host the application on Amazon EC2 instance
- E. Set up an Application Load Balancer with EC2 instances in an Auto Scaling group as targets.
- F. Host the application on Amazon Elastic Container Service (Amazon ECS) Set up an Application Load Balancer with Amazon ECS as the target.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/compute/microservice-delivery-with-amazon-ecs-and-application-load-balancers/>

NEW QUESTION 128

- (Exam Topic 2)

A company has an event-driven application that invokes AWS Lambda functions up to 800 times each minute with varying runtimes. The Lambda functions access data that is stored in an Amazon Aurora MySQL OB cluster. The company is noticing connection timeouts as user activity increases The database shows no signs of being overloaded. CPU. memory, and disk access metrics are all low.

Which solution will resolve this issue with the LEAST operational overhead?

- A. Adjust the size of the Aurora MySQL nodes to handle more connection
- B. Configure retry logic in the Lambda functions for attempts to connect to the database
- C. Set up Amazon ElastiCache tor Redls to cache commonly read items from the databas
- D. Configure the Lambda functions to connect to ElastiCache for reads.
- E. Add an Aurora Replica as a reader nod
- F. Configure the Lambda functions to connect to the reader endpoint of the OB cluster rather than lo the writer endpoint.
- G. Use Amazon ROS Proxy to create a prox
- H. Set the DB cluster as the target database Configure the Lambda functions lo connect to the proxy rather than to the DB cluster.

Answer: D

NEW QUESTION 130

- (Exam Topic 2)

A company has a dynamic web application hosted on two Amazon EC2 instances. The company has its own SSL certificate, which is on each instance to perform SSL termination.

There has been an increase in traffic recently, and the operations team determined that SSL encryption and decryption is causing the compute capacity of the web

servers to reach their maximum limit.

What should a solutions architect do to increase the application's performance?

- A. Create a new SSL certificate using AWS Certificate Manager (ACM) install the ACM certificate on each instance
- B. Create an Amazon S3 bucket Migrate the SSL certificate to the S3 bucket Configure the EC2 instances to reference the bucket for SSL termination
- C. Create another EC2 instance as a proxy server Migrate the SSL certificate to the new instance and configure it to direct connections to the existing EC2 instances
- D. Import the SSL certificate into AWS Certificate Manager (ACM) Create an Application Load Balancer with an HTTPS listener that uses the SSL certificate from ACM

Answer: D

Explanation:

<https://aws.amazon.com/certificate-manager/>:

"With AWS Certificate Manager, you can quickly request a certificate, deploy it on ACM-integrated AWS resources, such as Elastic Load Balancers, Amazon CloudFront distributions, and APIs on API Gateway, and let AWS Certificate Manager handle certificate renewals. It also enables you to create private certificates for your internal resources and manage the certificate lifecycle centrally."

NEW QUESTION 133

- (Exam Topic 2)

A security team wants to limit access to specific services or actions in all of the team's AWS accounts. All accounts belong to a large organization in AWS Organizations. The solution must be scalable and there must be a single point where permissions can be maintained. What should a solutions architect do to accomplish this?

- A. Create an ACL to provide access to the services or actions.
- B. Create a security group to allow accounts and attach it to user groups.
- C. Create cross-account roles in each account to deny access to the services or actions.
- D. Create a service control policy in the root organizational unit to deny access to the services or actions.

Answer: D

Explanation:

Service control policies (SCPs) are one type of policy that you can use to manage your organization. SCPs offer central control over the maximum available permissions for all accounts in your organization, allowing you to ensure your accounts stay within your organization's access control guidelines. See https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scp.html.

NEW QUESTION 134

- (Exam Topic 2)

A company's web application is running on Amazon EC2 instances behind an Application Load Balancer. The company recently changed its policy, which now requires the application to be accessed from one specific country only. Which configuration will meet this requirement?

- A. Configure the security group for the EC2 instances.
- B. Configure the security group on the Application Load Balancer.
- C. Configure AWS WAF on the Application Load Balancer in a VPC.
- D. Configure the network ACL for the subnet that contains the EC2 instances.

Answer: C

Explanation:

<https://aws.amazon.com/about-aws/whats-new/2017/10/aws-waf-now-supports-geographic-match/>

NEW QUESTION 139

- (Exam Topic 2)

A business's backup data totals 700 terabytes (TB) and is kept in network attached storage (NAS) at its data center. This backup data must be available in the event of occasional regulatory inquiries and preserved for a period of seven years. The organization has chosen to relocate its backup data from its on-premises data center to Amazon Web Services (AWS). Within one month, the migration must be completed. The company's public internet connection provides 500 Mbps of dedicated capacity for data transport.

What should a solutions architect do to ensure that data is migrated and stored at the LOWEST possible cost?

- A. Order AWS Snowball devices to transfer the data
- B. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- C. Deploy a VPN connection between the data center and Amazon VPC
- D. Use the AWS CLI to copy the data from on premises to Amazon S3 Glacier.
- E. Provision a 500 Mbps AWS Direct Connect connection and transfer the data to Amazon S3. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- F. Use AWS DataSync to transfer the data and deploy a DataSync agent on premise
- G. Use the DataSync task to copy files from the on-premises NAS storage to Amazon S3 Glacier.

Answer: A

Explanation:

<https://www.omnicalculator.com/other/data-transfer>

NEW QUESTION 143

- (Exam Topic 2)

A company runs an Oracle database on premises. As part of the company's migration to AWS, the company wants to upgrade the database to the most recent available version. The company also wants to set up disaster recovery (DR) for the database. The company needs to minimize the operational overhead for normal

operations and DR setup. The company also needs to maintain access to the database's underlying operating system. Which solution will meet these requirements?

- A. Migrate the Oracle database to an Amazon EC2 instance
- B. Set up database replication to a different AWS Region.
- C. Migrate the Oracle database to Amazon RDS for Oracle
- D. Activate Cross-Region automated backups to replicate the snapshots to another AWS Region.
- E. Migrate the Oracle database to Amazon RDS Custom for Oracle
- F. Create a read replica for the database in another AWS Region.
- G. Migrate the Oracle database to Amazon RDS for Oracle
- H. Create a standby database in another Availability Zone.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/rds-custom.html> and <https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/working-with-custom-oracle.html>

NEW QUESTION 146

- (Exam Topic 2)

A company has a service that produces event data. The company wants to use AWS to process the event data as it is received. The data is written in a specific order that must be maintained throughout processing. The company wants to implement a solution that minimizes operational overhead. How should a solutions architect accomplish this?

- A. Create an Amazon Simple Queue Service (Amazon SQS) FIFO queue to hold messages. Set up an AWS Lambda function to process messages from the queue.
- B. Create an Amazon Simple Notification Service (Amazon SNS) topic to deliver notifications containing payloads to process. Configure an AWS Lambda function as a subscriber.
- C. Create an Amazon Simple Queue Service (Amazon SQS) standard queue to hold messages.
- D. Set up an AWS Lambda function to process messages from the queue independently.
- E. Create an Amazon Simple Notification Service (Amazon SNS) topic to deliver notifications containing payloads to process.
- F. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a subscriber.

Answer: A

Explanation:

The details are revealed in the below URL: <https://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/FIFO-queues.html>

FIFO (First-In-First-Out) queues are designed to enhance messaging between applications when the order of operations and events is critical, or where duplicates can't be tolerated. Examples of situations where you might use FIFO queues include the following: To make sure that user-entered commands are run in the right order. To display the correct product price by sending price modifications in the right order. To prevent a student from enrolling in a course before registering for an account.

NEW QUESTION 148

- (Exam Topic 2)

A company wants to measure the effectiveness of its recent marketing campaigns. The company performs batch processing on CSV files of sales data and stores the results in an Amazon S3 bucket once every hour. The S3 bucket contains petabytes of objects. The company runs one-time queries in Amazon Athena to determine which products are most popular on a particular date for a particular region. Queries sometimes fail or take longer than expected to finish. Which actions should a solutions architect take to improve the query performance and reliability? (Select TWO.)

- A. Reduce the S3 object sizes to less than 126 MB.
- B. Partition the data by date and region in Amazon S3.
- C. Store the files as large, single objects in Amazon S3.
- D. Use Amazon Kinesis Data Analytics to run the queries as part of the batch processing operation.
- E. Use an AWS Data Lake extract, transform, and load (ETL) process to convert the CSV files into Apache Parquet format.

Answer: CE

NEW QUESTION 149

- (Exam Topic 2)

A company runs a high performance computing (HPC) workload on AWS. The workload required low-latency network performance and high network throughput with tightly coupled node-to-node communication. The Amazon EC2 instances are properly sized for compute and storage capacity, and are launched using default options.

What should a solutions architect propose to improve the performance of the workload?

- A. Choose a cluster placement group while launching Amazon EC2 instances.
- B. Choose dedicated instance tenancy while launching Amazon EC2 instances.
- C. Choose an Elastic Inference accelerator while launching Amazon EC2 instances.
- D. Choose the required capacity reservation while launching Amazon EC2 instances.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-ec2-placementgroup.html> "A cluster placement group is a logical grouping of instances within a single Availability Zone that benefit from low network latency, high network throughput"

NEW QUESTION 151

- (Exam Topic 2)

A gaming company is designing a highly available architecture. The application runs on a modified Linux kernel and supports only UDP-based traffic. The company needs the front-end tier to provide the best possible user experience. That tier must have low latency, route traffic to the nearest edge location, and provide static IP addresses for entry into the application endpoints.

What should a solutions architect do to meet these requirements?

- A. Configure Amazon Route 53 to forward requests to an Application Load Balance
- B. Use AWS Lambda for the application in AWS Application Auto Scaling.
- C. Configure Amazon CloudFront to forward requests to a Network Load Balance
- D. Use AWS Lambda for the application in an AWS Application Auto Scaling group.
- E. Configure AWS Global Accelerator to forward requests to a Network Load Balance
- F. Use Amazon EC2 instances for the application in an EC2 Auto Scaling group.
- G. Configure Amazon API Gateway to forward requests to an Application Load Balance
- H. Use AmazonEC2 instances for the application in an EC2 Auto Scaling group.

Answer: C

NEW QUESTION 152

- (Exam Topic 2)

A company needs to retain application logs files for a critical application for 10 years. The application team regularly accesses logs from the past month for troubleshooting, but logs older than 1 month are rarely accessed. The application generates more than 10 TB of logs per month. Which storage option meets these requirements MOST cost-effectively?

- A. Store the logs in Amazon S3 Use AWS Backup to move logs more than 1 month old to S3 Glacier Deep Archive
- B. Store the logs in Amazon S3 Use S3 Lifecycle policies to move logs more than 1 month old to S3 Glacier Deep Archive
- C. Store the logs in Amazon CloudWatch Logs Use AWS Backup to move logs more than 1 month old to S3 Glacier Deep Archive
- D. Store the logs in Amazon CloudWatch Logs Use Amazon S3 Lifecycle policies to move logs more than 1 month old to S3 Glacier Deep Archive

Answer: B

Explanation:

You need S3 to be able to archive the logs after one month. Cannot do that with CloudWatch Logs.

NEW QUESTION 155

- (Exam Topic 2)

A company runs an application using Amazon ECS. The application creates esi/ed versions of an original image and then makes Amazon S3 API calls to store the resized images in Amazon S3.

How can a solutions architect ensure that the application has permission to access Amazon S3?

- A. Update the S3 role in AWS IAM to allow read/write access from Amazon ECS, and then relaunch the container.
- B. Create an IAM role with S3 permissions, and then specify that role as the taskRoleAm in the task definition.
- C. Create a security group that allows access from Amazon ECS to Amazon S3, and update the launch configuration used by the ECS cluster.
- D. Create an IAM user with S3 permissions, and then relaunch the Amazon EC2 instances for the ECS cluster while logged in as this account.

Answer: B

NEW QUESTION 160

- (Exam Topic 2)

A company produces batch data that comes from different databases. The company also produces live stream data from network sensors and application APIs. The company needs to consolidate all the data into one place for business analytics. The company needs to process the incoming data and then stage the data in different Amazon S3 buckets. Teams will later run one-time queries and import the data into a business intelligence tool to show key performance indicators (KPIs).

Which combination of steps will meet these requirements with the LEAST operational overhead? (Choose two.)

- A. Use Amazon Athena for one-time queries Use Amazon QuickSight to create dashboards for KPIs
- B. Use Amazon Kinesis Data Analytics for one-time queries Use Amazon QuickSight to create dashboards for KPIs
- C. Create custom AWS Lambda functions to move the individual records from the databases to an Amazon Redshift cluster
- D. Use an AWS Glue extract transform, and load (ETL) job to convert the data into JSON format Load the data into multiple Amazon OpenSearch Service (Amazon Elasticsearch Service) clusters
- E. Use blueprints in AWS Lake Formation to identify the data that can be ingested into a data lake Use AWS Glue to crawl the source extract the data and load the data into Amazon S3 in Apache Parquet format

Answer: CE

NEW QUESTION 162

- (Exam Topic 2)

A company sells ringtones created from clips of popular songs. The files containing the ringtones are stored in Amazon S3 Standard and are at least 128 KB in size. The company has millions of files, but downloads are infrequent for ringtones older than 90 days. The company needs to save money on storage while keeping the most accessed files readily available for its users.

Which action should the company take to meet these requirements MOST cost-effectively?

- A. Configure S3 Standard-Infrequent Access (S3 Standard-IA) storage for the initial storage tier of the objects.
- B. Move the files to S3 Intelligent-Tiering and configure it to move objects to a less expensive storage tier after 90 days.
- C. Configure S3 inventory to manage objects and move them to S3 Standard-Infrequent Access (S3 Standard-1A) after 90 days.
- D. Implement an S3 Lifecycle policy that moves the objects from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-1A) after 90 days.

Answer: D

NEW QUESTION 166

- (Exam Topic 2)

A company runs a stateless web application in production on a group of Amazon EC2 On-Demand Instances behind an Application Load Balancer. The application experiences heavy usage during an 8-hour period each business day. Application usage is moderate and steady overnight Application usage is low during

weekends.

The company wants to minimize its EC2 costs without affecting the availability of the application. Which solution will meet these requirements?

- A. Use Spot Instances for the entire workload.
- B. Use Reserved instances for the baseline level of usage Use Spot Instances for any additional capacity that the application needs.
- C. Use On-Demand Instances for the baseline level of usage
- D. Use Spot Instances for any additional capacity that the application needs
- E. Use Dedicated Instances for the baseline level of usage
- F. Use On-Demand Instances for any additional capacity that the application needs

Answer: B

NEW QUESTION 169

- (Exam Topic 3)

An ecommerce company needs to run a scheduled daily job to aggregate and filter sales records for analytics. The company stores the sales records in an Amazon S3 bucket. Each object can be up to 10 GB in size. Based on the number of sales events, the job can take up to an hour to complete. The CPU and memory usage of the job are constant and are known in advance.

A solutions architect needs to minimize the amount of operational effort that is needed for the job to run. Which solution meets these requirements?

- A. Create an AWS Lambda function that has an Amazon EventBridge notification. Schedule the EventBridge event to run once a day.
- B. Create an AWS Lambda function. Create an Amazon API Gateway HTTP API, and integrate the API with the function. Create an Amazon EventBridge scheduled event that calls the API and invokes the function.
- C. Create an Amazon Elastic Container Service (Amazon ECS) cluster with an AWS Fargate launch type. Create an Amazon EventBridge scheduled event that launches an ECS task on the cluster to run the job.
- D. Create an Amazon Elastic Container Service (Amazon ECS) cluster with an Amazon EC2 launch type and an Auto Scaling group with at least one EC2 instance.
- E. Create an Amazon EventBridge scheduled event that launches an ECS task on the cluster to run the job.

Answer: C

NEW QUESTION 174

- (Exam Topic 3)

A company uses a payment processing system that requires messages for a particular payment ID to be received in the same order that they were sent. Otherwise, the payments might be processed incorrectly.

Which actions should a solutions architect take to meet this requirement? (Select TWO.)

- A. Write the messages to an Amazon DynamoDB table with the payment ID as the partition key.
- B. Write the messages to an Amazon Kinesis data stream with the payment ID as the partition key.
- C. Write the messages to an Amazon ElastiCache for Memcached cluster with the payment ID as the key.
- D. Write the messages to an Amazon Simple Queue Service (Amazon SQS) queue. Set the message attribute to use the payment ID.
- E. Write the messages to an Amazon Simple Queue Service (Amazon SQS) FIFO queue.
- F. Set the message group to use the payment ID.

Answer: AE

NEW QUESTION 178

- (Exam Topic 3)

A company's order system sends requests from clients to Amazon EC2 instances. The EC2 instances process the orders and then store the orders in a database on Amazon RDS. Users report that they must reprocess orders when the system fails. The company wants a resilient solution that can process orders automatically if a system outage occurs.

What should a solutions architect do to meet these requirements?

- A. Move the EC2 instances into an Auto Scaling group. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to target an Amazon Elastic Container Service (Amazon ECS) task.
- B. Move the EC2 instances into an Auto Scaling group behind an Application Load Balancer (ALB). Update the order system to send messages to the ALB endpoint.
- C. Move the EC2 instances into an Auto Scaling group. Configure the order system to send messages to an Amazon Simple Queue Service (Amazon SQS) queue. Configure the EC2 instances to consume messages from the queue.
- D. Create an Amazon Simple Notification Service (Amazon SNS) topic. Create an AWS Lambda function, and subscribe the function to the SNS topic. Configure the order system to send messages to the SNS topic. Send a command to the EC2 instances to process the messages by using AWS Systems Manager Run Command.

Answer: C

NEW QUESTION 183

- (Exam Topic 3)

A company wants to create an application to store employee data in a hierarchical structured relationship. The company needs a minimum-latency response to high-traffic queries for the employee data and must protect any sensitive data. The company also needs to receive monthly email messages if any financial information is present in the employee data.

Which combination of steps should a solutions architect take to meet these requirements? (Select TWO.)

- A. Use Amazon Redshift to store the employee data in a hierarchy.
- B. Unload the data to Amazon S3 every month.
- C. Use Amazon DynamoDB to store the employee data in a hierarchy. Export the data to Amazon S3 every month.
- D. Configure Amazon Macie for the AWS account. Integrate Macie with Amazon EventBridge to send monthly events to AWS Lambda.
- E. Use Amazon Athena to analyze the employee data in Amazon S3. Integrate Athena with Amazon QuickSight to publish analysis dashboards and share the dashboards with users.
- F. Configure Amazon Macie for the AWS account.
- G. Integrate Macie with Amazon EventBridge to send monthly notifications through an Amazon Simple Notification Service (Amazon SNS) subscription.

Answer: BE

NEW QUESTION 187

- (Exam Topic 3)

A company needs to export its database once a day to Amazon S3 for other teams to access. The exported object size varies between 2 GB and 5 GB. The S3 access pattern for the data is variable and changes rapidly. The data must be immediately available and must remain accessible for up to 3 months. The company needs the most cost-effective solution that will not increase retrieval time. Which S3 storage class should the company use to meet these requirements?

- A. S3 Intelligent-Tiering
- B. S3 Glacier Instant Retrieval
- C. S3 Standard
- D. S3 Standard-Infrequent Access (S3 Standard-IA)

Answer: D

Explanation:

S3 Intelligent-Tiering is a cost-optimized storage class that automatically moves data to the most cost-effective access tier based on changing access patterns. Although it offers cost savings, it also introduces additional latency and retrieval time into the data retrieval process, which may not meet the requirement of "immediately available" data. On the other hand, S3 Standard-Infrequent Access (S3 Standard-IA) provides low cost storage with low latency and high throughput performance. It is designed for infrequently accessed data that can be recreated if lost, and can be retrieved in a timely manner if required. It is a cost-effective solution that meets the requirement of immediately available data and remains accessible for up to 3 months.

NEW QUESTION 188

- (Exam Topic 3)

An ecommerce company has noticed performance degradation of its Amazon RDS based web application. The performance degradation is attributed to an increase in the number of read-only SQL queries triggered by business analysts. A solutions architect needs to solve the problem with minimal changes to the existing web application. What should the solutions architect recommend?

- A. Export the data to Amazon DynamoDB and have the business analysts run their queries.
- B. Load the data into Amazon ElastiCache and have the business analysts run their queries.
- C. Create a read replica of the primary database and have the business analysts run their queries.
- D. Copy the data into an Amazon Redshift cluster and have the business analysts run their queries

Answer: C

Explanation:

Creating a read replica of the primary RDS database will offload the read-only SQL queries from the primary database, which will help to improve the performance of the web application. Read replicas are exact copies of the primary database that can be used to handle read-only traffic, which will reduce the load on the primary database and improve the performance of the web application. This solution can be implemented with minimal changes to the existing web application, as the business analysts can continue to run their queries on the read replica without modifying the code.

NEW QUESTION 193

- (Exam Topic 3)

An image-hosting company stores its objects in Amazon S3 buckets. The company wants to avoid accidental exposure of the objects in the S3 buckets to the public. All S3 objects in the entire AWS account need to remain private. Which solution will meet these requirements?

- A. Use Amazon GuardDuty to monitor S3 bucket policies. Create an automatic remediation action rule that uses an AWS Lambda function to remediate any change that makes the objects public.
- B. Use AWS Trusted Advisor to find publicly accessible S3 buckets. Configure email notifications in Trusted Advisor when a change is detected. Manually change the S3 bucket policy if it allows public access.
- C. Use AWS Resource Access Manager to find publicly accessible S3 buckets. Use Amazon Simple Notification Service (Amazon SNS) to invoke an AWS Lambda function when a change is detected. Deploy a Lambda function that programmatically remediates the change.
- D. Use the S3 Block Public Access feature on the account level.
- E. Use AWS Organizations to create a service control policy (SCP) that prevents IAM users from changing the setting. Apply the SCP to the account.

Answer: D

NEW QUESTION 194

- (Exam Topic 3)

A company has deployed a Java Spring Boot application as a pod that runs on Amazon Elastic Kubernetes Service (Amazon EKS) in private subnets. The application needs to write data to an Amazon DynamoDB table. A solutions architect must ensure that the application can interact with the DynamoDB table without exposing traffic to the internet. Which combination of steps should the solutions architect take to accomplish this goal? (Choose two.)

- A. Attach an IAM role that has sufficient privileges to the EKS pod.
- B. Attach an IAM user that has sufficient privileges to the EKS pod.
- C. Allow outbound connectivity to the DynamoDB table through the private subnets' network ACLs.
- D. Create a VPC endpoint for DynamoDB.
- E. Embed the access keys in the Java Spring Boot code.

Answer: AD

Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/vpc-endpoints-dynamodb.html> <https://aws.amazon.com/about-aws/whats-new/2019/09/amazon-eks-adds-support-to-assign-iam-permissions-to->

NEW QUESTION 197

- (Exam Topic 3)

A company runs a web application on Amazon EC2 instances in multiple Availability Zones. The EC2 instances are in private subnets. A solutions architect implements an internet-facing Application Load Balancer (ALB) and specifies the EC2 instances as the target group. However, the internet traffic is not reaching the EC2 instances.

How should the solutions architect reconfigure the architecture to resolve this issue?

- A. Replace the ALB with a Network Load Balance
- B. Configure a NAT gateway in a public subnet to allow internet traffic.
- C. Move the EC2 instances to public subnet
- D. Add a rule to the EC2 instances' security groups to allow outbound traffic to 0.0.0.0/0.
- E. Update the route tables for the EC2 instances' subnets to send 0.0.0.0/0 traffic through the internet gateway rout
- F. Add a rule to the EC2 instances' security groups to allow outbound traffic to 0.0.0.0/0.
- G. Create public subnets in each Availability Zon
- H. Associate the public subnets with the AL
- I. Update the route tables for the public subnets with a route to the private subnets.

Answer: D

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/public-load-balancer-private-ec2/>

NEW QUESTION 198

- (Exam Topic 3)

A company has a Microsoft NET application that runs on an on-premises Windows Server Trie application stores data by using an Oracle Database Standard Edition server The company is planning a migration to AWS and wants to minimize development changes while moving the application The AWS application environment should be highly available

Which combination of actions should the company take to meet these requirements? (Select TWO)

- A. Refactor the application as serverless with AWS Lambda functions running NET Cote
- B. Rehost the application in AWS Elastic Beanstalk with the NET platform in a Multi-AZ deployment
- C. Replatform the application to run on Amazon EC2 with the Amazon Linux Amazon Machine Image (AMI)
- D. Use AWS Database Migration Service (AWS DMS) to migrate from the Oracle database to Amazon DynamoDB in a Multi-AZ deployment
- E. Use AWS Database Migration Service (AWS DMS) to migrate from the Oracle database to Oracle on Amazon RDS in a Multi-AZ deployment

Answer: BE

NEW QUESTION 200

- (Exam Topic 3)

A company is implementing new data retention policies for all databases that run on Amazon RDS DB instances. The company must retain daily backups for a minimum period of 2 years. The backups must be consistent and restorable.

Which solution should a solutions architect recommend to meet these requirements?

- A. Create a backup vault in AWS Backup to retain RDS backup
- B. Create a new backup plan with a daily schedule and an expiration period of 2 years after creatio
- C. Assign the RDS DB instances to the backup plan.
- D. Configure a backup window for the RDS DB instances for daily snapshot
- E. Assign a snapshot retention policy of 2 years to each RDS DB instanc
- F. Use Amazon Data Lifecycle Manager (Amazon DLM) to schedule snapshot deletions.
- G. Configure database transaction logs to be automatically backed up to Amazon CloudWatch Logs with an expiration period of 2 years.
- H. Configure an AWS Database Migration Service (AWS DMS) replication tas
- I. Deploy a replication instance, and configure a change data capture (CDC) task to stream database changes to Amazon S3 as the targe
- J. Configure S3 Lifecycle policies to delete the snapshots after 2 years.

Answer: A

NEW QUESTION 203

- (Exam Topic 3)

A research laboratory needs to process approximately 8 TB of data The laboratory requires sub-millisecond latencies and a minimum throughput of 6 GBps for the storage subsystem Hundreds of Amazon EC2 instances that run Amazon Linux will distribute and process the data

Which solution will meet the performance requirements?

- A. Create an Amazon FSx for NetApp ONTAP file system Set each volume's tiering policy to ALL Import the raw data into the file system Mount the file system on the EC2 instances
- B. Create an Amazon S3 bucket to stofe the raw data Create an Amazon FSx for Lustre file system that uses persistent SSD storage Select the option to import data from and export data to Amazon S3 Mount the file system on the EC2 instances
- C. Create an Amazon S3 bucket to store the raw data Create an Amazon FSx for Lustre file system that uses persistent HDD storage Select the option to import data from and export data to Amazon S3 Mount the file system on the EC2 instances
- D. Create an Amazon FSx for NetApp ONTAP file system Set each volume's tienng policy to NON
- E. Import the raw data into the file system Mount the file system on the EC2 instances

Answer: B

Explanation:

Create an Amazon S3 bucket to store the raw data Create an Amazon FSx for Lustre file system that uses persistent SSD storage Select the option to import data from and export data to Amazon S3 Mount the file system on the EC2 instances. Amazon FSx for Lustre uses SSD storage for sub-millisecond latencies and up to 6 GBps throughput, and can import data from and export data to Amazon S3. Additionally, the option to select persistent SSD storage will ensure that the data is stored on the disk and not lost if the file system is stopped.

NEW QUESTION 206

- (Exam Topic 3)

A company is designing a cloud communications platform that is driven by APIs. The application is hosted on Amazon EC2 instances behind a Network Load Balancer (NLB). The company uses Amazon API Gateway to provide external users with access to the application through APIs. The company wants to protect the platform against web exploits like SQL injection and also wants to detect and mitigate large, sophisticated DDoS attacks. Which combination of solutions provides the MOST protection? (Select TWO.)

- A. Use AWS WAF to protect the NLB.
- B. Use AWS Shield Advanced with the NLB.
- C. Use AWS WAF to protect Amazon API Gateway.
- D. Use Amazon GuardDuty with AWS Shield Standard.
- E. Use AWS Shield Standard with Amazon API Gateway.

Answer: BC

Explanation:

AWS Shield Advanced provides expanded DDoS attack protection for your Amazon EC2 instances, Elastic Load Balancing load balancers, CloudFront distributions, Route 53 hosted zones, and AWS Global Accelerator standard accelerators.

AWS WAF is a web application firewall that lets you monitor the HTTP and HTTPS requests that are forwarded to your protected web application resources. You can protect the following resource types:

Amazon CloudFront distribution Amazon API Gateway REST API Application Load Balancer

AWS AppSync GraphQL API Amazon Cognito user pool

<https://docs.aws.amazon.com/waf/latest/developerguide/what-is-aws-waf.html>

NEW QUESTION 210

- (Exam Topic 3)

A company recently deployed a new auditing system to centralize information about operating system versions patching and installed software for Amazon EC2 instances. A solutions architect must ensure all instances provisioned through EC2 Auto Scaling groups successfully send reports to the auditing system as soon as they are launched and terminated

Which solution achieves these goals MOST efficiently?

- A. Use a scheduled AWS Lambda function and run a script remotely on all EC2 instances to send data to the audit system.
- B. Use EC2 Auto Scaling lifecycle hooks to run a custom script to send data to the audit system when instances are launched and terminated
- C. Use an EC2 Auto Scaling launch configuration to run a custom script through user data to send data to the audit system when instances are launched and terminated
- D. Run a custom script on the instance operating system to send data to the audit system Configure the script to be invoked by the EC2 Auto Scaling group when the instance starts and is terminated

Answer: B

NEW QUESTION 215

- (Exam Topic 3)

A company is using a centralized AWS account to store log data in various Amazon S3 buckets. A solutions architect needs to ensure that the data is encrypted at rest before the data is uploaded to the S3 buckets. The data also must be encrypted in transit.

Which solution meets these requirements?

- A. Use client-side encryption to encrypt the data that is being uploaded to the S3 buckets.
- B. Use server-side encryption to encrypt the data that is being uploaded to the S3 buckets.
- C. Create bucket policies that require the use of server-side encryption with S3 managed encryption keys (SSE-S3) for S3 uploads.
- D. Enable the security option to encrypt the S3 buckets through the use of a default AWS Key Management Service (AWS KMS) key.

Answer: A

NEW QUESTION 216

- (Exam Topic 3)

A company wants to migrate an Oracle database to AWS. The database consists of a single table that contains millions of geographic information systems (GIS) images that are high resolution and are identified by a geographic code.

When a natural disaster occurs tens of thousands of images get updated every few minutes. Each geographic code has a single image or row that is associated with it. The company wants a solution that is highly available and scalable during such events

Which solution meets these requirements MOST cost-effectively?

- A. Store the images and geographic codes in a database table Use Oracle running on an Amazon RDS Multi-AZ DB instance
- B. Store the images in Amazon S3 buckets Use Amazon DynamoDB with the geographic code as the key and the image S3 URL as the value
- C. Store the images and geographic codes in an Amazon DynamoDB table Configure DynamoDB Accelerator (DAX) during times of high load
- D. Store the images in Amazon S3 buckets Store geographic codes and image S3 URLs in a database table Use Oracle running on an Amazon RDS Multi-AZ DB instance.

Answer: A

NEW QUESTION 219

- (Exam Topic 3)

A company hosts a three-tier ecommerce application on a fleet of Amazon EC2 instances. The instances run in an Auto Scaling group behind an Application Load Balancer (ALB) All ecommerce data is stored in an Amazon RDS for MySQL Multi-AZ DB instance

The company wants to optimize customer session management during transactions The application must store session data durably

Which solutions will meet these requirements? (Select TWO)

- A. Turn on the sticky sessions feature (session affinity) on the ALB
- B. Use an Amazon DynamoDB table to store customer session information
- C. Deploy an Amazon Cognito user pool to manage user session information

- D. Deploy an Amazon ElastiCache for Redis cluster to store customer session information
- E. Use AWS Systems Manager Application Manager in the application to manage user session information

Answer: AB

NEW QUESTION 224

- (Exam Topic 3)

A company is using Amazon CloudFront with this website. The company has enabled logging on the CloudFront distribution, and logs are saved in one of the company's Amazon S3 buckets. The company needs to perform advanced analyses on the logs and build visualizations. What should a solutions architect do to meet these requirements'?

- A. Use standard SQL queries in Amazon Athena to analyze the CloudFront logs in the S3 bucket. Visualize the results with AWS Glue.
- B. Use standard SQL queries in Amazon Athena to analyze the CloudFront logs in the S3 bucket. Visualize the results with Amazon QuickSight.
- C. Use standard SQL queries in Amazon DynamoDB to analyze the CloudFront logs in the S3 bucket. Visualize the results with AWS Glue.
- D. Use standard SQL queries in Amazon DynamoDB to analyze the CloudFront logs in the S3 bucket. Visualize the results with Amazon QuickSight.

Answer: D

NEW QUESTION 229

- (Exam Topic 3)

A financial company hosts a web application on AWS. The application uses an Amazon API Gateway Regional API endpoint to give users the ability to retrieve current stock prices. The company's security team has noticed an increase in the number of API requests. The security team is concerned that HTTP flood attacks might take the application offline.

A solutions architect must design a solution to protect the application from this type of attack. Which solution meets these requirements with the LEAST operational overhead?

- A. Create an Amazon CloudFront distribution in front of the API Gateway Regional API endpoint with a maximum TTL of 24 hours.
- B. Create a Regional AWS WAF web ACL with a rate-based rule.
- C. Associate the web ACL with the API Gateway stage.
- D. Use Amazon CloudWatch metrics to monitor the Count metric and alert the security team when the predefined rate is reached.
- E. Create an Amazon CloudFront distribution with Lambda@Edge in front of the API Gateway Regional API endpoint. Create an AWS Lambda function to block requests from IP addresses that exceed the predefined rate.

Answer: B

NEW QUESTION 233

- (Exam Topic 3)

A company wants to configure its Amazon CloudFront distribution to use SSL/TLS certificates. The company does not want to use the default domain name for the distribution. Instead, the company wants to use a different domain name for the distribution.

Which solution will deploy the certificate without incurring any additional costs?

- A. Request an Amazon issued private certificate from AWS Certificate Manager (ACM) in the us-east-1 Region.
- B. Request an Amazon issued private certificate from AWS Certificate Manager (ACM) in the us-west-1 Region.
- C. Request an Amazon issued public certificate from AWS Certificate Manager (ACM) in the us-east-1 Region.
- D. Request an Amazon issued public certificate from AWS Certificate Manager (ACM) in the us-west-1 Region.

Answer: B

NEW QUESTION 237

- (Exam Topic 3)

A company hosts multiple production applications. One of the applications consists of resources from Amazon EC2, AWS Lambda, Amazon RDS, Amazon Simple Notification Service (Amazon SNS), and Amazon Simple Queue Service (Amazon SQS) across multiple AWS Regions. All company resources are tagged with a tag name of "application" and a value that corresponds to each application. A solutions architect must provide the quickest solution for identifying all of the tagged components.

Which solution meets these requirements?

- A. Use AWS CloudTrail to generate a list of resources with the application tag.
- B. Use the AWS CLI to query each service across all Regions to report the tagged components.
- C. Run a query in Amazon CloudWatch Logs Insights to report on the components with the application tag.
- D. Run a query with the AWS Resource Groups Tag Editor to report on the resources globally with the application tag.

Answer: D

Explanation:

<https://docs.aws.amazon.com/tag-editor/latest/userguide/tagging.html>

NEW QUESTION 239

- (Exam Topic 3)

A company is using AWS to design a web application that will process insurance quotes. Users will request quotes from the application. Quotes must be separated by quote type, must be responded to within 24 hours, and must not get lost. The solution must maximize operational efficiency and must minimize maintenance. Which solution meets these requirements?

- A. Create multiple Amazon Kinesis data streams based on the quote type. Configure the web application to send messages to the proper data stream. Configure each backend group of application servers to use the Kinesis Client Library (KCL) to pull messages from its own data stream.
- B. Create an AWS Lambda function and an Amazon Simple Notification Service (Amazon SNS) topic for each quote type. Subscribe the Lambda function to its associated SNS topic. Configure the application to publish requests for quotes to the appropriate SNS topic.
- C. Create a single Amazon Simple Notification Service (Amazon SNS) topic. Subscribe Amazon Simple Queue Service (Amazon SQS) queues to the SNS topic. Configure SNS message filtering to publish messages to the proper SQS queue based on the quote type. Configure each backend application server to use its own

SQS queue

D. Create multiple Amazon Kinesis Data Firehose delivery streams based on the queue type to deliver data streams to an Amazon Elasticsearch Service (Amazon ES) cluster. Configure the application to send messages to the proper delivery stream. Configure each backend group of application servers to search for the messages from Amazon ES and process them accordingly.

Answer: C

NEW QUESTION 244

- (Exam Topic 3)

An ecommerce company is running a multi-tier application on AWS. The front-end and backend tiers run on Amazon EC2, and the database runs on Amazon RDS for MySQL. The backend tier communicates with the RDS instance. There are frequent calls to return identical database records from the database that are causing performance slowdowns.

Which action should be taken to improve the performance of the backend?

- A. Implement Amazon SNS to store the database calls.
- B. Implement Amazon ElastiCache to cache the large database.
- C. Implement an RDS for MySQL read replica to cache database calls.
- D. Implement Amazon Kinesis Data Firehose to stream the calls to the database.

Answer: B

NEW QUESTION 246

- (Exam Topic 3)

A company has deployed a serverless application that invokes an AWS Lambda function when new documents are uploaded to an Amazon S3 bucket. The application uses the Lambda function to process the documents. After a recent marketing campaign, the company noticed that the application did not process many of the documents.

What should a solutions architect do to improve the architecture of this application?

- A. Set the Lambda function's runtime timeout value to 15 minutes.
- B. Configure an S3 bucket replication policy. Stage the documents in the S3 bucket for later processing.
- C. Deploy an additional Lambda function. Load balance the processing of the documents across the two Lambda functions.
- D. Create an Amazon Simple Queue Service (Amazon SQS) queue. Send the requests to the queue. Configure the queue as an event source for Lambda.

Answer: B

NEW QUESTION 247

- (Exam Topic 3)

A company needs to retain its AWS CloudTrail logs for 3 years. The company is enforcing CloudTrail across a set of AWS accounts by using AWS Organizations from the parent account. The CloudTrail target S3 bucket is configured with S3 Versioning enabled. An S3 Lifecycle policy is in place to delete current objects after 3 years.

After the fourth year of use of the S3 bucket, the S3 bucket metrics show that the number of objects has continued to rise. However, the number of new CloudTrail logs that are delivered to the S3 bucket has remained consistent.

Which solution will delete objects that are older than 3 years in the MOST cost-effective manner?

- A. Configure the organization's centralized CloudTrail trail to expire objects after 3 years.
- B. Configure the S3 Lifecycle policy to delete previous versions as well as current versions.
- C. Create an AWS Lambda function to enumerate and delete objects from Amazon S3 that are older than 3 years.
- D. Configure the parent account as the owner of all objects that are delivered to the S3 bucket.

Answer: B

Explanation:

<https://docs.aws.amazon.com/awscloudtrail/latest/userguide/best-practices-security.html#:~:text=The%20Cloud>

NEW QUESTION 251

- (Exam Topic 3)

A company uses a 100 GB Amazon RDS for Microsoft SQL Server Single-AZ DB instance in the us-east-1 Region to store customer transactions. The company needs high availability and automate recovery for the DB instance.

The company must also run reports on the RDS database several times a year. The report process causes transactions to take longer than usual to post to the customer's accounts.

Which combination of steps will meet these requirements? (Select TWO.)

- A. Modify the DB instance from a Single-AZ DB instance to a Multi-AZ deployment.
- B. Take a snapshot of the current DB instance.
- C. Restore the snapshot to a new RDS deployment in another Availability Zone.
- D. Create a read replica of the DB instance in a different Availability Zone.
- E. Point all requests for reports to the read replica.
- F. Migrate the database to RDS Custom.
- G. Use RDS Proxy to limit reporting requests to the maintenance window.

Answer: BD

NEW QUESTION 252

- (Exam Topic 3)

A company has a web application with sporadic usage patterns. There is heavy usage at the beginning of each month, moderate usage at the start of each week, and unpredictable usage during the week. The application consists of a web server and a MySQL database server running inside the data center. The company would like to move the application to the AWS Cloud and needs to select a cost-effective database platform that will not require database modifications.

Which solution will meet these requirements?

- A. Amazon DynamoDB
- B. Amazon RDS for MySQL
- C. MySQL-compatible Amazon Aurora Serverless
- D. MySQL deployed on Amazon EC2 in an Auto Scaling group

Answer: B

NEW QUESTION 257

- (Exam Topic 3)

A company has an on-premises MySQL database used by the global sales team with infrequent access patterns. The sales team requires the database to have minimal downtime. A database administrator wants to migrate this database to AWS without selecting a particular instance type in anticipation of more users in the future.

Which service should a solutions architect recommend?

- A. Amazon Aurora MySQL
- B. Amazon Aurora Serverless for MySQL
- C. Amazon Redshift Spectrum
- D. Amazon RDS for MySQL

Answer: B

NEW QUESTION 261

- (Exam Topic 3)

A company is running a multi-tier e-commerce web application in the AWS Cloud. The application runs on Amazon EC2 instances with an Amazon RDS for MySQL Multi-AZ DB instance. Amazon RDS is configured with the latest generation DB instance with 2,000 GB of storage in a General Purpose SSD (gp3) Amazon Elastic Block Store (Amazon EBS) volume. The database performance affects the application during periods of high demand.

A database administrator analyzes the logs in Amazon CloudWatch Logs and discovers that the application performance always degrades when the number of read and write IOPS is higher than 20,000.

What should a solutions architect do to improve the application performance?

- A. Replace the volume with a magnetic volume.
- B. Increase the number of IOPS on the gp3 volume.
- C. Replace the volume with a Provisioned IOPS SSD (io2) volume.
- D. Replace the 2,000 GB gp3 volume with two 1,000 GB gp3 volumes

Answer: C

NEW QUESTION 264

- (Exam Topic 3)

A solutions architect observes that a nightly batch processing job is automatically scaled up for 1 hour before the desired Amazon EC2 capacity is reached. The peak capacity is the same every night and the batch jobs always start at 1 AM. The solutions architect needs to find a cost-effective solution that will allow for the desired EC2 capacity to be reached quickly and allow the Auto Scaling group to scale down after the batch jobs are complete.

What should the solutions architect do to meet these requirements?

- A. Increase the minimum capacity for the Auto Scaling group.
- B. Increase the maximum capacity for the Auto Scaling group.
- C. Configure scheduled scaling to scale up to the desired compute level.
- D. Change the scaling policy to add more EC2 instances during each scaling operation.

Answer: C

Explanation:

By configuring scheduled scaling, the solutions architect can set the Auto Scaling group to automatically scale up to the desired compute level at a specific time (IAM) when the batch job starts and then automatically scale down after the job is complete. This will allow the desired EC2 capacity to be reached quickly and also help in reducing the cost.

NEW QUESTION 267

- (Exam Topic 3)

A company is building a new dynamic ordering website. The company wants to minimize server maintenance and patching. The website must be highly available and must scale read and write capacity as quickly as possible to meet changes in user demand.

Which solution will meet these requirements?

- A. Host static content in Amazon S3. Host dynamic content by using Amazon API Gateway and AWS Lambda. Use Amazon DynamoDB with on-demand capacity for the database. Configure Amazon CloudFront to deliver the website content.
- B. Host static content in Amazon S3. Host dynamic content by using Amazon API Gateway and AWS Lambda. Use Amazon Aurora with Aurora Auto Scaling for the database. Configure Amazon CloudFront to deliver the website content.
- C. Host all the website content on Amazon EC2 instances. Create an Auto Scaling group to scale the EC2 instances. Use an Application Load Balancer to distribute traffic. Use Amazon DynamoDB with provisioned write capacity for the database.
- D. Host all the website content on Amazon EC2 instances. Create an Auto Scaling group to scale the EC2 instances. Use an Application Load Balancer to distribute traffic. Use Amazon Aurora with Aurora Auto Scaling for the database.

Answer: A

NEW QUESTION 271

- (Exam Topic 3)

A company is moving its on-premises Oracle database to Amazon Aurora PostgreSQL. The database has several applications that write to the same tables. The applications need to be migrated one by one with a month in between each migration. Management has expressed concerns that the database has a high number of reads and writes. The data must be kept in sync across both databases throughout the migration.

What should a solutions architect recommend?

- A. Use AWS DataSync for the initial migratio
- B. Use AWS Database Migration Service (AWS DMS) to create a change data capture (CDC) replication task and a table mapping to select all tables.
- C. Use AWS DataSync for the initial migratio
- D. Use AWS Database Migration Service (AWS DMS) to create a full load plus change data capture (CDC) replication task and a table mapping to select all tables.
- E. Use the AWS Schema Conversion Tool with AWS Database Migration Service (AWS DMS) using amemory optimized replication instanc
- F. Create a full load plus change data capture (CDC) replication task and a table mapping to select all tables.
- G. Use the AWS Schema Conversion Tool with AWS Database Migration Service (AWS DMS) using a compute optimized replication instanc
- H. Create a full load plus change data capture (CDC) replication task and a table mapping to select the largest tables.

Answer: C

NEW QUESTION 274

- (Exam Topic 3)

A rapidly growing global ecommerce company is hosting its web application on AWS. The web application includes static content and dynamic content. The website stores online transaction processing (OLTP) data in an Amazon RDS database. The website's users are experiencing slow page loads. Which combination of actions should a solutions architect take to resolve this issue? (Select TWO.)

- A. Configure an Amazon Redshift cluster.
- B. Set up an Amazon CloudFront distribution
- C. Host the dynamic web content in Amazon S3
- D. Create a t wd replica tor the RDS DB instance.
- E. Configure a Multi-AZ deployment for the RDS DB instance

Answer: BD

NEW QUESTION 279

- (Exam Topic 3)

A company's reporting system delivers hundreds of .csv files to an Amazon S3 bucket each day. The company must convert these files to Apache Parquet format and must store the files in a transformed data bucket.

Which solution will meet these requirements with the LEAST development effort?

- A. Create an Amazon EMR cluster with Apache Spark installe
- B. Write a Spark application to transform the dat
- C. Use EMR File System (EMRFS) to write files to the transformed data bucket.
- D. Create an AWS Glue crawler to discover the dat
- E. Create an AWS Glue extract, transform, and load (ETL) job to transform the dat
- F. Specify the transformed data bucket in the output step.
- G. Use AWS Batch to create a job definition with Bash syntax to transform the data and output the data to the transformed data bucke
- H. Use the job definition to submit a jo
- I. Specify an array job as the job type.
- J. Create an AWS Lambda function to transform the data and output the data to the transformed data bucke
- K. Configure an event notification for the S3 bucke
- L. Specify the Lambda function as the destination for the event notification.

Answer: B

Explanation:

<https://docs.aws.amazon.com/prescriptive-guidance/latest/patterns/three-aws-glue-etl-job-types-for-converting-d>

NEW QUESTION 284

- (Exam Topic 3)

A company has hundreds of Amazon EC2 Linux-based instances in the AWS Cloud. Systems administrators have used shared SSH keys to manage the instances. After a recent audit, the company's security team is mandating the removal of all shared keys. A solutions architect must design a solution that provides secure access to the EC2 instances.

Which solution will meet this requirement with the LEAST amount of administrative overhead?

- A. Use AWS Systems Manager Session Manager to connect to the EC2 instances.
- B. Use AWS Security Token Service (AWS STS) to generate one-time SSH keys on demand.
- C. Allow shared SSH access to a set of bastion instance
- D. Configure all other instances to allow only SSH access from the bastion instances
- E. Use an Amazon Cognito custom authorizer to authenticate user
- F. Invoke an AWS Lambda function to generate a temporary SSH key.

Answer: B

NEW QUESTION 289

- (Exam Topic 3)

A solutions architect wants all new users to have specific complexity requirements and mandatory rotation periods tor IAM user passwords. What should the solutions architect do to accomplish this?

- A. Set an overall password policy for the entire AWS account
- B. Set a password policy for each IAM user in the AWS account
- C. Use third-party vendor software to set password requirements
- D. Attach an Amazon CloudWatch rule to the Create_newuser event to set the password with the appropriate requirements

Answer: A

NEW QUESTION 292

- (Exam Topic 3)

A company hosts a web application on multiple Amazon EC2 instances. The EC2 instances are in an Auto Scaling group that scales in response to user demand. The company wants to optimize cost savings without making a long-term commitment. Which EC2 instance purchasing option should a solutions architect recommend to meet these requirements'?

- A. Dedicated Instances only
- B. On-Demand Instances only
- C. A mix of On-Demand instances and Spot Instances
- D. A mix of On-Demand instances and Reserved instances

Answer: A

NEW QUESTION 296

- (Exam Topic 3)

A company is building a data analysis platform on AWS by using AWS Lake Formation. The platform will ingest data from different sources such as Amazon S3 and Amazon RDS. The company needs a secure solution to prevent access to portions of the data that contain sensitive information.

- A. Create an IAM role that includes permissions to access Lake Formation tables.
- B. Create data filters to implement row-level security and cell-level security.
- C. Create an AWS Lambda function that removes sensitive information before Lake Formation ingests the data.
- D. Create an AWS Lambda function that periodically queries and removes sensitive information from Lake Formation tables.

Answer: A

NEW QUESTION 298

- (Exam Topic 3)

A company is developing a marketing communications service that targets mobile app users. The company needs to send confirmation messages with Short Message Service (SMS) to its users. The users must be able to reply to the SMS messages. The company must store the responses for a year for analysis. What should a solutions architect do to meet these requirements?

- A. Create an Amazon Connect contact flow to send the SMS message
- B. Use AWS Lambda to process the responses.
- C. Build an Amazon Pinpoint journey
- D. Configure Amazon Pinpoint to send events to an Amazon Kinesis data stream for analysis and archiving.
- E. Use Amazon Simple Queue Service (Amazon SQS) to distribute the SMS message
- F. Use AWS Lambda to process the responses.
- G. Create an Amazon Simple Notification Service (Amazon SNS) FIFO topic
- H. Subscribe an Amazon Kinesis data stream to the SNS topic for analysis and archiving.

Answer: B

Explanation:

<https://aws.amazon.com/pinpoint/product-details/sms/> Two-Way Messaging: Receive SMS messages from your customers and reply back to them in a chat-like interactive experience. With Amazon Pinpoint, you can create automatic responses when customers send you messages that contain certain keywords. You can even use Amazon Lex to create conversational bots. A majority of mobile phone users read incoming SMS messages almost immediately after receiving them. If you need to be able to provide your customers with urgent or important information, SMS messaging may be the right solution for you. You can use Amazon Pinpoint to create targeted groups of customers, and then send them campaign-based messages. You can also use Amazon Pinpoint to send direct messages, such as appointment confirmations, order updates, and one-time passwords.

NEW QUESTION 301

- (Exam Topic 3)

A company has an application that places hundreds of .csv files into an Amazon S3 bucket every hour. The files are 1 GB in size. Each time a file is uploaded, the company needs to convert the file to Apache Parquet format and place the output file into an S3 bucket. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an AWS Lambda function to download the .csv files, convert the files to Parquet format, and place the output files in an S3 bucket
- B. Invoke the Lambda function for each S3 PUT event.
- C. Create an Apache Spark job to read the .csv files, convert the files to Parquet format, and place the output files in an S3 bucket
- D. Create an AWS Lambda function for each S3 PUT event to invoke the Spark job.
- E. Create an AWS Glue table and an AWS Glue crawler for the S3 bucket where the application places the .csv file
- F. Schedule an AWS Lambda function to periodically use Amazon Athena to query the AWS Glue table, convert the query results into Parquet format, and place the output files into an S3 bucket.
- G. Create an AWS Glue extract, transform, and load (ETL) job to convert the .csv files to Parquet format and place the output files into an S3 bucket
- H. Create an AWS Lambda function for each S3 PUT event to invoke the ETL job.

Answer: D

Explanation:

<https://docs.aws.amazon.com/prescriptive-guidance/latest/patterns/three-aws-glue-etl-job-types-for-converting-d>

NEW QUESTION 303

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AWS-Solution-Architect-Associate Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AWS-Solution-Architect-Associate Product From:

<https://www.2passeasy.com/dumps/AWS-Solution-Architect-Associate/>

Money Back Guarantee

AWS-Solution-Architect-Associate Practice Exam Features:

- * AWS-Solution-Architect-Associate Questions and Answers Updated Frequently
- * AWS-Solution-Architect-Associate Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Solution-Architect-Associate Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AWS-Solution-Architect-Associate Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year