

Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst



NEW QUESTION 1

HOTSPOT - (Topic 1)

You need to create a visualization to meet the reporting requirements of the sales managers.

How should you create the visualization? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Visualization type: Card Donut chart Gauge Key influencers KPI

Indicator: Date[month] Sales[sales_amount] Sales[sales_id] Targets[sales_target] Weekly_Returns[total_returns]

Trend axis: Date[month] Sales[sales_amount] Sales[sales_id] Targets[sales_target] Weekly_Returns[total_returns]

Target goals: Date[month] Sales[sales_amount] Sales[sales_id] Targets[sales_target] Weekly_Returns[total_returns]

These are the selections for Indicator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario: The sales managers require a visual to analyze sales performance versus sales targets.

Box 1: KPI

A Key Performance Indicator (KPI) is a visual cue that communicates the amount of progress made toward a measurable goal.

Box 2: Sales[sales_amount]

Box 3: Date[month]

Time > FiscalMonth. This value will represent the trend. Box 4: Targets[sales_target]

NEW QUESTION 2

- (Topic 1)

You need to create relationships to meet the reporting requirements of the customer service department.

What should you create?

- A. an additional date table named ShipDate, a one-to-many relationship from Sales[sales_date_id] to Date[date_id], and a one-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- B. an additional date table named ShipDate, a many-to-many relationship from Sales[sales_date_id] to Date[date_id], and a many-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- C. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one-to-many relationship from Date[date_id] to Weekly_Returns[week_id]
- D. a one-to-many relationship from Sales[sales_date_id] to Date[date_id] and a one-to-many relationship from Sales[sales_ship_date_id] to Date[date_id]
- E. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one-to-many relationship from Date[date_id] to Sales[sales_ship_date_id]

Answer: A

Explanation:

Scenario: The customer service department requires a visual that can be filtered by both sales month and ship month independently.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

NEW QUESTION 3

- (Topic 1)

You need to provide a solution to provide the sales managers with the required access. What should you include in the solution?

- A. Create a security role that has a table filter on the Sales_Manager table where username = UserName()
- B. Create a security role that has a table filter on the Region_Manager table where sales_manager_id = UserPrincipalName().
- C. Create a security role that has a table filter on the Sales_Manager table where name = UserName().
- D. Create a security role that has a table filter on the Sales_Manager table where username = sales_manager_id.

Answer: A

Explanation:

<https://powerbi.microsoft.com/en-us/blog/using-username-in-dax-with-row-level-security/>

NEW QUESTION 4

- (Topic 1)

You need to create a relationship between the Weekly_Returns table and the Date table to meet the reporting requirements of the regional managers. What should you do?

- A. In the Weekly_Returns table, create a new calculated column named date-id in a format of yyyyymmdd and use the calculated column to create a relationship to the Date table.
- B. Add the Weekly_Returns data to the Sales table by using related DAX functions.
- C. Create a new table based on the Date table where date-id is unique, and then create a many-to-many relationship to Weekly_Return.

Answer: A

Explanation:

Scenario: Region managers require a visual to analyze weekly sales and returns. To relate the two tables we need a common column.

NEW QUESTION 5

- (Topic 1)

You need to create a calculated column to display the month based on the reporting requirements. Which DAX expression should you use?

- A. FORMAT('Date'[date], "MMM YYYY")
- B. FORMAT('Date' [date], "M YY")
- C. FORMAT('Date'[date_id], "MMM") & " " & FORMAT('Date'[year], "#")
- D. FORMAT('Date' [date_id], "MMM YYYY")

Answer: A

NEW QUESTION 6

HOTSPOT - (Topic 2)

You need to grant access to the business unit analysts.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: The Viewer role to the workspace

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use

the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".

Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	X			
Add/remove people, including other admins.	X			
Add members or others with lower permissions.	X	X		
Publish and update an app.	X	X		
Share an item or share an app.	X	X		
Allow others to reshare items.	X	X		
Create, edit, and delete content in the workspace.	X	X	X	
Publish reports to the workspace, delete content.	X	X	X	
View an item.	X	X	X	X
Create a report in another workspace based on a dataset in this workspace.	X	X	X	X ¹
Copy a report.	X	X	X	X ¹

Box 2: Build

The analysts must be able to build new reports from the dataset that contains the profit and loss data.

Scenario: The reports must be made available to the board from powerbi.com.

The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data, but any reports that the analysts build must not be included in the quarterly reports for the board. The analysts must not be able to share the quarterly reports with anyone.

NEW QUESTION 7

- (Topic 2)

Which DAX expression should you use to get the ending balances in the balance sheet reports?

- A. CALCULATE (SUM(BalanceSheet [BalanceAmount]), DATESQTD('Date'[Date]))
- B. CALCULATE (SUM(BalanceSheet [BalanceAmount]), LASTDATE('Date'[Date]))
- C. FIRSTNONBLANK ('Date' [Date]SUM(BalanceSheet[BalanceAmount]))
- D. CALCULATE (MAX(BalanceSheet[BalanceAmount]), LASTDATE('Date' [Date]))

Answer: A

Explanation:

Scenario: At least one of the balance sheet reports in the quarterly reporting package must show the ending balances for the quarter, as well as for the previous quarter.

DATESQTD returns a table that contains a column of the dates for the quarter to date, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/datesqtd-function-dax>

NEW QUESTION 8

HOTSPOT - (Topic 3)

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Filter type:

Level:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Top N

Scenario: The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

Once you drag to SKU to Visual level filter you should get Top N option Note: The two most common filter types: automatic and manual.

Then there are more advanced filters.

Box 2: Visual

Once you drag to SKU to Visual level filter you should get Top N option.

NEW QUESTION 9

HOTSPOT - (Topic 3)

You need to create a relationship in the dataset for RLS.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Create a relationship between the Sales Employees table and the

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Description automatically generated Box 1: many-to-one
 Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.
 The Suppliers table has a Region column. Box 2: Suppliers table

NEW QUESTION 10

HOTSPOT - (Topic 3)

You need to design the data model and the relationships for the Customer Details worksheet and the Orders table by using Power BI. The solution must meet the report requirements.

For each of the following statement, select Yes if the statement is true, Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input checked="" type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 10

HOTSPOT - (Topic 3)

You need to create a solution to meet the notification requirements of the warehouse shipping department.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct select is worth one point:

Answer Area

Populate a by using a card visualization that shows the percentage of late orders in the then configure a . These are the selections for the second missing value.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Populate a by using a card visualization that shows the percentage of late orders in the then configure a . These are the selections for the second missing value.

NEW QUESTION 11

- (Topic 3)

You need to configure access for the sales department users. The solution must meet the security requirements. What should you do?

- A. Add the sales department as a member of the reports workspace
- B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace.
- C. Distribute an app to the users in the Azure Active Directory group of the sales department.
- D. Share each report to the Azure Active Directory group of the sales department.

Answer: B

NEW QUESTION 13

- (Topic 3)

You need to create the dataset. Which dataset mode should you use?

- A. DirectQuery
- B. Import
- C. Live connection
- D. Composite

Answer: D

Explanation:

Composite Model means now you can have a model, that very large tables of that are coming from the DirectQuery connection, without the need for importing, and small tables to be imported to be accessible quickly.

NEW QUESTION 15

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports Solution: In Microsoft Azure Active Directory (Azure AD), part of Microsoft Entra, you create

a group that contains all the users. You share each selected report and the one dashboard to the group.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 16

HOTSPOT - (Topic 4)

You need to create a visual as shown in the following exhibit.

MonthName	Total Sales	Sales Last Year	% Growth to Last Year
January	£559,263.79	£144,365.51	74.19%
February	£583,915.29	£215,923.28	63.02%
March	£684,091.92	£211,347.46	69.11%
April	£957,686.49	£350,270.97	63.43%
May	£841,473.26	£310,708.65	63.08%
June	£876,911.71	£298,356.83	65.98%
July	£922,410.09	£348,435.28	62.23%
August	£1,002,219.24	£388,213.68	61.26%
September	£1,152,976.22	£407,595.76	64.65%
October	£1,262,647.67	£465,583.06	63.13%
November	£555,548.44	£555,548.44	0.00%
December	£553,615.45	£553,615.45	0.00%
Total	£9,952,759.56	£4,249,964.36	57.30%

The indicator color for Total Sales will be based on % Growth to Last Year. The solution must use the existing calculations only.

How should you configure the visual? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Conditional formatting:

- Background color
- Data bars
- Font color
- Icons
- Web URL

Format by:

- Color scale
- Field value
- Rules

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Background color

To format the Color column based on its field values, select Conditional formatting for the Color field, and then select Background color or Font color. In the Background color or Font color dialog box, select Field value from the Format by drop-down field.

Box 2: Field value

With conditional formatting for tables in Power BI Desktop, you can specify customized cell colors, including color gradients, based on field values.

NEW QUESTION 20

- (Topic 4)

What should you do to address the existing environment data concerns?

- A. a calculated column that uses the following formula: ABS(Sales[sales_amount])
- B. a measure that uses the following formula: SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0),[sales_amount])
- C. a measure that uses the following formula: SUM(Sales[sales_amount])
- D. a calculated column that uses the following formula: IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))

Answer: B

NEW QUESTION 22

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column.

You need to ensure that you can analyze sales by product category.

How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Cardinality:

Cross-filter direction:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: One-to-many

Box 2: Both

For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional).

Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

NEW QUESTION 24

- (Topic 4)

You have the Power BI model shown in the following exhibit.



There are four departments in the Departments table.

You need to ensure that users can see the data of their respective department only. What should you do?

- A. Create a row-level security (RLS) role for each department, and then define the membership of the role.
- B. Create a DepartmentID parameter to filter the Departments table.
- C. To the ConfidentialData table, add a calculated measure that uses the currentgroup DAX function.
- D. Create a slicer that filters Departments based on DepartmentID.

Answer: A

NEW QUESTION 26

- (Topic 4)

You have a report that contains three pages. One of the pages contains a KPI visualization. You need to filter all the visualizations in the report except for the KPI visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the same slicer to each page and configure Sync slicers.
- B. Edit the interactions of the KPI visualization.
- C. Configure a page-level filter.
- D. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- E. Configure a report-level filter.

Answer: AD

Explanation:

Slicers are another way of filtering. They narrow the portion of the dataset that is shown in the other report visualizations.

By default, slicers on report pages affect all the other visualizations on that page, including each other. Use visual interactions to exclude some page visualizations from being affected by others.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

NEW QUESTION 31

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: Copy the workbook to Microsoft OneDrive for Business. From Excel, click Publish to Power BI, and then click Upload

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 36

- (Topic 4)

You have a Power BI model that contains two tables named Population and Date.
The Population table contains two columns named Population Amount and Date Key.
DateKey contains date values that represent the first day of a year and are used to create a many-to
The Power BI model contains two measures that have the following definitions. Total Population = Sum ('Population'[Population Amount])
2023 Population = CALCULATE ([Total Population]"Date'[Year] = 2023) You create a table visual that displays Date[Year] and [2023 Population]. What will the table visual show?

- A. one row per year that contains blank values for every year except 2023
- B. one row per date that contains the population value for the corresponding year repeated in each row
- C. a single row for the year 2023 that contains the related population value
- D. one row per year that contains the same value repeated for each year

Answer: C

NEW QUESTION 37

- (Topic 4)

Your company has employees in 10 states.

The company recently decided to associate each state to one of the following three regions: East, West, and North.

You have a data model that contains employee information by state. The model does NOT include region information.

You have a report that shows the employees by state.

You need to view the employees by region as quickly as possible. What should you do?

- A. Create a new aggregation that summarizes by employee.
- B. Create a new group on the state column and set the Group type to List.
- C. Create a new group on the state column and set the Group type to Bin.
- D. Create a new aggregation that summarizes by state.

Answer: B


Explanation:

<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with-power-bi/>

NEW QUESTION 41

HOTSPOT - (Topic 4)

You view a query named Transactions as shown in the following exhibit.



The query gets CSV files from a folder.
 Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

There are [answer choice] CSV files:

- 9
- 10
- 25
- 90
- 1,000

Removing duplicates based on the Date column will reduce the dataset to [answer choice] rows:

- 9
- 10
- 25
- 90
- 1,000

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 9
 9 distinct CSV files.
 Box 2: 10
 10 distinct dates.

<https://pediaa.com/what-is-the-difference-between-unique-and-distinct-in-sql/#:~:text=Unique%20and%20Distinct%20are%20two%20SQL%20constraints, the%20records%20from%20a%20table.>

NEW QUESTION 42

HOTSPOT - (Topic 4)

You have a power BI tenant that hosts the datasets shown in the following table.

Name	Contents	Used to generate
Sales	Sales targets Sales data Employee salary data	Daily performance reports Quarterly reports used to calculate bonuses
Operations	Environmental sensor data	Reports that show average sensor readings over time
Finance	Financial transaction data	Budget planning reports Monthly board reports

You have the following requirements:

- The export of reports that contain Personally Identifiable Information (PII) must be prevented.
- Data used for financial decisions must be reviewed and approved before use.

For each of the following statements, select Yes if the statement is true. Otherwise select No. NOTE: Each correct selection is worth one point

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	<input type="radio"/>	<input type="radio"/>
The Operations dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input type="radio"/>
The Finance dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	<input checked="" type="radio"/>	<input type="radio"/>
The Operations dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input checked="" type="radio"/>
The Finance dataset requires a sensitivity label and must be certified.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 45

- (Topic 4)

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows historical employee counts and predicts trends during the next six months.

Which type of visualization should you use?

- A. key influences
- B. ribbon chart
- C. line chart
- D. scatter chart

Answer: C

NEW QUESTION 47

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged

contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Change the data type of the Logged column to Date.
- B. Apply a transform to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.
- D. Apply a transform to extract the first 11 characters of the Logged column.

Answer: C

NEW QUESTION 50

HOTSPOT - (Topic 4)

You are creating an analytics report that will consume data from the tables shown in the following table.

Table name	Column name	Data type
Sales	sales_id	Integer
	sales_date	Datetime
	Customer_id	Integer
	sales_amount	Floating
	employee_id	Integer
	sales_ship_date	Datetime
	store_id	Varchar(100)
Employee	employee_id	Integer
	first_name	Varchar(100)
	last_name	Varchar(100)
	employee_photo	Binary

There is a relationship between the tables.

There are no reporting requirements on employeejd and employee_photo. You need to optimize the data model

What should you configure for employeejd and employee.photo? To answer, select the appropriate options in the answer area.

Answer Area

Employee_id: Change Type
Delete
Hide
Sort

Employee_photo: Change Type
Delete
Hide
Sort

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Hide

Optimize data by hiding fields and sorting visualization data

Box 2: Delete

The fastest way to optimize your Power BI report is to limit the number of columns to only the ones you need in your data model. Go through your tables in Power Query and determine what fields are being used. Delete these columns if they are not being used in any of your reports or calculations.

NEW QUESTION 54

- (Topic 4)

You have a Power Bi model mat contains a table named Date. The Date table contains the following columns:

- Date
- Fiscal year
- Fiscal Quartet
- Month Name
- Calendar Year
- Week Number
- Month Number
- Calendar Quarter

You need to create a calculated table based on the Date table. The calculated tab*e must contain only unique combinations of values for Calendar Year. Calendar Quarter and Calendar Month. Which DAX function should you include in the table deflation?

- A. DATATABLE
- B. ADDCOLUMNS
- C. SUMMARIZE
- D. CALCULATE

Answer: C

NEW QUESTION 57

- (Topic 4)

You are creating a query to be used as a Country dimension in a star schema. A snapshot of the source data is shown in the following table.

Country	City
USA	Seattle
USA	New York
USA	Denver
UK	Manchester
UK	London
Japan	Tokyo
Brazil	Rio
Brazil	Sao Paulo

You need to create the dimension. The dimension must contain a list of unique countries. Which two actions should you perform? Each correct answer presents part of the solution.

- A. Remove duplicates from the Country column.
- B. Remove duplicates from the City column.
- C. Remove duplicates from the table.
- D. Delete the City column.
- E. Delete the Country column.

Answer: AD

Explanation:

To create a dimension table for Country from your source data, you need to perform these two actions:

- ? Delete the City column. You don't need this column for your Country dimension, as it is not a descriptive attribute of Country. You can create another dimension table for City if you want to use it in your analysis.
- ? Remove duplicates from the Country column. You want to have a list of unique countries in your dimension table, so you need to remove any duplicate values from this column.

NEW QUESTION 58

- (Topic 4)

You have a Power BI report that contains four pages. All the pages contain a slicer for a field named Country. You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by selections on the other pages. What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3.
- D. Move the Country slicer from page 2 and page 3 to page 1.

Answer: B

NEW QUESTION 62

HOTSPOT - (Topic 4)

You have a table that contains a column named Phone. The following is a sample of the data in the Phone column.


```

436-555-0160
385-555-0140
452-555-0179
290-555-0196
1 (11) 500 555-0122
128-555-0148
819-555-0186
996-555-0192
138-555-0156
556-555-0192
    
```


You need to add a new column that contains the data in the format of nnn-nnn-nnnn. How should you complete the Query Editor formula? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
= Table.AddColumn("#Previous Step", "Custom", each Text.
```



```
(Text.
```



```
 ([Phone], 12), " ", "-"))
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powerquery-m/text-replace> <https://docs.microsoft.com/en-us/powerquery-m/text-end>

NEW QUESTION 67

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- Due Date
- Order Date
- Delivery Date

You need to support the analysis of sales over time based on all three dates at the same time.

Solution; You create measures that use the uSEREIIATIONSHIP DAX function to filter sales on the inactive relationships between the sales table and the date table.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 70

- (Topic 4)

You have a large dataset that contains more than 1 million rows. The table has a datetime column named Date.

You need to reduce the size of the data model. What should you do?

- A. Round the hour of the Date column to startOfHour.
- B. Change the data type of the Date column to Text.
- C. Trim the Date column.
- D. Split the Date column into two columns, one that contains only the time and another that contains only the date.

Answer: D

Explanation:

We have to separate date & time tables. Also, we don't need to put the time into the date table, because the time is repeated every day.

Split your DateTime column into a separate date & time columns in fact table, so that you can join the date to the date table & the time to the time table. The time need to be converted to the nearest round minute or second so that every time in your data corresponds to a row in your time table.

Reference:

<https://intellipaat.com/community/6461/how-to-include-time-in-date-hierarchy-in-power-bi>

NEW QUESTION 72

- (Topic 4)

You need to create a visual that compares profit across 10 product categories for a selected quarter.

What is the best visual to use to achieve the goal? More than one answer choice may achieve the goal Select the BEST answer.

- A. an area chart
- B. a clustered bar chart
- C. a line chart
- D. a funnel chart

Answer: B

NEW QUESTION 77

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars. You need to create a reference line to show which employees are above the median salary. Solution: You create an average line by using the Salary measure. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create a percentile line by using the Salary measure and set the percentile to 50%. Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below. Reference: https://dash-intel.com/powerbi/statistical_functions_percentile.php

NEW QUESTION 81

- (Topic 4)
 In Power BI Desktop, you are creating visualizations in a report based on an imported dataset. You need to allow Power BI users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data. What should you do?

- A. From Power BI Desktop, configure the Data Load settings for the current file.
- B. From the Power BI service, configure the dataset permissions.
- C. From Power BI Desktop, configure the Report settings for the current file.
- D. From Power BI Desktop, modify the data source permissions.

Answer: C

Explanation:

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-export-data?tabs=powerbi-desktop>
 The export functionality can be disabled on several levels. First, Power BI Service admins can disable this functionality on tenant level. With that, nobody will be able to export the data. More about that later. Second, as a dataset owner you can decide if you allow your users to export the data. This is managed in dataset settings, but only changeable in Power BI desktop. No matter what settings are applied in Power BI desktop, the tenant settings will overrule this. In the end the Power BI Service admin decides what options are possible to use. <https://data-marc.com/2020/04/13/power-bi-governance-why-you-should-consider-to-disable-export-to-excel/>

NEW QUESTION 84

DRAG DROP - (Topic 4)
 You are building a dataset from a JSON file that contains an array of documents. You need to import attributes as columns from all the documents in the JSON file. The solution must ensure that date attributes can be used as date hierarchies in Microsoft Power BI reports. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Expand the columns.	
Expand the records.	
Add columns that use data type conversions.	⬅️
Set the data types.	➡️
Convert the list to a table.	⬆️
	⬇️

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

1- Convert list to table 2- Expand Column 3- Set Date type
 Here is an example: <https://youtu.be/B4kzyxnhQfl>
 The definition of the function which expand columns: <https://docs.microsoft.com/en-us/powerquery-m/table-expandrecordcolumn>

NEW QUESTION 86

- (Topic 4)
 You have data in a Microsoft Excel worksheet as shown in the following table.

	A	B	C
1	SKU	price	discount
2	P00001	100	0.08
3	P00002	150	0.03
4	P00003	130	#DIV/0!
5	P00004	200	0.06
6	P00005	80	#NAME?
7	P00006	350	#N/A
8	P00007	100	#NULL!
9	P00008	200	0.05
10	P00009	135	#NUM!
11	P00010	90	#REF!
12	P00011	120	#VALUE!

You need to use Power Query to clean and transform the dataset. The solution must meet the following requirements:

- If the discount column returns an error, a discount of 0.05 must be used.
- All the rows of data must be maintained.
- Administrative effort must be minimized. What should you do in Power Query Editor?

- A. Select Keep Errors
- B. Edit the query in the Query Errors group.
- C. Select Replace Errors
- D. Select Remove Errors.

Answer: C

NEW QUESTION 90

- (Topic 4)

Your company has training videos that are published to Microsoft Stream. You need to surface the videos directly in a Microsoft Power BI dashboard. Which type of tile should you add?

- A. video
- B. custom streaming data
- C. text box
- D. web content

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/stream/portal-embed-video> <https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-add-widget#add-web-content>

NEW QUESTION 94

- (Topic 4)

You have an Azure SQL database that contains sales transactions. The database is updated frequently.

You need to generate reports from the data to detect fraudulent transactions. The data must be visible within five minutes of an update.

How should you configure the data connection?

- A. Add a SQL statement.
- B. Set Data Connectivity mode to DirectQuery.
- C. Set the Command timeout in minutes setting.
- D. Set Data Connectivity mode to Import.

Answer: B

Explanation:

With Power BI Desktop, when you connect to your data source, it's always possible to import a copy of the data into the Power BI Desktop. For some data sources, an alternative approach is available: connect directly to the data source using DirectQuery.

DirectQuery: No data is imported or copied into Power BI Desktop. For relational sources, the selected tables and columns appear in the Fields list. For multi-dimensional sources like SAP Business Warehouse, the dimensions and measures of the selected cube appear in the Fields list. As you create or interact with a visualization, Power BI Desktop queries the underlying data source, so you're always viewing current data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

NEW QUESTION 96

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.

You need to analyze 10T events by the hour and day of the year. The solution must improve dataset performance.

Solution: You create a custom column that concatenates the 10T GUID column and the IoT ID column and then delete the IoT GUID and IoT ID columns. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 101


HOTSPOT - (Topic 4)

You have a folder of monthly transaction extracts.

You plan to create a report to analyze the transaction data.

You receive the following email message: "Hi. I've put 24 files of monthly transaction data onto the shared drive. File Transactions201901.csv through Transactions201912.csv have the latest set of columns, but files Transactions201801.csv to Transactions201812.csv have an older layout without the extra fields needed for analysis. Each file contains 10 to 50 transactions."

You get data from the folder and select Combine & Load. The Combine Files dialog box is shown in the exhibit. (Click the Exhibit tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	The resulting query will contain all the columns from the 2018 transactions.	<input type="radio"/>	<input type="radio"/>
	The resulting query will contain all the columns from the 2019 transactions.	<input type="radio"/>	<input type="radio"/>
	Setting Data Type Detection to Based on first 200 rows will improve import times.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application
 Description automatically generated

Box 1: Yes

The four columns used in the 2018 transactions are already displayed.

Box 2: Yes

The columns used are based on the entire dataset. The additional columns in the 2019 files will be detected.

Box 3: Yes

Note: Under the hood, Power BI will automatically detect which delimiter to use, and may even promote the first row as headers. You can manually change the delimiter, or define how Power BI should handle data types. You can set it to automatically detect data types based on first 200 rows, or the entire dataset or you can even opt out the detection of data types.

NEW QUESTION 106

- (Topic 4)

You have a Microsoft Excel file on a file server.

You create a Power BI report and import a table from the Excel file. You publish the report.

You need to ensure that the data refreshes every four hours. What should you do first?

- A. Upload the Excel file to a Power BI workspace.
- B. Create a subscription to the report.
- C. Deploy an on-premises data gateway.
- D. Edit the data source credentials.

Answer: C

NEW QUESTION 107

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create a constant line and set the value to .5. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create a percentile line by using the Salary measure and set the percentile to 50%. Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_percentile.php

NEW QUESTION 110

- (Topic 4)

You plan to create a dashboard in the Power BI service that retrieves data from a Microsoft SQL Server database. The dashboard will be shared between the users in your organization.

You need to ensure that the users will see the current data when they view the dashboard. How should you configure the connection to the data source?

- A. Deploy an on-premises data gateway (personal mode). Import the data by using the Import Data Connectivity mode.
- B. Deploy an on-premises data gateway.
- C. Import the data by using the Import Data Connectivity mode.
- D. Deploy an on-premises data gateway.
- E. Import the data by using the DirectQuery Data Connectivity mode.
- F. Deploy an on-premises data gateway (personal mode). Import the data by using the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-directquery-about#power-bi-connectivity-modes>

NEW QUESTION 113

HOTSPOT - (Topic 4)

You are creating a column chart visualization.

You configure groups as shown in the Groups exhibit. (Click the Groups tab.)

Groups

Name: Field:


Group type: Min value:

Bin Type: Max value:

Binning splits numeric or date/time data by an amount you specify. The default bin count is calculated based on your data.

Bin count: Bin size:

The visualization appears as shown in the Chart exhibit. (Click the Chart tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input type="radio"/>	<input type="radio"/>
To increase the bin size, you must decrease the bin count.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input checked="" type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input checked="" type="radio"/>	<input type="radio"/>
To increase the bin size, you must decrease the bin count.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 118

- (Topic 4)

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.


Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)

Database Diagram



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario.

You implement the Power BI model.

You need to add a new column to the Product Subcategory table that uses the following formula.

=if [Subcategory] =null then "NA" else [Subcategory] Which command should you use in Query Editor?

- A. Column From Examples
- B. Custom Column
- C. Invoke Custom Function
- D. Conditional Column

Answer: D

Explanation:

References: <http://community.powerbi.com/t5/Desktop/if-then-else/td-p/117999>

NEW QUESTION 121

- (Topic 4)

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns. The model contains the following DAX measure.
 Total Sales = SUM(Sales[Sales])
 You need to create another measure named Previous Quarter to display the sales one quarter before the selected period.
 Which DAX calculation should you use?


- A. CALCULATE < [Total Sales], OATEADD (Date[Date], -1, QUARTER))
- B. CALCULATE ([Total Sales], DATESQTD (Date[Date]))
- C. TOTALQTD ([Total Sales], Date[Date])
- D. CALCULATE < [Total Sales], PARALLELPERIOO (Date[Date], 1, QUARTER))

Answer: A

NEW QUESTION 122

HOTSPOT - (Topic 4)

You have a Power BI imported dataset that contains the data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

Changing the [answer choke] setting of the relationships will improve report query performance.

▼
Cardinality
Cross filter direction
Assume Referential Integrity

The data model is organized into a [answer choice].

▼
star schema
snowflake schema
denormalized table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- cross filter direction
- star schema


NEW QUESTION 124

HOTSPOT - (Topic 4)

You have a Power BI report that contains the table visual shown in the following exhibit.

OrderDate	Total Sales	Total Cost
01-Oct-22	10.75	8.06
03-Oct-22	98.50	73.88
07-Oct-22	43.00	32.25
11-Oct-22	25.99	19.49
12-Oct-22	156.00	117.00
15-Oct-22	40.80	30.60

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 129

DRAG DROP - (Topic 4)

You create a data model in Power BI.

Report developers and users provide feedback that the data model is too complex. The model contains the following tables.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	region_id	Integer
Manager	manager_id	Integer
	name	Varchar

The model has the following relationships:

*There is a one-to-one relationship between Sales_Region and Region_Manager.

*There are more records in Manager than in Region_Manager, but every record in Region_Manager has a corresponding record in Manager.

*There are more records in Sales_Manager than in Sales_Region, but every record in Sales_Region has a corresponding record in Sales_Manager.

You need to denormalize the model into a single table. Only managers who are associated to a sales region must be included in the reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions	Answer Area
Merge [Region_Manager] and [Manager] by using an inner join.	
Merge [Sales_Manager] and [Sales_Region] by using a left join.	
Merge [Sales_Region] and [Sales_Manager] by using an inner join.	
Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].	
Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].	
Merge [Sales_Region] and [Region_Manager] by using an inner join.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1.Merge [Region_Manager] and [Manager] by using an inner join. 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join. 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.

NEW QUESTION 132

- (Topic 4)

You have a custom connector that returns ID, From, To, Subject, Body, and Has Attachments for every email sent during the past year. More than 10 million records are returned.

You build a report analyzing the internal networks of employees based on whom they send emails to.

You need to prevent report recipients from reading the analyzed emails. The solution must minimize the model size.

What should you do?

- A. Implement row-level security (RLS) so that the report recipients can only see results based on the emails they sent.
- B. Remove the Subject and Body columns during the import.
- C. From Model view, set the Subject and Body columns to Hidden.

Answer: B

NEW QUESTION 137

- (Topic 4)

You are developing a sales report that will have multiple pages. Each page will answer a different business question.

You plan to have a menu page that will show all the business questions.

You need to ensure that users can click each business question and be directed to the page where the question is answered. The solution must ensure that the menu page will work when deployed to any workspace.

What should you include on the menu page?

- A. Create a text box for each business question and insert a link.
- B. Create a button for each business question and set the action type to Bookmark.
- C. Create a Power Apps visual that contains a drop-down list.
- D. The drop-down list will contain the business questions.

Answer: B

Explanation:

When you create a bookmark, the following elements are saved with the bookmark: - The current page - Filters - Slicers, including slicer type (for example, dropdown or list) and slicer state - Visual selection state (such as cross-highlight filters) - Sort order - Drill location - Visibility of an object (by using the Selection pane) - The focus or Spotlight modes of any visible object

NEW QUESTION 140

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Create a column by example that starts with 2018-12-31.
- B. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.
- C. Apply the parse function from the Date transformations options to the Logged column.
- D. Add a conditional column that outputs 2018 if the Logged column starts with 2018 and set the data type of the new column to Whole Number.

Answer: A


NEW QUESTION 141

HOTSPOT - (Topic 4)

You have a table that contains the following three columns:

- ? City
- ? Total Sales
- ? Occupation

You need to create a key influencers visualization as shown in the exhibit. (Click the Exhibit tab.)



How should you configure the visualization? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Analyze: ▼

City
Occupation
Total Sales

Explain by: ▼

City
Occupation
Total Sales

Expand by: ▼

City
Occupation
Total Sales

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Total Sales Box 2: Occupation
 Box 3: City

You can use Expand By to add fields you want to use for setting the level of the analysis without looking for new influencers.

NEW QUESTION 143

- (Topic 4)

You are creating a visual to show the ranking of product categories by sales revenue.

Your company's security policy states that you cannot send data outside of your Microsoft Power BI tenant

Which approach provides the widest variety of visuals while adhering to the security policy?

- A. Use default visuals or custom visuals uploaded from a .pbviz file.
- B. Use only default visuals.
- C. Use default or any custom visuals from the marketplace.
- D. Use default or certified custom visuals.

Answer: C

NEW QUESTION 146

HOTSPOT - (Topic 4)

Your company has affiliates who help the company acquire customers.

You build a report for the affiliate managers at the company to assist them in understanding affiliate performance.

The managers request a visual showing the total sales value of the latest 50 transactions for each affiliate. You have a data model that contains the following tables.

Table name	Column name
Transactions	TransactionDate
	ItemsOrdered
	Amount
	TransactionID
Affiliate	AffiliateID
	Name

You need to develop a measure to support the visual.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Revenue Last 50 Transactions =

(

 (Transactions[Amount]),

 (50, Transactions, Transactions

 DESC)

)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: CALCULATE

Start with CALCULATE and use a SUMX.

CALCULATE evaluates an expression in a modified filter context.

Box 2: SUM

Box 3: TOPN

TOPN returns the top N rows of the specified table.

Box 4: [TransactionDate]

TOPN Syntax: TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])

The orderBy_expression: Any DAX expression where the result value is used to sort the table and it is evaluated for each row of table.

NEW QUESTION 150

- (Topic 4)

You have four sales regions. Each region has multiple sales managers.

You implement row-level security (RLS) in a data model. You assign the relevant distribution lists to each role.

You have sales reports that enable analysis by region. The sales managers can view the sales records of their region. The sales managers are prevented from viewing records from other regions.

A sales manager changes to a different region.

You need to ensure that the sales manager can see the correct sales data. What should you do?

- A. From Microsoft Power BI Desktop, edit the Row-Level Security setting for the reports.
- B. Change the Microsoft Power BI license type of the sales manager.

- C. Manage the permissions of the underlying dataset
- D. Request that the sales manager be added to the correct Azure Active Directory group.

Answer: D

Explanation:

Using AD Security Groups, you no longer need to maintain a long list of users.

All that you will need to do is to put in the AD Security group with the required permissions and Power BI will do the REST! This means a small and simple security file with the permissions and AD Security group.

Note: Configure role mappings

Once published to Power BI, you must map members to dataset roles.

Members can be user accounts or security groups. Whenever possible, we recommend you map security groups to dataset roles. It involves managing security group memberships in Azure Active Directory. Possibly, it delegates the task to your network administrators.

Reference:

<https://www.fourmoo.com/2018/02/20/dynamic-row-level-security-is-easy-with-active-directory-security-groups/>

<https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>

NEW QUESTION 151

- (Topic 4)

You have a Power BI tenant.

You have reports that use financial datasets and are exported as PDF files. You need to ensure that the reports are encrypted.

What should you implement?

- A. dataset certifications
- B. row-level security (RLS)
- C. sensitivity labels
- D. Microsoft Intune policies

Answer: C

Explanation:

General availability of sensitivity labels in Power BI.

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied on datasets, reports, dashboards, and dataflows. When data is exported from Power BI to Excel, PowerPoint or PDF files, Power BI automatically applies a sensitivity label on the exported file and protects it according to the label's file encryption settings. This way your sensitive data remains protected no matter where it is.

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-power-bi-data-protection-ga-and-introducing-new-capabilities/>

NEW QUESTION 153

- (Topic 4)

You have an app workspace that contains a dashboard and four reports. All the reports are generated from a single dataset that contains sales data for your company.

The reports display the data configured as shown in the following table.

Report name	Data displayed	Data characteristic
Sales Data1	Sales from the start of 2013 to the end of 2015	The company was owned by another company named Contoso, Ltd. from 2013 to 2015
Sales Data2	Sales from the start of 2011 to the end of 2016	The company changed the line of products sold frequently from 2011 to 2016
Sales Data3	Sales from the start of 2016 to the end of 2017	The company hired new management that started in 2016
Sales Data4	Sales from the start of 2011 to the end of 2014	The company was being sued by a competitor from 2011 to 2014

You need to ensure that the users of the reports can locate the correct report by using natural language queries. What should you do?

- A. From the properties of the dataset, create four Featured Q&A Questions.
- B. From the Format settings of the reports, modify the Page Information.
- C. From the properties of the dataset, modify the Q&A and Cortana settings.
- D. From the properties of the workspace, modify the Language Settings.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-direct-query#limitations-during-public-preview>

NEW QUESTION 156

- (Topic 4)

You publish a Microsoft Power BI dataset to powerbi.com. The dataset appends data from an on-premises Oracle database and an Azure SQL database by using one query.

You have admin access to the workspace and permission to use an existing On-premises data gateway for which the Oracle data source is already configured.

You need to ensure that the data is updated every morning. The solution must minimize configuration effort. Which two actions should you perform when you configure scheduled refresh? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Configure the dataset to use the existing On-premises data gateway.
- B. Deploy an On-premises data gateway in personal mode.
- C. Set the refresh frequency to Daily.
- D. Configure the dataset to use the personal gateway.

Answer: AC

Explanation:


<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-personal-mode>

NEW QUESTION 161

FILL IN THE BLANK - (Topic 4)

You have a Power BI visual that uses indicators to show values that are out of range as shown in the following exhibit.

Revenue by Date



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The visual type is [answer choice] chart.

The visual indicators that show values out of range are created by using [answer choice].

NEW QUESTION 162

HOTSPOT - (Topic 4)

You have a dataset that has the permissions shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Users in the finance group can [answer choice] the dataset.

- assign sensitivity labels to
- use Analyze in Excel with
- delete

Users in the corp group can [answer choice] the dataset.

- grant the Build permission for
- grant the Read permission for
- remove a table from

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users in the finance group can [answer choice] the dataset.

- assign sensitivity labels to
- use Analyze in Excel with
- delete

Users in the corp group can [answer choice] the dataset.

- grant the Build permission for
- grant the Read permission for
- remove a table from

NEW QUESTION 163

FILL IN THE BLANK - (Topic 4)

You have a Power BI data model that contains a table named Stores. The table has the following columns:

- * Store Name
- * Open Date
- * Status
- * State
- * City

You need to create a calculated column named Active Store Name that meets the following requirements:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Answer is as below

Active Store Name = IF ([Status] = "A", [Store Name], "Inactive - " & [Store Name])

NEW QUESTION 166

HOTSPOT - (Topic 4)

You have the Power BI data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a **[answer choice]** is displayed.

	▼
distinct count of the StoreID values	
list of all the StoreID values	
list of the distinct StoreID values	
sum of the StoreID values	

Adding a page filter of `Sales[StoreID] = 1` will filter the values displayed on the page from **[answer choice]**.

	▼
all the tables related to the Sales table	
only the Sales table	
only the Store table	
the Sales table and the Customer table	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a **[answer choice]** is displayed.

	▼
distinct count of the StoreID values	
list of all the StoreID values	
list of the distinct StoreID values	
sum of the StoreID values	

Adding a page filter of `Sales[StoreID] = 1` will filter the values displayed on the page from **[answer choice]**.


	▼
all the tables related to the Sales table	
only the Sales table	
only the Store table	
the Sales table and the Customer table	

NEW QUESTION 169

HOTSPOT - (Topic 4)

You are profiling data by using Power Query Editor.

The AddressLine2 column in a table named Address is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

There are **[answer choice]** different values in the column including nulls.

There are **[answer choice]** non-null values that occur only once in the column.


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

There are [answer choice] different values in the column including nulls.



Take note the question for the statement. There are [answer choice] different values in the column including nulls.

There are [answer choice] non-null values that occur only once in the column.



NEW QUESTION 170

DRAG DROP - (Topic 4)

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product.

Every Product has a ProductSubCategory.

Not every ProductSubCategory has a parent ProductCategory.

You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query.

How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Join kinds	Answer Area									
Full outer	<table border="1"> <thead> <tr> <th>Left Table</th> <th>Right Table</th> <th>Join Kind</th> </tr> </thead> <tbody> <tr> <td>Product</td> <td>ProductSubCategory</td> <td>Join kind</td> </tr> <tr> <td>ProductSubCategory</td> <td>ProductCategory</td> <td>Join kind</td> </tr> </tbody> </table>	Left Table	Right Table	Join Kind	Product	ProductSubCategory	Join kind	ProductSubCategory	ProductCategory	Join kind
Left Table		Right Table	Join Kind							
Product		ProductSubCategory	Join kind							
ProductSubCategory		ProductCategory	Join kind							
Inner										
Left anti										
Left outer										
Right anti										
Right outer										

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Join kinds	Answer Area									
Full outer	<table border="1"> <thead> <tr> <th>Left Table</th> <th>Right Table</th> <th>Join Kind</th> </tr> </thead> <tbody> <tr> <td>Product</td> <td>ProductSubCategory</td> <td>Inner</td> </tr> <tr> <td>ProductSubCategory</td> <td>ProductCategory</td> <td>Left outer</td> </tr> </tbody> </table>	Left Table	Right Table	Join Kind	Product	ProductSubCategory	Inner	ProductSubCategory	ProductCategory	Left outer
Left Table		Right Table	Join Kind							
Product		ProductSubCategory	Inner							
ProductSubCategory		ProductCategory	Left outer							
Inner										
Left anti										
Left outer										
Right anti										
Right outer										

NEW QUESTION 171

- (Topic 4)

You are configuring a Microsoft Power BI data model to enable users to ask natural language questions by using Q&A. You have a table named Customer that has the following measure.

Customer Count = DISTINCTCOUNT(Customer[CustomerID]) Users frequently refer to customers as subscribers.

You need to ensure that the users can get a useful result for "subscriber count" by using Q&A. The solution must minimize the size of the model.

What should you do?

- A. Add a description of "subscriber count" to the Customer Count measure.

- B. Set Summarize By to None for the CustomerID column.
- C. Add a description of "Subscriber" to the Customer table.
- D. Add a synonym of "subscriber" to the Customer table.

Answer: B

Explanation:

You can add synonyms to tables and columns.

Note: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

Reference:

<https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 174

- (Topic 4)

You attempt to connect Purer 81 Desktop to a Cassandra database.

From the Get Data connector list you discover that there is no specific connector for the Cassandra database,

You need to select an alternate data connector that will connect to the database. Which of connector should you choose?

- A. Microsoft SQL Server database
- B. ODBC
- C. OData
- D. OLE DB

Answer: B

NEW QUESTION 176

HOTSPOT - (Topic 4)

You have a Power BI report.

You need to create a calculated table to return the 100 highest spending customers.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Top 100 Customers =

100,

ASC[

DESC(

FILTER(

SUMMARIZE[

TOPN(

ASC

DESC

FILTER

SUMMARIZE

TOPN

(FactTransaction,

FactTransaction[Customer ID],

"Sales",

SUM(FactTransaction[Sale])),

[Sales],

ASC

DESC

FILTER

SUMMARIZE

TOPN

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: TOPN

TOPN returns the top N rows of the specified table.

Box 2: SUMMARIZE

SUMMARIZE returns a summary table for the requested totals over a set of groups.

Box 3: DESC

Sort in descending order.

It is last in the TOPN command. TOPN syntax:

TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])

NEW QUESTION 179

DRAG DROP - (Topic 4)

You are modeling data in table named SalesDetail by using Microsoft Power BI.

You need to provide end users with access to the summary statistics about the SalesDetail data. The users require insights on the completeness of the data and the value distributions.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Specify the following query, then close and apply. -Table.Distinct("#SalesDetail")	
Create a visual for the query table.	
Create a parameter that uses a query for the suggested values.	⬅️
Create a query that uses Common Data Service as a data source.	➡️
Specify the following query, then close and apply. -Table.Profile("#SalesDetail")	
Create a blank query as a data source.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Specify the following query, then close and apply. -Table.Distinct("#SalesDetail")	
Create a visual for the query table.	
Create a parameter that uses a query for the suggested values.	
Create a query that uses Common Data Service as a data source.	⬅️
Specify the following query, then close and apply. -Table.Profile("#SalesDetail")	➡️
Create a blank query as a data source.	

Answer Area
Create a blank query as a data source.
Specify the following query, then close and apply. -Table.Profile("#SalesDetail")
Create a visual for the query table.

NEW QUESTION 182

- (Topic 4)

You have a Power BI report. The report contains a line chart that displays sales data for several regions.

You need to add an element to the report that will enable users to filter the sales data to include only a selected region.

Which two elements achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. a slicer visual
- B. a drillthrough filter
- C. a table visual
- D. a card visual
- E. a Key Performance Indicator (KPI) visual

Answer: AD

NEW QUESTION 184

- (Topic 4)

You need to provide a user with the ability to add members to a workspace. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Viewer
- B. Contributor
- C. Member
- D. Admin

Answer: C

Explanation:

A Member can add members or others with lower permissions. Note:

Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	✓			
Add/remove people, including other admins.	✓			
Allow Contributors to update the app for the workspace	✓			
Add members or others with lower permissions.	✓	✓		


NEW QUESTION 187

- (Topic 4)

You have the visual shown in the Original exhibit. (Click the Original tab.)



You need to configure the visual as shown in the Modified exhibit. (Click the Modified tab.)



What should you add to the visual?

- A. a measure
- B. a trendline
- C. a forecast
- D. an Average line

Answer: C

Explanation:

Explore forecast results by adjusting the desired confidence interval or by adjusting outlier data to see how they affect results.



Timeline Description automatically generated with low confidence

Reference:

<https://powerbi.microsoft.com/fr-fr/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365/>

NEW QUESTION 190

- (Topic 4)

For the sales department at your company, you publish a Power BI report that imports data from a Microsoft Excel file located in a Microsoft SharePoint folder. The data model contains several measures. You need to create a Power BI report from the existing data. The solution must minimize development effort. Which type of data source should you use?

- A. a SharePoint folder
- B. Power BI dataflows
- C. an Excel workbook
- D. Power BI dataset

Answer: A

Explanation:

The case states there is already a report published and the data model contains measures. Therefore, in order to be able to use the measures in the data model, you should connect to the existing dataset (which was created when you published the report) instead of starting from scratch with the files in the SharePoint folder.

NEW QUESTION 193

HOTSPOT - (Topic 4)

Your company plans to use Power BI for 20 users in the sales department. The users will perform the following tasks:

- ? Access a published Power BI app
- ? Modify reports in an app workspace
- ? Share dashboards created in My Workspace

You need to identify which Power BI licenses are required for the tasks. The solution must use the Power BI (free) licenses, whenever possible.

Which license should you identify for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Access a published Power BI app:

Power BI (free)
Power BI PRO

Modify report in an app workspace:

Power BI (free)
Power BI PRO

Share dashboards created in My Workspace:

Power BI (free)
Power BI PRO

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/power-bi/service-create-distribute-apps>
<https://docs.microsoft.com/en-us/power-bi/service-collaborate-power-bi-workspace>

NEW QUESTION 196

DRAG DROP - (Topic 4)

You have a Microsoft Excel spreadsheet that contains the data shown in the following table.

Department	Stage	School1	School2	School3	School4
Mathematics	1	75	65	90	70
Mathematics	2	80	70	80	75
Geography	1	95	65	80	75
Geography	2	80	70	80	75

You plan to build a data model for a Power BI report.

You need to prepare the data so that it is available to the model in the format shown in the following table.

Department	School	Avg Score
Mathematics	School1	77.5
Geography	School1	87.5

Which three actions should you perform in sequence in Power Query Editor? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.
- Select and unpivot the [Department] and [Stage] columns.
- Select the [Department] and [Stage] columns and unpivot the other columns.
- Rename the [Attribute] column as [School] and the [Value] column as [Score].
- Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

Answer Area

⬆

⬇

⬆

⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.
- Select and unpivot the [Department] and [Stage] columns.
- Select the [Department] and [Stage] columns and unpivot the other columns.
- Rename the [Attribute] column as [School] and the [Value] column as [Score].
- Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

Answer Area

⬆

⬇

⬆

⬇

NEW QUESTION 200

DRAG DROP - (Topic 4)

You have a query named Customer that imports CSV files from a data lake. The query contains 500 rows as shown in the exhibit. (Click the Exhibit tab.)

Source.Name	Customer ID	Modified Date	Customer	Category
Customer20200104.csv	1	1/1/2020 12:00:00 AM	Tailspin Toys (Head Office)	Novelty Shop
Customer20200104.csv	2	1/1/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
Customer20200104.csv	3	1/1/2020 12:00:00 AM	Tailspin Toys (Peeples Valley, AZ)	Novelty Shop
Customer20200104.csv	4	1/4/2020 12:00:00 AM	Tailspin Toys (Medicine Lodge, KS)	Novelty Shop
Customer20200104.csv	5	1/4/2020 12:00:00 AM	Tailspin Toys (Gasport, NY)	Novelty Shop
Customer20200104.csv	6	1/4/2020 12:00:00 AM	Tailspin Toys (Jessie, ND)	Novelty Shop
Customer20200104.csv	7	1/4/2020 12:00:00 AM	Tailspin Toys (Frankewing, TN)	Novelty Shop
Customer20200104.csv	8	1/4/2020 12:00:00 AM	Tailspin Toys (Bow Mar, CO)	Novelty Shop
Customer20200104.csv	9	1/4/2020 12:00:00 AM	Tailspin Toys (Netcong, NJ)	Novelty Shop
Customer20200104.csv	10	1/4/2020 12:00:00 AM	Tailspin Toys (Wimbledon, ND)	Novelty Shop
Customer20200112.csv	1	1/12/2020 12:00:00 AM	Tailspin Toys (Head Office)	Novelty Shop
Customer20200112.csv	2	1/12/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
Customer20200112.csv	3	1/12/2020 12:00:00 AM	Tailspin Toys (Peeples Valley, AZ)	Novelty Shop
Customer20200112.csv	4	1/12/2020 12:00:00 AM	Tailspin Toys (Medicine Lodge, KS)	Novelty Shop
Customer20200112.csv	5	1/12/2020 12:00:00 AM	Tailspin Toys (Gasport, NY)	Novelty Shop
Customer20200112.csv	2	1/22/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
Customer20200112.csv	7	1/22/2020 12:00:00 AM	Tailspin Toys (Frankewing, TN)	Novelty Shop
Customer20200112.csv	8	1/22/2020 12:00:00 AM	Tailspin Toys (Bow Mar, CO)	Novelty Shop
Customer20200112.csv	9	1/22/2020 12:00:00 AM	Tailspin Toys (Netcong, NJ)	Novelty Shop
Customer20200112.csv	10	1/22/2020 12:00:00 AM	Tailspin Toys (Wimbledon, ND)	Novelty Shop

Each file contains deltas of any new or modified rows from each load to the data lake. Multiple files can have the same customer ID. You need to keep only the last modified row for each customer ID.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Filter the Customer query on Modified Date is Latest.
- Merge the CustomerGrouped query into the Customer query based on Customer ID and Modified Date by using a left outer join.
- Remove duplicates in the Customer ID column.
- Duplicate the Customer query and name the new query CustomerGrouped.
- Group the CustomerGrouped query by Customer ID and output the max Modified Date value into a column named Modified Date.
- Merge the two queries based on Customer ID and Modified Date by using an inner join.

Answer Area

⬅

➡

⬅

➡

⬅

➡

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- 1) Duplicate Customer query
- 2) Group by CustId by Max ModifiedDate (only 2 columns to keep)
- 3) Merge two queries on CustId and ModifiedDate inner join (to retrieve other customer informations related to latest Date)

NEW QUESTION 204

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- B. Create a theme as a JSON file and import the theme into Power BI Desktop.
- C. From Power BI Desktop, use a built-in report theme.
- D. From Power BI Desktop, customize the current theme.

Answer: D

NEW QUESTION 207


HOTSPOT - (Topic 4)

You have a dataset that contains revenue data from the past year.

You need to use anomaly detection in Power BI to show anomalies in the dataset.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 211

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You publish an app to the entire organization.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

<https://docs.microsoft.com/es-es/power-bi/collaborate-share/service-create-distribute-apps>

NEW QUESTION 214

- (Topic 4)

You have a Power BI dataset named Finance that is hosted in a Power BI workspace.

The finance team at your company is NOT currently a member of any Power BI workspace roles.

You need to enable the finance team to use Microsoft Excel to analyze the Finance dataset.

What should you do?


- A. Create a row-level security (RLS) role and add the finance team to the role as members.
- B. Provide an Excel workbook that is connected to the Finance dataset.
- C. Grant the finance team write permissions to the Finance dataset.
- D. Grant the finance team build permissions to the Finance dataset.

Answer: D

NEW QUESTION 219

HOTSPOT - (Topic 4)

You create a Power BI dataset that contains the table shown in the following exhibit.



You need to make the table available as an organizational data type In Microsoft Excel.
 How should you configure the properties of the table? To answer select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Row label:

- Cost Center
- Headcount
- ID
- Name

Key column:

- Cost Center
- Headcount
- ID
- Name

Is featured table:

- Yes
- No
- Yes

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area

Row label:

- Cost Center
- Headcount
- ID
- Name

Key column:

- Cost Center
- Headcount
- ID
- Name

Is featured table:

- Yes
- No
- Yes

NEW QUESTION 220

- (Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com. The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 custom visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report

You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Split the visuals onto multiple pages.
- B. Implement row-level security (RLS).
- C. Replace the default visuals with custom visuals.
- D. Increase the number of times that the dataset is refreshed.


Answer: A

NEW QUESTION 222

HOTSPOT - (Topic 4)

You are profiling data by using Power Query Editor.

You have a table that contains a column named column1. Column statistics and Value distribution for column1 are shown in the following exhibit.



Answer Area

There [answer choice] only once.

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

There [answer choice] only once.

The Pear, Flowering species is found more often in column1 than the [answer choice] species.


The Pear, Flowering species is found more often in column1 than the [answer choice] species.

NEW QUESTION 223

HOTSPOT - (Topic 4)

You are profiling data by using Power Query Editor.

You have a table named Reports that contains a column named State. The distribution and quality data metrics for the data in State is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

There are [answer choice] different values in State including nulls.

- 4
- 65
- 69
- 73

There are [answer choice] non-null values that occur only once in State.

- 4
- 65
- 69
- 73

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

There are [answer choice] different values in State including nulls.

- 4
- 65
- 69
- 73

There are [answer choice] non-null values that occur only once in State.

- 4
- 65
- 69
- 73

NEW QUESTION 226

- (Topic 4)

You are creating a Power BI report to analyze consumer purchasing patterns from a table named Transactions. The Transactions table contains a numeric field named Spend. You need to include a visual that identifies which fields have the greatest impact on Spend. Which type of visual should you use?

- A. decomposition tree
- B. Q&A
- C. smart narrative
- D. key influences

Answer: D

NEW QUESTION 228

- (Topic 4)

You have a data model that contains many complex DAX expressions. The expressions contain frequent references to the RELATED and RELATEDTABLE functions.

You need to recommend a solution to minimize the use of the RELATED and RELATEDTABLE functions.

What should you recommend?

- A. Merge tables by using Power Query.
- B. Hide unused columns in the model.
- C. Split the model into multiple models.
- D. Transpose.

Answer: A

Explanation:

Combining data means connecting to two or more data sources, shaping them as needed, then consolidating them into a useful query. When you have one or more columns that you'd like to add to another query, you merge the queries.

Note: The RELATEDTABLE function is a shortcut for CALCULATETABLE function with no logical expression. CALCULATETABLE evaluates a table expression in a modified filter context and returns a table of values.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

NEW QUESTION 230

- (Topic 4)

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order.

You add the following fields to the Explain By field:

- * Customer Country
- * Product Category
- * Supplier Country
- * Sales Employee
- * Supplier Name
- * Product Name
- * Customer City

The key influencers visual returns the results shown in the following exhibit.



What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.
- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Answer: A

NEW QUESTION 234

- (Topic 4)

You have a Power BI report hosted on powerbi.com that displays expenses by department for department managers.

The report contains a line chart that shows expenses by month.

You need to enable users to choose between viewing the report as a line chart or a column chart. The solution must minimize development and maintenance effort.

What should you do?

- A. Add a column chart, a bookmark, and a button for users to choose a visual.
- B. Create a mobile report that contains a column chart.
- C. Create a separate report page for users to view the column chart.

D. Enable report readers to personalize visuals.

Answer: C

NEW QUESTION 239

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You remove the IoT GUID column and retain the IoT ID column. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 240

- (Topic 4)

You have a Microsoft Excel file in a Microsoft OneDrive folder. The file must be imported to a Power Bi dataset

You need to ensure that the dataset can be refreshed in powerbi.com.

Which two connectors can you use to connect to the file? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Text/CSV
- B. Folder
- C. Excel Workbook
- D. SharePoint folder
- E. Web

Answer: BC

Explanation:

- Copy and edit Path of the Excel file then use "Web" Connector: Option E

- Copy and edit Path of the OneDrive folder then use "Sharepoint Folder" connector: Option D

Source: <https://www.youtube.com/watch?v=GGHbbg6yi-A>

NEW QUESTION 245

FILL IN THE BLANK - (Topic 4)

The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

You need to add a column that will be used to sort the Year Month column chronologically.

Month Year Sort = [Year] +

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as.

Month Year Sort = [Year] * 100 + [Date]

NEW QUESTION 250

DRAG DROP - (Topic 4)

You are modifying a Power BI model by using Power BI Desktop.

You have a table named Sales that contains the following fields.

Name	Data type
Transaction ID	Whole Number
Customer Key	Whole Number
Sales Date Key	Date
Sales Amount	Whole Number

You have a table named Transaction Size that contains the following data.

Transaction Size ID	Transaction Size	Min	Max
1	Small	0	10,000
2	Medium	10,001	100,000
3	Large	100,001	999,999,999

You need to create a calculated column to classify each transaction as small, medium, or large based on the value in Sales Amount.

How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values

ALL

AND

CALCULATE

FILTER

OR

SUM

Answer Area

```

Transaction Size =
VAR SalesTotal = 'Sales'[Sales]
VAR FilterSegment =
    Value (
        'Transaction Size',
        Value (
            'Transaction Size'[Min] <= SalesTotal,
            'Transaction Size'[Max] >= SalesTotal
        )
    )
VAR Result =
    Value ( DISTINCT ( 'Transaction Size'[Transaction Size] ), FilterSegment )
RETURN
    Result
                    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

FILTER | AND | CALCULATE

NEW QUESTION 254

- (Topic 4)

You embed a Power BI report in a Microsoft SharePoint Online page.

A user name User1 can access the SharePoint Online page, but the Power BI web part displays the following error message: "This content isn't available".

User1 is unable to view the report.

You verify that you can access the SharePoint Online page and that the Power BI report displays as expected.

You need to ensure that User1 can view the report form SharePoint Online. What should you do?

- A. Publish the app workspace.
- B. Edit the settings of the Power BI web part.
- C. Modify the members of the app workplace.
- D. Share the dashboards in the app workspace.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-embed-report-spo>

NEW QUESTION 258

- (Topic 4)

You have a dashboard that contains tiles pinned from a single report as shown in the Original Dashboard exhibit. (Click the Original Dashboard tab.)



You need to modify the dashboard to appear as shown in the Modified Dashboard exhibit. (Click the Modified Dashboard tab.)



What should you do?

- A. Edit the details of each tile.
- B. Change the report theme.
- C. Change the dashboard theme.
- D. Create a custom CSS file.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes#how-dashboard-themes-work>

NEW QUESTION 260

- (Topic 4)

You have a project management app that is fully hosted in Microsoft Teams. The app was developed by using Microsoft Power Apps. You need to create a Power BI report that connects to the project management app. Which connector should you select?

- A. Microsoft Teams Personal Analytics
- B. SQL Server database

- C. Dataverse
- D. Dataflows

Answer: C

NEW QUESTION 264

DRAG DROP - (Topic 4)

You have a Power BI data model that contains two tables named Products and Sales. A one-to-many relationship exists between the tables.

You have a report that contains a report-level filter for Products.

You need to create a measure that will return the percent of total sales for each product. The measure must respect the report-level filter when calculating the total.

How should you complete the DAX measure? To answer drag the appropriate DAX functions to the correct targets- Each function may be used once, more than once, or not at all the spirit bar between panes or scroll to view content

NOTE: Each correct selection is worth one point

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 268

- (Topic 4)

You have a query that returns the data shown in the following exhibit.

	A ^B _C student	A ^B _C classes
1	Mike A	Math,English,Art
2	Sam B	Physics
3	Kathy S	English, Math

You need to configure the query to display the data as shown in the following exhibit.

	A ^B _C student	A ^B _C classes
1	Mike A	Math
2	Mike A	English
3	Mike A	Art
4	Sam B	Physics
5	Kathy S	English
6	Kathy S	Math

Which step should you use in the query?

- A. =Table.ExpandListColumn(Table.TransformColumnns(Source, {"classes". Splitter.SplitTextByDelimiter(",", QuoteStyle.None), let itemType - (type nullable text) meta [Serialized.Text = true] in type {itemType}}), "classes")
- B. = Table.Unpivot(Source, {"classes"}, "Attribute", "Value")
- C. = Table.SplitColumn(Source, "classes". Splitter.SplitTextByDelimiterf",", QuoteStyle.None), {"classes.1"})
- D. = Table.SplitColumn(Source, "classes". Splitter.SplitTextByPositions({10}), {"classes.1"})

Answer: B

Explanation:

Power Query Unpivot columns: You might want to unpivot data, sometimes called flattening the data, to put it in a matrix format so that all similar values are in one column. This is necessary, for example, to create a chart or a report.




Chart Description automatically generated

Note:

Syntax: Table.Unpivot(table as table, pivotColumns as list, attributeColumn as text, valueColumn as text) as table

Table.Unpivot translates a set of columns in a table into attribute-value pairs, combined with the rest of the values in each row.

Reference:

<https://docs.microsoft.com/en-us/power-query/unpivot-column> <https://docs.microsoft.com/en-us/powerquery-m/table-unpivot>

NEW QUESTION 272

- (Topic 4)

You are creating a dashboard by using the Power BI service. You have an existing report page that contains three charts.

You need to add the charts to the dashboard while maintaining the interactivity between the charts.

What should you do?

- A. Pin each chart as a tile.
- B. Edit interactions in the report and set all interactions to Filter
- C. Edit the dashboard theme and pin each chart as a file.
- D. Pin the report page as a live tile.

Answer: D

NEW QUESTION 276

- (Topic 4)

You create a report by using Microsoft Power BI Desktop.

The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network.

You plan to publish the report to the Power BI Service.

What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?

- A. a subscription
- B. a scheduled refresh of the dataset
- C. an OData feed
- D. an On-premises data gateway

Answer: D

Explanation:

When you've created dynamic reports in Power BI Desktop, you can share them by publishing to your Power BI site. When you publish a Power BI Desktop file with a live connection to a tabular model to your Power BI site, an on-premises data gateway must be installed and configured by an administrator.

NEW QUESTION 280

DRAG DROP - (Topic 4)

You plan to use Power BI to create a quarterly profit report that meets the following requirements:

- Emphasizes the percentage of total profits contributed by each product category in dollars and as a percentage
- Compares profit margins across sales regions

Which type of visual should you use for each requirement? To answer, drag the appropriate visuals to the correct requirements. Each visual may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.


NOTE: Each correct selection is worth one point.

<p>Visuals</p> <ul style="list-style-type: none"> Area chart Funnel chart Multi-row card Pie chart Stacked bar chart 	<p>Answer Area</p>	<p>Emphasizes the percentage of total profits contributed by each product category: <input type="text"/></p> <p>Compares profit margins across sales regions: <input type="text"/></p>
--	---------------------------	--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 281

- (Topic 4)

You use Power BI Desktop to load data from a Microsoft SQL Server database. While waiting for the data to load, you receive the following error.

ERROR [08001] timeout expired

You need to resolve the error.

What are two ways to achieve the goal? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. Split long running queries into subsets Of columns and use power Query to the queries
- B. Disable query folding on long running queries
- C. Reduce number of rows and columns returned by each query.
- D. Use Power Query to combine long running queries into one query.

Answer: BD

NEW QUESTION 284

- (Topic 4)

You have a Power BI dashboard that displays different visualizations of company sales.

You enable Q&A on the dashboard.

You need to provide users with sample questions that they can ask when using Q&A. Which settings should you modify from the Power BI Settings?

- A. Subscriptions
- B. Dashboards
- C. Datasets
- D. Workbooks

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-create-featured-questions>

NEW QUESTION 289

- (Topic 4)

You are creating a report in Power BI Desktop.

You load a data extract that includes a free text field named col1.

You need to analyze the frequency distribution of the string lengths in col1. The solution must not affect the size of the model.

What should you do?

- A. In the report, add a DAX calculated column that calculates the length of col1
- B. In the report, add a DAX function that calculates the average length of col1
- C. From Power Query Editor, add a column that calculates the length of col1
- D. From Power Query Editor, change the distribution for the Column profile to group by length for col1

Answer: A

Explanation:

From Power Query.. highlight the column.. from the tab view select Column Profile Option.. in the Value distribution section that appears below, from the 3dots.. you can change to group by text length distribution

NEW QUESTION 294

DRAG DROP - (Topic 4)

You use Power Query Editor to preview customer feedback data.

You need to use AI Insights to add a column of enhanced data based on the customer feedback. The solution must identify the following:

- What the customers most often provide feedback about
- Whether the customers like your company's product
- The language of the feedback

Which AI Insights service should you use for each output? To answer, drag the appropriate services to the correct outputs. Each service may be used once, more than once. or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

AI Insights services

 Image Tagging
 Key Phrase Extraction
 Language Detection
 Sentiment Analysis

Answer Area

What the customers most often provide feedback about:

Whether the customers like your company's product:

The language of the feedback:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AI Insights services

 Image Tagging
 Key Phrase Extraction
 Language Detection
 Sentiment Analysis

Answer Area

What the customers most often provide feedback about:


Whether the customers like your company's product:

The language of the feedback:

NEW QUESTION 296

HOTSPOT - (Topic 4)

You have a report page that contains the visuals shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Box 1: cross-filter


By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.

Box 2: cross-highlight Example:

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.



* 1. Let's see what happens when we select Moderation.



* 2. Cross-filtering removes data that doesn't apply. Selecting Moderation in the doughnut chart cross-filters the line chart. The line chart now only displays data points for the Moderation segment.

* 3. Cross-highlighting retains all the original data points but dims the portion that does not apply to your selection. Selecting Moderation in the doughnut chart cross-highlights the column chart. The column chart dims all the data that applies to the Convenience segment and highlights all the data that applies to the Moderation segment.

NEW QUESTION 300

- (Topic 4)

You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

Answer: A

Explanation:

Each customer can have many transactions.

For each transaction there is exactly one customer.

NEW QUESTION 305

- (Topic 4)

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company.

You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data.

Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Answer: E

Explanation:

<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

NEW QUESTION 310

- (Topic 4)

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product.

The Sales table contains purchase and ship dates.

Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together.

You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source.

Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Datetable.
- B. Duplicate the Date query in Power Query and use active relationships between both Date tables.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Create an active relationship between Sales and Date for the purchase date and an inactive relationship for the ship date.

Answer: D

Explanation:

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

NEW QUESTION 315

- (Topic 4)

You open a query in Power Query Editor.

You need to identify the percentage of empty values in each column as quickly as possible. Which Data Preview option should you select?

- A. Show whitespace
- B. Column profile
- C. Column distribution
- D. Column quality

Answer: D

Explanation:

Column quality: In this section, we can easily see valid, Error and Empty percentage of data values associated with the Selected table.

Note: In Power Query Editor, Under View tab in Data Preview Section we can see the following data profiling functionalities:

? Column quality

? Column distribution

? Column profile

Reference:

<https://community.powerbi.com/t5/Community-Blog/Data-Profiling-in-Power-BI-Power-BI-Update-April-2019/ba-p/674555>

NEW QUESTION 320

DRAG DROP - (Topic 4)

You use Power Query Editor to preview the data shown in the following exhibit

	SKU	price	discount
	11 distinct, 11 unique	9 distinct, 7 unique	
1	P00001	100	0.08
2	P00002	150	0.03
3	P00003	130	Error
4	P00004	200	0.06
5	P00005	80	Error
6	P00006	350	Error
7	P00007	100	Error
8	P00008	200	0.05
9	P00009	135	Error
10	P00010	90	Error
11	P00011	120	Error

You need to clean and transform the query so that all the rows of data are maintained, and error values in the discount column are replaced with a discount of 0.05. The solution must minimize administrative effort. Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- For the discount column, change Data Type to **Whole Number**.
- Select the **price** column.
- Select the **discount** column.
- Select **Replace Errors** to replace each error value with 0.05.
- For the discount column, change Data Type to **Decimal Number**.

Answer Area

Select the **discount** column.

Select **Replace Errors** to replace each error value with 0.05.

For the discount column, change Data Type to **Decimal Number**.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- For the discount column, change Data Type to **Whole Number**.
- Select the **price** column.
- Select the **discount** column.
- Select **Replace Errors** to replace each error value with 0.05.
- For the discount column, change Data Type to **Decimal Number**.

Answer Area

Select the **discount** column.

Select **Replace Errors** to replace each error value with 0.05.

For the discount column, change Data Type to **Decimal Number**.

NEW QUESTION 323

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- ? Due Date
- ? Order Date
- ? Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: For each date foreign key, you add inactive relationships between the sales table and the date table.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can reference an inactive relationship with DAX function USERELATIONSHIP(), but using DAX is not mentioned here.

So follow this refactory methodology:

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

Source: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

NEW QUESTION 325

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number.

You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values. You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Remove Errors. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 326

- (Topic 4)

You need to create the On-Time Shipping report.

The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?


- A. scatterplot
- B. bar chart
- C. piechart

Answer: B

NEW QUESTION 328

HOTSPOT - (Topic 4)

You have the data lineage shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

The CONTOSO dataset is consumed directly by the

The Realtime dashboard depends on

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: CONTOSO BIKES report Box 2: three datasets
 Images, tweets and the Contoso datasets.

NEW QUESTION 332

- (Topic 4)

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI.

You need to recommend an application lifecycle strategy. The solution must minimize access to production assets and prevent end users from viewing the development assets.

What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the developmentworkspac
- B. Grant the end users access to the production workspace.
- C. Create one workspace for developmen

- D. From the new workspace, publish an app for production.
- E. Create a workspace for development and a workspace for productio
- F. From the production workspace,publish an app.
- G. In one workspace, create separate copies of the assets and append DEV to the names of the copied asset
- H. Grant the end users access to the workspace.

Answer: C

Explanation:

Use different work stages (Development, Test, and Production). Deploy from the Development workspace.

Reference:

<https://visualbi.com/blogs/microsoft/powerbi/application-lifecycle-management-power-bi/>

NEW QUESTION 333

- (Topic 4)

You create a dataset sourced from dozens of flat files in Azure Blob storage. The dataset uses incremental refresh.

From powerbi.com, you deploy the dataset and several related reports to Microsoft Power BI Premium capacity.

You discover that the dataset refresh fails after the refresh runs out of resources. What is a possible cause of the issue?

- A. Query folding is not occurring.
- B. You selected Only refresh complete periods.
- C. The data type of the column used to partition the data changed.
- D. A filter is missing on the report.

Answer: A

Explanation:

The Power BI service partitions data based on date range. This is what enables only certain partitions to be refreshed incrementally. To make this work, the partition filter conditions are pushed down to the source system by including them in the queries. Using Power Query terminology, this is called "query folding". It is not recommended that incremental refresh is used when the required query folding cannot take place.

Reference:

<https://powerbi.microsoft.com/en-us/blog/incremental-refresh-query-folding/>

NEW QUESTION 336

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.
- D. Apply a transformation to extract the first 11 characters of the Logged column.

Answer: C

Explanation:

Simply create a custom table in Power Query, enter the date shown in the question into a column called Date, and then Split it by a delimiter. No need for spaces on either side of "at" Power BI takes care of the rest:

```
= Table.SplitColumn("#Changed Type", "Date", Splitter.SplitTextByDelimiter("at", QuoteStyle.Csv), {"Date.1", "Date.2"})
```

It will even automatically change the type to Date:

```
= Table.TransformColumnTypes("#Split Column by Delimiter",{"Date.1", type date}, {"Date.2", type time})
```

NEW QUESTION 341

- (Topic 4)

In the Power BI service, you create an app workplace that contains several dashboards.

You need to provide a user named user1@contoso.com with the ability to edit and publish dashboards.

What should you do?

- A. Modify the members of the app workspace.
- B. Configure security for the dataset used by the app.
- C. Share the dashboard, and then modify the Access settings of the dashboard.
- D. From the app workspace, click Update app, and then configure the Access settings.

Answer: C

NEW QUESTION 344

DRAG DROP - (Topic 4)

You have a Power BI model that contains a table named Sales. Sales has the following three measures:

? A measure named Total Sales Last Year that displays the sales from the previous calendar year. The current value is 32.89 million.

? A measure named Total Sales This Year that displays the sales from the current calendar year. The current value is 11.69 million.

? A measure named Total Sales Difference that uses a DAX formula of Sales[Last Year] – Sales[This Year].

You need to create the following visualization.



How should you configure the visualization? To answer, drag the appropriate measures to the correct fields. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Measures	Answer Area
Total Sales Difference	Value: <input style="width: 150px; height: 20px;" type="text"/>
Total Sales Last Year	Maximum value: <input style="width: 150px; height: 20px;" type="text"/>
Total Sales This Year	Target value: <input style="width: 150px; height: 20px;" type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-radial-gauge-charts>

NEW QUESTION 349

- (Topic 4)

You have a collection of reports for the HR department of your company. The datasets use row-level security (RLS). The company has multiple sales regions that each has an HR manager. You need to ensure that the HR managers can interact with the data from their region only. The HR managers must be prevented from changing the layout of the reports. How should you provision access to the reports for the HR managers?

- A. Create a new workspace, copy the datasets and reports, and add the HR managers as members of the workspace.
- B. Publish the reports to a different workspace other than the one hosting the datasets.
- C. Publish the reports in an app and grant the HR managers access permission.
- D. Add the HR managers as members of the existing workspace that hosts the reports and the datasets.

Answer: C

Explanation:
 Note: Row-level security (RLS) with Power BI can be used to restrict data access for given users. Filters restrict data access at the row level, and you can define filters within roles. In the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access.
 Reference:
<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 352

HOTSPOT - (Topic 4)

You are building a financial report by using Power BI. You have a table named financials that contains a column named Date and a column named Sales. You need to create a measure that calculates the relative change in sales as compared to the previous quarter. How should you complete the measure? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Sales QoQ% =

```

IF (
    ISFILTERED('financials' [Date]),
    ERROR("Uh oh."),
    VAR PREV_QUARTER =
        CALCULATE
        CALCULATETABLE
        DATEADD
        DIVIDE
        FILTER
        FIND
        SUM('financials' [Sales]),
        ('financials' [Date].[Date], -1, QUARTER)
    )
RETURN
    (SUM('financials' [Sales]) - PREV_QUARTER, PREV_QUARTER)
)
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: CALCULATE

Box 2: DATEADD

Box 3: DIVIDE

Example: NET_SALES QoQ% = IF(

ISFILTERED('Calendar'[Date]),

ERROR("Time intelligence quick measures can only be grouped or filtered by the Power BI-provided date hierarchy or primary date column."),

VAR PREV_QUARTER = CALCULATE(

SUM('research_ra_qtr_template'[NET_SALES]), DATEADD('Calendar'[Date].[Date], -1, QUARTER)

) RETURN DIVIDE(

SUM('research_ra_qtr_template'[NET_SALES]) - PREV_QUARTER,

PREV_QUARTER

)

)

NEW QUESTION 353

- (Topic 4)

You have the dataset shown in the following exhibit.

City	Sales Profit
Abbotsburg	\$173,947
Absecon	\$129,358
Accomac	\$157,768
Aceitunas	\$119,283
Airport Drive	\$162,500
Akhiok	\$259,554
Alcester	\$127,040
Alden Bridge	\$152,138
Alstead	\$106,147
Amado	\$136,718
Amanda Park	\$117,444
Andrix	\$130,710
Annamoriah	\$139,499
Antares	\$147,562
Antonio	\$113,056
Total	\$85,729,181

You need to ensure that the visual shows only the 10 cities that have the highest sales profit. What should you do?

- A. Add a Top N filter to the visual.
- B. Configure the Sales Profit measure to use the RANKX function.
- C. Add a calculated column to the table that uses the TOPN function.
- D. In the visual, replace Sales Profit with the calculated column.
- E. Add a calculated column to the table that returns the city name if the city is in the top 10, otherwise the calculated column will return "Not in Top 10". In the visual, replace Sales Profit with the calculated column.

Answer: A

Explanation:

Power BI Top N Filters are useful to display the top performing records, and Bottom N filters are helpful to display the least performing records. For example, we can display top or bottom 10 products by orders or sales.

Note:

- ? Select the Column you want to display the Top Sales Profit
- ? Then change the Filter Type of that Column to Top N
- ? Fill in Top / Bottom number field
- ? And lastly drag to the By Value field your Sales Profit


Reference:

<https://www.tutorialgateway.org/power-bi-top-10-filters/>

NEW QUESTION 357

HOTSPOT - (Topic 4)

You have the Power BI data model shown in the following exhibit.



Select the appropriate yes or no.

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 362

- (Topic 4)

You have multiple dashboards.

You need to ensure that when users browse the available dashboards from powerbi.com, they can see which dashboards contain Personally Identifiable Information (PII). The solution must minimize configuration effort and impact on the dashboard design.

What should you use?

- A. comments
- B. tiles
- C. Microsoft Information Protection sensitivity labels
- D. Active Directory groups

Answer: C

Explanation:

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied to datasets, reports, dashboards, and dataflows. Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-security-sensitivity-label-overview>

NEW QUESTION 365

HOTSPOT - (Topic 4)

You have an API that returns more than 100 columns. The following is a sample of column names.

- ? client_notified_timestamp
- ? client_notified_source
- ? client_notified_sourceid
- ? client_notified_value
- ? client_responded_timestamp
- ? client_responded_source
- ? client_responded_sourceid
- ? client_responded_value

You plan to include only a subset of the returned columns.

You need to remove any columns that have a suffix of sourceid.

How should you complete the Power Query M code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Sales PYTD =

VAR startyear =

STARTOFYEAR (PREVIOUSYEAR ('Date' [Date]))

VAR enddate =

LASTDATE (Sales[Date]) - 365

RETURN

(Sales[Sales]),
 CALCULATE (
 DATESBETWEEN (
 SAMEPERIODLASTYEAR (
 SLIM (

('Calendar' [Date], startyear, enddate)
 CALCULATE
 DATESBETWEEN
 SAMEPERIODLASTYEAR
 SLIM
)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Sales PYTD =

VAR startyear =

STARTOFYEAR (PREVIOUSYEAR ('Date' [Date]))

VAR enddate =

LASTDATE (Sales[Date]) - 365

RETURN

(Sales[Sales]),
 CALCULATE (
 DATESBETWEEN (
 SAMEPERIODLASTYEAR (
 SLIM (

('Calendar' [Date], startyear, enddate)
 CALCULATE
 DATESBETWEEN
 SAMEPERIODLASTYEAR
 SLIM
)

NEW QUESTION 372

- (Topic 4)

You have a Power BI workspace named Workspace1 that contains a dataset named DS1 and a report named RPT1.

A user wants to create a report by using the data in DS1 and publish the report to another workspace.

You need to provide the user with the appropriate access. The solution must minimize the number of access permissions granted to the user.

What should you do?

- A. Share RPT1 with the user.
- B. Add the user as a Viewer of Workspace1.
- C. Add the user as a member of Workspace1.
- D. Grant the Build permission for DS1 to the user.

Answer: D


Explanation:

Microsoft says: To copy a report to another workspace, and to create a report in another workspace based on a dataset in the current workspace, you need Build permission for the dataset. For datasets in the original workspace, if you have at least the Contributor role, you automatically have Build permission through your workspace role. <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

NEW QUESTION 376

DRAG DROP - (Topic 4)

You have the Power BI data model shown in the following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 380

- (Topic 4)

You are building a Power BI report that uses data from an Azure SQL database named erp1. You Import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report. What should you do first?

- A. From Power Query, merge the Orders query and the Order Line Items query.
- B. Calculate the count of orders per product by using a DAX function.
- C. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- D. From Power Query, merge the Order Line Items query and the Products query.

Answer: D

Explanation:

<https://www.sqlbi.com/articles/header-detail-vs-star-schema-models-in-tabular-and-power-bi/>

NEW QUESTION 383

- (Topic 4)

You build a report to help the sales team understand its performance and the drivers of sales. The team needs to have a single visualization to identify which factors affect success. Which type of visualization should you use?

- A. Key influences

- B. Funnel chart
- C. Q&A
- D. Line and clustered column chart

Answer: A

Explanation:

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers.

The key influencers visual is a great choice if you want to:

? See which factors affect the metric being analyzed.

? Contrast the relative importance of these factors. For example, do short-term contracts have more impact on churn than long-term contracts?

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 388

HOTSPOT - (Topic 4)

You have a query named All Sales that imports sales data into a Power BI model.


You plan to create a star schema by separating columns into separate queries and performing further transformations. The solution must meet the following requirements:

- Use All Sales as the source for three other queries named Sales Fact Product Dimension, and Customer Dimension.
- Minimize maintenance effort.

What should you do to create the Sales Fact query, and for which query should you clear Enable load? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 393

- (Topic 4)

You need to create a visualization that compares revenue and cost over time. Which type of visualization should you use?


- A. stacked area chart
- B. donut chart
- C. line chart
- D. waterfall chart

Answer: C

Explanation:

A line chart or line graph displays the evolution of one or several numeric variables. Data points are connected by straight line segments. A line chart is often used to visualize a trend in data over intervals of time – a time series – thus the line is often drawn chronologically.

Example:



Reference:
<https://www.data-to-viz.com/graph/line.html>

NEW QUESTION 395

- (Topic 4)

You have a collection of reports for the HR department of your company. You need to create a visualization for the HR department that shows a historic employee counts and predicts trends during the next six months. Which type of visualization should you use?

- A. scatter chart
- B. ribbon chart
- C. line chart
- D. key influences

Answer: C

Explanation:

The best data for forecasting is time series data or uniformly increasing whole numbers. The line chart has to have only one line. Try forecasting: Try the new forecasting capabilities of Power View today on your own data or with the sample report available as part of the Power BI report samples. To view your own data, upload a workbook with a Power View time series line chart to Power BI for Office 365.

Reference:
<https://powerbi.microsoft.com/en-us/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365>

NEW QUESTION 400

- (Topic 4)

You have a Power BI dataset that contains a table named Temperature Readings. Temperature Readings contains the columns shown in the following table.

Name	Data type	Value example
DateTime	DateTime	4-Aug-2020 13:30:01
Longitude	Decimal	10.049567988755534
Latitude	Decimal	53.462766759577057
TempCelsius	Decimal	12.5

The table has 12 million rows. All the columns are needed for analysis. You need to optimize the dataset to decrease the model size. The solution must not affect the precision of the data. What should you do?

- A. Split the DateTime column into separate date and time columns.
- B. Disable the Power Query load.
- C. Round the Longitude column two decimal places.
- D. Change the data type of the TempCelsius column to Integer

Answer: B

Explanation:


Disable Power Query load. Power Query queries that are intended support data integration with other queries should not be loaded to the model. To avoid loading the query to the model, take care to ensure that you disable query load in these instances.

Reference:
<https://docs.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction#disable-power-query-query-load>

NEW QUESTION 404

- (Topic 4)

You plan to create the chart shown in the following exhibit.



How should you create the dashed horizontal line denoting the 40th percentile of daily sales for the period shown?

- A. Create a horizontal line that has a fixed value of 24,000.
- B. Add a measure to the visual that uses the following DAX expression
- C. Measure - PERCENTUEX.EXC (Sales,Sales[Total Sales],@.40)
- D. Add a new percentile line that uses Total Sales as the measure and 40% as the percentile.
- E. Add a measure to the visual that uses the following DAX expression
- F. Measure = PERCENTILEX.INC (Sales,Sales[Total Sales],6.40)


Answer: C

Explanation:

The analytics feature enables you to show percentiles across groups specified along a specific axis.

Example:

- * 1. Click on the analytics tab
- * 2. Select Percentile
- * 3. You can choose a specific percentile along with other formatting options.
- * 4. Drag a date or non-numeric dimension into the Axis of a column chart



^ Percentile Line 1

myPercentile X

+ Add

Measure Revenue

Perc.. 90 %

Color

Add percentile lines to monitor daily revenue



NEW QUESTION 409

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-300 Practice Exam Features:

- * PL-300 Questions and Answers Updated Frequently
- * PL-300 Practice Questions Verified by Expert Senior Certified Staff
- * PL-300 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-300 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-300 Practice Test Here](#)