



Microsoft

Exam Questions PL-100

Microsoft Power Platform App Maker

NEW QUESTION 1

- (Exam Topic 1)

You need to create a flow for sending required emails to the regional manager.

How should you create the flow? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

| Option | Type |
|-----------------------|--|
| Flow type to use | <div><div></div><div>Instant</div><div>Automated</div><div>Business Process</div><div>Scheduled</div></div> |
| Trigger to start flow | <div><div></div><div>HTTP Webhook</div><div>Power Apps</div><div>Common Data Service when a record is created</div><div>Office 365 Outlook Send an email</div></div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

- > When a row is created, updated, or deleted
- > When an action is performed
- > When a flow step is run from a business process flow Reference:

<https://docs.microsoft.com/en-us/power-automate/flow-types> <https://docs.microsoft.com/en-us/power-automate/dataverse/overview>

NEW QUESTION 2

- (Exam Topic 1)

You publish the first version of the app and solution on November 1, 2020. You need to create the version numbers for the app and the solution.

Which version numbers should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

| Versions | Answer Area | | | | | | |
|-----------|--|--------|---------|----------|---------|-----|---------|
| Version 1 | | | | | | | |
| 1.0.0.0 | <table><thead><tr><th>Object</th><th>Version</th></tr></thead><tbody><tr><td>Solution</td><td>Version</td></tr><tr><td>App</td><td>Version</td></tr></tbody></table> | Object | Version | Solution | Version | App | Version |
| Object | Version | | | | | | |
| Solution | Version | | | | | | |
| App | Version | | | | | | |
| 1.20.11.1 | | | | | | | |
| 20.11.1.1 | | | | | | | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1.0.0.0

When identifying versions of the app solution, all dependencies, entities, and user interfaces components must be identified to avoid any unintentional issues caused by reverting individual components to a previous version.

A solution's version has the following format: major.minor.build.revision. An update must have a higher major, minor, build or revision number than the parent solution. For example, for a base solution version 3.1.5.7, a small update could be a version 3.1.5.8 or a slightly more significant update could have version 3.1.7.1.

A substantially more significant update could be version 3.2.0.0.

Box 2: 20.11.1.1

Scenario:

➤ You must use the following version control numbering scheme:

- Major: The last two digits of the year the app is packaged
- Minor: Two digits that represent the month when the app is packaged
- Build: A number that is incremented to represent significant changes to the app
- Revision: The incremented revision for a package

New versions of the application must completely replace previous versions of the app. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/update-solutions>

NEW QUESTION 3

- (Exam Topic 1)

You need to configure functionality for submitting status reports. What should you do?

- A. Determine whether the application is offline when a user selects submit button and call the Sec () function.
- B. Determine whether the application is offline when the app load
- C. Use the SaveDaca () function in the OnSelect property.
- D. Determine whether the application is offline when a user selects the submit button and call the SaveDaca () function.
- E. Determine whether the application is offline when the app load
- F. Use the LoadDaca () function in the Submit button.

Answer: C

Explanation:

Scenario: The app must be able to run both online and offline. If the mobile device on which the app runs is connected to the internet, the app must immediately submit the status report.

When data is submitted offline, the data must be stored in the app until the app is back online. Mobile users often need to be productive even when they have limited or no connectivity.

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

The SaveData function stores a collection for later use under a name.

The LoadData function reloads a collection by name that was previously saved with SaveData. You can't use this function to load a collection from another source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-savedata-loaddata>

NEW QUESTION 4

- (Exam Topic 1)

You need to provide the app to Tailwind Traders. What should you do?

- A. Within Managed Properties, set the value of the Allow customizations option to tru
- B. Export the app as a managed solution.
- C. Use the Share App feature.
- D. Within Managed Properties, set the value of the Allow customizations option to fals
- E. Export the app as a managed solution.
- F. Within Managed Properties, set the value of the Allow customizations option to fals
- G. Export the app as an unmanaged solution.

Answer: C

Explanation:

Scenario: The completed app and all supporting components must be provided to Tailwind Traders. Tailwind Traders must not be able to make changes to any of the components.

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

NEW QUESTION 5

- (Exam Topic 1)

You need to modify the app design to meet the accessibility needs of the sales associates.

Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

| Properties | Restriction | Property |
|-----------------|------------------|----------|
| TabIndex | | |
| DisplayMode | Design for User2 | |
| AccessibleLabel | Design for User3 | |
| Tooltip | | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Box 1: AccessibleLabel
Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines. User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers. An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users. Box 2: TabIndex
User3 is unable to use a mouse. TabIndex determines if the control participates in keyboard navigation. Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should: Mirror what is seen visually. Only have a tab stop at controls that are interactive. Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

NEW QUESTION 6

- (Exam Topic 1)
You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements. Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

| Tools | Requirement | Tool |
|------------------|---------------|------|
| Solution Checker | Accessibility | |
| App Checker | Deployment | |
| Object Detector | | |
| Preview the app | | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: App Checker
Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse. Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio. Box 2: Solution Checker
Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines. Use solution checker to validate your model-driven apps in Power Apps. Reference: <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/use-powerapps-checker>

NEW QUESTION 7

- (Exam Topic 2)
You need to connect to the data source for the Job Setup app. What should you do?

- A. Configure a scheduled synchronization with the Common Data Service database
- B. Configure SQL Server database permissions
- C. Create a stored procedure that retrieves time records for a specific employee
- D. Configure an on-premises data gateway

Answer: D

Explanation:

Scenario: The Job Setup entity must store its data in the existing on-premises SQL Server instance.
The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, Power Apps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/gateway-reference>

NEW QUESTION 8

- (Exam Topic 2)
You need to resolve the user's issue with the time tracking app.
Which two actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.
A component library provides a centralized and managed repository of components for reusability. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 9

- (Exam Topic 3)
A coworker creates a canvas app.
The canvas app contains the following formula. The formula is attached to the OnVisible property of the first screen that users see:

```
Collect(
Toolbox,
{
    Tool: "Hammer",
    Quantity: 1
},
{
    Tool: "Screwdriver",
    Quantity: 2
}
)
```

You are updating the canvas app.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

| Answer Area | Yes | No |
|---|-----------------------|-----------------------|
| The formula will update multiple records in a data source named Toolbox if the records exist. | <input type="radio"/> | <input type="radio"/> |
| A local collection is created to store data if a data source named Toolbox does not already exist. | <input type="radio"/> | <input type="radio"/> |
| If a collection named Toolbox exists the formula will clear any existing records before making any changes. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
Records are added, not updated. Box 2: Yes
The Collect function adds records to a data source. Syntax: Collect(DataSource, Item, ...)
DataSource – Required. The data source that you want to add data to. If it doesn't already exist, a new collection is created.
Item(s) - Required. One or more records or tables to add to the data source. Box 3: No
No records are cleared. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

NEW QUESTION 10

- (Exam Topic 3)
HOTSPOT
A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage.
Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

| Characteristic | Solution |
|--|--|
| Limits the number of records that can be added. | <div>Microsoft Dataverse for Teams</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div> |
| Allows for advanced development tasks for apps specific to Microsoft Teams. | <div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div> |
| Has the most granular level of security to account for column-level security in Microsoft Teams. | <div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Answer Area

| Characteristic | Solution |
|--|--|
| Limits the number of records that can be added. | <div>Microsoft Dataverse for Teams</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div> |
| Allows for advanced development tasks for apps specific to Microsoft Teams. | <div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div> |
| Has the most granular level of security to account for column-level security in Microsoft Teams. | <div>Microsoft Dataverse</div> <div>Microsoft Dataverse</div> <div>Microsoft Dataverse for Teams</div> |

NEW QUESTION 10

- (Exam Topic 3)

The managers in an organization use a model-driven app. The app should display only one dashboard named Corporate Data. The managers observe that several dashboards are displayed.



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

How do you remove all the dashboards from the list of dashboards displayed?

| | |
|--|---|
| | ▼ |
| Open the model-driven app in the app designer and clear all dashboard check boxes except the Corporate Data dashboard. | |
| Open the site map in the sitemap designer and clear all dashboard check boxes except the Corporate Data subarea except for the Corporate Data dashboard. | |
| Open the solution and delete all dashboards from the solution except for the Corporate Data dashboard. | |

You need to remove the Ideas dashboard from the navigation bar. What should you do?

| | |
|---|---|
| | ▼ |
| Open the model-driven app in the app designer and clear the check box for the ideas dashboard | |
| Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group | |
| Open the solutions and delete all the Ideas dashboards from the solution | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated
Box 1: Open the model-driven app in the app designer.
* 1. On the app designer canvas, select the Dashboards tile.
On the app designer canvas, the right pane shows dashboards that are available in the default solution.
* 2. Clearing the corresponding check box.
Box 2: Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group Site maps define the manner by which users move between tables in a model-driven app.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/add-edit-app-components>

NEW QUESTION 14

- (Exam Topic 3)
You are creating a multi-page canvas app that loads tabular data from an external data source. Once loaded, the data must be available to all screens within the canvas app.
You need to reduce the number of times that the app must retrieve data from the data source. Which two data stores can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. parameter
- B. global variable
- C. collection
- D. environment variable

Answer: CD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-data-sources>

NEW QUESTION 19

- (Exam Topic 3)
A company creates a Power Apps app that allows service representatives to record information about on-site client visits. Service representatives perform a one-hour site visit with each client each quarter.
Service representatives use the app to perform the following activities:
➤ View their scheduled visits for the day.
➤ Record notes from service visits.
➤ Schedule service technicians for issues uncovered during site visits.
➤ Scan and upload service quote forms to a folder named Service Quote folder on Microsoft OneDrive once the customer has signed a service quote.
Service quotes that are over \$10,000 are automatically sent to the service manager for review and approval. Visits that are not closed at the end of the day are automatically moved to the following day unless it is the last day of the quarter. All client visits not performed for the quarter are escalated to the service manager for follow-up.
You need to create flows to meet the requirements.
Which type of flows should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

| Requirement | Type of flow |
|---|---|
| Move client visits not completed for the day. | <div>▼</div> <div> Scheduled flow Automated flow Adaptive card flow Team flow </div> |
| Approve service quote. | <div>▼</div> <div> Automated flow Button flow Scheduled flow Team flow </div> |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Adaptive card flow

Adaptive Cards are a platform-agnostic method of sharing and displaying blocks of information without the complexity of customizing CSS or HTML to render them.

Directing content to Teams channels:

Post your own adaptive card as the Flow bot to a channel

This action posts an adaptive card as a Flow bot to a specific Teams channel. In this case, you will be prompted for Teams instance, and a channel where the card will be posted. The flow-maker will have to have access to the Teams instance in order to post an adaptive card there. In this case, only URL buttons function by redirecting to the URL configured within the flow.

Box 2: Button flow

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/overview-adaptive-cards> <https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

NEW QUESTION 24

- (Exam Topic 3)

You are creating an app for a company. You need to evaluate the default solution.

Which two behaviors should you expect from the default solution? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You can change the prefix of the publisher of the default solution
B. If you create a Power Automate flow in a solution, the flow uses the prefix defined in the publisher
C. If you create an environment variable in a solution, the variable uses the prefix defined in the publisher
D. You can change the version number of the default solution

Answer: AC

Explanation:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/use-solutions-for-y>

NEW QUESTION 26

- (Exam Topic 3)

You create a canvas app named Hardware Order that suggests computer hardware to customers.

A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.

You need to configure the business rule.

Which two actions should you perform? Each correct answer presents part of the complete solution.

NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
B. Add a Recommendation action and configure it to enter the order type.
C. Set the scope of the business rule to All Forms.
D. Use the following condition expression:(OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 28

- (Exam Topic 3)
You are an app builder for a medical office. The medical office uses activities to book appointments and business process flows to track patient status. The cleaning staff wants the app to connect directly to a Microsoft Excel workbook to track cleaning tasks. The office does not have access to reporting tools including Power BI.
You need to create apps for the following groups of users. Apps must not require customizations or the use of additional products.

| Groups | Comments | Requirements |
|----------------------|--|--|
| Reception area staff | Users will access the app only from desktop devices in the office. | Users must be able to access contacts and display activities as a doughnut chart. |
| Medical staff | Users will access the app from tablet devices. | Users must be able to access activities and business process flows. |
| Cleaning staff | Users will access the app only from mobile phone devices. | Users must be able to interact with a checklist to mark cleaning tasks as completed. |

Which type of app should you build for each group? To answer, drag the appropriate app types to the correct groups. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

App types

Canvas app

Model-driven app

Embedded canvas app

Answer Area

| Group | App type |
|----------------------|----------|
| Reception area staff | App type |
| Medical staff | App type |
| Cleaning staff | App type |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/embedded-canvas-app-guidelines> <https://global.hitachi-solutions.com/blog/canvas-vs-model-driven-apps>

NEW QUESTION 31

- (Exam Topic 3)
DRAG DROP
A company uses Microsoft Power Platform. All users in the company have read/write and create access to SharePoint.
You create a canvas app that displays data from a SharePoint list. A group of users must use the app without the ability to change the data source.
You need to shore the app with the users.
What should you do? To answer, drag the appropriate actions to the correct components. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Actions

Send all users an email invitation.

Enable Can use permission.

Set the users as co-owners.

Enable Can edit permission.

Answer Area

| Component | Action |
|-----------------------|--------|
| Canvas app | |
| SharePoint connection | |

- A. Mastered
- B. Not Mastered

Answer: A

Actions

Send all users an email invitation.

Enable Can use permission.

Set the users as co-owners.

Enable Can edit permission.

Answer Area

| Component | Action |
|------------|-------------------------------------|
| Canvas app | Send all users an email invitation. |

| SharePoint connection | Enable Can use permission. |

NEW QUESTION 36

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Text Recognition model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION 40

- (Exam Topic 3)

DRAG DROP

You are creating a Power Automate cloud flow to update a column on each Item in a list of Microsoft Dataverse records. Records are sorted in order of priority.

You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order.

You need to add flow steps to process the list of records.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Filter the array.

Use the Apply to each loop running in parallel.

Initialize the variable.

Use the Apply to each loop running sequentially.

Set the variable.

Update the Microsoft Dataverse row.

>

<

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Filter the array.

Use the Apply to each loop running in parallel.

Initialize the variable.

Use the Apply to each loop running sequentially.

Set the variable.

Update the Microsoft Dataverse row.

>

<

Answer Area

Initialize the variable.

Use the Apply to each loop running in parallel.

Set the variable.

Update the Microsoft Dataverse row.

>

<

NEW QUESTION 41

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table. You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution: Create a model-driven chart on the country/region table that aggregates the total amount of the orders by country/region. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.
 Need to calculate the exchange rate in USD.
 Calculated columns are calculated in real-time when they are retrieved. Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 45

- (Exam Topic 3)

You are developing a Power BI report for a company.

The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset.

The company will display the report on a large television screen during team meetings. You need to create the report.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

| Actions | | Answer Area |
|-----------------------------------|---|-------------|
| Add the report to a new dashboard | | |
| Create a report | | |
| Add a visualization to the report | ➤ | ⬆ |
| Create a paginated report | ⬅ | ⬇ |
| Select a dataset | | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated
 Box 1: Select a dataset
 Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service.
 Get some data and open it in report view. Box 2: Create a report
 Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report
 Box 4: Add the report to a new dashboard
 Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.
 Reference:
<https://docs.microsoft.com/en-us/power-bi/fundamentals/service-get-started> <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-report-visualizations>

NEW QUESTION 50

- (Exam Topic 3)

You have a Power Automate flow that processes files in a Microsoft SharePoint document library. The flow only needs to be run as required. You add steps to the flow to process the files.

Before leaving the office for the day, the manager must initiate the flow. The flow must not start processing files before 11:00 PM.

You need to configure the flow.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a recurrence trigger and configure to run daily at 11 00 PM.
- B. Add a Condition actio
- C. If the time greater than 11:00 PM use a Terminate action prevent further processing.
- D. Manually trigger the flow.
- E. Add a Delay Until action and enter the timestamp for 11 00 PM.

Answer: CD

Explanation:

Delay an action until a specific timestamp.

Note: The Microsoft Dataverse connector provides four ways to add wait conditions. Use these wait conditions when you need to delay processing in your flows until a particular condition is met.

- Postpone triggering the flow and the first action until a specific time: Wait condition using Postpone Until.
- Add a fixed delay before the next step.
- Delay an action until a specific timestamp.
- Delay an action until a specific event occurs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/dataverse/wait-conditions>

NEW QUESTION 54

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom rollup field of type currency on the country/region table that aggregates all the total amounts for the orders from that country/region and display this rollup field in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 59

- (Exam Topic 3)

In a Common Data Service database, you create a canvas app and a custom entity. The app also reads data from the Account entity in the Common Data Service database.

Entity access permissions will be controlled by the Common Data Service User security role. You create a Common Data Service solution.

You need to replicate the changes to a new Common Data Service database.

Which two components should you include with the canvas app? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Custom entity
- B. Account entity
- C. Common Data Service User security role
- D. Sitemap

Answer: BC

NEW QUESTION 60

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

| Task name | Slider input control name |
|-----------|---------------------------|
| Task1 | RiskStatus1 [0–100] |
| Task2 | RiskStatus2 [0–100] |
| Task3 | RiskStatus3 [0–100] |

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

| Requirement | Configuration |
|--|---|
| Where should you apply logic to change the text? | <div> <div>▼</div> <div> On the header control. On each RiskStatus slider input. In the global variables of the Power Apps app. On the OnStart property of the Power Apps app. </div> </div> |
| Which formula should you use? | <div> <div>▼</div> <div> SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : "" IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK") Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK") UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK") </div> </div> |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: On each RiskStatus slider input You can change the value based on input. Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-formulas#change-a-value-based-> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-update-updateif>

NEW QUESTION 63

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Category classification model.

Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

A Category classification model categorizes text by its meaning. Reference:

<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>

NEW QUESTION 67

- (Exam Topic 3)

A company uses Power Apps and Microsoft Dataverse. The company has a managed solution in the production environment

You make changes to the solution in the development environment. Some components are unused. The changes to the solution must be reflected in the production environment

You need to ensure that all unused components are removed. What should you do?

- A. Create a new solution
B. Upgrade the solution.
C. Update the solution.
D. Patch the solution.

Answer: B

NEW QUESTION 70

- (Exam Topic 3)

A company must use a Power Apps app custom control that is exported from a different canvas Power Apps app.

You need to insert the custom control into the Power Apps app.

Where should you complete the actions? To answer, drag the appropriate locations to the correct actions. Each location may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects

Display

Screens

Components

Answer Area

Action

Location

Import a custom control from a file.

Add an alignment to the custom control to display it in the middle of the Power Apps app screen.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Components

- * 1. To add code components to a canvas app:
- * 2. Navigate to Power Apps Studio.
- * 3. Create a new canvas app or edit an existing app to which you want to add the code component.
- * 4. Go to Insert > Custom > Import component.

Graphical user interface, text, application, Word Description automatically generated



Box 2: Display Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/component-framework-for-canva>

NEW QUESTION 72

- (Exam Topic 3)

HOTSPOT

A company uses Microsoft Teams and Microsoft 365. Employees use Microsoft Excel to create checklist and capture measurements.

The company requites a Microsoft Power Platform app to consolidate the checklists and perform the measurements- Network connectivity may not be available when measurements are taken.

You need to determine which features to use for the app

Which features should you use? To answer, select the appropriate options in the answer area NOTE: Each coned selection is worth one point.

Answer Area

Requirement

Feature

App type

Model-driven app

Canvas app

Model-driven app

Data source

Cloud Excel table

Local Excel table

Cloud Excel table

Offline mode

Power Apps mobile

Field Service Mobile

Power Apps mobile

Power Apps for Windows

Power Apps wrap

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Requirement | Feature |
|--------------|------------------------|
| App type | Model-driven app |
| | Canvas app |
| | Model-driven app |
| Data source | Cloud Excel table |
| | Local Excel table |
| | Cloud Excel table |
| Offline mode | Power Apps mobile |
| | Field Service Mobile |
| | Power Apps mobile |
| | Power Apps for windows |
| | Power Apps wrap |

NEW QUESTION 75

- (Exam Topic 3)

A company stores sales orders in a Microsoft Excel workbook. The company stores customer data in a SQL Server database.

You must import the data into a Microsoft Dataverse instance. You need to define the mapping for the migration.

Which component should you use? To answer, drag the appropriate components to the correct data type. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

| Components | Answer Area | |
|-------------|---------------------|-----------|
| Column | Data | Component |
| Table | Excel data | Component |
| Row | Customer data | Component |
| Data source | Customer identifier | Component |
| | Product data | Component |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table

Box 2: Data source Box 3: Column

Box 4: Row Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 80

- (Exam Topic 3)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the component library. A co worker uses the original version of the component library in a canvas app.

You need to ensure that the co-worker uses the updated version of the component library. What should you do?

- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library


Answer: C

Explanation:


You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library.

Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:

Graphical user interface, application Description automatically generated



Select Review, and you'll see the option to update the component: Graphical user interface, application Description automatically generated



Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 83

- (Exam Topic 3)
You store data about products in two Microsoft Excel worksheets. The data contains duplicate rows.
You need to consolidate data from the two worksheets into a Microsoft Dataverse custom table.
In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Upload the worksheets to OneDrive

Add conditional columns to perform checks on the data

Create queries for the worksheets

Append the output from the queries

Create a dataflow

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, email Description automatically generated
Step 1: Upload the worksheets to OneDrive
A data source needs to be specified. The data needs to be available. Step 2: Create a dataflow
Step 3: Create queries for the worksheets
You can shape your data selection into a form that works best for your table using a Power Query editing experience, similar to the Power Query Editor in Power BI Desktop.
Step 4: Add conditional columns to perform checks on the data Step 5: Append the output of the queries
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-and-use-dataflows> <https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 85

- (Exam Topic 3)
A company uses Power Automate and Power Apps to streamline business processes. You need to use AI Builder to analyze customer reviews of the company's products.
In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Action

Publish the model.

Connect data to the model.

Train the model.

Use the model in a Power Automate flow.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Connect data to the model.
First create an AI Builder form processing model for the customer reviews you want to process.

Power Apps | AI Builder

Environment
All internal users

Contoso orders | Save and close

Select historical outcome
Order > Order Status

Review related data
169 fields selected

Filters
3 conditions

Model summary

Model summary

Review your model's details below. If everything looks good, select Train. [Learn more about training](#)

Model type

Prediction

Owner

Rena Lawrence

Data source

Common Data Service

Historical outcome

Order > Order Status

Filters

3 conditions

| Entity | Fields |
|---------------------------|--------|
| Invoice | 20 |
| Primary Contact (Contact) | 80 |

Back

Train

Quick tips

Get help or send feedback

Get the answers you need, or tell us about your experiences.

Get help

Step 2: Train the model. Step 3: Publish the model.
Step 4: Use the model in a Power Automate flow.
Once you train and publish the model, create a solution-aware flow in Power Automate. Reference:
<https://powerapps.microsoft.com/en-us/blog/introducing-simplified-ai-builder-experience-in-power-automate/>

NEW QUESTION 88

- (Exam Topic 3)
DRAG DROP

You are creating a model-driven app.
You must create new components to ensure data from related records can be displayed on a record form. You need to select the component types.
Which component types should you use? To answer, drag the appropriate component types to the correct data. Each component type may be used once, more than once, or not at all. You may need to drag the spirt bar between panes or scroll to view/ content.
NOTE: Each correct selection is worth one point.

Component types

Card form

System view

Public view

Quick view form

Answer Area

Data

Columns from a single record found in a lookup

List of related records

Component type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Component types

Card form

System view

Public view

Quick view form

Answer Area

Data

Columns from a single record found in a lookup

List of related records

Component type

System view

Public view

NEW QUESTION 89

- (Exam Topic 3)

You are an app maker for a college. You create an app for student enrollment. The app captures the education level of the applicants. The education level at the time of enrollment is an option set in the student entity. The entity includes three levels:

- > High school
- > College
- > Bachelor

You must split the College option into two option sets:

- > College – 1 Year
- > College – 2 years

The split must not impact existing data. You need to create the two option sets.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Open the maker app and navigate to the student table

Publish the student entity

Save the student table

Open settings in the Power Platform admin center

Create new options for College - 1 Year and College - 2 years

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Open the maker app and navigate to the student table

Publish the student entity

Save the student table

Open settings in the Power Platform admin center

Create new options for College - 1 Year and College - 2 years

Answer Area

Open the maker app and navigate to the student table

Create new options for College - 1 Year and College - 2 years

Publish the student entity

NEW QUESTION 92

- (Exam Topic 3)

You create a canvas app.

You need to make the app available to other people in your company.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

Answer: AD

Explanation:

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION 93

- (Exam Topic 3)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

| Field | Description |
|----------------|--|
| SalesPerson | The name of the salesperson who made the sale |
| Quantity | The number of units sold |
| Rate | The sale price per unit |
| GrossAmount | A value obtained by multiplying the Quantity times the Rate. This value is for display purposes only |
| DiscountAmount | An amount that a salesperson enters into the app to discount a sale |
| NetAmount | A value obtained by subtracting the DiscountAmount from the GrossAmount |

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson.

You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Field types

Rollup

Calculated

Simple

Answer Area

| Field name | Field type |
|----------------|---|
| GrossAmount | <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">Field type</div> |
| DiscountAmount | <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">Field type</div> |
| TotalSales | <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">Field type</div> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column. Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 96

- (Exam Topic 3)

You are designing a canvas app.

You need to select user interface controls to include in the app.

Which control should you use? To answer, drag the appropriate controls to the correct requirements. Each control may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

| Controls | Requirement | Control |
|----------------|--|---------|
| List box | Allow users to select multiple items in a list. | |
| Radio | | |
| Combo box | Allow users to select multiple items from a list of options by typing in a phrase. | |
| Drop-down list | | |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: List box

A List Box control always shows all available choices (unlike a Drop down control) and in which the user can choose more than one item at a time (unlike a Radio control).

Box 2: Combo box

A Combo box control allows you to search for items you will select. The search is performed server-side on the SearchField property so performance is not affected by large data sources.

Single or multi-select mode is configured via the SelectMultiple property.

When searching for items to select, for each item you can choose to show a single data value, two values, or a picture and two values (Person) by modifying the Layout settings in the Data pane.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-list-box> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-combo-box>

NEW QUESTION 100

- (Exam Topic 3)

You are creating a canvas app.

You need to store and retrieve small amounts of data on a local device when the app is offline. Which set of functions should you use?

- A. SaveData, LoadData
B. Set, Patch
C. Patch, Collect
D. Set, Collect

Answer: A

Explanation:

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 101

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.

For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

| RiskStatus slider value | Risk description | RiskLevel button color |
|-------------------------|------------------|------------------------|
| 0–50 | No/Low risk | Green |
| 51–100 | High risk | Red |

You need to configure the solution to change the color of the RiskLevel button.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Question

Response

Where do you enter the formula to change the button color?

▼

On the RiskStatus slider.

On the RiskLevel button.

In the variables of the Power Apps app.

On the OnStart property of the Power Apps app.

Which formula should you use?

▼

If (RiskStatus.Value > 75) (return Red;)

If (RiskStatus.Value > 75, Red, Green)

If (RiskStatus.Value > 75 ? Red : Green)

RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green;

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Box 1: On the RiskLevel button.

On the RiskLevel button fill property.

Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;

Most every type of control in a Power App, has a Fill property, for the fill color. Reference:

<https://wonderlaura.com/2020/07/23/power-apps-gallery-conditional-formatting/>

NEW QUESTION 106

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- Provision sandbox environments named S1 and S2.
- Copy the production environment to both S1 and S2.
- Use S1 for development and S2 for testing.

Does the solution meet the goal?

- A. Yes
 B. No

Answer: A

Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 107

- (Exam Topic 3)

You complete work on a new canvas app in a development environment and add the app to a solution. You export the solution from the development environment and import the solution into a production environment.

After several days you notice that the background color for the canvas app in the production environment has changed from white to grey.

You need to determine why the background color changed.

What are two possible causes for the background color change? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You recently changed the Office 365 theme.
- B. You exported a managed copy of the solution and imported the solution as an unmanaged solution.
- C. You modified the canvas app in the unmanaged solution.
- D. You exported and imported an unmanaged copy of the solution and a co-worker modified the canvas app.
- E. You chose a different theme from the Theme menu inside the canvas app.

Answer: AC

Explanation:

A: You can create a custom look and feel (a theme), for your app by making changes to the default colors and visual elements provided in the uncustomized system.

C: Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test

any of the components of the solution. You also have the ability to create restrictions on the components within the solution.

Note: Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685> <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-themes-organization-branding>

NEW QUESTION 112

- (Exam Topic 3)

A company is using Power Virtual Agents in Microsoft Teams to expose Microsoft Dataverse data to employees.

You create a chatbot that retrieves a list of customers by postal code from a Dataverse table. The chatbot will accept requests from a user and must connect to Dataverse to retrieve the data.

You need to connect the chatbot to the Dataverse table. What should you use?

- A. Table
- B. Power Apps
- C. Microsoft Teams
- D. Power Virtual Agents
- E. Power Automate

Answer: C

Explanation:

Dataverse for Teams is the “lite” version of Dataverse. It is a low-code platform designed to build relatively simple (but still powerful) apps, using a user-friendly interface and remaining within Microsoft Teams. This new update means that users now have the possibility to create Power Apps apps, Power Automate flows and Power Virtual Agents bots without leaving the Teams platform.

Reference:

<https://docs.microsoft.com/en-us/learn/paths/work-power-platform-teams/>

<https://docs.microsoft.com/en-us/learn/modules/create-chatbot-power-virtual-agents-dataverse-teams/5-call-acti>

NEW QUESTION 113

- (Exam Topic 3)

You create a custom field on the Account entity.

Members of TeamA must have full access to the field. Members of TeamB must have no access to the field. You need to configure security.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

| Actions | Answer Area |
|--|-------------|
| Add TeamA to the field security profile. | |
| Create a field security profile and set all the permissions for the custom attribute to Yes . | |
| Add TeamB to the field security profile. | |
| Create a field security profile and set all the permissions for the custom attribute to No . | |
| Enable field-level security for the field. | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security for the field

Step 2: Create a field security profile and set all the permissions for the custom attribute to Yes.

Step 3: Add TeamA to the field security profile.

Note: Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

- Enable field security on one or more fields for a given entity.
- Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

NEW QUESTION 114

- (Exam Topic 3)

DRAG DROP

A company uses Microsoft Power Platform in a production environment. The company is defining new business processes in a prototyping environment. You create components in both environments.

You need to package the components you create.

Which solution types should you use? To answer, drag the appropriate solution types to the connect components. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

| Solution types | Answer Area | Component | Solution type |
|----------------------|-------------|--|---------------|
| <div>Managed</div> | | Canvas app created in production and used only in production. | <div></div> |
| <div>Unmanaged</div> | | Tables created in prototype to allow only new views added in production. | <div></div> |
| <div>Segmented</div> | | | |

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

| Solution types | Answer Area | Component | Solution type |
|----------------------|-------------|--|----------------------|
| <div>Managed</div> | | Canvas app created in production and used only in production. | <div>Managed</div> |
| <div>Unmanaged</div> | | Tables created in prototype to allow only new views added in production. | <div>Segmented</div> |
| <div>Segmented</div> | | | |

NEW QUESTION 119

- (Exam Topic 3)

You are creating a model-driven app that allows users to create and edit a list of existing accounts. You need to display a list of all active accounts. Which user interface components should you use?

- A. view
B. gallery
C. data table
D. form

Answer: C

Explanation:

Imagine that you have a collection of data (such as a list sales orders, a set of service tickets, or a directory of contacts), and that you want to show this data in your Microsoft PowerApps app in a tabular format, where each column represents a field and each row represents a record. In the past, you might have been able to roughly simulate this visualization, although the process required some effort. However, we've been listening to your requests and are happy to announce that you can now quickly and easily achieve this very typical visualization by using the new Data table control that has been recently added to PowerApps.

Reference:

<https://powerapps.microsoft.com/fr-fr/blog/introducing-the-data-table-control/>

NEW QUESTION 120

- (Exam Topic 3)

A company is consolidating communications processes by using Microsoft Teams and Microsoft Power Platform technologies.

A Power Automate flow monitors social media channels to identify high-impact trends.

When the Power Automate flow identifies the trends, consistently formatted and standardized feedback must be collected from the channel members within Teams.

You need to streamline the Power Automate and Teams communication process. What should you use?

- A. AI Builder
B. Common Data Service business process flows
C. Adaptive cards
D. Integrated approval flows

Answer: A

Explanation:

"Microsoft Power Platform and AI Builder components allowed us to quickly deliver an innovative and well-integrated solution within our Dynamics 365 platform for our marketing and sales business partners. The platform is a game-changer in this new world of rapid app delivery."

Jim Parker: Web and Collaboration Services Manager Reference:

<https://customers.microsoft.com/en-au/story/810656-hexion-manufacturing-power-platform>

NEW QUESTION 123

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

| Field name | Data type | Criteria for follow up |
|---------------------------|--------------|------------------------|
| Name | Text | No |
| Degree | Text | Yes |
| First available hire date | Date | Yes |
| Initial impression | Integer 0-10 | Yes |
| Resume | Picture | No |
| Not currently viable | Boolean | Yes |
| Follow up | Boolean | NA |

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Create a Power Automate flow with conditions that use entered data as default data. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

NEW QUESTION 124

- (Exam Topic 3)

You are an app designer for a hotel.

The hotel wants to create an app to help the housekeeping staff schedule work. You need to create a new environment for the app.

Where should you create the environment?

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. Dynamics 365 Admin center

Answer: A

Explanation:

Manage environment in the Power Platform admin center. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/create-environment>

NEW QUESTION 127

- (Exam Topic 3)

You create a canvas app.

A user is not able to determine which field currently has focus. You run App checker to identify errors. You need to verify that the focused border thickness is set to a value greater than zero.

Which section of the App checker results should you check?

- A. Rules
- B. Performance
- C. Accessibility
- D. Runtime

Answer: C

Explanation:

The Accessibility checker classifies each issue as an error, a warning, or a tip based the issue's severity.

Issues include:

> Focus isn't showing

When the FocusBorderThickness of a control is set to 0. It is good practice to ensure a proper color-contrast ratio between the focus border and the control itself so it's clearly visible.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 130

- (Exam Topic 3)

You are designing an app for a bank. You plan to use the following entities in the app:

| Entity | Comments |
|----------------|---|
| Clients | Clients are assigned to a branch office |
| Bank accounts | A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners |
| Branch offices | Clients are assigned to a branch office |
| Employees | Each employee works at only one branch office |

You need to configure the relationships between the entities.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Relationship types

One-to-one

One-to-many

Many-to-one

Many-to-many

Answer Area

| Relationship | | |
|----------------|----------------|-------------------|
| Source entity | Target entity | Relationship type |
| Clients | Bank accounts | Relationship type |
| Clients | Branch offices | Relationship type |
| Branch offices | Employees | Relationship type |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Many-to-many

Box 2: Many-to-one

A client have a single branch office.

A branch office can have many clients. Box 3: One-to-many

A branch office can have many employees. An employee only works at one branch office.

NEW QUESTION 134

- (Exam Topic 3)

You create a canvas app that connects to a Common Data Service database. Users report that they do not see any data in the app.

You need to ensure that users can view data in the app. What should you do?

- A. Share the app with the users
- B. Add a Power Apps license to the users
- C. Assign a security role to the users
- D. Publish the app

Answer: C

Explanation:

Sharing access to the data in the Common Data Service. The users need permission to access the entities the app uses. To grant them access, you will need to:

* 1. Create a security role

* 2. Assign users to the security role

Note: Common Data Service for Apps has a powerful enterprise grade security model that allows you to group users in security roles and give those roles varying levels of access to entities that some of our most sophisticated business apps are built on.

Reference:

<https://powerapps.microsoft.com/en-us/blog/sharing-a-canvas-app-built-on-top-of-common-data-service/> D18912E1457D5D1DDCBD40AB3BF70D5D

NEW QUESTION 139

- (Exam Topic 3)

The postal service uses a system based on the Microsoft Database to manage the delivery of packages.

To improve the delivery service, the management requires the delivery staff to use personal cell phones to communicate the location and the exact time of each delivery.

You need to design a solution. What should you do?

- A. Create a button flow with user input for the delivery time and location
- B. Create a button flow with full address and date trigger tokens
- C. Create a UI flow that sends the delivery time and location
- D. Create a button flow with full address and timestamp trigger tokens

Answer: D

Explanation:

Button trigger tokens are data points that are known and available to the device on which a button flow is running. These tokens change based on factors such as the current time or the geographic location of the device at a given moment.

Note: For example, if you are running a button flow on a smart phone, it is likely that the phone knows the time at your current location as well as the date and your

current address. In this context, the time, date and address where the phone is located are all determined at the time the button flow runs. They are automatically available for use in any button flows that are executed on the device. You can use these trigger tokens to build useful flows that will minimize repetitive tasks such as providing your location to someone or tracking how much time you spent on a particular job/service call.

Reference:

<https://docs.microsoft.com/en-us/power-automate/introduction-to-button-trigger-tokens>

NEW QUESTION 142

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 147

- (Exam Topic 3)

A company uses Microsoft platforms for all accessibility, compliance, and security auditing.

The auditing and compliance division of the company flags a newly created Power Apps canvas app due to accessibility issues. The app must be unpublished until it conforms to Microsoft accessibility requirements and recommendations.

You need to identify all accessibility issues for a solution. What should you use?

- A. Microsoft Accessibility Conformance Reports
- B. Microsoft Compliance Center
- C. Power Apps Studio
- D. Microsoft Accessibility Guides
- E. Microsoft Visual Studio

Answer: C

Explanation:

- Find accessibility issues
- In the upper-right corner of Power Apps Studio, select the icon for the App checker.
- App checker icon.
- In the menu that appears, select Accessibility.
- A list of issues appears, sorted first by severity and then by screen.
- Select the arrow next to an item to show details about it.
- Accessibility checker details.
- Select the back arrow to return to the list of items.
- If you decide to address an issue, select it to open the affected property.
- After you change one or more properties, select Re-check to update the list of issues. Resolved items disappear from the list, and new items may appear.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://support.microsoft.com/en-us/accessibility/enterprise-answer-desk>

NEW QUESTION 150

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom calculated field of type currency on the order table that converts the order total to USD and displays the total amounts by region in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.
Calculated columns are calculated in real-time when they are retrieved.
Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 152

- (Exam Topic 3)
DRAG DROP

A company is creating Power Apps apps for their customer service team.
You must create a final released solution to export to their test environment that cannot be changed in the new environment.
You need to determine the types of solutions to use.
Which type of solution should you use? To answer, drag the appropriate solution types to the correct conditions. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

| Solution type | Condition | Solution type |
|---------------|---------------------------------------|---------------|
| Managed | Assign a publisher for the first time | Solution type |
| Unmanaged | Export the solution | Solution type |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, application Description automatically generated
Box 1: Unmanaged
Unmanaged solutions are used in development environments while you make changes to your application. Box 2: Managed
Managed solutions are used to deploy to any environment that isn't a development environment for that solution.
Reference:
<https://docs.microsoft.com/en-us/power-platform/alm/solution-concepts-alm>

NEW QUESTION 154

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-100 Practice Test Here](#)