

## MS-203 Dumps

### Microsoft 365 Messaging

<https://www.certleader.com/MS-203-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development department.

You discover that the mailbox of a user named User1 has a Litigation Hold enabled.

You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. From the Exchange admin center, run an In-place eDiscovery and Hold report.

B. From PowerShell, run the Get-Mailbox cmdlet.

C. From the Exchange admin center

D. run a per-mailbox Litigation Hold report.

E. From PowerShell, run the Get-MailboxStatistics cmdlet.

**Answer:** BC

**Explanation:**

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

**NEW QUESTION 2**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

A. Yes

B. No

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

**NEW QUESTION 3**

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text: "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."

You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully. You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. From Azure AD Connect, modify the synchronization settings

B. From Server1, run the New-RemoteMailbox cmdlet

C. From Server1, run the Enable-Mailbox cmdlet

D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365

E. From the Exchange admin center, modify the properties of the Outbound connector

**Answer:** BD

**Explanation:**

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server.

You can create on Exchange Online mailbox from the on-premise server by running New-RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

**NEW QUESTION 4**

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has four departments that have the mailboxes shown in the following table.

Department	Number of mailboxes	Location
Finance	500	On-premises
Manufacturing	1,000	Exchange Online
Sales	5,000	On-premises
Marketing	2,000	Exchange Online

The mailboxes are configured as shown in the following table.

Department	Archive	Single item recovery
Finance	Enabled	Enabled
Manufacturing	Disabled	Disabled
Sales	Disabled	Disabled
Marketing	Enabled	Enabled

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

Administrator	Management role group	Organization	Management role
Admin1	Organization Management, Discovery Management	Exchange Online, on-premises	None
Admin2	Organization Management, Discovery Management	Exchange Online, on-premises	Mailbox Import Export

For each of the following statement, select yes if the statement is true. otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can search for email messages in every mailbox in the organization by running the <code>New-ComplianceSearch</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the <code>Search-mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin1 can delete email message from every mailbox of the marketing department by running the <code>Search-Mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help> <https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps>

**NEW QUESTION 5**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA). You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl           : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.

- C. Delete <https://mail.contoso.com> from the ExternalUrl value.  
D. Modify the InternalUrl value to <http://mail.contoso.com>.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthen>

**NEW QUESTION 6**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.  
B. Create an organizational relationship.  
C. Create two remote domains.  
D. Run the Office 365 Exchange Hybrid Configuration wizard.  
E. Configure two mail flow rules.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

**NEW QUESTION 7**

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files.

You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online.

What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.  
B. From Exchange Management Shell, run the New-MoveRequest cmdlet.  
C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.  
D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

**NEW QUESTION 8**

- (Exam Topic 5)

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud.

You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1  
B. Set-OrganizationConfig –PublicFoldersEnabled Remote  
C. Import-PublicFolderMailboxes.ps1  
D. Sync-MailPublicFoldersCloudToOnprem.ps1  
E. Set-OrganizationConfig –PublicFoldersEnabled Local –RemotePublicFolderMailboxes PFMailbox1

**Answer:** BCD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

**NEW QUESTION 9**

- (Exam Topic 5)

HOTSPOT

You have a Microsoft Exchange Online tenant.

The Exchange organization has the following configurations.



```
PS C:\> Get-OrganizationConfig | Format-list Name,OAuth*,Activity*,Basic*,Is*
```

```
Name: M365x643293.onmicrosoft.com
OAuth2ClientProfileEnabled           : False
ActivityBasedAuthenticationTimeoutEnabled : True
ActivityBasedAuthenticationTimeoutInterval : 06:00:00
ActivityBasedAuthenticationTimeoutWithSingleSignOnEnabled : True
BasicAuthBlockedApps                 : None
IsProcessEhaMigratedMessagesEnabled : False
IsAgendaMailEnabled                  : True
IsMixedMode                           : True
IsAddressListPagingEnabled            : True
IsLicensingEnforced                   : True
IsTenantAccessBlocked                 : False
IsDualWriteEnabled                    : True
IsTenantInGracePeriod                 : False
IsDehydrated                          : True
IsValid                              : True
```

The Azure Active Directory (Azure AD) Sign-ins report is shown in the following table.

User	Application	Status	Client app	Conditional access	Authentication requirement
User1	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	MAPI Over Http	Not Applied	Single-factor authentication
User3	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Autodiscover	Not Applied	Single-factor authentication
User2	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication

The Outlook Connection Status for User1 is shown in the following exhibit.

SMTP Address	Display Name	Server name	Status	Protocol	Authn	Encrypt
User1@M365x643293.onmicrosoft.com	User1@M365x643293.onmicrosoft.com	https://outlook.office.365.com/...	Established	HTTP	Clear*	SSL
User1@M365x643293.onmicrosoft.com	User1@M365x643293.onmicrosoft.com	https://outlook.office.365.com/...	Established	HTTP	Clear*	SSL

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft Outlook connection of User1 uses Basic authentication	<input type="radio"/>	<input type="radio"/>
Modern Authentication is enabled	<input type="radio"/>	<input type="radio"/>
User3 uses the Microsoft Authenticator App to authenticate the Exchange Online	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Yes

The authentication in the Outlook Connection Status exhibit is “Clear”. This means that Basic authentication is being used.

Box 2: No

In the first exhibit, the OAuth2ClientProfileEnabled parameter is False. This means that Modern

Authentication is not enabled. A value of True means that Modern Authentication is enabled. Box 3: No

The Authentication Requirement for User3 in the second exhibit is Single-factor authentication. This means that the Microsoft Authenticator App is not being used.

NEW QUESTION 10

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

The certificate for the hybrid deployment expires in two days. You need to replace the certificate.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Cmdlets

Answer Area

- Export-ExchangeCertificate
- New-ExchangeCertificate
- Switch-Certificate
- Import-PfxCertificate
- Import-ExchangeCertificate
- Enable-ExchangeCertificate



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-ExchangeCertificate: Create the certificate renewal request. Import-ExchangeCertificate: Install the new certificate.

Enable-ExchangeCertificate: Assign the new certificate to Exchange services. Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-exchangecertificate?view=exchange-ps> <https://docs.microsoft.com/en-us/exchange/architecture/client-access/import-certificates?view=exchserver-2019> <https://docs.microsoft.com/en-us/exchange/architecture/client-access/assign-certificates-to-services?view=exchs>

NEW QUESTION 10

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 12

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant and the devices shown in the following table.

Name	Operating system	Microsoft Outlook version
Device1	Windows	Outlook 2019
Device2	MacOS	Outlook 2016 for Mac
Device3	iOS	Outlook for iOS
Device4	Windows	Outlook on the web

You plan to implement sensitivity labels for users to apply to email messages.

Which Microsoft Outlook versions will support sensitivity labels without requiring additional software?

- A. Outlook 2019 and Outlook on the web only
- B. Outlook on the web only
- C. Outlook 2019. Outlook 2016 for Ma
- D. Outlook for iO
- E. and Outlook on the web
- F. Outlook for iOS and Outlook on the web only
- G. Outlook 2019 only

**Answer:** D

### NEW QUESTION 13

- (Exam Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another. What should you do?

- A. From the Security & and Compliance admin center, modify the safe attachments policy.
- B. From the Security & and Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

**Answer:** C

#### Explanation:

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

### NEW QUESTION 14

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

The mail exchanger (MX) record of your company points to a third-party message hygiene provider that forwards email messages to the tenant.

You need to ensure that Exchange Online can filter the email by using the original IP address of the sender's company.

What should you do?

- A. Modify the Inbound connector to use the -EFSkipIPs parameter.
- B. Modify the Receive connector to use the -EFSkipIPs parameter.
- C. Enable DMARC.
- D. Create a remote domain.

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enha>

### NEW QUESTION 19

- (Exam Topic 5)

#### SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.





Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

> In the Exchange admin center, navigate to Recipients  
>Resources.

> To create a room mailbox, click New +  
>Room mailbox.

> Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

> When you're finished, click Save  
to create the room mailbox.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/room-mailboxes?view=exchserver-2019>

**NEW QUESTION 22**

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft exchange Online tenant and anon premises Exchange Server 2019 server named Server1. Alt users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com

Users hosted in Exchange Online report that they receive a non-delivery report (NDR) When they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com."

You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?



- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

**Answer:** C

**Explanation:**

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

**NEW QUESTION 27**

- (Exam Topic 4)

You need to ensure that Allan Deyoung can create a new public folder for the sales department. Which two actions should you perform first? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/set-up-public-folders>

**NEW QUESTION 28**

- (Exam Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

**Booking options**

Assign settings for the booking policy that defines when this resource can be scheduled

☐ Allow repeating meetings

☐ Allow scheduling only during work hours

☐ Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

**Booking delegates**

Search a mail or email

☐ Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-resource-mailboxes>**NEW QUESTION 30**

- (Exam Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

**Answer:** A**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>**NEW QUESTION 34**

- (Exam Topic 2)

You need to recommend a procedure for closing the Brussels office that meets the technical requirements. What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

**Answer:** C**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019><https://theitbros.com/move-exchange-mailboxes-to-another-database/>**NEW QUESTION 39**

- (Exam Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A**Explanation:**

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

#### NEW QUESTION 41

- (Exam Topic 1)

You need to configure the Exchange organization to meet the security requirements for sending email messages to distribution groups. Which cmdlet should you run?

- A. Set-OrganizationConfig
- B. Set-DistributionGroup
- C. Set-Mailbox
- D. New-PolicyipConfig

**Answer:** A

#### Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

#### NEW QUESTION 42

- (Exam Topic 1)

You need to resolve the email delivery delay issue. What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy
- B. From the Security & Compliance admin center, create a supervision policy.
- C. From the Exchange admin center in Exchange Online, modify the antimalware policy.
- D. From the Exchange admin center in Exchange Online, modify the spam filter policy.

**Answer:** A

#### Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/dynamic-delivery-and-previewing>

#### NEW QUESTION 44

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

➤ In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-spam policies in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

➤ On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

➤ The policy wizard opens. On the Name your policy page, configure these settings:  
- Name: Enter a unique, descriptive name for the policy.  
- Description: Enter an optional description for the policy. When you're finished, click Next.

➤ On the Users, groups, and domains applies to (recipient conditions) page that appears, identify the internal recipients that the policy applies to:  
- Users: The specified mailboxes, mail users, or mail contacts in your organization.  
- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.  
- Domains: All recipients in the specified accepted domains in your organization.  
Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary. To remove an existing value, click remove x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (\*) by itself to see all available values. Multiple values in the same condition use OR logic (for example, <recipient1>



recipient2>). Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions. When you're finished, click Next.

➤ On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk

spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.

By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:

MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that corresponds to a filtering verdict of Spam, and the action for the Bulk \_ message.

filtering verdict is taken on the nt.

is taken for Bulk

filtering verdict. In effect, the BCL threshold and Bulk

filtering verdict action are irrelevant.

- Increase spam score, Mark as spam\* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages

and from these countries

settings are not part of ASF.

- Contains specific languages: Click the box and select On or off

from the drop down list. If you turn it on, a

box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary. To

remove an existing value, click remove x

next to the value.

- From these countries\*: Click the box and select On or off

from the drop down list. If you turn it on, a box

appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it.

Repeat this step as many times as necessary. To remove

an existing value, click remove x

When you're finished, click Next.

next to the value.

➤ On the Actions

page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

\_ Spam

\_ High confidence spam

\_ Phishing

\_ High confidence phishing

\_ Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message

as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X-header as the action

for a spam filtering verdict. The value you specify is the header field name that's added to the message header.

The header field value

is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text

message's subject line.

as the action for a spam filtering verdict. Enter the text to add to the beginning of the

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address

as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

\_ Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.

\_ Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

➤ On the Allow & block list

flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed

section, you can configure allowed senders and allowed domains. In the Blocked section, you

can add blocked senders and blocked domains.

The steps to add entries to any of the lists are the same:

- Click the link for the list that you want to configure:

\_ Allowed >Senders: Click Manage (nn) sender(s).

\_ Allowed >Domains: Click Allow domains.

\_ Blocked >Senders: Click Manage (nn) sender(s).

\_ Blocked >Domains: Click Block domains.

\_ In the flyout that appears, do the following steps:

Click + Add senders

oAr dd domains.

In the Add senders

oAr dd domains

flyout that appears, enter the sender's email address in thSeender

box or

the domain in the Domain

box. As you're typing, the value appears below the box. When you're finished

\_ typing the email address or domain, select the value below the box.

Repeat the previous step as many times as necessary. To remove an existing value, click remove x

\_ value.

next to the

When you're finished, click Add senders

oAr dd domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

Select one or more entries from the list. You can also use the Search

box to find values in the l

ist.

ies

When you're finished, click Done.

Back on the Allow & block list

page, clickNext

when you're read to continue.

> On the Review

page that appears, review your settings. You can selecEt dit

in each section to modify

the settings within the section. Or you can click Back

When you're finished, click Create.

> On the confirmation page that appears, click Done.

or select the specific page in the wizard.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-your-spam-filter-policies>

#### NEW QUESTION 45

- (Exam Topic 5)

You recently migrated all the on-premises mailboxes from Microsoft Exchange Server 2019 to Exchange Online.

You decommission the on-premises Exchange Server 2019 servers.

The finance department at your company reports that email delivery from several printers fails after Exchange Server 2019 is decommissioned.

You need to ensure that the printers can deliver email successfully to the users in the finance department. What should you do?

A. Create a resource mailbox for each printer.

B. Create an Inbound connector that has certificate validation disabled.

C. Create an Inbound connector that is configured to allow SMTP relay.

D. Create an Office 365 group for each printer.

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use>

#### NEW QUESTION 49

- (Exam Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization. You plan to configure the environment to support a hybrid deployment.

You need to ensure that you can migrate mailboxes from the on-premises organization to Exchange Online. Which two ports should be open between Exchange Online and the on-premises organization? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. 25

B. 80

C. 143

D. 389

E. 443

F. 993

**Answer: AE**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites#hybrid-deployment-protocolsports->

**NEW QUESTION 53**

- (Exam Topic 5)

**SIMULATION**


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

➤ In the EAC, go to Public folders

➤ In the New public folder mailbox

>Public folder mailboxes, and then click Add +. page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse created.

- Mailbox database: Click Browse

When you're finished, click Save.

to select the location in Active Directory where the mailbox object is to select the mailbox database where the mailbox is created.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

➤ Navigate to Public folders

>Public folders.

> If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

> Click Add +.

> In Public Folder, type the name of the public folder.

> In the Path

box, verify the path to the public folder. If this isn't the desired path, clickCancel and follow Step 2 of this procedure.

> Click Save.

> Navigate back to Public folders

>Public folders.

> In the list view, select the public folder that you want to mail-enable or mail-disable.

> In the details pane, under Mail settings, click Enable

oDr isable.

> A warning box displays asking if you're sure you want to enable or disable email for the public folder.

Click Yes

to continue.

You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=ex> <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver>- <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve> <https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailpublicfolder?view=exchange-ps>

## NEW QUESTION 55

- (Exam Topic 5)


You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.

NOTE: Each correct selection is worth one point.




A. Mastered

B. Not Mastered

**Answer: A**

**Explanation:**





#### NEW QUESTION 59

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a retention policy to delete Inbox messages after 30 days. User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence. You need to temporarily suspend the processing of the Inbox messages for User1.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	"User1"	
<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <div style="background-color: #f0f0f0; padding: 2px;">Set-CASMailbox</div> <div style="background-color: #f0f0f0; padding: 2px;">Set-Mailbox</div> <div style="background-color: #f0f0f0; padding: 2px;">Set-OutlookProtectionRule</div> <div style="background-color: #f0f0f0; padding: 2px;">Set-RetentionPolicy</div> </div>		<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <div style="background-color: #f0f0f0; padding: 2px;">-ECPEnabled \$true</div> <div style="background-color: #f0f0f0; padding: 2px;">-ElcProcessingDisabled \$true</div> <div style="background-color: #f0f0f0; padding: 2px;">-RetentionEnabled \$true</div> <div style="background-color: #f0f0f0; padding: 2px;">-RetentionHoldEnabled \$true</div> </div>

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Graphical user interface, application, Word Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/mailbox-re>

#### NEW QUESTION 63

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Set-AddressBookPolicy

**Answer: A**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy>

**NEW QUESTION 66**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format. Does this meet the goal?

A. Yes

B. No

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

**NEW QUESTION 68**

- (Exam Topic 5)

Your company named ADatum Corporation has a Microsoft 365 subscription. ADatum acquires a company named Contoso, Ltd.

In the subscription, you create a new mailbox for each user at Contoso.

You need to provide the Contoso users with a global address list (GAL) that contains only their email addresses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Create an address book policy (ABP) named Contoso-AB that uses the GAL.		
Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.		
Create a new set of address lists for the Contoso users.	➤	⬆
Assign Contoso-AB to all the mailboxes of the Contoso users.	⬅	⬇
Create a new GAL named Contoso GAL.		

A. Mastered

B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list> <https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

**NEW QUESTION 70**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer. The Outlook Web App policy has the following settings.

ClassicAttachmentsEnabled	: True
ReferenceAttachmentsEnabled	: True
SaveAttachmentsToCloudEnabled	: True
MessagePreviewDisabled	: False
ForceWebReadyDocumentViewingFirstOnPublicComputers	: False
ForceWebReadyDocumentViewingFirstOnPrivateComputers	: False
ActionForUnknownFileAndMIMETypes	: Block
OWALightEnabled	: False
ForceSaveAttachmentFilteringEnabled	: False
ConditionalAccessPolicy	: ReadOnlyPlusAttachmentsBlocked

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default		
-ActionForUnknownFileAndMIMETypes		Allow
-ConditionalAccessPolicy		False
-ForceWebReadyDocumentViewingFirstOnPublicComputers		ForceSave
-MessagePreviewsDisabled		ReadOnly
-OWALightEnabled		True

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Table Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

**NEW QUESTION 71**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains several thousand users. Most users connect to their mailbox by using a mobile device. A new corporate security policy requires that when connecting from a mobile device, all users on devices that run iOS must use the Outlook mobile app only. You need to modify the organization to meet the security requirement. What should you do?

- A. From the Exchange Management Shell, run the New-DeviceConditionalAccessPolicy cmdlet.
- B. From the Exchange admin center, create a mobile device access rule.
- C. From the Exchange Management Shell, run the New-DeviceConfigurationRule cmdlet.
- D. From the Exchange admin center, modify the default mobile device mailbox policy.

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=e>

**NEW QUESTION 74**

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and on-premises Exchange Server 2019 organization. The on-premises organization contains several Exchange Server 2019 servers. You discover that delivery fails for all email messages sent from the on-premises organization to Microsoft 365. You discover that the certificate for an on-premises Exchange server expired. You need to resolve the issue as quickly as possible. The solution must minimize administrative effort. What should you do on the on-premises Exchange server?

- A. Create a new self-signed certificate.
- B. Generate a certificate renewal request.
- C. Generate a certificate request.
- D. Add the certificate for a new root certification authority (CA).

**Answer:** B

**Explanation:**

Reference:

<https://practical365.com/exchange-server/how-to-generate-ssl-certificate-request-exchange-2016/>

**NEW QUESTION 75**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com. You recently purchased an email domain named fabrikam.com. You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, add the fabrikam.com email domain.
- B. From the Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Microsoft 365 admin center, modify the organization profile.
- D. From the Exchange admin center, add a remote domain for fabrikam.com.
- E. From the Exchange Management Shell, create a script that runs the Set-Mailbox cmdlet.

**Answer:** AE

**Explanation:**

A: the first step is to add the Fabrikam.com domain to Microsoft 365. You would also need to verify the domain (verify that you own the domain).

E: create a script that runs the Set-Mailbox cmdlet to add an @fabrikam.com email address to each mailbox.



**NEW QUESTION 76**

- (Exam Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

**Answer:** C

**Explanation:**

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

**NEW QUESTION 79**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You have the Address Book Policies (ABP) and address lists in the following table.

Name	Global address list	Offline address book	Address list
ABP1	GAL_1	OAB_1	List 1
ABP2	GAL_2	Default Offline Address Book	List 2

You have the users in the following table.

Name	Global address list	Address List
User1	GAL_1	List 1
User2	GAL_2	List 2
User3	GAL_2	<i>none</i>

You assign ABP1 to User1 and User2.

User3 is NOT assigned to an Address Book Policy.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can view the membership of List 2	<input type="radio"/>	<input type="radio"/>
User2 can only view the membership of GAL_2	<input type="radio"/>	<input type="radio"/>
User3 can view the membership of List 1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-b>

**NEW QUESTION 80**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A


**Explanation:**



Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

**NEW QUESTION 83**

- (Exam Topic 5)  
You have distribution group named Car Parking Distribution Group that is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

Users **[answer choice]**.

can add their own user account to Car Parking Distribution Group

can only be added to Car Parking Distribution Group by a group owner

are added automatically to Car Parking Distribution Group when they sign in to their mailbox

The members of Car Parking Distribution Group **[answer choice]**.

can remove their own user account from the group

can only be removed from the group by a group owner

can only be removed from the group by an Exchange administrator

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:  
<https://docs.microsoft.com/en-us/powershell/module/exchange/users-and-groups/set-distributiongroup?view=ex>

**NEW QUESTION 88**

- (Exam Topic 5)  
**HOTSPOT**  
You have a Microsoft Exchange Online subscription. You run the following command.  
Set-ActiveSyncOrganizationSettings –DefaultAccessLevel Block  
You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

#### NEW QUESTION 89

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security administrator role to User1. Does this meet the goal?

A. Yes

B. No

**Answer:** A

**Explanation:**

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

#### NEW QUESTION 91

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

A. Yes

B. No

**Answer:** B

#### NEW QUESTION 94

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to import an Edge Subscription on a Mailbox server. Which cmdlet should you run?

- A. New-EdgeSubscription
- B. Start-EdgeSynchronization
- C. Set-EdgeSubscription
- D. Set-TransportAgent

**Answer:** A

#### NEW QUESTION 95

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

**Answer:** D

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

**NEW QUESTION 96**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com.

You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

**Answer:** C

**Explanation:**

You need to remove the remote domains first then assign a license to the user account.

**NEW QUESTION 101**

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 hybrid deployment. A partner company named Fabrikam, Inc. uses an Exchange Online subscription for email.

You need to ensure that all the users at Fabrikam can view the free/busy information of the users at Contoso.

What should you configure? To answer, drag the appropriate components to the correct companies. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components

A connector

A sharing policy

A remote domain

A federation trust

An organization relationship

Answer Area

For Fabrikam:

Component

For Contoso:

Component

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing-exchange-2013-help>

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

**NEW QUESTION 105**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. Your company has a partnership with another company named fabrikam.com.

You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setu>

**NEW QUESTION 107**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

**Answer: C**

**Explanation:**

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

#### NEW QUESTION 108

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users. What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter.
- B. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter.
- C. Run the New-MigrationBatch cmdlet and specify the CompleteAfter parameter.
- D. Create a script that moves most of the mailboxes on Friday at 22:00 and the remaining mailboxes on Monday at 09:00.

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationbatch?view=exchange-ps>

#### NEW QUESTION 111

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

#### NEW QUESTION 115

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You configure a mailbox quota. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocki-scenarios>

#### NEW QUESTION 116

- (Exam Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will




be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Go to the Microsoft 365 Defender portal and under Mail & collaboration policy.

➤ An alert policy consists of the following settings and conditions.

select Policies & rules

>Alert

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

➤ You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

➤ If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For

auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.
- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

➤ When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts based on category.

page in the compliance center because you can sort and filter alerts

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy.

Again, this allows you to track and manage alerts that have the same severity setting on the Alerts

page. For

example, you can filter the list of alerts so that only alerts with a High

severity are displayed.

- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts

page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies?view=o365-worldwide#how-alert-pol>

### NEW QUESTION 121

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains the groups shown in the following table.

Name	Type	Owner	Number of members	Member of
Group1	Distribution list	Admin1	200	none
Group2	Dynamic distribution list	None	50	Not applicable
Group3	Security group	Admin1	50	none
Group4	Distribution list	Admin1	150	Group3

Which groups can you upgrade to a Microsoft 365 group?

- A. Group1 only
- B. Group1, Group2, Group3, and Group4
- C. Group2 and Group3 only
- D. Group3 only
- E. Group1 and Group4 only

**Answer:** AE

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/upgrade-distribution-lists?view=o365-worldwide>

### NEW QUESTION 122

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows.

User1 receives the following error message: "Encrypted connection to your mail server is not available." You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web.

You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

### NEW QUESTION 124

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains 5,000 mailboxes.

You need to migrate 1,000 users to Exchange Online. The migrated users must support Hybrid Modern Authentication (HMA).

Which migration method should you use?

- A. cutover migration
- B. full hybrid migration
- C. minimal hybrid migration

D. express hybrid migration

**Answer:** B

#### NEW QUESTION 129

- (Exam Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online.

The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}  
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx  
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx  
MRSPProxyEnabled: False  
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi  
ExternalURL: https://Autodiscover.contoso.com/mapid  
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa  
ExternalURL: https://mail.contoso.com/owa  
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSPProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

#### NEW QUESTION 134

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

**Answer:** D

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re>

#### NEW QUESTION 139

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. You need to prevent all users from performing the following tasks:

- Sending out-of-office replies to an email domain named fabrikam.com.
- Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

- A. Yes
- B. No



Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 142

- (Exam Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment. What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A

NEW QUESTION 143

- (Exam Topic 5)

You run several PowerShell commands as shown in the following exhibit.

PS C:\> Get-AddressListPolicy | Format-Table

Name	GlobalAddressList	AddressLists	OfflineAddressBook	RoomList
Fabrikam-ABP	\Fabrikam	\Fabrikam	\Fabrikam-OAB	\All Rooms
Contoso-ABP	\Contoso	\Contoso-IT, \Contoso-Marketing	\Contoso-OAB	\All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name	RecipientFilter
Contoso	((Company -eq 'Contoso'))
Fabrikam	((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name	DisplayName	RecipientFilter
Contoso-Marketing	Contoso-Marketing	((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam	Fabrikam	((Company -eq 'Fabrikam'))

PS C:\>

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name	UserPrincipalName	Company	Department
James Smith	jsmith@contoso.com	Contoso	Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name	Alias	Office	Database
Executive Conference Room	executiveconferenceroom	Contoso	DB1

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

Contoso-IT  
Contoso-Marketing  
Fabrikam

The Executive Conference Room will appear in [answer choice].

Contoso-ABP only  
Fabrikam-ABP only  
Contoso-ABP and Fabrikam-ABP  
none of the policies

- A. Mastered
- B. Not Mastered



**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

**NEW QUESTION 144**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.  
[Learn more](#)

From:

Internet
Office 365
Partner organization
Your organization's email server

To:

Internet
Office 365
Partner organization
Your organization's email server

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/how-to-set-up-a-multifunction-device-or-ap>

**NEW QUESTION 146**

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

➤ In the EAC, go to Recipients  
>Mailboxes.

➤ In the list of user mailboxes, click or tap the mailbox that you want to configure mail forwarding for, and then click or tap Edit

➤ On the mailbox properties page, click Mailbox Features.

➤ Under Mail Flow, select View details

to view or change the setting for forwarding email messages.

On this page, you can set the maximum number of recipients that the user can send a message to. For

on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

➤ Check the Enable forwarding  
check box, and then click or tap Browse.

➤ On the Select Recipient  
page, select a user you want to forward all email to. Select the deliver message

to both forwarding address and mailbox

check box if you want both the recipient and the forwarding

email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-user-mailboxes/configure-em>

**NEW QUESTION 147**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

All users use an email address suffix of @contoso.com.

You need to ensure that all the email messages sent to users who use an email address suffix of

@fabrikam.com are encrypted automatically. The solution must ensure that the messages can be inspected for data loss prevention (DLP) rules before they are

encrypted.  
What should you create?

- A. an Outbound connector
- B. a safe attachments policy
- C. a remote domain
- D. a mail flow rule

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/define-mail-flow-rules-to-encrypt-email?view=o365> <https://docs.microsoft.com/en-us/exchange/security-and-compliance/data-loss-prevention/data-loss-prevention>

**NEW QUESTION 150**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You need to import PST files from a legacy archiving solution to Exchange Online. You will import the PST files over the internet.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

Use Azure Storage Explorer to upload the PST files.	
Create a mapping file.	
Start the PST import job.	
Use AzCopy to upload the PST files.	
Create a PST import job.	
Retrieve the shared access signature (SAS) URL.	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365>

**NEW QUESTION 152**

- (Exam Topic 5)

Your company has an Exchange Online tenant.

A partner company named Fourth Coffee also uses Exchange Online.

You need to ensure that the users at your company share free busy information with the users at Fourth Coffee. The solution must ensure that the meeting details included in the calendars of your company users remain hidden from the Fourth Coffee users.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	▼	-Name "Fourth Coffee" -DomainNames "fourthcoffee.com"
New-SharingPolicy		
New-AvailabilityConfig		
New-OrganizationRelationship		
-FreeBusyAccessEnabled \$true -FreeBusyAccessLevel		-FreeBusyAccessScope "Executives"
	▼	
	None	
	LimitedDetails	
	AvailabilityOnly	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/powershell/module/exchange/new-organizationrelationship?view=exchange-ps>

NEW QUESTION 156

- (Exam Topic 5)  
You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. All user mailboxes are in Microsoft 365. A user named User1 leaves your company. You delete the user account of User1 from the on-premises Active Directory domain. Two weeks later, User1 returns to the company. You need to ensure that User1 can connect to his mailbox and access all his old email messages. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From the on-premises Active Directory Recycle Bin, recover the user account

Run the New-MailboxRestoreRequest cmdlet

Assign a Microsoft 365 license to User1

From the on-premises Active Directory domain, create a new user named User1

Run the New-Mailbox -InactiveMailbox cmdlet

Run the Restore-MsolUser cmdlet

Force a synchronization from Azure AD Connect

Answer Area

>

<

↑

↓

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:  
Graphical user interface, text, application Description automatically generated  
Reference:  
<https://techcommunity.microsoft.com/t5/exchange-team-blog/common-mailbox-recovery-scenarios-for-hybrid-e>

NEW QUESTION 161

- (Exam Topic 5)  
SIMULATION  
Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design. Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task. Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.





Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance in your Microsoft 365 tenant. Users must be able to send emails to Finance by using an email address of finance@lab.CloudCredential(1).TenantName.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Use the EAC to create a public folder mailbox

➤ In the EAC, go to Public folders

➤ In the New public folder mailbox

>Public folder mailboxes, and then click Add +. page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse created.

- Mailbox database: Click Browse

When you're finished, click Save.

to select the location in Active Directory where the mailbox object is to select the mailbox database where the mailbox is created.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

➤ Navigate to Public folders

>Public folders.

➤ If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

➤ Click Add +.

➤ In Public Folder, type the name of the public folder.

➤ In the Path

box, verify the path to the public folder. If this isn't the desired path, clickCancel and

follow Step 2 of this procedure.

➤ Click Save.

➤ Navigate back to Public folders

>Public folders.

➤ In the list view, select the public folder that you want to mail-enable or mail-disable.

➤ In the details pane, under Mail settings, click Enable

oDr isable.

➤ A warning box displays asking if you're sure you want to enable or disable email for the public folder.

Click Yes

Reference:

to continue.

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=ex> <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver>- [https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-](https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve)

[enable-or-disable?view=exchserve](https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve)

#### NEW QUESTION 164

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 has an Exchange Online mailbox. User1 leaves your company.

You need to configure the user account of User1 to meet the following requirements:

➤ The Microsoft 365 license assigned to User1 must be available for another user.

➤ Manager1 must be able to manage all the contents in the mailbox of User1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

#### Actions

#### Answer Area

From the Azure Active Directory admin center, delete the account of User1.

From the Azure Active Directory admin center, disable the account of User1.

From the Microsoft 365 admin center, remove the license from User1.

From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.

From the Exchange admin center, delete the mailbox of User1.

From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.

From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

#### Actions

#### Answer Area

From the Azure Active Directory admin center, delete the account of User1.

From the Azure Active Directory admin center, disable the account of User1.

From the Microsoft 365 admin center, remove the license from User1.

From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.

From the Exchange admin center, delete the mailbox of User1.

From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.

From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.

From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.

From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.

From the Microsoft 365 admin center, remove the license from User1.

#### NEW QUESTION 168

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant.

You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

Name	Source	Subject name
Cert1	Self-signed	server1.contoso.com
Cert2	Internal certification authority (CA)	*
Cert3	Internal certification authority (CA)	contoso.com and autodiscover.contoso.com
Cert4	Public certification authority (CA)	*
Cert5	Public certification authority (CA)	contoso.com and autodiscover.contoso.com

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard.

Which certificates should you identify?

- A. Cert4 and Cert5 only
- B. Cert2 and Cert3 only
- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

#### NEW QUESTION 172

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3. Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access    mobile device mailbox policies



NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.



## new mobile device mailbox policy

\*Required fields

\*Name:

Mobile Tablet Policy

- ☒ This is the default policy
- ☒ Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- ☒ Require a password
  - ☐ Allow simple passwords
  - ☒ Require an alphanumeric password
    - Password must include this many character sets:  
2
  - ☐ Require encryption on device
  - ☒ Minimum password length:  
6
  - ☐ Number of sign-in failures before device is wiped:  
5
  - ☐ Require sign-in after the device has been inactive for (minutes):  
 minutes
  - ☒ Enforce password lifetime (days):  
30 days
  - Password recycle count:  
10

Save

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/create-or-modify-a-mobile-device-mailbox-policy-exchange-2013-he>

**NEW QUESTION 173**

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the advertising department and the editorial department of the company have mailboxes in Exchange Online.

A company policy requires that the advertising department users and the editorial department users be segmented based on the following requirements:

- (GAL).
- The editorial department users must not see the advertising department users in the GAL.
- The editorial department users must be treated as external recipients of the advertising department users.
- The advertising department users must be treated as external recipients of the editorial department users.

You need to recommend a solution that meets the requirements and minimize costs and effort. What should you recommend?



- A. In the Exchange Online tenant, create separate address book policies (ABPs) for the advertising and editorial departments.
- B. Migrate all the mailboxes of the advertising department to the on-premises organization, and then enable address book policy (ABP) routing.
- C. Purchase an additional Microsoft 365 subscription, and then migrate all the mailboxes of the advertising department to the new subscription.
- D. Create two address book policies (ABPs) in Exchange Online, and then enable ABP routing for the Exchange Online tenant.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

**NEW QUESTION 176**

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages>Action,IsDefault You receive the output shown in the following exhibit.

Name	: Default
BypassInboundMessages	: False
BypassOutboundMessages	: False
Action	: DeleteAttachmentAndUseDefaultAlertText
IsDeafault	: True
EnableInternalSenderNotifications	: True
EnableExternalSenderNotifications	: True

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
-----	-----	-----
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtip Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

**NEW QUESTION 179**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

- Sending out-of-office replies to an email domain named fabrikam.com.
- Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You modify the default remote domain. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

**NEW QUESTION 182**

- (Exam Topic 5)

You have a Microsoft 365 environment that contains 1,000 mobile devices.

You need to recommend a solution to prevent all the mobile devices that use the Exchange ActiveSync protocol from authenticating by using Basic authentication.

Which two solutions should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure the CAS mailbox settings for each mailbox.
- B. Implement Azure Multi-Factor Authentication (MFA).
- C. Create an authentication policy.
- D. Create a conditional access policy.
- E. Create a device access rule.

**Answer: CD**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/disable-basicauthentication-i>

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

**NEW QUESTION 184**

- (Exam Topic 5)

**SIMULATION**


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

➤ From the Microsoft 365 compliance center, select Policies > Retention.

➤ Select New retention policy retention policy.

to start the create retention policy configuration, and name your new

➤ For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

➤ Depending on your selected scope:

- On the Choose locations

page, toggle on or off any of the locations except the locations for Teams and

Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

➤ Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

➤ For Decide if you want to retain content, delete it, or both retaining and deleting content.

page, specify the configuration options for

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

➤ Complete the configuration and save your settings. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide> <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-retention-policies?view=o365-worldwide>



**NEW QUESTION 187**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

☒ Reject email messages if they aren't sent over TLS.

☒ And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

\*.fabrikam.com

☒ Reject email messages if they aren't sent from within this IP address range

+

—

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

**NEW QUESTION 190**

- (Exam Topic 5)

Your network contains an Active Directory domain and an Azure Active Directory (Azure AD) tenant in a hybrid deployment.

You implement a Microsoft Exchange Online tenant.

You plan to deploy a new on-premises app named App1 to a Windows server. The solution must meet the following requirements:

- Use an Active Directory user account named App1service as a service account.
- Be able to receive email requests by using an email address of app1@contoso.com.
- Use App1service to sign in to the mailbox of App1 to view the requests.

In the domain, you create App1service.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Actions

Create a shared mailbox for App1service

In Azure AD, register an enterprise application for App1

Sync the App1service account to Azure AD

Create a user mailbox for App1service

Assign a license to App1service

Assign app1@contoso.com as an email address to App1service

Answer Area

>

<

↑

↓

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, chat or text message Description automatically generated

**NEW QUESTION 192**

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

**Answer:** CD

**NEW QUESTION 193**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

**NEW QUESTION 197**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.

```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | f1 Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel     : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | f1 Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name                  : Mobile Mailbox Settings
DefaultAccessLevel    : False
IsIntuneManaged      : False
HasAzurePremiumSubscription : False
DeviceFiltering       :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange>

**NEW QUESTION 202**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.
- D. Add relecloud.com to the ATP anti-phishing list of misted domains.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies>

**NEW QUESTION 207**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type. You need to identify the sync status of each move request in the batch.

Which cmdlet should you run?

- A. Gec-PublicFolderMailboxMigrationRequest
- B. Get-PublicFolderMigrationRequest
- C. Gec-PublicFolderMoveRequest
- D. Gee-MoveRequest

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=>

**NEW QUESTION 210**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online.

From the Exchange admin center, you create a new migration batch that includes 25 mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	▼
Set-MoveRequest	
Set-MigrationBatch	
Set-MigrationConfig	

-Identity "user1@litware.com"

	▼
-CompleteAfter(Get-Date)	
-SuspendWhenReadyToComplete \$false	
-PreventCompletion \$false	

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-moverequest?view=exc>

**NEW QUESTION 211**

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

**Answer:** C

**NEW QUESTION 216**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You need to modify the anti-spam settings to meet the following requirements:

- > Quarantine spam for 30 days.
- > Notify administrators if users are blocked for sending spam.
- > Every three days, provide users with a report that details which email messages were identified as spam. Which spam filter policy should you modify to meet each requirement? To answer, drag the appropriate policies to the correct requirements. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Policies	Answer Area
The connection filter policy	Quarantine spam for 30 days: <input type="text"/>
The default spam filter policy	Notify administrators if users are blocked for sending spam: <input type="text"/>
The outbound spam filter policy	Every three days, provide users with a report that details which messages were identified as spam: <input type="text"/>
The spoof intelligence policy	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-your-spam-filter-policies> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-outbound-spam-policy>

**NEW QUESTION 219**

- (Exam Topic 5)

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage mailboxes. What should you do?

- A. Create a conditional access policy and apply the policy to all users.
- B. For all users, run the set-user cmdlet and specify the -RemotePowershellEnabled parameter.
- C. Create a conditional access policy and apply the policy to Admin1.
- D. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

**Answer:** A

**NEW QUESTION 221**

- (Exam Topic 5)

Your network contains an Active Directory forest named contoso.com.

You plan to implement Microsoft 365 and use Microsoft Exchange Online services.

You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365. Which record should you create? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Record Type:	<input type="text"/>	▼
	<div>Host(A)</div> <div>Alias(CNAME)</div> <div>Text(TXT)</div>	
Target:	<input type="text"/>	▼
	<div>autodiscover.contoso.com</div> <div>autodiscover.outlook.com</div> <div>autodiscover.office365.com</div>	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/external-domain-name-system-records?view=o365-w>

**NEW QUESTION 225**

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You purchase a Microsoft Office 365 E5 subscription.



You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a sharing policy
- B. a federation trust
- C. a relying party trust
- D. Active Directory Lightweight Directory Services (AD LDS)
- E. an organization relationship

**Answer:** BE

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

#### NEW QUESTION 228

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages received from an organization named contoso.com are encrypted by using TLS.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

➤ Navigate to Mail flow in the Exchange Admin Center, > Connectors. The Connectors screen appears.

➤ Click +Add a connector. The New connector screen appears.

Graphical user interface, text, application, email Description automatically generated

## New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

### Connection from

- ☐ Office 365
- ☐ Your organization's email server
- ☐ Partner organization

### Connection to

➤ Under Connection from, choose Partner organization.

Graphical user interface, text, application, email Description automatically generated

## New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

### Connection from

- ☐ Office 365
- ☐ Your organization's email server
- ☒ Partner organization

### Connection to

- ☒ Office 365

➤ Click Next. The Connector name screen appears.

➤ Provide a name for the connector and click Next. The Authenticating sent email screen appears.

➤ Choose one of the two options between By verifying that the sender domain matches one of the following domains and By verifying that the IP address of the sending server matches one of the following IP addresses, which belong to your partner organization.

➤ Click Next. The Security restrictions screen appears.

➤ Check the check box for Reject email messages if they aren't sent over TLS.

➤ Check the check box for Reject email messages if they aren't sent from within this IP address range, and provide the IP address range.

➤ Click Next. The Review connector screen appears.

➤ Review the settings you have configured, and click Create connector.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set->

### NEW QUESTION 231

- (Exam Topic 5)

Your company has a Microsoft Exchange Online tenant named contoso.com.

The company acquires a company named ADatum Corporation that uses a third-party IMAP email service named adatum.com.

You plan to migrate the mailbox content of adatum.com to contoso.com. You need to connect Microsoft 365 to the IMAP email service.

What should you create first?

- A. a new organization relationship
- B. a new migration endpoint

- C. a new remote domain
- D. a new staged migration batch

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailb>

**NEW QUESTION 232**

- (Exam Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

**Answer:** AD

**Explanation:**

Create a retention label and publish it to the finance department users. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

**NEW QUESTION 237**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

### 100% Pass Your MS-203 Exam with Our Prep Materials Via below:

<https://www.certleader.com/MS-203-dumps.html>