



## Microsoft

### Exam Questions MS-102

Microsoft 365 Administrator Exam

**NEW QUESTION 1**

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that contains the compliance policies shown in the following table.

Name	Require BitLocker	Require the device to be at or under the machine risk score
Policy1	Required	High
Policy2	Not configured	Medium
Policy3	Required	Low

The tenant contains the devices shown in the following table.

Name	BitLocker Drive Encryption (BitLocker)	Microsoft Defender for Endpoint risk status	Policies applied
Device1	Configured	High	Policy1, Policy3
Device2	Not configured	Medium	Policy2, Policy3
Device3	Not configured	Low	Policy1, Policy2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
Device1 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device2 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device3 is marked as compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Statements	Yes	No
Device1 is marked as compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device2 is marked as compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device3 is marked as compliant.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 2**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Office 365 Advanced Threat Protection (ATP) settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Azure Active Directory admin center, you assign SecAdmin1 the Teams Service Administrator role.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

You need to assign the Security Administrator role. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/office-365-atp?view=o365-worldwide>

### NEW QUESTION 3

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Microsoft Defender for Office 365 settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Microsoft 365 admin center, you assign SecAdmin1 the Exchange admin role.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### Explanation:

You need to assign the Security Administrator role. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/office-365-atp?view=o365-worldwide>

### NEW QUESTION 4

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement Microsoft 365 compliance policies to meet the following requirements:

? Identify documents that are stored in Microsoft Teams and SharePoint Online that contain Personally Identifiable Information (PII).

? Report on shared documents that contain PII.

What should you create?

- A. an alert policy
- B. a data loss prevention (DLP) policy
- C. a retention policy
- D. a Microsoft Cloud App Security policy

**Answer: B**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

### NEW QUESTION 5

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You plan to deploy 1,000 new iOS devices to users. The devices will be shipped directly from the supplier to the users.

You need to recommend a Microsoft Intune enrollment option that meets the following requirements:

- Minimizes user interaction
  - Minimizes administrative effort
  - Automatically installs corporate apps
- What should you recommend?

- A. Automated Device Enrollment (ADE)
- B. bring your own device (BYOD) user and device enrollment
- C. Apple Configurator enrollment

**Answer: A**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/enrollment/ios-enroll>

### NEW QUESTION 6

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer that runs Windows 10.

You need to verify which version of Windows 10 is installed.

Solution: At a command prompt, you run the winver.exe command. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

#### Explanation:

Reference:

<https://support.microsoft.com/en-us/windows/which-version-of-windows-operating-system-am-i-running-628bec99-476a-2c13-5296-9dd081cdd808>

### NEW QUESTION 7

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1. You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance data admin role.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:

<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

### NEW QUESTION 8

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain. The domain contains domain controllers that run Windows Server 2019. The functional level of the forest and the domain is Windows Server 2012 R2.

The domain contains 100 computers that run Windows 10 and a member server named Server1 that runs Windows Server 2012 R2.

You plan to use Server1 to manage the domain and to configure Windows 10 Group Policy settings.

You install the Group Policy Management Console (GPMC) on Server1.

You need to configure the Windows Update for Business Group Policy settings on Server1. Solution: You copy the Group Policy Administrative Templates from a Windows 10

computer to Server1. Does this meet the goal?

- A. yes
- B. No

**Answer: A**

### NEW QUESTION 9

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: From Azure AD Connect, you modify the Azure AD credentials.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

The question states that "all the user account synchronizations completed successfully". Therefore, the Azure AD credentials are configured correctly in Azure AD Connect. It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

### NEW QUESTION 10

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains two users named Admin1 and Admin2.

All users are assigned a Microsoft 365 Enterprise E5 license and auditing is turned on.

You create the audit retention policy shown in the exhibit. (Click the Exhibit tab.)

## New audit retention policy ✕

Name \*:

Policy1

Description

Record Types

AzureActiveDirectory ▾

Activities

Added user, Deleted user, Reset user password, Changed user password, Changed user license, ... (7) ▾

Users:

Admin1 ✕

Duration \*:

- 90 Days
- 6 Months
- 1 Year

Priority \*:

100

Save Cancel

After Policy1 is created, the following actions are performed:

? Admin1 creates a user named User1.

? Admin2 creates a user named User2.

How long will the audit events for the creation of User1 and User2 be retained? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1:

	▼
0 days	
30 days	
90 days	
180 days	
365 days	


User2:

	▼
0 days	
30 days	
90 days	
180 days	
365 days	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



**NEW QUESTION 10**

- (Topic 6)

You have a Microsoft 365 tenant that contains the groups shown in the following table.

Name	Type
Group1	Distribution
Group2	Mail-enabled security
Group3	Security

You plan to create a new Windows 10 Security Baseline profile. To which groups can you assign to the profile?

- A. Group3 only
- B. Group1 and Group3 only
- C. Group2 and Group3 only
- D. Group1, Group2, and Group3

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/protect/security-baselines-configure#create-the-profile>

<https://docs.microsoft.com/en-us/microsoft-365/admin/create-groups/compare-groups?view=o365-worldwide>

**NEW QUESTION 13**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to compare the current Safe Links configuration to the Microsoft recommended configurations.

What should you use?

- A. Microsoft Purview
- B. Azure AD Identity Protection
- C. Microsoft Secure Score
- D. the configuration analyzer

Answer: C

**NEW QUESTION 14**

- (Topic 6)

Your network contains an on-premises Active Directory domain. The domain contains 2,000 computers that run Windows 10.

You purchase a Microsoft 365 subscription.

You implement password hash synchronization and Azure AD Seamless Single Sign-On (Seamless SSO).

You need to ensure that users can use Seamless SSO from the Windows 10 computers. What should you do?

- A. Join the computers to Azure AD.
- B. Create a conditional access policy in Azure AD.

- C. Modify the Intranet zone settings by using Group Policy.
- D. Deploy an Azure AD Connect staging server.

**Answer:** A

**NEW QUESTION 16**

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Global Administrator
User2	Security Administrator, Guest Inviter
User3	None
User4	Password Administrator

External collaboration settings have default configuration.

You need to identify which users can perform the following administrative tasks:

- Modify the password protection policy.
- Create guest user accounts.

Which users should you identify for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Modify the password protection policy: 

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

Create new guest users in Azure AD: 

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Modify the password protection policy: 

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

Create new guest users in Azure AD: 

- User1 only
- User1 and User2 only
- User1, User2, and User4 only
- User1, User2, User3, and User4

**NEW QUESTION 18**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1. You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance admin role.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

**NEW QUESTION 19**

HOTSPOT - (Topic 6)

HOTSPOT

You have an Azure AD tenant named contoso.com that contains the users shown in the following table.

Name	Member of	Multi-Factor Auth Status
User1	Group1	Disabled
User2	Group1	Enforced

Multi-factor authentication (MFA) is configured to use 131.107.5.0/24 as trusted IPs. The tenant contains the named locations shown in the following table.

Name	IP address range	Trusted location
Location1	131.107.20.0/24	Yes
Location2	131.107.50.0/24	Yes

You create a conditional access policy that has the following configurations:

? Users or workload identities assignments: All users

? Cloud apps or actions assignment: App1

? Conditions: Include all trusted locations

? Grant access: Require multi-factor authentication

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
When User1 connects to App1 from a device that has an IP address of 131.107.50.10, User1 must use MFA.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
When User2 connects to App1 from a device that has an IP address of 131.107.20.15, User2 must use MFA.	<input type="checkbox"/>	<input type="checkbox"/>
When User2 connects to App1 from a device that has an IP address of 131.107.5.5, User2 must use MFA.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

\* 131.107.50.10 is in a Trusted Location so the conditional access policy applies. The policy requires MFA. However, User1's MFA status is disabled. The MFA requirement in the conditional access policy will override the user's MFA status of disabled. Therefore, User1 must use MFA.

Box 2: Yes.

\* 131.107.20.15 is in a Trusted Location so the conditional access policy applies. The policy requires MFA so User2 must use MFA.

Box 3: No.

IP not from Trusted Location so Policy does not apply, Subnet 131.107.5.5 is not in the range of 131.107.50.0/24

**NEW QUESTION 21**

HOTSPOT - (Topic 6)

HOTSPOT

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

? Contoso.com

? East.contoso.com

The forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contoso.com
User3	Fabrikam.com

The forest syncs to an Azure AD tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

### PROVISION FROM ACTIVE DIRECTORY



#### Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

#### Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Disabled

### USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

#### Answer Area

Statements	Yes	No
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="radio"/>	<input type="radio"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

#### Explanation:

Box 1: Yes

The UPN of user1 is user1@contoso.com so he can authenticate to Azure AD by using the username user1@contoso.com.

Box 2: No

The UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.

Box 3: No

The UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.

### NEW QUESTION 23

HOTSPOT - (Topic 6)

You configure a data loss prevention (DLP) policy named DLP1 as shown in the following exhibit.

**Choose the types of content to protect**

This policy will protect that matches these requirements. You can choose sensitive info types and existing labels

**Content contains**

Any of these ▾

Sensitive info type	Match accuracy		x
	min	max	
Credit Card Number	85	100	x

**Retention labels**

1 year x

Add ▾

[+ Add group](#)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

DLP1 cannot be applied to [answer choice].

▼
Exchange email
SharePoint sites
OneDrive accounts

DLP1 will be applied only to documents that have [answer choice].

▼
both a credit card number and the 1 year label applied
either a credit card number or the 1 year label applied
between 85 and 100 credit card numbers

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Using a retention label in a policy is only supported for items in SharePoint Online and OneDrive for Business.

**NEW QUESTION 24**

DRAG DROP - (Topic 6)

DRAG DROP

You have a Microsoft 365 E5 subscription. Several users have iOS devices.

You plan to enroll the iOS devices in Microsoft Endpoint Manager.

You need to ensure that you can create an iOS/iPadOS enrollment profile in Microsoft Endpoint Manager.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the Microsoft Endpoint Manager admin center, add a device enrollment manager.	
From the Microsoft Endpoint Manager admin center, download a certificate signing request.	➤
Upload an Apple MDM push certificate to Microsoft Endpoint Manager.	⬅
Create a certificate from the Apple Push Certificates Portal.	⬆
From the Microsoft Endpoint Manager admin center, configure device enrollment restrictions.	⬇

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Actions	Answer Area
From the Microsoft Endpoint Manager admin center, add a device enrollment manager.	
From the Microsoft Endpoint Manager admin center, download a certificate signing request.	➤
Upload an Apple MDM push certificate to Microsoft Endpoint Manager.	⬆
Create a certificate from the Apple Push Certificates Portal.	⬇
From the Microsoft Endpoint Manager admin center, configure device enrollment restrictions.	

**NEW QUESTION 28**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Office 365.

The subscription has the default inbound anti-spam policy and a custom Safe Attachments policy.

You need to identify the following information:

- The number of email messages quarantined by zero-hour auto purge (ZAP)
- The number of times users clicked a malicious link in an email message

Which Email & collaboration report should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To identify the number of emails quarantined by ZAP:

- Threat protection status
- Mailflow status report
- Spoof detections
- Threat protection status**
- URL threat protection

To identify the number of times users clicked a malicious link in an email:

- Mailflow status report
- Mailflow status report**
- Spoof detections
- Threat protection status
- URL threat protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To identify the number of emails quarantined by ZAP:

- Threat protection status
- Mailflow status report
- Spoof detections
- Threat protection status**
- URL threat protection

To identify the number of times users clicked a malicious link in an email:

- Mailflow status report
- Mailflow status report**
- Spoof detections
- Threat protection status
- URL threat protection

NEW QUESTION 32

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of	Passwordless capable	Multi-factor authentication (MFA) method registered
User1	Group1	Capable	Microsoft Authenticator app (push notification)
User2	Group2	Capable	Microsoft Authenticator app (push notification)
User3	Group1, Group2	Capable	Mobile phone, Windows Hello for Business

Each user has a device with the Microsoft Authenticator app installed.

From Microsoft Authenticator settings for the subscription, the Enable and Target settings are configured as shown in the exhibit. (Click the Exhibit tab.)

Microsoft Authenticator settings



**Number Matching** will begin to be enabled for all users of the Microsoft Authenticator app starting 27th of February 2023. [Learn more](#)

The Microsoft Authenticator app is a flagship authentication method, usable in passwordless or simple push notification approval modes. The app is free to download and use on Android/iOS mobile devices. [Learn more](#).

**Enable and Target** Configure

Enable

Include Exclude

Target  All users  Select groups

[Add groups](#)

Name	Type	Registration	Authentication mode
Group1	Group	Optional	Passwordless

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>
User2 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>
User3 can use number matching during sign-in.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
**Answer Area**

Statements	Yes	No
User1 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can use number matching during sign-in.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 37**

- (Topic 6)  
 You have a Microsoft 365 E5 subscription.  
 From the Microsoft 365 Defender portal, you plan to export a detailed report of compromised users.  
 What is the longest time range that can be included in the report?

- A. 1 day
- B. 7 days
- C. 30 days
- D. 90 days

**Answer:** C

**Explanation:**  
 View email security reports in the Microsoft 365 Defender portal  
 The aggregate view shows data for the last 90 days and the detail view shows data for the last 30 days  
 Reference:  
<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/reports-email-security>

**NEW QUESTION 40**

- (Topic 6)  
 You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
User1	Reports Reader
User2	Exchange Administrator
User3	User Experience Success Manager

Which users can review the Adoption Score in the Microsoft 365 admin center?

- A. User1 only
- B. User2 only
- C. User1 and User2 only
- D. User1 and User3 only
- E. User1, User2, and User3

**Answer:** E

**NEW QUESTION 41**

HOTSPOT - (Topic 6)  
 You have a Microsoft 365 E5 tenant that contains five devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android 8.1.0
Device3	Android 10
Device4	iOS 12
Device5	iOS 14

All the devices have an app named App1 installed.

You need to prevent users from copying data from App1 and pasting the data into other apps.

Which policy should you create in Microsoft Endpoint Manager, and what is the minimum number of required policies? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Policy to create in Microsoft Endpoint Manager:

	▼
An app configuration policy	
An app protection policy	
A conditional access policy	
A device compliance policy	

Minimum number of required policies:

	▼
1	
2	
3	
5	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Policy to create in Microsoft Endpoint Manager:

	▼
An app configuration policy	
An app protection policy	
A conditional access policy	
A device compliance policy	

Minimum number of required policies:

	▼
1	
2	
3	
5	

**NEW QUESTION 46**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	None

You create an administrative unit named AU1 that contains the members shown in the following exhibit.

# AU1

Members Role assignments

Add users and groups, or select and remove them. The administrators assigned to this unit will manage these users and groups. Adding groups doesn't add users to the unit, it lets the assigned admins manage group settings.

<input type="checkbox"/>	Members	Email address	Last sign-in	Member type
<input type="checkbox"/>	User1	User1@sk220912outlook.onmicrosoft.com	November 4, 2022 at 10:25 PM	User
<input type="checkbox"/>	User3	User3@sk220912outlook.onmicrosoft.com	November 4, 2022 at 10:27 PM	User

General Assigned Permissions

You can assign this role to users and groups, and select users and groups to remove or manage them.

[Learn more about assigning admin roles](#)

<input type="checkbox"/>	Admin name	Last sign-in	Scope
<input type="checkbox"/>	Group1	Unavailable for groups	Organization
<input type="checkbox"/>	Group2	Unavailable for groups	AU1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE; Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 can reset the password of User3.	<input type="radio"/>	<input type="radio"/>
User2 can reset the password of User3.	<input type="radio"/>	<input type="radio"/>
User2 can reset the password of User1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
User1 can reset the password of User3.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can reset the password of User3.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can reset the password of User1.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 50**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy a Microsoft Entra tenant.

Another administrator configures the domain to synchronize to the Microsoft Entra tenant.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to the Microsoft Entra tenant. All the other user accounts synchronized successfully.

You review Microsoft Entra Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to the Microsoft Entra tenant.

Solution: From Microsoft Entra Connect, you modify the filtering settings. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**NEW QUESTION 53**

HOTSPOT - (Topic 6)  
 HOTSPOT

You have a new Microsoft 365 E5 tenant. Enable Security defaults is set to Yes.

A user signs in to the tenant for the first time.

Which multi-factor authentication (MFA) method can the user use, and how many days does the user have to register for MFA? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Notification to Microsoft Authenticator app

Do users have 14 days to register for Azure AD Multi-Factor Authentication?

Users have 14 days to register for MFA with the Microsoft Authenticator app from their smart phones, which begins from the first time they sign in after security defaults has been enabled. After 14 days have passed, the user won't be able to sign in until MFA registration is completed.

Box 2: 14

Azure AD Identity Protection will prompt your users to register the next time they sign in interactively and they'll have 14 days to complete registration. During this 14-day period, they can bypass registration if MFA isn't required as a condition, but at the end of the period they'll be required to register before they can complete the sign-in process.

**NEW QUESTION 55**

- (Topic 6)

You have a Microsoft 365 subscription.

You need to configure a compliance solution that meets the following requirements: Defines sensitive data based on existing data samples

Automatically prevents data that matches the samples from being shared externally in Microsoft SharePoint or email messages

Which two components should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a trainable classifier
- B. a sensitive info type
- C. an insider risk policy
- D. an adaptive policy scope
- E. a data loss prevention (DLP) policy

**Answer: AE**

**Explanation:**

A: Classifiers

This categorization method is well suited to content that isn't easily identified by either the manual or automated pattern-matching methods. This method of categorization is more about using a classifier to identify an item based on what the item is, not by elements that are in the item (pattern matching). A classifier learns how to identify a type of content by looking at hundreds of examples of the content you're interested in identifying.

Where you can use classifiers

Classifiers are available to use as a condition for: Office auto-labeling with sensitivity labels

Auto-apply retention label policy based on a condition Communication compliance

Sensitivity labels can use classifiers as conditions, see Apply a sensitivity label to content automatically.

Data loss prevention

E: Organizations have sensitive information under their control such as financial data, proprietary data, credit card numbers, health records, or social security numbers. To help protect this sensitive data and reduce risk, they need a way to prevent their users from inappropriately sharing it with people who shouldn't have it. This practice is called data loss prevention (DLP).

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/classifier-learn-about> <https://learn.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp>

**NEW QUESTION 57**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You onboard all devices to Microsoft Defender for Endpoint

You need to use Defender for Endpoint to block access to a malicious website at www.contoso.com.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a web content filtering policy.
- B. Configure an enforcement scope.
- C. Enable Custom network indicators.
- D. Create an indicator.
- E. Enable automated investigation.

**Answer:** AC

**NEW QUESTION 62**

- (Topic 6)

You need to notify the manager of the human resources department when a user in the department shares a file or folder from the departments Microsoft SharePoint Online site. What should you do?

- A. From the SharePoint Online site, create an alert.
- B. From the SharePoint Online admin center, modify the sharing settings.
- C. From the Microsoft 365 Defender portal, create an alert policy.
- D. From the Microsoft Purview compliance portal, create a data loss prevention (DLP) policy.

**Answer:** D

**NEW QUESTION 64**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Endpoint and contains the devices shown in the following table.

Name	Operating system	Tag
Device1	Windows 10	Inventory1
Computer1	Windows 10	Inventory2
Device3	Android	Inventory3

Defender for Endpoint has the device groups shown in the following table.

Rank	Name	Matching rule
1	Group1	Tag Contains Inventory And OS in Android
2	Group2	Name Starts with Device And Tag Contains Inventory
Last	Ungrouped devices (default)	Not applicable

You create an incident email notification rule configured as shown in the following table.

Setting	Value
Name	Rule1
Alert severity	Low
Device group scope	Group1, Group2
Recipient email address	User1@contoso.com

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

**Statements**

If a high-severity incident is triggered for Device1, an incident email notification will be sent.

**Yes**

**No**

If a low-severity incident is triggered for Computer1, an incident notification email will be sent.

If a low-severity incident is triggered for Device3, an incident notification email will be sent.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No  
 Device1 is in Group2 as Name starts with Device and Tag contains Inventory. However, the Group2 has alert severity low.  
 Box 2: No  
 Computer1 does not belong to either Group1 or Group2  
 Box 3: Yes  
 Device3 belongs to both Group1 and Group2.  
 Note: Understanding alert severity  
 Microsoft Defender Antivirus and Defender for Endpoint alert severities are different because they represent different scopes.  
 The Microsoft Defender Antivirus threat severity represents the absolute severity of the detected threat (malware), and is assigned based on the potential risk to the individual device, if infected.

**NEW QUESTION 65**

- (Topic 6)  
 You have a Microsoft 365 E5 subscription that has Microsoft Defender for Endpoint integrated with Microsoft Endpoint Manager. Devices are onboarded by using Microsoft Defender for Endpoint. You plan to block devices based on the results of the machine risk score calculated by Microsoft Defender for Endpoint. What should you create first?

- A. a device configuration policy
- B. a device compliance policy
- C. a conditional access policy
- D. an endpoint detection and response policy

**Answer: B**

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/mem/intune/protect/advanced-threat-protection-configure>

**NEW QUESTION 69**

- (Topic 6)  
 Your company has on-premises servers and an Azure AD tenant. Several months ago, the Azure AD Connect Health agent was installed on all the servers. You review the health status of all the servers regularly. Recently, you attempted to view the health status of a server named Server1 and discovered that the server is NOT listed on the Azure AD Connect Servers list. You suspect that another administrator removed Server1 from the list. You need to ensure that you can view the health status of Server1. What are two possible ways to achieve the goal? Each correct answer presents a complete solution.  
 NOTE: Each correct selection is worth one point.

- A. From Azure Cloud shell, run the Connect-Azure AD cmdlet.
- B. From Server1, change the Azure AD Connect Health Services Startup type to Automatic (Delayed Start)
- C. From Server1, change the Azure AD Connect Health Services Startup type to Automatic
- D. From Windows PowerShell, run the Register-AzureADConnectHealthsyncAgent cmdlet.
- E. From Server1, reinstall the Azure AD Connect Health agent

**Answer: DE**

**NEW QUESTION 72**

HOTSPOT - (Topic 6)  
 You have a Microsoft 365 E5 tenant that contains two users named User1 and User2 and the groups shown in the following table.

Name	Members
Group1	User1
Group2	User2, Group1

You have a Microsoft Intune enrollment policy that has the following settings:  
 ? MDM user scope: Some  
 ? uk.co.certification.simulator.questionpool.PList@184e72e0  
 ? MAM user scope: Some  
 ? uk.co.certification.simulator.questionpool.PList@184e7360 You purchase the devices shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can enroll Device1 in Intune by using automatic enrollment	<input type="radio"/>	<input type="radio"/>
User1 can enroll Device2 in Intune by using automatic enrollment	<input type="radio"/>	<input type="radio"/>
User2 can enroll Device2 in Intune by using automatic enrollment	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can enroll Device1 in Intune by using automatic enrollment	<input checked="" type="radio"/>	<input type="radio"/>
User1 can enroll Device2 in Intune by using automatic enrollment	<input checked="" type="radio"/>	<input type="radio"/>
User2 can enroll Device2 in Intune by using automatic enrollment	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 73**

DRAG DROP - (Topic 6)

You have a Microsoft 365 subscription.

You need to meet the following requirements:

- Report a Microsoft 365 service issue.
- Request help on how to add a new user to an Azure AD tenant.

What should you use in the Microsoft 365 admin center? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features	Answer Area
Message center	To report issues regarding a Microsoft 365 service: <input type="text"/>
New service request	To request help on how to add a new user to the tenant: <input type="text"/>
Product feedback	
Service health	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Features	Answer Area
Message center	To report issues regarding a Microsoft 365 service: <input type="text" value="New service request"/>
New service request	To request help on how to add a new user to the tenant: <input type="text" value="Message center"/>
Product feedback	
Service health	

**NEW QUESTION 75**

HOTSPOT - (Topic 6)

You have a Microsoft 365 tenant that contains 100 Windows 10 devices. The devices are managed by using Microsoft Endpoint Manager.

You plan to create two attack surface reduction (ASR) policies named ASR1 and ASR2. ASR1 will be used to configure Microsoft Defender Application Guard. ASR2 will be used to configure Microsoft Defender SmartScreen.

Which ASR profile type should you use for each policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

ASR1:

Device control
Exploit protection
Application control
App and browser isolation
Attack surface reduction rules

ASR2:

Device control
Exploit protection
Application control
App and browser isolation
Attack surface reduction rules

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ASR1:

Device control
Exploit protection
Application control
App and browser isolation
Attack surface reduction rules

ASR2:

Device control
Exploit protection
Application control
App and browser isolation
Attack surface reduction rules

**NEW QUESTION 78**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to use a mailbox named Mailbox1 to analyze malicious email messages. You need to configure Microsoft Defender for Office 365 to meet the following requirements:

- Ensure that incoming email is NOT filtered for Mailbox1.
- Detect impersonation and spoofing attacks on all other mailboxes in the subscription. Which two settings should you configure? To answer, select the appropriate settings in the answer area.

**Answer Area**

**Policies**

- Anti-phishing
- Anti-spam
- Anti-malware
- Safe Attachments
- Safe Links

**Rules**

- Tenant Allow/Block Lists
- Email authentication settings
- DKIM
- Advanced delivery
- Enhanced filtering
- Quarantine policies

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? Safe Attachments policy: This policy allows you to specify how to handle email attachments that might contain malware. You can create a custom policy for Mailbox1 and set the action to Do not scan attachments. This will ensure that incoming email is not filtered for Mailbox1. You can also enable the Redirect attachment option to send a copy of the original attachment to another mailbox for analysis1.

? Anti-phishing policy: This policy helps you protect your organization from impersonation and spoofing attacks. You can create a default policy for all other mailboxes in the subscription and enable the following features: Impersonation protection, Spoof intelligence, and Domain authentication. These features will help you detect and block emails that try to impersonate your users, domains, or trusted senders2.

**NEW QUESTION 82**

- (Topic 6)

You have a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Role
User1	Exchange Administrator
User2	User Administrator
User3	Global Administrator
User4	None

You add another user named User5 to the User Administrator role. You need to identify which two management tasks User5 can perform. Which two tasks should you identify? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Delete User2 and User4 only.
- B. Reset the password of User4 only
- C. Reset the password of any user in Azure AD.
- D. Delete User1, User2, and User4 only.
- E. Reset the password of User2 and User4 only.
- F. Delete any user in Azure AD.

**Answer:** AE

**Explanation:**

Users with the User Administrator role can create users and manage all aspects of users with some restrictions (see below). Only on users who are non-admins or in any of the following limited admin roles:

- Directory Readers
- Guest Inviter
- Helpdesk Administrator
- Message Center Reader
- Reports Reader
- User Administrator Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles#available-roles>

**NEW QUESTION 86**

FILL IN THE BLANK - (Topic 6)

You have a Microsoft 365 subscription.

From Microsoft 365 Defender, you create a role group named US eDiscovery Managers by copying the eDiscovery Manager role group.

You need to ensure that the users in the new role group can only perform content searches of mailbox content for users in the United States.

Solution: From Windows PowerShell, you run the New-complianceSecurityFilter cmdlet with the appropriate parameters.

Does this meet the goal?

A Yes

A. No

**Answer:** A

**NEW QUESTION 90**

- (Topic 6)

You implement Microsoft Azure Advanced Threat Protection (Azure ATP). You have an Azure ATP sensor configured as shown in the following exhibit.



How long after the Azure ATP cloud service is updated will the sensor update?

- A. 20 hours
- B. 12 hours
- C. 7 hours
- D. 48 hours

**Answer:** B

**NEW QUESTION 92**

- (Topic 6)

Your network contains an on-premises Active Directory domain named contoso.com. For all user accounts, the Logon Hours settings are configured to prevent sign-ins outside of business hours. You plan to sync contoso.com to an Azure AD tenant. You need to recommend a solution to ensure that the logon hour restrictions apply when synced users sign in to Azure AD. What should you include in the recommendation?

- A. pass-through authentication
- B. conditional access policies
- C. password synchronization
- D. Azure AD Identity Protection policies

**Answer:** A

**Explanation:**

Reference:  
<https://nickblog.azurewebsites.net/2016/10/17/azure-ad-pass-through-authentication/>

**NEW QUESTION 96**

DRAG DROP - (Topic 6)

You have an Azure subscription that is linked to a hybrid Microsoft Entra tenant. All users sync from Active Directory Domain Services (AD DS) to the tenant by using Express Settings in Microsoft Entra Connect. You plan to implement self-service password reset (SSPR). You need to ensure that when a user resets or changes a password, the password syncs with AD DS. Which actions should you perform in sequence? To answer, drag the appropriate actions to the correct order. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

**Actions**

- From the Microsoft Entra admin center, configure on-premises integration password writeback.
- From the Microsoft Entra admin center, configure the authentication methods for SSPR.
- From the Microsoft Entra admin center, configure the registration settings for SSPR.
- Select Group writeback in Microsoft Entra Connect.
- Select Password writeback in Microsoft Entra Connect.

**Answer Area**

Step 1: Validate permissions for the Microsoft Entra Connect account.

Step 2:

Step 3:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Actions	Answer Area
From the Microsoft Entra admin center, configure on-premises integration password writeback.	Step 1: Validate permissions for the Microsoft Entra Connect account.
From the Microsoft Entra admin center, configure the authentication methods for SSPR.	Step 2: From the Microsoft Entra admin center, configure on-premises integration password writeback.
From the Microsoft Entra admin center, configure the registration settings for SSPR.	Step 3: Select Password writeback in Microsoft Entra Connect.
Select Group writeback in Microsoft Entra Connect.	
Select Password writeback in Microsoft Entra Connect.	

**NEW QUESTION 100**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription.

You deploy the anti-phishing policy shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

**Answer Area**

To ensure that malicious email impersonating the CEO of a partner company is blocked, you must modify the [answer choice] setting.

To minimize disrupting users that frequently exchange legitimate email with the CEO of a partner company, you must configure the [answer choice] setting.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Enable users to protect

Anti-phishing policies in Defender for Office 365 also have impersonation settings where you can specify individual sender email addresses or sender domains that will receive impersonation protection.

User impersonation protection

User impersonation protection prevents specific internal or external email addresses from being impersonated as message senders. For example, you receive an email message from the Vice President of your company asking you to send her some internal company information. Would you do it? Many people would send the reply without thinking.

You can use protected users to add internal and external sender email addresses to protect from impersonation. This list of senders that are protected from user impersonation

is different from the list of recipients that the policy applies to (all recipients for the default policy; specific recipients as configured in the Users, groups, and domains setting in the Common policy settings section).

When you add internal or external email addresses to the Users to protect list, messages from those senders are subject to impersonation protection checks. The message is checked for impersonation if the message is sent to a recipient that the policy applies to (all recipients for the default policy; Users, groups, and domains recipients in custom policies). If impersonation is detected in the sender's email address, the action for impersonated users is applied to the message.

Box 2: Add trusted senders and domains Trusted senders and domains

Trusted senders and domain are exceptions to the impersonation protection settings. Messages from the specified senders and sender domains are never classified as impersonation-based attacks by the policy. In other words, the action for protected senders, protected domains, or mailbox intelligence protection aren't applied to these trusted senders or sender domains. The maximum limit for these lists is 1024 entries.

**NEW QUESTION 101**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription.

You are planning a threat management solution for your organization.

You need to minimize the likelihood that users will be affected by the following threats:

? Opening files in Microsoft SharePoint that contain malicious content

? Impersonation and spoofing attacks in email messages

Which policies should you create in Microsoft 365 Defender? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Opening files in SharePoint that contain malicious content:

▼
Anti-spam
Anti-Phishing
Safe Attachments
Safe Links

Impersonation and spoofing attacks in email messages:

▼
Anti-spam
Anti-Phishing
Safe Attachments
Safe Links

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Opening files in SharePoint that contain malicious content:

▼
Anti-spam
Anti-Phishing
Safe Attachments
Safe Links

Impersonation and spoofing attacks in email messages:

▼
Anti-spam
Anti-Phishing
Safe Attachments
Safe Links

**NEW QUESTION 102**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You create an account for a new security administrator named SecAdmin1.

You need to ensure that SecAdmin1 can manage Office 365 Advanced Threat Protection (ATP) settings and policies for Microsoft Teams, SharePoint, and OneDrive.

Solution: From the Azure Active Directory admin center, you assign SecAdmin1 the Security administrator role.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**NEW QUESTION 106**

HOTSPOT - (Topic 6)

Your company uses Microsoft Defender for Endpoint. Microsoft Defender for Endpoint contains the device groups shown in the following table.

Rank	Device group	Member
1	Group1	Name starts with Comp
2	Group2	Name starts with Comp And OS In Windows 10
3	Group3	OS In Windows Server 2016
Last	Ungrouped devices (default)	Not applicable

You onboard computers to Microsoft Defender for Endpoint as shown in the following table.

Name	Operating system
Computer1	Windows 10
Computer2	Windows Server 2016

Of which groups are Computer1 and Computer2 members? To answer, select the appropriate options in The answer area.  
 NOTE: Each correct selection is worth one point.

**Answer Area**

Computer1:  Group1 only  
 Group1 only  
 Group2 only  
 Group1 and Group2  
 Ungrouped devices

Computer2:  Group1 only  
 Group1 only  
 Group3 only  
 Group1 and Group3

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Computer1:  Group1 only  
 Group1 only  
 Group2 only  
 Group1 and Group2  
 Ungrouped devices

Computer2:  Group1 only  
 Group1 only  
 Group3 only  
 Group1 and Group3

**NEW QUESTION 110**

- (Topic 6)

You have a Microsoft 365 subscription.

You plan to implement Microsoft Purview Privileged Access Management. Which Microsoft Office 365 workloads support privileged access?

- A. Microsoft Exchange Online only
- B. Microsoft Teams only
- C. Microsoft Exchange Online and SharePoint Online only
- D. Microsoft Teams and SharePoint Online only
- E. Microsoft Teams, Exchange Online, and SharePoint Online

**Answer:** A

**Explanation:**

Privileged access management

Having standing access by some users to sensitive information or critical network configuration settings in Microsoft Exchange Online is a potential pathway for compromised accounts or internal threat activities. Microsoft Purview Privileged Access Management helps protect your organization from breaches and helps to meet compliance best practices by limiting standing access to sensitive data or access to critical configuration settings. Instead of administrators having constant access, just-in-time access rules are implemented for tasks that need elevated permissions. Enabling privileged access management for Exchange Online in Microsoft 365 allows your organization to operate with zero standing privileges and provide a layer of defense against standing administrative access vulnerabilities.

Note: When will privileged access support Office 365 workloads beyond Exchange? Privileged access management will be available in other Office 365 workloads soon.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management-solution-overview>

<https://learn.microsoft.com/en-us/microsoft-365/compliance/privileged-access-management>

**NEW QUESTION 113**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1 and the users shown in the following table.

Name	Member of	Device
User1	Group1	Device1
User2	Group1	Device2, Device3

The devices are configured as shown in the following table.

Name	Platform	Azure AD join type
Device1	Windows 11	None
Device2	Windows 10	Joined
Device3	Android	Registered

You have a Conditional Access policy named CAPolicy1 that has the following settings:

? Users or workload identities: Group1

? Cloud apps or actions: Office 365 SharePoint Online

? Conditions

- Filter for devices: Exclude filtered devices from the policy

- Rule syntax: device.displayName -startsWith "Device"

? Grant

- Grant: Block access

? Session: 0 controls selected

3.Enable policy: On  
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

**Statements**

**Yes**

**No**

User1 can access Site1 from Device1.



User2 can access Site1 from Device2.



User2 can access Site1 from Device3.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

User1 is member of Group1 and has Device1.

Device1 is not Azure AD joined.

Note: Requiring a hybrid Azure AD joined device is dependent on your devices already being hybrid Azure AD joined.

Box 2: Yes

User2 is member of Group1 and has devices Device2 and Device3. Device2 is Azure AD joined.

Device2 is excluded from CAPolicy1 (which would block access to Site1).

Box 3: Yes  
 User2 is member of Group1 and has devices Device2 and Device3.

Device3 is Android and is Azure AD registered.

Device3 is excluded from CAPolicy1 (which would block access to Site1).

Note: On Windows 7, iOS, Android, macOS, and some third-party web browsers, Azure AD identifies the device using a client certificate that is provisioned when the device is registered with Azure AD. When a user first signs in through the browser the user is prompted to select the certificate. The end user must select this certificate before they can continue to use the browser.

**NEW QUESTION 118**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Site1. Site1 contains the files shown in the following table.

Name	Number of IP addresses in the file
File1	2
File2	3

You have a data loss prevention (DLP) policy named DLP1 that has the advanced DLP

rules shown in the following table.

Name	Content contains	Policy tip	If there is a match, stop processing	Priority
Rule1	3 or more IP addresses	Tip1	No	0
Rule2	1 or more IP addresses	Tip2	Yes	1
Rule3	2 or more IP addresses	Tip3	No	2

You apply DLP1 to Site1.

Which policy tip is displayed for each file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

File1:

File2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

File1:

File2:

**NEW QUESTION 120**

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription.

Your network uses an IP address space of 51.40.15.0/24.

An Exchange Online administrator recently created a role named Role1 from a computer on the network.

You need to identify the name of the administrator by using an audit log search.

For which activities should you search and by which field should you filter in the audit log search? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Activities to search for:

Field to filter by:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Activities to search for:

	▼
Exchange mailbox activities	
Site administration activities	
Show results for all activities	
Role administration activities	

Field to filter by:

	▼
Item	
User	
Detail	
IP address	

**NEW QUESTION 124**

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Endpoint.

When users attempt to access the portal of a partner company, they receive the message shown in the following exhibit.




You need to enable user access to the partner company's portal. Which Microsoft Defender for Endpoint setting should you modify?

- A. Alert notifications
- B. Alert suppression
- C. Custom detections
- D. Advanced hunting
- E. Indicators

Answer: E

Explanation:



This Website Is Blocked By Your Organization  
 Custom indicators will block malicious IPs, URLs, and domains. Then, they will display the above message for the user.  
 Reference: <https://jadexstrategic.com/web-protection/>

**NEW QUESTION 125**

- (Topic 6)  
 You have a Microsoft 365 subscription.  
 You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Security Administrator
User2	Global Administrator
User3	Service Support Administrator

You configure Tenant properties as shown in the following exhibit.

Technical contact

User1@contoso.com ✓

Global privacy contact

✓

Privacy statement URL

http://contoso.com/privacy ✓

Which users will be contacted by Microsoft if the tenant experiences a data breach?

- A. User1 only
- B. User2 only
- C. User3 only
- D. User1 and User2 only
- E. User2 and User3 only

**Answer: B**

**Explanation:**

Microsoft 365 is committed to notifying customers within 72 hours of breach declaration. The customer's tenant administrator will be notified.  
 Reference:  
<https://learn.microsoft.com/en-us/compliance/regulatory/gdpr-breach-office365>

**NEW QUESTION 128**

- (Topic 6)

You have a Microsoft 365 tenant that contains two users named User1 and User2. You create the alert policy shown in the following exhibit.

The screenshot shows the configuration for an alert policy named 'Policy1'. The policy is currently turned 'On'. The description is 'Add a description'. The severity is set to 'Medium'. The category is 'Information governance'. The conditions are 'Activity is FileModified'. The aggregation is 'Aggregated'. The threshold is '5 activities'. The window is '60 minutes'. The scope is 'All users'. The email recipients are 'User1@M365x082103.onmicrosoft.com'. The daily notification limit is '25'.

User2 runs a script that modifies a file in a Microsoft SharePoint Online library once every four minutes and runs for a period of two hours. How many alerts will User1 receive?

- A. 2
- B. 5
- C. 10
- D. 25

Answer: D

**NEW QUESTION 131**

- (Topic 6)

You have a Microsoft 365 E5 tenant.

You create an auto-labeling policy to encrypt emails that contain a sensitive info type. You specify the locations where the policy will be applied.

You need to deploy the policy. What should you do first?

- A. Review the sensitive information in Activity explorer
- B. Turn on the policy
- C. Run the policy in simulation mode
- D. Configure Azure Information Protection analytics

Answer: C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365-worldwide>

**NEW QUESTION 136**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 subscription that contains a Microsoft SharePoint Online site named Site1. Site1 has the files in the following table.

Name	Number of IP addresses in the file
File1.docx	1
File2.txt	2
File3.docx	2
File4.bmp	3
File5.doc	3

The Site1 users are assigned the roles shown in the following table.

Name	Role
User1	Owner
User2	Visitor

You create a data loss prevention (DLP) policy names Policy1 as shown in the following exhibit.

How many files will be visible to user1 and User2 after Policy1 is applied to answer, selected select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

**Answer Area**

User 1:

User 2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

User 1:

User 2:

**NEW QUESTION 141**

DRAG DROP - (Topic 6)

Your company purchases a cloud app named App1.

You need to ensure that you can use Microsoft Cloud App Security to block downloads in App1. App1 supports session controls.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

- Deploy Azure Active Directory (Azure AD) Application Proxy.
- From the Cloud App Security admin center, add an app connector.
- Sign in to App1.
- Create a conditional access policy.
- From the Azure Active Directory admin center, configure the Diagnostic settings.
- From the Azure Active Directory admin center, add an app registration for App1.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Actions**

**Answer Area**

- Deploy Azure Active Directory (Azure AD) Application Proxy.
- From the Cloud App Security admin center, add an app connector.
- Sign in to App1.
- Create a conditional access policy.
- From the Azure Active Directory admin center, configure the Diagnostic settings.
- From the Azure Active Directory admin center, add an app registration for App1.



- From the Cloud App Security admin center, add an app connector.
- Create a conditional access policy.
- Sign in to App1.

**NEW QUESTION 145**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.

Your network contains an Active Directory forest. You deploy Microsoft 365.

You plan to implement directory synchronization.

You need to recommend a security solution for the synchronized identities. The solution must meet the following requirements:

- Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable.
- User passwords must be 10 characters or more.

Solution: Implement pass-through authentication and configure password protection in the Azure AD tenant. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 150**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the devices shown in the following table.

Name	Group
Device1	DeviceGroup1
Device2	DeviceGroup2

At 08:00, you create an incident notification rule that has the following configurations:

- Name: Notification!
- Notification settings
  - o Notify on alert severity: Low o Device group scope: All (3)
  - o Details: First notification per incident
- Recipients: User1@contoso.com, User2@contoso.com

At 08:02, you create an incident notification rule that has the following configurations:

- Name: Notification
- Notification settings
  - o Notify on alert severity: Low, Medium
  - o Device group scope: DeviceGroup1, DeviceGroup2
- Recipients: User1@contoso.com

in Microsoft 365 Defender, alerts are logged as shown in the following table.

Time	Alert name	Severity	Impacted assets
08:05	Activity1	Low	Device1
08:07	Activity1	Low	Device1
08:08	Activity1	Medium	Device1
08:15	Activity2	Medium	Device2
08:16	Activity2	Medium	Device2
08:20	Activity1	High	Device1
08:30	Activity3	Medium	Device2
08:35	Activity2	High	Device2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1@contoso.com will receive two incident notification emails for the alert at 08:05.	<input type="radio"/>	<input type="radio"/>
User2@contoso.com will receive an incident notification email for the alert at 08:07.	<input type="radio"/>	<input type="radio"/>
User1@contoso.com will receive an incident notification email for the alert at 08:20.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
User1@contoso.com will receive two incident notification emails for the alert at 08:05.	<input type="radio"/>	<input checked="" type="radio"/>
User2@contoso.com will receive an incident notification email for the alert at 08:07.	<input checked="" type="radio"/>	<input type="radio"/>
User1@contoso.com will receive an incident notification email for the alert at 08:20.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 153**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: You run idfix.exe and export the 10 user accounts.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

**Explanation:**

The question states that “all the user account synchronizations completed successfully”. If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

**NEW QUESTION 154**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains 100 Windows 10 devices. You plan to attack surface reduction (ASR) rules for the Windows 10 devices.

You configure the ASR rules in audit mode and collect audit data in a Log Analytics workspace.

You need to find the ASR rules that match the activities on the devices.

How should you complete the Kusto query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

**NEW QUESTION 157**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune and contains the devices shown in the following table.

Name	Platform	Intune
Device1	iOS	Enrolled
Device2	macOS	Not enrolled

You need to onboard Device1 and Device2 to Microsoft Defender for Endpoint.

What should you use to onboard each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Device1: Microsoft Endpoint Manager  
 A local script  
 Group Policy  
**Microsoft Endpoint Manager**  
 An app from the Google Play store  
 Integration with Microsoft Defender for Cloud

Device2: A local script  
**A local script**  
 Group Policy  
 Microsoft Endpoint Manager  
 An app from the Google Play store  
 Integration with Microsoft Defender for Cloud

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Device1: Microsoft Endpoint Manager  
 A local script  
 Group Policy  
**Microsoft Endpoint Manager**  
 An app from the Google Play store  
 Integration with Microsoft Defender for Cloud

Device2: A local script  
**A local script**  
 Group Policy  
 Microsoft Endpoint Manager  
 An app from the Google Play store  
 Integration with Microsoft Defender for Cloud

NEW QUESTION 160

- (Topic 6)

You have a Microsoft 365 E5 tenant that contains 500 Windows 10 devices. The devices are enrolled in Microsoft intune. You plan to use Endpoint analytics to identify hardware issues. You need to enable Window health monitoring on the devices to support Endpoint analytics What should you do?

- A. Configure the Endpoint analytics baseline regression threshold.
- B. Create a configuration profile.
- C. Create a Windows 10 Security Baseline profile
- D. Create a compliance policy.

Answer: B

NEW QUESTION 165

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of Microsoft 365 role group
Admin1	Content Explorer List viewer Content Explorer Content viewer
Admin2	Security Administrator Content Explorer List Viewer

You have labels in Microsoft 365 as shown in the following table.

Name	Type
Label1	Sensitivity
Label2	Retention

The content in Microsoft 365 is assigned labels as shown in the following table.

Name	Type	Label
File1	File in SharePoint Online	Label1
Mail1	Email message in Exchange Online	Label2

You have labels In Microsoft 365 as shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

**Answer Area**

Statements	Yes	No
Admin1 can view the contents of File1 by using Content explorer.	<input type="radio"/>	<input type="radio"/>
Admin2 can view the contents of File1 by using Content explorer.	<input type="radio"/>	<input type="radio"/>
Admin2 can use Content explorer to verify that Label2 is assigned to Mail1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
Admin1 can view the contents of File1 by using Content explorer.	<input checked="" type="radio"/>	<input type="radio"/>
Admin2 can view the contents of File1 by using Content explorer.	<input type="radio"/>	<input checked="" type="radio"/>
Admin2 can use Content explorer to verify that Label2 is assigned to Mail1.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 169**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named Sitel. You need to perform the following tasks:

- Create a sensitive info type named SIT1 based on a regular expression.
- Add a watermark to all new documents that are matched by SIT1.

Which two settings should you use in the Microsoft Purview compliance portal? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



**NEW QUESTION 174**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to configure Microsoft Defender for Office 365 to meet the following requirements:

- A user's email sending patterns must be used to minimize false positives for spoof protection.
- Documents uploaded to Microsoft Teams, SharePoint Online, and OneDrive must be protected by using Defender for Office 365.

What should you configure for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

A user's email sending patterns must be used to minimize false positives for spoof protection:

- Domains to protect
- Mailbox intelligence
- Users to protect

Documents uploaded to Teams, SharePoint Online, and OneDrive must be protected by using Defender for Office 365:


- Global settings for safe attachments
- The Safe Attachments policy settings
- The Safe Links policy settings

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area



**NEW QUESTION 176**

- (Topic 6)

You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

Name	Source	Last sign in
User1	Azure AD	Yesterday
User2	Active Directory Domain Services (AD DS)	Two days ago
User3	Active Directory Domain Services (AD DS)	Never

Azure AD Connect has the following settings:

? Password Hash Sync: Enabled

? Pass-through authentication: Enabled

You need to identify which users will be able to authenticate by using Azure AD if connectivity between on-premises Active Directory and the internet is lost.

Which users should you identify?

- A. none
- B. User1 only
- C. User1 and User2 only
- D. User1, User2, and User3

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

**NEW QUESTION 178**

- (Topic 6)

Your on-premises network contains an Active Directory domain.

You have a Microsoft 365 subscription.

You need to sync the domain with the subscription. The solution must meet the following requirements:

On-premises Active Directory password complexity policies must be enforced. Users must be able to use self-service password reset (SSPR) in Azure AD. What should you use?

- A. password hash synchronization
- B. Azure AD Identity Protection
- C. Azure AD Seamless Single Sign-On (Azure AD Seamless SSO)
- D. pass-through authentication

**Answer:** D

**Explanation:**

Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign in to both on-premises and cloud-based applications using the same passwords.

This feature is an alternative to Azure AD Password Hash Synchronization, which provides the same benefit of cloud authentication to organizations. However, certain organizations

wanting to enforce their on-premises Active Directory security and password policies, can choose to use Pass-through Authentication instead.

Note: Azure Active Directory (Azure AD) self-service password reset (SSPR) lets users reset their passwords in the cloud, but most companies also have an on-premises Active Directory Domain Services (AD DS) environment for users. Password writeback allows password changes in the cloud to be written back to an on-premises directory in real time by using either Azure AD Connect or Azure AD Connect cloud sync. When users change or reset their passwords using SSPR in the cloud, the updated passwords also written back to the on-premises AD DS environment.

Password writeback is supported in environments that use the following hybrid identity models:

Password hash synchronization

Pass-through authentication

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-writeback>

**NEW QUESTION 182**

DRAG DROP - (Topic 6)

DRAG DROP

You have a Microsoft 365 E5 tenant.

You need to implement compliance solutions that meet the following requirements:

- Use a file plan to manage retention labels.
- Identify, monitor, and automatically protect sensitive information.
- Capture employee communications for examination by designated reviewers.

Which solution should you use for each requirement? To answer, drag the appropriate solutions to the correct requirements. Each solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**NEW QUESTION 187**

HOTSPOT - (Topic 6)  
 HOTSPOT

You have a Microsoft 365 E5 subscription.

From Azure AD Identity Protection on August 1, you configure a Multifactor authentication registration policy that has the following settings:

- ? Assignments: All users
- ? Controls: Require Azure AD multifactor authentication registration
- ? Enforce Policy: On
- ? On August 3, you create two users named User1 and User2.

Users authenticate by using Azure Multi-Factor Authentication (MFA) for the first time on the dates shown in the following table.

User	Date
User1	August 5
User2	August 7

By which dates will User1 and User2 be forced to complete their Azure MFA registration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1:

- August 6
- August 17
- August 19
- September 3
- September 5

User2:

- August 8
- August 17
- August 19
- August 21
- September 7

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: August 19

Note: Security defaults will trigger a 14 day grace period for registration after a user's first login and security defaults being enabled. After 14 days users will be required to register for MFA and will not be able to skip.

Conditional Access by itself without Azure Identity Protection does not allow for the 14 day grace period. Identity Protection includes the registration policy that allows registration on its own with no apps assigned to the policy. If a Conditional Access policy requires Multi- Factor Authentication, then the user must be able to pass that MFA request.

Box 2: August 21

**NEW QUESTION 190**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 tenant that contains 500 Windows 10 devices and a Windows 10 compliance policy.

You deploy a third-party antivirus solution to the devices.

You need to ensure that the devices are marked as compliant.

Which three settings should you modify in the compliance policy? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

**Windows 10 compliance policy**  
Windows 10 and later

Encryption		
Encryption of data storage on device	Require	Not configured
Device Security		
Firewall	Require	Not configured
Trusted Platform Module (TPM)	Require	Not configured
Antivirus	Require	Not configured
Antispyware	Require	Not configured
Defender		
Microsoft Defender Antimalware	Require	Not configured
Microsoft Defender Antimalware minimum version	Not configured	
Microsoft Defender Antimalware security intelligence up-do-date	Require	Not configured
Real-time protection	Require	Not configured

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

**Windows 10 compliance policy**  
Windows 10 and later

Encryption		
Encryption of data storage on device	Require	Not configured
Device Security		
Firewall	Require	Not configured
Trusted Platform Module (TPM)	Require	Not configured
Antivirus	Require	Not configured
Antispyware	Require	Not configured
Defender		
Microsoft Defender Antimalware	Require	Not configured
Microsoft Defender Antimalware minimum version	Not configured	
Microsoft Defender Antimalware security intelligence up-do-date	Require	Not configured
Real-time protection	Require	Not configured

**NEW QUESTION 192**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. You deploy an Azure AD tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: From the Synchronization Rules Editor, you create a new outbound synchronization rule.

Does this meet the goal?

- A. Yes

B. No

**Answer:** B

**Explanation:**

The question states that “all the user account synchronizations completed successfully”. Therefore, the synchronization rule is configured correctly. It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

**NEW QUESTION 197**

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Azure Advanced Threat Protection (ATP).

You need to create a detection exclusion in Azure ATP. Which tool should you use?

- A. the Security & Compliance admin center
- B. Microsoft Defender Security Center
- C. the Microsoft 365 admin center
- D. the Azure Advanced Threat Protection portal
- E. the Cloud App Security portal

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/what-is> <https://docs.microsoft.com/en-us/defender-for-identity/excluding-entities-from-detections>

**NEW QUESTION 200**

- (Topic 6)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune.

In the Microsoft Endpoint Manager admin center, you discover many stale and inactive devices.

You enable device clean-up rules.

What can you configure as the minimum number of days before a device is removed automatically?

- A. 10
- B. 30
- C. 45
- D. 90

**Answer:** D

**NEW QUESTION 203**

- (Topic 6)

You have a Microsoft 365 subscription. You have a user named User1. You need to ensure that User1 can place a hold on all mailbox content. What permission should you assign to User1?

- A. the Information Protection administrator role from the Azure Active Directory admin center.
- B. the eDiscovery Manager role from the Microsoft 365 compliance center.
- C. the Compliance Management role from the Exchange admin center.
- D. the User management administrator role from the Microsoft 365 admin center.

**Answer:** B

**NEW QUESTION 206**

HOTSPOT - (Topic 6)

You work at a company named Contoso, Ltd.

Contoso has a Microsoft 365 subscription that is configured to use the DNS domains shown in the following table.

Contoso purchases a company named Fabrikam, Inc.

Contoso plans to add the following domains to the Microsoft 365 subscription:

- fabrikam.com
- east.fabrikam.com
- west.contoso.com

You need to ensure that the devices in the new domains can register by using Autodiscover.

How many domains should you verify, and what is the minimum number of enterprise registration DNS records you should add? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**



Domains: 3


Enterpriseregistration DNS records: 3

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area



**NEW QUESTION 210**

- (Topic 6)

You have a Microsoft 365 subscription.

You configure a new Azure AD enterprise application named App1. App1 requires that a user be assigned the Reports Reader role.

Which type of group should you use to assign the Reports Reader role and to access App1?

- A. a Microsoft 365 group that has assigned membership
- B. a Microsoft 365 group that has dynamic user membership
- C. a security group that has assigned membership
- D. a security group that has dynamic user membership

**Answer:** C

**Explanation:**

To grant permissions to assignees to manage users and group access for a specific enterprise app, go to that app in Azure AD and open in the Roles and Administrators list for that app. Select the new custom role and complete the user or group assignment. The assignees can manage users and group access only for the specific app.

Note: You can add the following types of groups:

Assigned groups - Manually add users or devices into a static group.

Dynamic groups (Requires Azure AD Premium) - Automatically add users or devices to user groups or device groups based on an expression you create.

Note:

Security groups

Security groups are used for granting access to Microsoft 365 resources, such as SharePoint. They can make administration easier because you need only administer the group rather than adding users to each resource individually.

Security groups can contain users or devices. Creating a security group for devices can be used with mobile device management services, such as Intune.

Security groups can be configured for dynamic membership in Azure Active Directory, allowing group members or devices to be added or removed automatically based on user attributes such as department, location, or title; or device attributes such as operating system version.

Security groups can be added to a team.

Microsoft 365 Groups can't be members of security groups. Microsoft 365 Groups

Microsoft 365 Groups are used for collaboration between users, both inside and outside your company. With each Microsoft 365 Group, members get a group email and shared workspace for conversations, files, and calendar events, Stream, and a Planner.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/roles/custom-enterprise-apps> <https://learn.microsoft.com/en-us/microsoft-365/admin/create-groups/compare-groups?> <https://learn.microsoft.com/en-us/mem/intune/apps/apps-deploy>

**NEW QUESTION 213**

- (Topic 6)

You purchase a new computer that has Windows 10, version 21H1 preinstalled.

You need to ensure that the computer is up-to-date. The solution must minimize the number of updates installed.

What should you do on the computer?

- A. Install all the feature updates released since version 21H1 and the latest quality update only.
- B. Install the latest feature update and all the quality updates released since version 21H1.
- C. Install the latest feature update and the latest quality update only.
- D. Install all the feature updates released since version 21H1 and all the quality updates released since version 21H1 only.

**Answer:** C

**NEW QUESTION 217**

HOTSPOT - (Topic 6)

You have device compliance policies shown in the following table.

Name	Platform	Assignment
Policy1	Windows 10 and later	Device1
Policy2	Windows 10 and later	Device1
Policy3	Windows 10 and later	Device2
Policy4	Windows 10 and later	Device2
Policy5	iOS/iPadOS	Device3
Policy6	iOS/iPadOS	Device3

The device compliance state for each policy is shown in the following table.

Policy	State
Policy1	Compliant
Policy2	In grace period
Policy3	Compliant
Policy4	Not compliant
Policy5	In grace period
Policy6	Compliant

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Device1 has an overall compliance state of Compliant.	<input type="radio"/>	<input type="radio"/>
Device2 has an overall compliance state of Not compliant.	<input type="radio"/>	<input type="radio"/>
Device3 has an overall compliance state of In grace period.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Device1 has an overall compliance state of Compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device2 has an overall compliance state of Not compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device3 has an overall compliance state of In grace period.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 221**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure AD tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

## PROVISION FROM ACTIVE DIRECTORY



### Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

### Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

## USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com. You need to ensure that User2 can access the resources in Azure AD. Solution: From the on-premises Active Directory domain, you assign User2 the Allow logon locally user right. You instruct User2 to sign in as user2@fabrikam.com.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

### Explanation:

This is not a permissions issue.

The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.

## NEW QUESTION 224

- (Topic 6)

You have a Microsoft 365 subscription that contains the domains shown in the following exhibit.

## Domains

+ Add domain Buy domain Refresh

Domain name ↑	Status	Choose columns
<input type="checkbox"/> Sub1.contoso221018.onmicrosoft.com (D...	<span style="color: orange;">▲</span> Possible service issues	
<input type="checkbox"/> contoso.com	<span style="color: blue;">i</span> Incomplete setup	
<input type="checkbox"/> contoso221018.onmicrosoft.com	<span style="color: green;">✔</span> Healthy	
<input type="checkbox"/> Sub2.contoso221018.onmicrosoft.com	<span style="color: blue;">i</span> Incomplete setup	

Which domain name suffixes can you use when you create users?

- A. only Sub1.contoso221018.onmicrosoft.com
- B. onlycontoso.com and Sub2.contoso221018.onmicrosoft.com
- C. onlvcontoso221018.onmicrosoft.com, Sub.contoso221018.onmicrosoft.com, and Sub2.contoso221018.onmicrosoft.com
- D. all the domains in the subscription

**Answer:** B

## NEW QUESTION 225

- (Topic 6)

Your on-premises network contains an Active Directory domain named Contoso.com and 500 devices that run either macOS, Windows 8.1. Windows 10, or Windows 11. All the devices are managed by using Microsoft Endpoint Configuration Manager. The domain syncs with Azure Active Directory (Azure AD).

You plan to implement a Microsoft 365 E5 subscription and enable co-management. Which devices can be co-managed after the implementation?

- A. Windows 11 and Windows 10 only
- B. Windows 11, Windows 10-Windows8.1.andmacOS
- C. Windows 11 and macOS only
- D. Windows 11 only
- E. Windows 11. Windows 10, and Windows8.1 only

**Answer: C**

**NEW QUESTION 226**

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains the following user:

- ? Name: User1
- ? UPN: user1@contoso.com
- ? Email address: user1@marketing.contoso.com
- ? MFA enrollment status: Disabled

When User1 attempts to sign in to Outlook on the web by using the user1@marketing.contoso.com email address, the user cannot sign in. You need to ensure that User1 can sign in to Outlook on the web by using user1@marketing.contoso.com. What should you do?

- A. Assign an MFA registration policy to User1.
- B. Reset the password of User1.
- C. Add an alternate email address for User1.
- D. Modify the UPN of User1.

**Answer: D**

**Explanation:**

Microsoft's recommended best practices are to match UPN to primary SMTP address. This article addresses the small percentage of customers that cannot remediate UPN's to match.

Note: A UPN is an Internet-style login name for a user based on the Internet standard RFC 822. The UPN is shorter than a distinguished name and easier to remember. By convention, this should map to the user's email name. The point of the UPN is to consolidate the email and logon namespaces so that the user only needs to remember a single name.

Configure the Azure AD multifactor authentication registration policy

Azure Active Directory (Azure AD) Identity Protection helps you manage the roll-out of Azure AD multifactor authentication (MFA) registration by configuring a Conditional Access policy to require MFA registration no matter what modern authentication app you're signing in to.

Reference:

<https://docs.microsoft.com/en-us/windows/win32/ad/naming-properties#userprincipalname>

**NEW QUESTION 228**

HOTSPOT - (Topic 6)

You have three devices enrolled in Microsoft Endpoint Manager as shown in the following table.

Name	Platform	BitLocker Drive Encryption (BitLocker)	Member of
Device1	Windows 10	Disabled	Group1, Group2
Device2	Windows 10	Disabled	Group2, Group3
Device3	Windows 10	Disabled	Group3

The device compliance policies in Endpoint Manager are configured as shown in the following table.

Name	Require BitLocker	Mark noncompliant after (days)	Assigned
Policy1	Require	5	No
Policy2	Require	10	Yes
Policy3	Not configured	15	Yes

The device compliance policies have the assignments shown in the following table.

Name	Assigned to
Policy2	Group2
Policy3	Group3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Device1 is marked as noncompliant after 10 days.	<input type="radio"/>	<input type="radio"/>
Device2 is marked as noncompliant after 10 days.	<input type="radio"/>	<input type="radio"/>
Device3 is marked as noncompliant after 15 days.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Device1 is marked as noncompliant after 10 days.	<input checked="" type="radio"/>	<input type="radio"/>
Device2 is marked as noncompliant after 10 days.	<input checked="" type="radio"/>	<input type="radio"/>
Device3 is marked as noncompliant after 15 days.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 232

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that contains three groups named All users, Sales team, and Office users, and two users shown in the following table.

Name	Member of
User1	All users, Sales team
User2	All users, Office users

In Microsoft Endpoint Manager, you have the Policies for Office apps settings shown in the following exhibit.

Home / Policy Management Notifications

### Policy configurations

+ Create Copy Reorder priority Remove Total policy configurations: 3

Name	Priority ↑	Recommendation status
Office Users Policy	0	
Sales Team Policy	1	
All users	2	

The policies use the settings shown in the following table.

Policy	Default Shared Folder Location	Default Office Theme
All users	<a href="https://sharepoint.contoso.com/addins_all_users">https://sharepoint.contoso.com/addins_all_users</a>	Colorful
Office Users Policy	<a href="https://sharepoint.contoso.com/addins_office_users">https://sharepoint.contoso.com/addins_office_users</a>	White
Sales Team Policy	<a href="https://sharepoint.contoso.com/addins_sales_team_users_">https://sharepoint.contoso.com/addins_sales_team_users_</a>	Dark Gray

What is the default share folder location for User1 and the default Office theme for User2? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

The default shared folder location for User1 is:

▼

https://sharepoint.contoso.com/addins\_all\_users

https://sharepoint.contoso.com/addins\_office\_users

https://sharepoint.contoso.com/addins\_sales\_team\_users\_

The default Office theme for User 2 is:

▼

Colorful

Dark Gray

White

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

The default shared folder location for User1 is:

▼

https://sharepoint.contoso.com/addins\_all\_users

https://sharepoint.contoso.com/addins\_office\_users

https://sharepoint.contoso.com/addins\_sales\_team\_users\_ |

The default Office theme for User 2 is:

▼

Colorful

Dark Gray

White

**NEW QUESTION 233**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	UserGroup1
User2	UserGroup2
User3	UserGroup3

The tenant contains the devices shown in the following table.

Name	Owner	Installed apps	Platform	Microsoft Intune
Device1	User1	None	Windows 10	Enrolled
Device2	User2	App2	Android	Not enrolled
Device3	User3	None	iOS	Not enrolled

You have the apps shown in the following table.

Name	Type
App1	iOS store app
App2	Android store app
App3	Microsoft store app

You plan to use Microsoft Endpoint Manager to manage the apps for the users.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
App1 can be assigned as a required install for User3.	<input type="radio"/>	<input type="radio"/>
App2 can be uninstalled from Device2 by using Microsoft Endpoint Manager.	<input type="radio"/>	<input type="radio"/>
App3 can be installed automatically for UserGroup1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
App1 can be assigned as a required install for User3.	<input type="radio"/>	<input checked="" type="radio"/>
App2 can be uninstalled from Device2 by using Microsoft Endpoint Manager.	<input type="radio"/>	<input checked="" type="radio"/>
App3 can be installed automatically for UserGroup1.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 236**

HOTSPOT - (Topic 6)

Your company has a Microsoft 365 E5 tenant.

Users at the company use the following versions of Microsoft Office:

- Microsoft 365 Apps for enterprise
- Office for the web
- Office 2016
- Office 2019


The company currently uses the following Office file types:

- .docx
- .xlsx
- .doc
- xls

You plan to use sensitivity labels. You need to identify the following:

- Which versions of Office require an add-in to support the sensitivity labels.
- Which file types support the sensitivity labels.


What should you identify? To answer, select the appropriate options in the answer area, NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



**NEW QUESTION 239**

- (Topic 6)

You have a Microsoft 365 tenant that contains devices registered for mobile device management. The devices are configured as shown in the following table.

Name	Platform
Device1	MacOS
Device2	Windows 10 Pro for Workstations
Device3	Windows 10 Enterprise
Device4	iOS
Device5	Android

You plan to enable VPN access for the devices.  
 What is the minimum number of configuration policies required?

- A. 3
- B. 5
- C. 4
- D. 1

**Answer: D**

**NEW QUESTION 243**

- (Topic 5)

You need to configure Azure AD Connect to support the planned changes for the Montreal Users and Seattle Users OUs.  
 What should you do?

- A. From the Microsoft Azure AD Connect wizard, select Customize synchronization options.
- B. From PowerShell, run the Add-ADSyncConnectorAttributeInclusion cmdlet.
- C. From PowerShell, run the start-ADSyncSyncCycle cmdlet.
- D. From the Microsoft Azure AD Connect wizard, select Manage federation.

**Answer: A**

**NEW QUESTION 247**

- (Topic 4)

You are evaluating the required processes for Project1.  
 You need to recommend which DNS record must be created while adding a domain name for the project.  
 Which DNS record should you recommend?

- A. host (A)
- B. host information
- C. text (TXT)
- D. alias (CNAME)

**Answer: D**

**Explanation:**

When you add a custom domain to Office 365, you need to verify that you own the domain. You can do this by adding either an MX record or a TXT record to the DNS for that domain.

Note:

There are several versions of this question in the exam. The question has two possible correct answers:

Text (TXT)

Mail exchanger (MX)

incorrect answer options you may see on the exam include the following: alias (CNAME)

Host (A) host (AAA)

Pointer (PTR) Name Server (NS)

host information (HINFO) pointer (PTR)

Reference:

<https://docs.microsoft.com/en-us/office365/admin/get-help-with-domains/create-dns-records-at-any-dns-hosting-provider>

**NEW QUESTION 251**

- (Topic 3)

You need to configure Office on the web to meet the technical requirements. What should you do?

- A. Assign the Global reader role to User1.
- B. Enable sensitivity labels for Office files in SharePoint Online and OneDrive.
- C. Configure an auto-labeling policy to apply the sensitivity labels.
- D. Assign the Office apps admin role to User1.

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-sharepoint-onedrive-files?view=o365-worldwide>

**NEW QUESTION 252**

- (Topic 3)

You need to create the DLP policy to meet the technical requirements. What should you configure first?

- A. sensitive info types
- B. the Insider risk management settings
- C. the event types
- D. the sensitivity labels

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-test-tune-dlp-policy?view=o365-worldwide>

**NEW QUESTION 256**

- (Topic 2)

You need to recommend a solution for the security administrator. The solution must meet the technical requirements. What should you include in the recommendation?

- A. Microsoft Azure Active Directory (Azure AD) Privileged Identity Management
- B. Microsoft Azure Active Directory (Azure AD) Identity Protection
- C. Microsoft Azure Active Directory (Azure AD) conditional access policies
- D. Microsoft Azure Active Directory (Azure AD) authentication methods

**Answer:** B

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-conditions#sign-in-risk> states clearly that Sign-in risk

**NEW QUESTION 258**

- (Topic 2)

Which report should the New York office auditors view?

- A. DLP policy matches
- B. DLP false positives and overrides
- C. DLP incidents
- D. Top Senders and Recipients

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>

This report also shows policy matches over time, like the policy matches report. However, the policy matches report shows matches at a rule level; for example, if an email matched three different rules, the policy matches report shows three different line items. By contrast, the incidents report shows matches at an item level; for example, if an email matched three different rules, the incidents report shows a single line item for that piece of content. Because the report counts are aggregated differently, the policy matches report is better for identifying matches with specific rules and fine tuning DLP policies. The incidents report is better for identifying specific pieces of content that are problematic for your DLP policies.

**NEW QUESTION 263**

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

You manage Windows 10 devices by using Microsoft System Center Configuration Manager (Current Branch).

You configure a pilot for co-management.

You add a new device named Device1 to the domain. You install the Configuration Manager client on Device1.

You need to ensure that you can manage Device1 by using Microsoft Intune and Configuration Manager.

Solution: You create a device configuration profile from the Device Management admin center.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

It looks like the given answer is correct. There is an on-premises Active Directory synced to Azure Active Directory (Azure AD) So the co-management path1 - Auto-enroll existing clients 1. Hybrid Azure AD 2. Client agent setting for hybrid Azure AD- join 3. Configure auto-enrollment of devices to Intune 4. Enable co-management in Configuration Manager <https://docs.microsoft.com/en-us/mem/configmgr/comanage/tutorial-co-manage-client>


**NEW QUESTION 267**

HOTSPOT - (Topic 1)

You need to configure a conditional access policy to meet the compliance requirements. You add Exchange Online as a cloud app.

Which two additional settings should you configure in Policy1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References: <https://docs.microsoft.com/en-us/intune/create-conditional-access-intune>

**NEW QUESTION 271**

- (Topic 1)

You need to meet the compliance requirements for the Windows 10 devices. What should you create from the Intune admin center?

- A. a device compliance policy
- B. a device configuration profile
- C. an application policy
- D. an app configuration policy

**Answer:** C

**NEW QUESTION 276**


HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement identity protection by configuring a sign-in risk policy and a user risk policy. Which type of risk is detected by each policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**




- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area



**NEW QUESTION 279**

- (Topic 6)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint site named site1. You need to ensure that site1 meets the following requirements:

- Retains all data for 10 years
- Prevents the sharing of data outside the organization

Which two items should you create and apply to site1? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a retention policy
- B. a sensitive info type
- C. a data loss prevention (DLP) policy
- D. a sensitivity label
- E. a retention label
- F. a retention label policy

**Answer:** CE

**NEW QUESTION 282**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You create a Conditional Access policy that blocks access to an app named App1 when users trigger a high-risk sign-in event.

You need to reduce false positives for impossible travel when the users sign in from the corporate network.

What should you configure?

- A. exclusion groups
- B. multi-factor authentication (MFA)
- C. named locations
- D. user risk policies

**Answer:** C

**NEW QUESTION 286**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type
Group1	Security
Group2	Mail-enabled security
Group3	Microsoft 365
Group4	Distribution

All the groups are deleted.

Which groups can be restored, and what is the retention period? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Groups that can be restored:

▼
Group3 only
Group1 and Group2 only
Group2 and Group4 only
Group1, Group2, and Group3 only
Group1, Group2, Group3, and Group4

Retention period:

▼
24 hours
7 days
14 days
30 days
90 days

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Group3 only

Box 2: 30 days

If you've deleted a group, it will be retained for 30 days by default. This 30-day period is considered a "soft-delete" because you can still restore the group. After 30 days, the group and its associated contents are permanently deleted and cannot be restored.

**NEW QUESTION 288**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You need to create Conditional Access policies to meet the following requirements:

All users must use multi-factor authentication (MFA) when they sign in from outside the corporate network.

Users must only be able to sign in from outside the corporate network if the sign-in originates from a compliant device.

All users must be blocked from signing in from outside the United States and Canada.

Only users in the R&D department must be blocked from signing in from both Android and iOS devices.

Only users in the finance department must be able to sign in to an Azure AD enterprise application named App1. All other users must be blocked from signing in to App1.

What is the minimum number of Conditional Access policies you should create?

- A. 3
- B. 4
- C. 5
- D. 6
- E. 7
- F. 8

**Answer:** B

**Explanation:**

\* Only users in the finance department must be able to sign in to an Azure AD enterprise application named App1. All other users must be blocked from signing in to App1.

One Policy.

\* Only users in the R&D department must be blocked from signing in from both Android and iOS devices.

One Policy.

\* Users must only be able to sign in from outside the corporate network if the sign-in originates from a compliant device.

All users must use multi-factor authentication (MFA) when they sign in from outside the corporate network.

One policy

\* All users must be blocked from signing in from outside the United States and Canada. Only users in the R&D department must be blocked from signing in from both Android One Policy

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/plan-conditional-access>

**NEW QUESTION 289**

- (Topic 6)

Your company has digitally signed applications.

You need to ensure that Microsoft Defender Advanced Threat Protection (Microsoft Defender ATP) considers the digitally signed applications safe and never analyzes them.

What should you create in the Microsoft Defender Security Center?

- A. a custom detection rule
- B. an allowed/blocked list rule
- C. an alert suppression rule

D. an indicator

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/manage-indicators>

**NEW QUESTION 294**

- (Topic 6)

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365.

You need to ensure that users are prevented from opening or downloading malicious files from Microsoft Teams, OneDrive, or SharePoint Online.

What should you do?

- A. Create a new Anti-malware policy
- B. Configure the Safe Links global settings.
- C. Create a new Anti-phishing policy
- D. Configure the Safe Attachments global settings.

**Answer:** D

**Explanation:**

Safe Attachments for SharePoint, OneDrive, and Microsoft Teams

In organizations with Microsoft Defender for Office 365, Safe Attachments for SharePoint, OneDrive, and Microsoft Teams provides an additional layer of protection against malware. After files are asynchronously scanned by the common virus detection engine in Microsoft 365, Safe Attachments opens files in a virtual environment to see what happens (a process known as detonation). Safe Attachments for SharePoint, OneDrive, and Microsoft Teams also helps detect and block existing files that are identified as malicious in team sites and document libraries.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/safe-attachments-for-spo-odfb-teams-about>

**NEW QUESTION 295**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type	Security enabled	Role assignments allowed
Group1	Microsoft 365	No	No
Group2	Microsoft 365	No	No
Group3	Security	Yes	Yes
Group4	Security	Yes	No
Group5	Security	Yes	No
Group6	Distribution	No	No

Which groups can be members of Group1 and Group4? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Group1:  None of the groups  
 None of the groups  
 Group2 only  
 Group2 and Group4 only  
 Group2, Group4, Group5, and Group6 only  
 Group2, Group3, Group4, Group5, and Group6

Group4:  Group5 only  
 None of the groups  
 Group5 only  
 Group3 and Group5 only  
 Group1, Group2, Group3, and Group5 only  
 Group1, Group2, Group3, Group5, and Group6

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

Group1: None of the groups  
 None of the groups  
 Group2 only  
 Group2 and Group4 only  
 Group2, Group4, Group5, and Group6 only  
 Group2, Group3, Group4, Group5, and Group6

Group4: Group5 only  
 None of the groups  
 Group5 only  
 Group3 and Group5 only  
 Group1, Group2, Group3, and Group5 only  
 Group1, Group2, Group3, Group5, and Group6

**NEW QUESTION 297**

HOTSPOT - (Topic 6)  
 HOTSPOT

You have an Azure AD tenant that contains the administrative units shown in the following table.

Name	Members
AU1	User1, User2
AU2	User3

You have the following users:

- ? A user named User1 that is assigned the Password Administrator for AU1 and AU2.
- ? A user named User2 that is assigned the User Administrator for AU1.
- ? A user named User3 that is assigned the User Administrator for the tenant.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

**Statements**

	Yes	No
User1 can reset the password of User3.	<input type="checkbox"/>	<input type="checkbox"/>
User2 can update the display name of User1.	<input type="checkbox"/>	<input type="checkbox"/>
User1 can reset the password of User2.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: No

User1 is assigned the Password Administrator for AU1 and AU2. User3 is in AU2. User3 is User Administrator. Password administrators cannot reset User Administrators passwords.

Note: Password Administrator

Users with this role have limited ability to manage passwords. This role does not grant the ability to manage service requests or monitor service health. Whether a Password Administrator can reset a user's password depends on the role the user is assigned.

Role that password can be reset	Password Admin	Helpdesk Admin	Auth Admin	User Admin	Privileged Auth Admin	Global Admin
User Admin	<input type="checkbox"/>			✓	✓	✓
Usage Summary Reports Reader		✓	✓	✓	✓	✓

Box 2: Yes

Box 3: No

User1 is assigned the Password Administrator for AU1 and AU2. User2 is in AU1. User2 is User Administrator. Password administrators cannot reset User Administrators passwords.

Note: User Administrator

Can manage all aspects of users and groups, including resetting passwords for limited admins.

**NEW QUESTION 300**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

Your company's Microsoft Secure Score recommends the actions shown in the following exhibit.

### Microsoft Secure Score

Overview Recommended actions History Metrics & trends

Export

Rank	Recommended action	Score impact	Points achieved	Status
<input type="checkbox"/> 1	Require multifactor authentication for administrative roles	+4.15%	0/10	<input type="radio"/> To address
<input type="checkbox"/> 2	Ensure all users can complete multifactor authentication	+3.73%	0/9	<input type="radio"/> To address
<input type="checkbox"/> 3	Create Safe Links policies for email messages	+3.73%	0/9	<input type="radio"/> To address
<input type="checkbox"/> 4	Enable policy to block legacy authentication	+3.32%	0/8	<input type="radio"/> To address
<input type="checkbox"/> 5	Turn on Safe Attachments in block mode	+3.32%	0/8	<input type="radio"/> To address
<input type="checkbox"/> 6	Ensure that intelligence for impersonation protection is enabled	+3.32%	0/8	<input type="radio"/> To address
<input type="checkbox"/> 7	Move messages that are detected as impersonated users by mailbox intelligence	+3.32%	0/8	<input type="radio"/> To address
<input type="checkbox"/> 8	Enable impersonated domain protection	+3.32%	0/8	<input type="radio"/> To address

You select Create Safe Links policies for email messages and change Status to Risk accepted in the Status & action plan settings. How does the change affect the Secure Score?

- A. remains the same
- B. increases by 1 point
- C. increases by 9 points
- D. decreases by 1 point
- E. decreases by 9 points

Answer: A

**NEW QUESTION 301**

HOTSPOT - (Topic 6)

HOTSPOT

You have a Microsoft 365 tenant.

You need to create a custom Compliance Manager assessment template.

Which application should you use to create the template, and in which file format should the template be saved? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Application:

- Microsoft Excel
- Microsoft Forms
- Microsoft Word
- Visual Studio Code

File format:

- csv
- dbx
- docx
- dotx
- json
- xlsx
- xltx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Application:

File format:

**NEW QUESTION 302**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription that contains 200 Android devices enrolled in Microsoft Intune. You create an Android app protection policy named Policy1 that is targeted to all Microsoft apps and assigned to all users. Policy1 has the Data protection settings shown in the following exhibit.

Data Transfer

Backup org data to Android backup services:  Allow  Block

Send org data to other apps:

Select apps to exempt:

Save copies of org data:  Allow  Block

Allow user to save copies to selected services:

Transfer telecommunication data to:

Dialer App Package ID:

Dialer App Name:

Receive data from other apps:

Open data into Org documents:  Allow  Block

Allow users to open data from selected services:

Restrict cut, copy, and paste between other apps:

Screen capture and Google Assistant:  Allow  Block

Approved keyboards:  Require  Not required

Select keyboards to approve:

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

A user can copy files from Microsoft OneDrive to [answer choice] only.

- Microsoft SharePoint Online
- OneDrive
- local storage
- Microsoft SharePoint Online
- Microsoft SharePoint Online and OneDrive

A user can copy and paste text from [answer choice] to a Microsoft Word document stored in Microsoft OneDrive.

- any app
- any app
- only managed apps
- only unmanaged apps

A. Mastered

B. Not Mastered

Answer: A

Explanation:  
 Answer Area

A user can copy files from Microsoft OneDrive to [answer choice] only:

- Microsoft SharePoint Online
- OneDrive
- local storage
- Microsoft SharePoint Online
- Microsoft SharePoint Online and OneDrive

A user can copy and paste text from [answer choice] to a Microsoft Word document stored in Microsoft OneDrive:

- any app
- any app
- only managed apps
- only unmanaged apps

**NEW QUESTION 304**

HOTSPOT - (Topic 6)

You have a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com. The tenant contains the users shown in the following table. From the Sign-ins blade of the Microsoft Entra admin center for which users can User1 and User2 view the sign-ins? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1 can view the sign-ins for the following users:

- User1, User2, User3, and User4
- User1 only
- User1 and User2 only
- User1, User2, and User3 only
- User1, User2, User3, and User4

User2 can view the sign-ins for the following users:

- User1 and User2 only
- User2 only
- User1 and User2 only
- User1, User2, and User3 only
- User1, User2, User3, and User4

A. Mastered  
 B. Not Mastered

Answer: A

Explanation:  
 Answer Area

User1 can view the sign-ins for the following users:

- User1, User2, User3, and User4
- User1 only
- User1 and User2 only
- User1, User2, and User3 only
- User1, User2, User3, and User4

User2 can view the sign-ins for the following users:

- User1 and User2 only
- User2 only
- User1 and User2 only
- User1, User2, and User3 only
- User1, User2, User3, and User4

**NEW QUESTION 309**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription. All corporate Windows 11 devices are managed by using Microsoft Intune and onboarded to Microsoft Defender for Endpoint. You need to meet the following requirements:

- \* View an assessment of the device configurations against the Center for Internet Security (CIS) v1.0.0 benchmark.
- Protect a folder named C:\Folder1 from being accessed by untrusted applications on the devices.

What should you do? To answer, select the appropriate options in the answer area.

Answer Area

To view the device configuration assessment:

- Create a baseline assessment profile.
- Add a connected application.
- Create a baseline assessment profile.
- Filter the Vulnerable devices report.

To protect C:\Folder1, enable:

- Controlled folder access
- Controlled folder access
- Exploit protection
- Removable storage protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
 Answer Area



**NEW QUESTION 311**

- (Topic 6)

Your company has a Microsoft 365 subscription.

You need to identify all the users in the subscription who are licensed for Office 365 through a group membership. The solution must include the name of the group used to assign the license.

What should you use?

- A. Active users in the Microsoft 365 admin center
- B. Reports in Microsoft Purview compliance portal
- C. the Licenses blade in the Microsoft Entra admin center
- D. Reports in the Microsoft 365 admin center

Answer: D

Explanation:

Microsoft 365 Reports in the admin center

You can easily see how people in your business are using Microsoft 365 services. For example, you can identify who is using a service a lot and reaching quotas, or who may not need a Microsoft 365 license at all.

Which activity reports are available in the admin center

Depending on your subscription, here are the available reports in all environments.

Report	Public	GCC	GCC-High	DoD	Office 365 operated by 21Vianet
Microsoft browser usage	Yes	No <sup>1</sup>	No <sup>1</sup>	No <sup>1</sup>	No <sup>1</sup>
Email activity	Yes	Yes	Yes	Yes	Yes
Email apps usage	Yes	Yes	Yes	Yes	Yes
Mailbox usage	Yes	Yes	Yes	Yes	Yes
Office activations	Yes	Yes	Yes	Yes	Yes

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/admin/activity-reports/activity-reports>

**NEW QUESTION 312**

HOTSPOT - (Topic 6)


You have a Microsoft 365 subscription.

You need to create two groups named Group1 and Group2. The solution must meet the following requirements:

- Group1 must be mail-enabled and have an associated Microsoft SharePoint Online site.
- Group2 must support dynamic membership and role assignments but must NOT be mail-enabled.

Which types of groups should you create? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area




**NEW QUESTION 317**

- (Topic 6)

You have a Microsoft 365 subscription.

You create a retention label named Retention1 as shown in the following exhibit.



You apply Retention1 to all the Microsoft OneDrive content.

On January 1, 2020, a user stores a file named File1 in OneDrive.

On January 10, 2020, the user modifies File1. On February 1, 2020, the user deletes File1.

When will File1 be removed permanently and unrecoverable from OneDrive?

- A. February 1, 2020
- B. July 1, 2020
- C. July 10, 2020
- D. August 1, 2020

Answer: B

**NEW QUESTION 318**

- (Topic 6)

You have a Microsoft 365 tenant that contains a Windows 10 device named Device1 and the Microsoft Endpoint Manager policies shown in the following table.

Name	Type	Block execution of potentially obfuscated scripts (js/vbs/ps)
Policy1	Attack surface reduction (ASR)	Audit mode
Policy2	Microsoft Defender ATP Baseline	Disable
Policy3	Device configuration profile	Not configured

- A. only the settings of Policy1

- B. only the settings of Policy2
- C. only the settings of Policy3
- D. no settings

**Answer:** C

**NEW QUESTION 322**

- (Topic 6)

You have a Microsoft 365 E5 subscription.

You plan to implement records management and enable users to designate documents as regulatory records.

You need to ensure that the option to mark content as a regulatory record is visible when you create retention labels.

What should you do first?

- A. Configure custom detection rules.
- B. Create an Exact Data Match (EDM) schema.
- C. Run the Sec-RegulatoryComplianceUI cmdlet.
- D. Run the Sec-LabelPolicy cmdlet.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/declare-records?view=o365-worldwide>

**NEW QUESTION 326**

HOTSPOT - (Topic 6)

You have a Microsoft 365 E5 subscription.

You have an Azure AD tenant named contoso.com that contains the following users:

- Admin1
- Admin2
- User1

Contoso.com contains an administrative unit named AIM that has no role assignments. User1 is a member of AU1. You create an administrative unit named AU2 that does NOT have any members or role assignments. For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
You can add Admin1 as a member of AU1.	<input type="radio"/>	<input type="radio"/>
You can add User1 as a member of AU2.	<input type="radio"/>	<input type="radio"/>
You can assign Admin2 the User administrator role for AU1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
You can add Admin1 as a member of AU1.	<input checked="" type="radio"/>	<input type="radio"/>
You can add User1 as a member of AU2.	<input checked="" type="radio"/>	<input type="radio"/>
You can assign Admin2 the User administrator role for AU1.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 328**

- (Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain. The domain contains domain controllers that run Windows Server 2019. The functional level of the forest and the domain is Windows Server 2012 R2.

The domain contains 100 computers that run Windows 10 and a member server named Server1 that runs Windows Server 2012 R2.

You plan to use Server1 to manage the domain and to configure Windows 10 Group Policy settings.

You install the Group Policy Management Console (GPMC) on Server1.

You need to configure the Windows Update for Business Group Policy settings on Server1. Solution: You raise the domain functional level to Windows Server 2019. You copy the

Group Policy Administrative Templates from a Windows 10 computer to the Netlogon share on all the domain controllers.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**NEW QUESTION 332**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### MS-102 Practice Exam Features:

- \* MS-102 Questions and Answers Updated Frequently
- \* MS-102 Practice Questions Verified by Expert Senior Certified Staff
- \* MS-102 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MS-102 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The MS-102 Practice Test Here](#)