

Fortinet

Exam Questions NSE7_OTS-6.4

Fortinet NSE 7 - OT Security 6.4



NEW QUESTION 1

An OT administrator has configured FSSO and local firewall authentication. A user who is part of a user group is not prompted for credentials during authentication.

What is a possible reason?

- A. FortiGate determined the user by passive authentication
- B. The user was determined by Security Fabric
- C. Two-factor authentication is not configured with RADIUS authentication method
- D. FortiNAC determined the user by DHCP fingerprint method

Answer: D

NEW QUESTION 2

Which three common breach points can be found in a typical OT environment? (Choose three.)

- A. Global hat
- B. Hard hat
- C. VLAN exploits
- D. Black hat
- E. RTU exploits

Answer: CDE

NEW QUESTION 3

When you create a user or host profile, which three criteria can you use? (Choose three.)

- A. Host or user group memberships
- B. Administrative group membership
- C. An existing access control policy
- D. Location
- E. Host or user attributes

Answer: ADE

NEW QUESTION 4

Refer to the exhibit.

Active Rules x Windows Installed Patches x Router/Switch Image Distribution x						
Back Export		1/1				
Device Name	Device Type	Vendor	Device Type	Model	Device Hardware Model	Device Image File
SJ-QA-A-IOS-JunOffice	Cisco	IOS	1760			C1700-advsecurityk9-mz.123-8.T4.bin
SJ-Main-Cat6500	Cisco	IOS	WS-C6509			s72033-advipservicesk9_wan-mz.122-33.SXI1.bin
ph-network-3560_1	Cisco	IOS	WS-C3560G-48PS-S			c3560-advipservicesk9-mz.122-25.SEE4.bin

An OT administrator ran a report to identify device inventory in an OT network. Based on the report results, which report was run?

- A. A FortiSIEM CMDB report
- B. A FortiAnalyzer device report
- C. A FortiSIEM incident report
- D. A FortiSIEM analytics report

Answer: A

NEW QUESTION 5

An administrator wants to use FortiSoC and SOAR features on a FortiAnalyzer device to detect and block any unauthorized access to FortiGate devices in an OT network.

Which two statements about FortiSoC and SOAR features on FortiAnalyzer are true? (Choose two.)

- A. You must set correct operator in event handler to trigger an event.
- B. You can automate SOC tasks through playbooks.
- C. Each playbook can include multiple triggers.
- D. You cannot use Windows and Linux hosts security events with FortiSoC.

Answer: BC

Explanation:

Ref: <https://docs.fortinet.com/document/fortianalyzer/7.0.0/administration-guide/268882/fortisoc>

NEW QUESTION 6

An OT supervisor has configured LDAP and FSSO for the authentication. The goal is that all the users be authenticated against passive authentication first and, if passive authentication is not successful, then users should be challenged with active authentication. What should the OT supervisor do to achieve this on FortiGate?

- A. Configure a firewall policy with LDAP users and place it on the top of list of firewall policies.
- B. Enable two-factor authentication with FSSO.
- C. Configure a firewall policy with FSSO users and place it on the top of list of firewall policies.
- D. Under config user settings configure set auth-on-demand implicit.

Answer: D

NEW QUESTION 7


Which three methods of communication are used by FortiNAC to gather visibility information? (Choose three.)

- A. SNMP
- B. ICMP
- C. API
- D. RADIUS
- E. TACACS

Answer: ACD

NEW QUESTION 8

Refer to the exhibit.



An OT architect has implemented a Modbus TCP with a simulation server Conpot to identify and control the Modbus traffic in the OT network. The FortiGate-Edge device is configured with a software switch interface ssw-01. Based on the topology shown in the exhibit, which two statements about the successful simulation of traffic between client and server are true? (Choose two.)

- A. The FortiGate-Edge device must be in NAT mode.
- B. NAT is disabled in the FortiGate firewall policy from port3 to ssw-01.
- C. The FortiGate devices is in offline IDS mode.
- D. Port5 is not a member of the software switch.

Answer: AC

NEW QUESTION 9

Refer to the exhibit.




Based on the Purdue model, which three measures can be implemented in the control area zone using the Fortinet Security Fabric? (Choose three.)

- A. FortiGate for SD-WAN
- B. FortiGate for application control and IPS
- C. FortiNAC for network access control
- D. FortiSIEM for security incident and event management
- E. FortiEDR for endpoint detection

Answer: BCD

NEW QUESTION 10

Refer to the exhibit.

	Name	Type	IP/Netmask	VLAN ID
Physical Interface 14				
	port1	Physical Interface	10.200.1.1/255.255.255.0	
	port1-vlan10	VLAN	10.1.10.1/255.255.255.0	10
	port1-vlan1	VLAN	10.200.5.1/255.255.255.0	1
	port10	Physical Interface	10.0.11.1/255.255.255.0	
	port2	Physical Interface	10.200.2.1/255.255.255.0	
	port2-vlan10	VLAN	10.0.10.1/255.255.255.0	10
	port2-vlan1	VLAN	10.0.5.1/255.255.255.0	1

Which statement about the interfaces shown in the exhibit is true?

- A. port2, port2-vlan10, and port2-vlan1 are part of the software switch interface.
- B. The VLAN ID of port1-vlan1 can be changed to the VLAN ID 10.
- C. port1-vlan10 and port2-vlan10 are part of the same broadcast domain
- D. port1, port1-vlan10, and port1-vlan1 are in different broadcast domains

Answer: D

NEW QUESTION 10

You are investigating a series of incidents that occurred in the OT network over past 24 hours in FortiSIEM. Which three FortiSIEM options can you use to investigate these incidents? (Choose three.)

- A. Security
- B. IPS
- C. List
- D. Risk
- E. Overview

Answer: CDE

NEW QUESTION 13

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

NSE7_OTS-6.4 Practice Exam Features:

- * NSE7_OTS-6.4 Questions and Answers Updated Frequently
- * NSE7_OTS-6.4 Practice Questions Verified by Expert Senior Certified Staff
- * NSE7_OTS-6.4 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * NSE7_OTS-6.4 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The NSE7_OTS-6.4 Practice Test Here](#)