

PL-100 Dumps

Microsoft Power Platform App Maker

<https://www.certleader.com/PL-100-dumps.html>



NEW QUESTION 1

HOTSPOT - (Topic 4)

You are configuring security to enable users to analyze data by using Microsoft Excel templates.

You create a security role named TemplateAdministrator and configure the role as shown below and assign the role to a user named User1.

The screenshot shows the 'Security role: TemplateAdministrator' configuration page. The 'Entity' table lists various entities with their permissions for Create, Read, Write, Delete, Append, Append To, Assign, and Share. The 'Privacy Related Privileges' section includes Document Generation, Export to Excel, Mail Merge, and Sync to Outlook. The 'Miscellaneous Privileges' section includes Act on Behalf of Another User, Assign manager for a user, Assign Territory to User, Approve Email Addresses for Users or Queues, Assign position for a user, and Bulk Edit. A key at the bottom identifies the symbols used in the table.

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Business Unit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Channel Property Group	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Currency	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Document Template	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mailbox Auto Tracking Folder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Organization	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Personal Document Template	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

Privacy Related Privileges
Enabling these privileges will allow users to extract customer data from Microsoft Dynamics 365. For more information, review the corresponding user documentation.

Document Generation	<input checked="" type="radio"/>	Dynamics 365 for mobile	<input checked="" type="radio"/>
Export to Excel	<input type="radio"/>	Go Offline in Outlook	<input checked="" type="radio"/>
Mail Merge	<input checked="" type="radio"/>	Print	<input checked="" type="radio"/>
Sync to Outlook	<input checked="" type="radio"/>	Use Dynamics 365 App for Outlook	<input checked="" type="radio"/>

Miscellaneous Privileges

Act on Behalf of Another User	<input type="radio"/>	Approve Email Addresses for Users or Queues	<input type="radio"/>
Assign manager for a user	<input type="radio"/>	Assign position for a user	<input type="radio"/>
Assign Territory to User	<input type="radio"/>	Bulk Edit	<input type="radio"/>

Key

- None Selected
- User
- Business Unit
- Parent: Child Business Unit
- Organization

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

You need to ensure that User1 can see the pre-configured example templates.
Which permission should you change?

▼

Bulk Edit

Export to Excel

Read on Document Template

Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.
Which permission should you change?

▼

Bulk Edit

Export to Excel

Read on Document Template

Read on Personal Document Template

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to ensure that User1 can see the pre-configured example templates.
Which permission should you change?

▼
Bulk Edit
Export to Excel
Read on Document Template
Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.
Which permission should you change?

▼
Bulk Edit
Export to Excel
Read on Document Template
Read on Personal Document Template

NEW QUESTION 2

- (Topic 4)

You design a canvas app for users to search thousands of records. You select a data source that supports delegation to optimize performance. You need to create the app so that it takes advantage of the delegable functionality of the data source. What should you do?

- A. Run multiple processes simultaneously.
- B. Use the query functions the data source provides.
- C. Use the data returned from the data source in multiple languages.
- D. Connect to the same data source as different users at run time.

Answer: B

NEW QUESTION 3

DRAG DROP - (Topic 4)

You have a basic user security role in a test environment. You create a canvas app without customization in the environment. You need to send the app to production administrators for production deployment. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

<p>Actions</p> <table border="1"> <tr><td>Add the app to the solution.</td></tr> <tr><td>Export the solution.</td></tr> <tr><td>Send the solution to production administrators.</td></tr> <tr><td>Select the canvas app in the Maker portal.</td></tr> <tr><td>Export the package.</td></tr> <tr><td>Send the package to production administrators.</td></tr> </table>	Add the app to the solution.	Export the solution.	Send the solution to production administrators.	Select the canvas app in the Maker portal.	Export the package.	Send the package to production administrators.	<p>Answer Area</p> <table border="1"> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> </table>						
Add the app to the solution.													
Export the solution.													
Send the solution to production administrators.													
Select the canvas app in the Maker portal.													
Export the package.													
Send the package to production administrators.													

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<p>Actions</p> <table border="1"> <tr><td>Add the app to the solution.</td></tr> <tr><td>Export the solution.</td></tr> <tr><td>Send the solution to production administrators.</td></tr> <tr><td>Select the canvas app in the Maker portal.</td></tr> <tr><td>Export the package.</td></tr> <tr><td>Send the package to production administrators.</td></tr> </table>	Add the app to the solution.	Export the solution.	Send the solution to production administrators.	Select the canvas app in the Maker portal.	Export the package.	Send the package to production administrators.	<p>Answer Area</p> <table border="1"> <tr><td>Select the canvas app in the Maker portal.</td></tr> <tr><td>Export the package.</td></tr> <tr><td>Send the package to production administrators.</td></tr> </table>	Select the canvas app in the Maker portal.	Export the package.	Send the package to production administrators.
Add the app to the solution.										
Export the solution.										
Send the solution to production administrators.										
Select the canvas app in the Maker portal.										
Export the package.										
Send the package to production administrators.										
Select the canvas app in the Maker portal.										
Export the package.										
Send the package to production administrators.										

NEW QUESTION 4

- (Topic 4)

A large construction company has 120 departments. Each department has a Microsoft Teams channel. The company creates training content for each department. All training content for a department is hosted in the channel for that department. You must create a chatbot for the company that helps employees find relevant training. Employees must not be able to modify the chatbot.

You need to create the chatbot.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a bot for each departmental channel.
- B. Create one training bot for organization-wide deployment.
- C. Create an entity for each department
- D. Create a topic for each department.
- E. Create a topic for each trade.

Answer: BCD

NEW QUESTION 5

- (Topic 4)

You create a canvas app within a Power Platform environment.
You need to identify potential accessibility issues for the canvas app before making the app available to other users.
Which tool should you use?

- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: B

Explanation:

Find accessibility issues

* 1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.



* 2. In the menu that appears, select Accessibility.

A list of issues appears, sorted first by severity and then by screen.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 6

HOTSPOT - (Topic 4)

HOTSPOT

A company is creating an app to manage project status reports.

Users will update a series of controls and click a submit button. The submit button will calculate a risk score for the project and return to the previous screen with that risk score. The risk score will be used in two different forms.

You need to create the formula on the button click. To answer, select the appropriate option in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Action	Formula component
Assign the scope for the variable.	<div style="border: 1px solid #ccc; padding: 5px;"> <p>Global variable ▼</p> <p>Collection</p> <p>Context variable</p> <p>Global variable</p> <p>Lookups</p> </div>
Separate the calculate action from the previous screen.	<div style="border: 1px solid #ccc; padding: 5px;"> <p>;</p> <p>.</p> <p>:</p> <p> </p> <p>-</p> </div>
Go to the next page.	<div style="border: 1px solid #ccc; padding: 5px;"> <p>Navigate() ▼</p> <p>Navigate()</p> <p>Revert()</p> <p>NewForm()</p> <p>SetFocus()</p> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable ▼
Separate the calculate action from the previous screen.	;
Go to the next page.	Navigate() ▼

NEW QUESTION 7

- (Topic 4)

You create a canvas app.
You need to make the app available to other people in your company.
What are two possible ways to achieve the goal? Each correct answer presents a complete solution.
NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

Answer: AD

Explanation:

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION 8

DRAG DROP - (Topic 4)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions	Answer Area
Add a gallery control.	
Add an input property.	
Create a component.	
Add a screen.	
Create a form.	
Add an output property.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Create a component
- Add an input property
- Add a gallery control

From <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component> step 10 and 11

NEW QUESTION 9

DRAG DROP - (Topic 4)

A company has the following divisions: wholesale and retail.

The manufacturer wants to create a single Power BI report to allow users to view data from a Microsoft SQL Server database.

You need to ensure that each user sees data only for the team to which the user is assigned.

How should you secure the report?

To answer, drag the appropriate options to the correct action. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area	
	Action	Option
Power BI Service	Create the team as a role.	Option
Power BI Desktop	Add members to the role.	Option
Common Data Service		
Power Platform Admin center		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power BI Desktop

You can define roles and rules within Power BI Desktop. When you publish to Power BI, it also publishes the role definitions.

To define security roles, follow these steps.

? Import data into your Power BI Desktop report, or configure a DirectQuery connection.

? From the Modeling tab, select Manage Roles.

? From the Manage roles window, select Create.

? Etc.


Box 2: Power BI Service

After you save your report in Power BI Report Server, you manage security and add or remove members on the server.

* 1. In Power BI Desktop, save the report to Power BI Report Server. You need to use the version of Power BI Desktop for Power BI Report Server.

* 2. In Power BI Report Service, select the ellipsis (...) next to the report.

* 3. Select Manage > Row-level security.



On the Row-level security page, you add members to a role you created in Power BI Desktop.

NEW QUESTION 10

DRAG DROP - (Topic 4)

: 186 DRAG DROP


A company uses Power Apps.

The company requires a canvas app that connects to the following sources:

- SharePoint list
- Microsoft 365 mailbox
- SOAP API

You need to select connector types.


Which connector types should you use? To answer, drag the appropriate connector types to the correct sources. Each connector type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

- (Topic 4)

You create a weekly report app as a canvas app. The data source for the app is a Microsoft SharePoint list.

The file that contains the weekly report must be attached to each submission made in the app. Employees must modify the report through the canvas app after the initial submission.

The manager must be notified by email when an employee updates the report. You need to create cloud flows.

Which SharePoint trigger should you use?

- A. When an item is created

- B. When an item or file is modified
- C. When a file is created (properties only)
- D. When a file is created in a folder

Answer: B

NEW QUESTION 13

HOTSPOT - (Topic 4)

A company uses Power Apps. The company gathers product improvement suggestions at tradeshows by using tablet devices.

A product improvement suggestion has two parts: a topic and a comment. Attendees can enter up to 10 suggestions. You create a canvas app to allow attendees to enter suggestions. The wireless network connection inside the tradeshow is unreliable.

You need to ensure that the tablet devices save all suggestions.

Which solution technologies should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action	Solution technology
Save suggestions while visitors enter data.	Collection Collection Variable Connection Text input
Save suggestions for future processing.	Export Export Import Container Data table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Solution technology
Save suggestions while visitors enter data.	Collection
Save suggestions for future processing.	Export

NEW QUESTION 17

DRAG DROP - (Topic 4)

You are developing a Power BI report for a company.

The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset.

The company will display the report on a large television screen during team meetings. You need to create the report.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

Actions	Answer Area
Add the report to a new dashboard	
Create a report	
Add a visualization to the report	➤
Create a paginated report	⬅
Select a dataset	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Select a dataset

Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service. Get some data and open it in report view.

Box 2: Create a report

Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report

Box 4: Add the report to a new dashboard

Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.

NEW QUESTION 22

HOTSPOT - (Topic 4)

A company uses a model-driven app. You create a Power BI sales report.

The executive of the company wants all users to see tiles from the report in the model- driven app.

You need to ensure all users can see the tiles.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Step	Setting
Allow addition of Power BI visualization tiles.	<ul style="list-style-type: none"> Power Platform Environment settings Power Apps settings Power BI Service settings Power BI Desktop settings
Add tiles to a dashboard.	<ul style="list-style-type: none"> Create a personal dashboard Create a Power BI dashboard. Create a system dashboard.
Allow users to view tiles.	<ul style="list-style-type: none"> Share tile and share dashboard. Share report and share dashboard. Share tile and publish dashboard. Share report and publish dashboard.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power Platform Environment settings

Before users can embed Power BI visualizations on personal dashboards, the organization-wide setting must be enabled.

? In the Power Platform admin center, select an environment.

? Select Settings > Product > Features.

? Under Embedded content set Power BI visualization embedding to On to enable or Off to disable.

? Select Save.

Box 2: Create a personal dashboard

You can embed Power BI tiles on your personal dashboard.

? Open your app and go to Dashboards.

? Select an existing personal dashboard or select New to create one.

? On the dashboard, select an area where you want the tile to appear, and then select Power BI Tile on the toolbar.

? Add new Power BI tile.

? In the Power BI Tile dialog, select the workspace and then select the Power BI tile that you want to display on your dashboard. Select Enable for mobile if you want to make the tile available for Dynamics 365 for tablets and Dynamics 365 for phones.

? Select another area of the dashboard and repeat this step to add another Power BI tile, or other component, such as a chart or list, to your dashboard.

? Select Save to save your dashboard.

Box 3: Share report and share dashboard.

To share your personal dashboard that contains Power BI visualizations you must

same credentials and appropriate level of access in both services. To share your personal dashboard in your app, go to Dashboards. In the list of dashboards, select the personal dashboard you want, and then select SHARE DASHBOARD.

NEW QUESTION 24

HOTSPOT - (Topic 4)

HOTSPOT

A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with all users who all have the Basic User security role.

You must prevent the users from running and sharing the app.

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Prevent users from running the app.	<ul style="list-style-type: none"> Turn off the app. Export the app. Turn off the app. Remove access to the table.
Prevent users from sharing the app.	<ul style="list-style-type: none"> Remove access to the table. Export the app. Turn off the app. Remove access to the table.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Action
Prevent users from running the app.	<ul style="list-style-type: none"> Turn off the app. Export the app. Turn off the app. Remove access to the table.
Prevent users from sharing the app.	<ul style="list-style-type: none"> Remove access to the table. Export the app. Turn off the app. Remove access to the table.

NEW QUESTION 26

DRAG DROP - (Topic 4)
DRAG DROP

A commercial bakery uses an inventory system to track ingredients consumed in their production line. The workers use iPads to interact with the system and reserve the ingredients for the next batch. Data from the system is extracted as a .csv file. You need to create a Power BI report from the extracted data by using only an iPad. Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select manual data.	
Log into the Power BI service.	
Install Power BI Desktop and log in.	
Select Create .	
Select Use first row as headers .	
Paste the data.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Select manual data.	
Log into the Power BI service.	Log into the Power BI service.
Install Power BI Desktop and log in.	Install Power BI Desktop and log in.
Select Create .	Select Create .
Select Use first row as headers .	Select Use first row as headers .
Paste the data.	Paste the data.

NEW QUESTION 30

DRAG DROP - (Topic 4)

You are designing a data model for a new app. The app will be supported by two tables. TableA will contain data that is unique to your industry. TableB will provide access to readonly data from an Azure SQL database.

You need to configure the tables.

Which table type should you use? To answer, drag the appropriate table types to the correct tables. Each table type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Table types	Answer Area
Custom	
Standard	
Virtual	

Table	Table type
TableA	
TableB	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table types	Answer Area
Custom	
Standard	
Virtual	

Table	Table type
TableA	Custom
TableB	Virtual

NEW QUESTION 33

- (Topic 4)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Lookup
- B. Choice
- C. Choices
- D. Text

Answer: A

NEW QUESTION 34

- (Topic 4)

A company plans to roll out several Power Apps apps to multiple business units across international operations.

The apps must be managed through an application lifecycle management (ALM) solution to provide a consistent and predictable use experience. All changes to the app must be traceable and documented in a single location. You must be able to revert to a previous version of an app. The app release cycles must be as streamlined as possible.

You need to create an application for the apps.

Which two tools should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Azure DevOps
- B. Microsoft Visual Studio
- C. Lifecycle Services
- D. AppSource
- E. Common Data Service

Answer: AD

Explanation:

A: DevOps is the combining of two historically disparate disciplines: software development and IT operations. The primary goal of DevOps is to shorten the software development lifecycle and provide continuous integration and continuous delivery (CI/CD) with high software quality. You can use Power Apps build tools to automate common build and deployment tasks related to Power Apps if your DevOps platform is Azure DevOps.

D: Microsoft AppSource is now embedded in the Dynamics 365 home page and throughout the common navigation. It now includes a private gallery of apps available to you within your company. Select Get more apps from the home page or task pane, and navigate to the My Organization tab to see apps that are available to you.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/devops-build-tools> <https://docs.microsoft.com/en-us/powerapps/user/app-source>

NEW QUESTION 38

- (Topic 3)

You need to resolve the instructor's issue and ensure that the same issue does not occur again. What should you use?

- A. Gallery
- B. Combo box
- C. Custom component
- D. Choices

Answer: D

NEW QUESTION 41

- (Topic 2)

You need to create a flow for moving data from the Sales Log to the Job Setup entity. Which type of flow should you use?

- A. a scheduled flow for the Job Setup entity
- B. an instant (button) flow for the Sales Log
- C. a business process flow for the Job Setup entity
- D. an automated flow for the Sales Log

Answer: A

Explanation:

Scenario: Automatically perform the following actions immediately when a sale is won:

? Generate a sequential job number.

? Copy key sales information to the Job Setup entity used by manufacturing.

NEW QUESTION 43

- (Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.
A component library provides a centralized and managed repository of components for reusability.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 44

HOTSPOT - (Topic 2)

You need to configure the system to meet the sales requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Action
Ensure that work estimates are complete before entering estimated sales values into the Sales Log.	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;">Use a Business Process flow</div> <div style="padding: 2px;">Use a UI flow</div> </div>
Prevent modification of timesheet entries by an employee.	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;">Add a custom control to the Business Process flow</div> <div style="padding: 2px;">Use a formula to set the DisplayMode property</div> <div style="padding: 2px;">Use a business rule</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Business Process flow
Scenario: The Sales Log app must enforce process standards related to the completion of estimates and supporting materials needed during the sales lifecycle.
Box 2: Use a formula to set the DisplayMode property
DisplayMode - The mode to use for data cards and controls within the form control. Derived from the Mode property based and cannot be set independently:

Mode	DisplayMode	Description
FormMode.Edit	DisplayMode.Edit	Data cards and controls are editable, ready to accept changes to a record.
FormMode.New	DisplayMode.Edit	Data cards and controls are editable, ready to accept a new record.
FormMode.View	DisplayMode.View	Data cards and controls are not editable and optimized for viewing.

NEW QUESTION 45

- (Topic 2)

You need to implement the change requested by the operations manager. Which control should you use?
BF70D5D

- A. Camera
- B. Shape
- C. Add picture
- D. Image

Answer: D

Explanation:

Scenario: The operations manager asks that the time tracking app display the employee's photo once they have scanned their badge.
Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION 46

HOTSPOT - (Topic 2)

If you add one or more Image controls to your app, you can show individual images that aren't part of a data set, or you can incorporate images from records in data sources.
You need to configure the system to meet the requirements.
What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Feature

Setting

Create the relationship between the Job Setup and Time Tracking entities.

▼
1:N
N:N
Self-referential

Configure ownership for the Time Tracking entity.

▼
Business-owned
Organization-owned
User or Team owned

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1:N

Scenario: A sortable listing of all in-process jobs from the Job Setup table, by customer, start date, and product.

Box 2: User or Team owned

Scenario: Employees must only be able to access their own time tracking records from the app.

User or team: Data belongs to a user or a team. Actions that can be performed on these records can be controlled on a user level.

NEW QUESTION 47

HOTSPOT - (Topic 1)

You need to configure the app to meet the requirements.

Which object properties should you configure? To answer, select the appropriate options in

NOTE: Each correct selection is worth one point.

Requirement

Property

Provide a visual indicator when the app is offline.

▼
Visible
OnSelect
DisplayMode
Fill

Store data when the app is offline.

▼
OnSelect
LoadData
SubmitForm
Now

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Fill

Scenario: You must display a visual indicator in the app so that sales representatives know whether the app is offline before submitting reports.

Fill – The background color of a control.

NEW QUESTION 52

- (Topic 1)

You need to provide all app components of the application to Tailwind Traders. What should you do?

- A. Package the application and flow components into a single solution for export.
- B. Run the app checker and flow checker prior to publishing each component for export.
- C. Export each component separately but use the same version number for each component.
- D. Publish the application and flow solutions at the same time before exporting each one.

Answer: B

Explanation:

Scenario: When identifying versions of the app solution, all dependencies, entities, and user interfaces components must be identified to avoid any unintentional issues caused by reverting individual components to a previous version.

Power Apps has added components to the rule set that encourages best practices in the Power Apps Checker. You can check your canvas apps and flows that are included in solutions and then review all issues in a single, consolidated report.

Reference:

<https://docs.microsoft.com/en-us/power-platform-release-plan/2019wave2/microsoft-powerapps/checker-includes-rules-canvas-apps-flows>

NEW QUESTION 57

DRAG DROP - (Topic 1)

You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements.

Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

Tools	Answer Area	
	Requirement	Tool
Solution Checker		
App Checker	Accessibility	Tool
Object Detector		
Preview the app	Deployment	Tool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: App Checker

Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse. Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio.

Box 2: Solution Checker

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines. Use solution checker to validate your model-driven apps in Power Apps.

NEW QUESTION 60

- (Topic 4)

You are creating a canvas app for a company.

The app must access data from a private web service that is provided by the company. You need to set up the connector.

Which connector type should you use?

- A. Custom
- B. Standard
- C. First-party
- D. Premium

Answer: A

NEW QUESTION 63

- (Topic 4)

An automobile company uses Power Apps. The company uses a model-driven app to manage customers and repairs.

The Customer table has a custom column of type text named Best time to call. On the Repair form, employees require the Best time to call column to be displayed next to the customer name.

You need to modify the model-driven app to display the Best time to call column.

Which two steps should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add The Best time to call column to the quick view Repair form.
- B. Create a quick view form for the Repair table.
- C. Create a quick view form for the Customer table.

Answer: CD

NEW QUESTION 67

- (Topic 4)

A company uses Microsoft Power Apps.

You need to create a canvas app to display a Microsoft Power BI report. The report must use the context of a selected record in the app. Data in a Power BI control must be filtered to display the context of the selected record.

You need to propose the right solution.

Solution: Add Power Apps to Power BI using Power Apps for Power BI visualization. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 69

- (Topic 4)

DRAG DROP

A company uses Microsoft Power Platform in a production environment. The company is defining new business processes in a prototyping environment. You create components in both environments.

You need to package the components you create.

Which solution types should you use? To answer, drag the appropriate solution types to the connect components. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 73

- (Topic 4)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security. Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwingTeam, OwingUser
createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 78

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use an Entity Extraction model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

AI Builder entity extraction models recognize specific data in the text that you target based on your business needs.

The model identifies key elements in the text and then classifies them into predefined categories. This can help you transform unstructured data into structured data that's machine-readable. You can then apply processing to retrieve information, extract facts, and answer questions.

Note: Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION 79

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a business rule on the appropriate data entity with a scope of entity.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft->

NEW QUESTION 80

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Update the column length in the production environment. Does the solution meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 82

HOTSPOT - (Topic 4)

A company uses two SQL Server environments and two Common Data Service environments.

The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct.

You need to assign security access.

What should you assign? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role	Security access
Admin users for SQL environments	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> Environment Maker Environment Admin System Administrator and Environment Security group Power Platform Administrator and Environment Security group </div>
Admin users for Common Data Service environments	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> Environment Maker Environment Admin Global Administrator System Administrator </div>
Users that create Common Data Service apps	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> System Customizer Environment Maker Environment Admin System Administrator </div>
Users that create SQL apps	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> System Customizer Environment Maker Environment Admin System Administrator </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: System Administrator and Environment Security group Security model for the databases

When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.

Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.

Box 2: Environment Admin

The Environment Admin role can perform all administrative actions on an environment, including the following:

? Add or remove a user from either the Environment Admin or Environment Maker role.

Box 3: Environment Maker

Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:

Box 4: System Customizer

System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

NEW QUESTION 85

DRAG DROP - (Topic 4)

You are creating a Power Automate cloud flow.

The data in the flow must perform the following actions:

- Return the first character of a string of text.
- Convert an array to a single string. You need to manipulate the data.

Which data operations should you use? To answer, drag the appropriate data operations to the correct changes. Each data operation may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data operations

Join

Select

Compose

Filter array

Answer Area

=

=

=

=

Change

Return the first character of a string of text.

Convert an array to a single string.

Data operation

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Data operations

Join

Select

Compose

Filter array

Answer Area

=

=

=

=

Change

Return the first character of a string of text.

Convert an array to a single string.

Data operation

Select

Join

NEW QUESTION 90

DRAG DROP - (Topic 4)
DRAG DROP

You develop Microsoft Power Platform solutions for Contoso, Ltd You create a Power Virtual Agents chatbot in a Microsoft Teams team. You need to make the chatbot available to all users in your organization.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 93

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<ul style="list-style-type: none"> <input type="checkbox"/> On the header control. <input type="checkbox"/> On each RiskStatus slider input. <input type="checkbox"/> In the global variables of the Power Apps app. <input type="checkbox"/> On the OnStart property of the Power Apps app.
Which formula should you use?	<ul style="list-style-type: none"> <input type="checkbox"/> SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : "" <input type="checkbox"/> IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK) <input type="checkbox"/> Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK") <input type="checkbox"/> UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK")

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On each RiskStatus slider input
You can change the value based on input.

Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

NEW QUESTION 98

DRAG DROP - (Topic 4)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

Field	Description
SalesPerson	The name of the salesperson who made the sale
Quantity	The number of units sold
Rate	The sale price per unit
GrossAmount	A value obtained by multiplying the Quantity times the Rate. This value is for display purposes only
DiscountAmount	An amount that a salesperson enters into the app to discount a sale
NetAmount	A value obtained by subtracting the DiscountAmount from the GrossAmount

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson. You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Field types	Answer Area	
	Field name	Field type
Rollup	GrossAmount	Field type
Calculated	DiscountAmount	Field type
Simple	TotalSales	Field type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column.

Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

NEW QUESTION 102

DRAG DROP - (Topic 4)

You store data about products in two Microsoft Excel worksheets. The data contains duplicate rows.

You need to consolidate data from the two worksheets into a Microsoft Dataverse custom table.

In which order should you perform the actions? To answer, move all actions from the list of

Actions	Answer Area
Upload the worksheets to OneDrive	
Add conditional columns to perform checks on the data	
Create queries for the worksheets	➤
Append the output from the queries	➤
Create a dataflow	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Upload the worksheets to OneDrive

A data source needs to be specified. The data needs to be available. Step 2: Create a dataflow

Step 3: Create queries for the worksheets

You can shape your data selection into a form that works best for your table using a Power Query editing experience, similar to the Power Query Editor in Power BI Desktop.

Step 4: Add conditional columns to perform checks on the data Step 5: Append the output of the queries

NEW QUESTION 107

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom rollup field of type currency on the country/region table that aggregates all the total amounts for the orders from that country/region and display this rollup field in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 112

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution: Create a model-driven chart on the country/region table that aggregates the total amount of the orders by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 114

DRAG DROP - (Topic 4)

You have the following Common Data Service entities: BusinessContracts and

You need to configure an N:N relationship between the two entities.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select Add relationship and then select the many-to-many relationship option.	
Select the BusinessAccounts entity as the related entity.	
Open the relationship tab of the BusinessContracts entity.	
Choose the Relationship Name and Relationship Entity Prefix.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Open the relationship tab of the BusinessContracts entity. View entity relationships

From the Power Apps portal, select either Model-driven or Canvas design mode. Select Data > Entities and select the entity that has the relationships you want to view. With the Relationships tab selected, you can select the following views:

Step 2: Select Add relationship.. Create relationships

While viewing entity relationships, in the command bar, select Add relationship and choose Many-to-many.

Step 3: Select the BusinessAccounts entity as the related entity.

NEW QUESTION 117

- (Topic 4)

You create a canvas app that uses the following resources:

- Power Automate cloud flow
- Custom connector
- Microsoft Dataverse customization
- Connection

You need to export the app as a package to move the app to a different environment. Which resource type will be exported with the app?

- A. Custom connector
- B. Connection
- C. Microsoft Dataverse customization
- D. Power Automate cloud flow

Answer: D

NEW QUESTION 118

- (Topic 4)

You complete work on a new canvas app in a development environment and add the app to a solution. You export the solution from the development environment and import the solution into a production environment.

After several days you notice that the background color for the canvas app in the production environment has changed from white to grey.

You need to determine why the background color changed.

What are two possible causes for the background color change? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You recently changed the Office 365 theme.
- B. You exported a managed copy of the solution and imported the solution as an unmanaged solution.
- C. You modified the canvas app in the unmanaged solution.
- D. You exported and imported an unmanaged copy of the solution and a co-worker modified the canvas app.
- E. You chose a different theme from the Theme menu inside the canvas app.

Answer: AC

Explanation:

A: You can create a custom look and feel (a theme), for your app by making changes to the default colors and visual elements provided in the uncustomized system.

C: Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution. You also have the ability to create restrictions on the components within the solution.

Note: Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-themes-organization-branding>

NEW QUESTION 121

DRAG DROP - (Topic 4)

You have an existing Power Apps environment.

You need to create a Common Data Service database for the environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select Create my database	
Configure currency and language settings	
Configure database collation settings	⤴
Set the environment type to Production	⤵
Select an existing environment	⤴ ⤵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Select an existing environment Add a database in the admin center:

* 1. In the admin center, in the left navigation pane, select Environments.

* 2. Select the environment to which you want to add the database.

Step 2: Select Create my database

* 3. Select + Add database

Step 3: Configure currency and language settings

* 4. Enter the following, and then select Add.

Setting	Description
Language	The default language for this environment.
Currency	The base currency used for reporting.
Enable Dynamics 365 apps	Select Yes and make a selection to automatically deploy apps such as Dynamics 365 Sales and Dynamics 365 Customer Service.
Deploy sample apps and data	Select Yes to include sample apps and data. Sample data gives you something to experiment with as you learn. You must select No for Enable Dynamics 365 apps for this setting to appear.
Security group	Select a security group to restrict access to this environment.

NEW QUESTION 125

- (Topic 4)

A company has a Common Data Service custom entity that stores customer account data. You need to create a relationship between the custom entity and the Account entity. Which two tools can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. SQL Server Management Studio
- D. Visual Studio Code

Answer: BC

Explanation:

There are two designers you can use to create and edit 1:N (one-to-many) or N:1 (many-to-one) relationships:

? You can create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships in Power Apps portal

? You can create and edit create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships using solution explorer

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-1n-relationships>

NEW QUESTION 129

HOTSPOT - (Topic 4)

HOTSPOT

You are designing edit forms to display individual records selected from a list in a canvas app.

The control layout must respond to a variety of screen sizes and orientations that demonstrate the following behaviors:

- Automatically resize and arrange controls from top to bottom
- Maintain the original position of the controls.
- Require no additional property changes. You need to select the layout type.

Which layouts should you use? To answer, select the appropriate options in the answer area.


Answer Area

Behavior

Automatically resize and arrange controls from top to bottom.

Maintain the original position of the controls.

Layout



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Answer Area

Behavior

Automatically resize and arrange controls from top to bottom.

Maintain the original position of the controls.

Layout



NEW QUESTION 132

- (Topic 4)

You are creating a model-driven app that allows users to create and edit a list of existing accounts. You need to display a list of all active accounts. Which user interface components should you use?

- A. view
- B. gallery
- C. data table
- D. form

Answer: A

Explanation:

Imagine that you have a collection of data (such as a list sales orders, a set of service tickets, or a directory of contacts), and that you want to show this data in your Microsoft PowerApps app in a tabular format, where each column represents a field and each row represents a record. In the past, you might have been able to roughly simulate this visualization, although the process required some effort. However, we've been listening to your requests and are happy to announce that you can now quickly and easily achieve this very typical visualization by using the new Data table control that has been recently added to PowerApps.

Reference:

<https://powerapps.microsoft.com/fr-fr/blog/introducing-the-data-table-control/>

NEW QUESTION 135

- (Topic 4)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You need to configure the data sources. What should you do?

- A. Create a data gateway.
- B. Use a content pack.
- C. Create a custom data connector.
- D. Add metadata to standard entities.

Answer: B

Explanation:

Common Data Model is built upon a rich and extensible metadata definition system that enables you to describe and share your own semantically enhanced data types and structured tags, capturing valuable business insight which can be integrated and enriched with heterogeneous data to deliver actionable intelligence. Common Data Model can be used by various applications and services including Microsoft Dataverse, Dynamics 365, Microsoft Power Platform, and Azure ensuring that all of your services can access the same data.

Note: A wide variety of applications and services can easily access data in a data lake, however, each consumer must understand the format and meaning of the data before it can provide value. The Common Data Model simplifies this process by providing a metadata system that describes the data and standard entities to which producers can map.

Reference:

<https://docs.microsoft.com/en-us/common-data-model/use>

NEW QUESTION 139

DRAG DROP - (Topic 4)

DRAG DROP

You are creating a Power Automate cloud flow to update a column on each Item in a list of Microsoft Dataverse records. Records are sorted in order of priority. You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order.

You need to add flow steps to process the list of records.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 143

DRAG DROP - (Topic 4)

You are designing a canvas app that will be used by all users including users who have

Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions. Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 145

- (Topic 4)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has three solutions that you must move to a target environment:

- One solution is created for security roles. You must be able to add roles to the solution in the target environment
- One solution is created for table additions and modifications. Table structures must be updated in the solution in the target environment.
- One solution is for customizations. The custom actions must not be modified in the solution in the target environment

You need to create the solutions.

Which type of solutions should you create? To answer, drag the appropriate solutions to the correct requirements- Each solution may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 147

- (Topic 4)

A company uses Power Apps. You embed a canvas app in a model-driven app form. You need to bind the app to a form component. Which form component should you use?

- A. Section
- B. View
- C. Column
- D. Tab

Answer: C

NEW QUESTION 149

DRAG DROP - (Topic 4)

An insurance broker uses a Microsoft Dataverse environment with custom tables. You create a Power Apps app to manage vehicle insurance policies.

The app has a drop-down field that allows users to categorize a policy holder's driving record. This category field is not mandatory.

You need to ensure that insurance agents enter the correct categories when creating a new vehicle policy.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer area
In the vehicle policy table, click on Add subcomponents and navigate to Business rules.	➤	
Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.	➤	
In the vehicle policy table, navigate to Business rules.	➤	
Add a business rule and enter a meaningful business rule name.	➤	
Click on the Condition card, select the Vehicle Policy and check for new driver.	➤	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions		Answer area
In the vehicle policy table, click on Add subcomponents and navigate to Business rules.	➤	1 In the vehicle policy table, navigate to Business rules.
Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.	➤	2 Add a business rule and enter a meaningful business rule name.
	➤	3 Click on the Condition card, select the Vehicle Policy and check for new driver.

NEW QUESTION 152

- (Topic 4)

You significantly modify a canvas app. You need to generate a new app version. What should you do?

- A. Publish the app.
- B. Update the major version number.
- C. Update the version notes.
- D. Update the minor version number.
- E. Save the app.

Answer: A

NEW QUESTION 157

HOTSPOT - (Topic 4)

A user named Bill Jones creates a canvas app and shares it with other users in his company as shown in SharePowerUsers and ShareJimSmith exhibits. (Click the SharePowerUsers tab and the ShareJimSmith tab.)

Share Company App

Enter a name, email address, or Everyone Shared with Sort by Name ▾ <div style="margin-top: 10px;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">BJ</div> <div style="margin-left: 5px;"> Bill Jones <small>Owner</small> </div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">JS</div> <div style="margin-left: 5px;"> Jim Smith <small>Co-owner</small> </div> <div style="margin-left: 10px; font-size: 12px;">✕</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px; background-color: #f0f0f0;">PU</div> <div style="margin-left: 5px;"> Power Users <small>User</small> </div> <div style="margin-left: 10px; font-size: 12px;">✕</div> </div> </div>	<h4>Power Users</h4> <p>This User can use this app</p> <p><input type="checkbox"/> Co-owner Can use, edit, share app but not delete or change owner.</p> <hr/> <h4>Data permissions ⓘ</h4> <p>Make sure your users have access to the data used in your app, including gateways, APIs, connectors, and entities.</p>
---	--

Share Company App

Enter a name, email address, or Everyone Shared with Sort by Name ▾ <div style="margin-top: 10px;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px;">BJ</div> <div style="margin-left: 5px;"> Bill Jones <small>Owner</small> </div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px; background-color: #f0f0f0;">JS</div> <div style="margin-left: 5px;"> Jim Smith <small>Co-owner</small> </div> <div style="margin-left: 10px; font-size: 12px;">✕</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin-right: 5px; background-color: #f0f0f0;">PU</div> <div style="margin-left: 5px;"> Power Users <small>User</small> </div> <div style="margin-left: 10px; font-size: 12px;">✕</div> </div> </div>	<h4>Jim Smith</h4> <p>This User can use this app</p> <p><input checked="" type="checkbox"/> Co-owner Can use, edit, share app but not delete or change owner.</p> <hr/> <h4>Data permissions ⓘ</h4> <p>Make sure your users have access to the data used in your app, including gateways, APIs, connectors, and entities.</p>
--	---

There are multiple versions of the app. Users must only be able to run the most recently published version of the app as shown in the table below:

Version	Modified	Modified by	Power Apps release	Published	Version note
Version 4	09/05/2020 17:32	Bill Jones	3.20023.8		Changed fonts
Version 3	09/05/2020 17:30	Bill Jones	3.20023.8	Live	Changed business logic
Version 2	09/05/2020 17:22	Bill Jones	3.20023.8		Updated background color
Version 1	09/05/2020 17:20	Bill Jones	3.20023.8		

You need to ensure that sharing is configured correctly.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

	Yes	No
Member of the Power Users group are able to publish version 4 of the canvas app.	<input type="radio"/>	<input type="radio"/>
When using the canvas app, a member of the Power Users group can see version 4.	<input type="radio"/>	<input type="radio"/>
If version 2 of the canvas app is restored, it will be labelled as the Live version.	<input type="radio"/>	<input type="radio"/>
If Jim Smith edits the canvas app he will be editing version 4.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No


They can only use the app.

Box 2: Yes


Box 3: No

You would need to publish Version 2 to make it live.

Note: If you want to publish the restored version, select Publish this version, and then select Publish this version when prompted to confirm.



Notice the published restore version that shows up as Live.



Box 4: Yes

The most recent version of any app is available only to those who have edit permissions for it.

NEW QUESTION 158

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Text Recognition model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION 159

HOTSPOT - (Topic 4)

HOTSPOT

The customer service team of a company uses a model-driven app to log customer interactions. The app contains two tables: one to track customer interactions and one to track products.

The team requires an interactive dashboard to display the activities. The dashboard must display the products that have the most complaints. Each chart must display the associated data.

You need to create the dashboard-

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity	Feature
Display customer interactions and products.	Single-stream dashboard
Display charts with associated data.	Default Chart

NEW QUESTION 163

- (Topic 4)

You are creating a multi-page canvas app that loads tabular data from an external data source.

Once loaded, the data must be available to all screens within the canvas app.

You need to reduce the number of times that the app must retrieve data from the data source.

Which two data stores can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. parameter
- B. collection
- C. environment variable

Answer: CD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-data-sources>

NEW QUESTION 164

HOTSPOT - (Topic 4)

A company uses Power Apps and Microsoft Dataverse. You create a model-driven app that has no flows, workflows, or plug-ins.

The app requires a main form that has a form field named reference number. The reference number must perform the following activities:

- Autogenerate when new records are created.
- Follow the format xx/yy, where xx is an incremental number and yy indicates the last two digits of the current year.

You need to ensure that each record created in the Microsoft Dataverse table follows this format. Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Activity	Feature
Choose data type.	Auto-number Whole number Date Auto-number Text
Create format.	{SEQNUM:2}/{DATETIMEUTC:yy} {SEQNUM:2}/{DATETIMEUTC:yy} {SEQNUM:2}/{DATETIMEUTC:2} {SEQNUM:##}/{DATETIMEUTC:yy}
Set seed value.	10 #1 100 10

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity	Feature
Choose data type.	Auto-number Whole number Date Auto-number Text
Create format.	{SEQNUM:2}/{DATETIMEUTC:yy} {SEQNUM:2}/{DATETIMEUTC:yy} {SEQNUM:2}/{DATETIMEUTC:2} {SEQNUM:##}/{DATETIMEUTC:yy}
Set seed value.	10 #1 100 10

NEW QUESTION 165

- (Topic 4)

A company uses a canvas app to encourage employees to take reading breaks during their work schedule. The reading breaks are created automatically as Outlook tasks in the employees Outlook app. The app must trigger a Power Automate cloud flow when specific data is captured in the canvas app. You need to create and configure the flow. Which flow step should you configure first?

- A. Flow button for mobile
- B. Power Apps step with trigger conditions
- C. New Microsoft Outlook task
- D. Condition step

Answer: A

NEW QUESTION 168

HOTSPOT - (Topic 4)

An administrator plans to create and deploy dashboards for use only by sales associates. The dashboards will display the current sales pipeline, open cases, recent major wins, and key opportunities by postal code.

Sales associates must be able to act on the specific data displayed in dashboards. You need to create the dashboards.

Which type of dashboards should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Type of dashboard
Ensure that all sales associates can view the dashboard.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; display: flex; justify-content: flex-end; align-items: center;">▼</div> <div style="padding: 2px;">User</div> <div style="padding: 2px;">System</div> </div>
Ensure that sales associates can interact with data from the dashboards.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; display: flex; justify-content: flex-end; align-items: center;">▼</div> <div style="padding: 2px;">Standard</div> <div style="padding: 2px;">Multi-stream</div> <div style="padding: 2px;">Single-stream</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User

Type of dashboard: If you want your dashboards to be available across the organization and do not want to manage the access levels at a more detailed level, you might want to create an organization-owned dashboard. However, if you are concerned about the access privileges and security of your dashboard, consider creating a user-owned dashboard where you have more control on who can access it.

Box 2: Single-stream

The single-stream dashboards display real-time data over one stream based on an entity view or queue. The single-stream dashboards are typically helpful to Tier 2 service leads or managers, who monitor fewer, but more complex or escalated cases.

NEW QUESTION 170

DRAG DROP - (Topic 4)

You are an app maker for a college. You create an app for student enrollment. The app captures the education level of the applicants.

The education level at the time of enrollment is an option set in the student entity. The

? High school

? College

? Bachelor

You must split the College option into two option sets:

? College – 1 Year

? College – 2 years

The split must not impact existing data. You need to create the two option sets.


Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Open the maker app and navigate to the student table	
Publish the student entity	
Save the student table	⤴
Open settings in the Power Platform admin center	⤵
Create new options for College - 1 Year and College - 2 years	⤴ ⤵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 173

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

Solution:

- ? Add a display form to Screen_AccountDetail.
- ? Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).
- ? Set the data source of the form to Accounts.
- ? Set the Item property of the form to Selected.
- ? Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

If you add a Display form control, the user can display all fields of a record or only the fields that you specify.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-form- detail>

NEW QUESTION 177

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has model driven apps across multiple Microsoft Dataverse environments in the same tenant. You must grant privileges to Power Apps makers to achieve the following:

- Share model-driven apps in multiple Microsoft Dataverse environments.
- Share model-driven apps in only one of the Microsoft Dataverse environments and view only table records that they create themselves.

You need to share the model-driven app with users by using the principle of least privilege. Which security role privilege should you grant for each requirement? To answer, drag the

appropriate security roles to the correct requirements. Each security role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct answer is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 179

- (Topic 4)

A company creates an app that uses Microsoft Dataverse tables.

The app creator wants to verify that the app is operating as expected by using a sample set of real-world data.

You need to import the sample data into Dataverse tables.

Which two technologies can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power BI
- B. SharePoint
- C. Power Query
- D. Dataflows

Answer: CD

Explanation:

C: You can create a table in Dataverse and fill that table with data from an OData feed by using Power Query. You can use the same techniques to integrate data from these online and on-premises sources, among others:

SQL Server Salesforce IBM DB2

Access

Excel Web APIs

OData feeds Text files

D: You can create a new Dataverse table that stores all the metadata from the dataflow run. For every refresh of a dataflow, a record is added to this table. You can also store metadata for multiple dataflow runs in the same table.

Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/load-dataflow-metadata-into-dataverse-table>

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 182

HOTSPOT - (Topic 4)

You need to store a list of products and their colors. You have a Power Apps app that includes the following elements:

? a text box for the product name

? a drop-down list for the product color

? a button to add a product to the list

? a status message that shows whether the addition of a product to the list was successful

The button uses the following formula:

```
Collect(
colProductList,
{
Product: txtProductName.Text, Color: drpColors.Selected.Value
}
);
Set(
vStatusMessage, "Added '" & txtProductName.Text & "'"
);
timStatusMessage.Start;
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must explicitly declare the collection before you can add product names and colors to the collection.	<input type="radio"/>	<input type="radio"/>
The formula stores the product name and the color in a collection.	<input type="radio"/>	<input type="radio"/>
vStatusMessage is a context variable that is used to store the status message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

The Collect function adds records to a data source. If the data source doesn't already exist, a collection is created.

Box 2: Yes

Box 3: No

Use the Set function to set the value of a global variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

NEW QUESTION 187

- (Topic 4)

A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.

A user wants to be able to ask the chatbot to see all the sales for pants.

You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers.

Which chatbot component should you use?

- A. Skills
- B. Tables
- C. Topics
- D. Supported languages
- E. Entities

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION 188

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

? Create a Prediction custom model in AI Builder.

? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model

Note: AI Builder prediction models analyze patterns in historical data that you provide. Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

NEW QUESTION 189

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Update the column length in the development environment. Export the solution as a managed solution, import the solution into production

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 192

- (Topic 4)

You are creating a canvas app. You plan to use variables that are scoped to a screen to store values.

You need to create and update the value of the variables.

Which three functions can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Collect
- B. Patch
- C. Navigate
- D. Set
- E. UpdateContext

Answer: BCE

Explanation:

B: Use the Patch function to modify records in complex situations. Such as, when you do updates that require no user interaction or use forms that span multiple screens.

CE: Context variables are scoped for Screen. They are great for passing values to a screen, much like parameters to a procedure in other languages. Can be referenced from only one screen.

Functions available for context variables: UpdateContext

Navigate Note:

Use the UpdateContext function to create a context variable, which temporarily holds a piece of information, such as the number of times the user has selected a

button or the result of a data operation.

Context variables are also preserved when a user navigates between screens. You can use Navigate to set one or more context variables for the screen that the formula will display, which is the only way to set a context variable from outside the screen. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-patch>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

NEW QUESTION 195

- (Topic 4)

You are creating a canvas app.

You need to store and retrieve small amounts of data on a local device when the app is offline.

Which set of functions should you use?

- A. SaveData, LoadData
- B. Set, Patch
- C. Patch, Collect
- D. Set, Collect

Answer: A

Explanation:

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 196

HOTSPOT - (Topic 4)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

You need to determine the appropriate method for accomplishing each task.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> <p>Use a Data Gateway</p> <p>Use a Custom Connector</p> <p>Use a Service Content Pack</p> </div> </div>
Create the relationship between the employee file and the work estimates.	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> <p>Create a composite model</p> <p>Create an aggregated table</p> <p>Create entity relationships in the CDS Solution Explorer</p> </div> </div>
Create calculations for work remaining, remaining budget.	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> <p>Create a Data Analysis Expressions formula</p> <p>Create an aggregated table</p> <p>Create a modeling view</p> </div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Date Gateway

You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).

Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer.

Box 3: Create an aggregate table

Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.

NEW QUESTION 199

- (Topic 4)

A company uses Microsoft Power Apps.

You need to create a canvas app to display a Microsoft Power BI report. The report must use the context of a selected record in the app. Data in a Power BI control must be filtered to display the context of the selected record.

You need to propose the right solution.

Solution: Append filter parameter to Power BI report URL. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 200

- (Topic 4)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the canvas app.

You need to ensure that the co-worker uses the updated version of the component library.

What should you do?


- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library

Answer: C

Explanation:

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library.

Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:



Select Review, and you'll see the option to update the component:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 203

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your PL-100 Exam with Our Prep Materials Via below:

<https://www.certleader.com/PL-100-dumps.html>