

Microsoft

Exam Questions MS-203

Microsoft 365 Messaging



NEW QUESTION 1

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device. You discover that inbound email messages are delayed. The gateway device receives the following error message when sending email to the tenant.

* 4.7.500 Server busy, please try again later. You need to prevent inbound email delays. What should you configure?

- A. Organization Sharing
- B. an MX record for the domain
- C. a transport rule
- D. a connector

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

NEW QUESTION 2

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to import an Edge Subscription on a Mailbox server. Which cmdlet should you run?

- A. New-EdgeSubscription
- B. Start-EdgeSynchronization
- C. Set-EdgeSubscription
- D. Set-TransportAgent

Answer: A

NEW QUESTION 3

- (Topic 5)

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam. What should you do?

- A. Enable the Zero-hour auto purge (ZAP) email protection feature.
- B. Enable the safe list on a connection filter.
- C. Edit the default mail flow rule to bypass the spam filter.
- D. Modify the IP Allow list of a connection filter policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-connection-filter-policy?view=o365-worldwide>

NEW QUESTION 4

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of the sales@contoso.com group.

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 5

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, go to Recipients > Mailboxes.

? In the list of user mailboxes, click or tap the mailbox that you want to configure mail forwarding for, and then click or tap Edit

? On the mailbox properties page, click Mailbox Features.

? Under Mail Flow, select View details to view or change the setting for forwarding email messages.

On this page, you can set the maximum number of recipients that the user can send a message to. For on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

? Check the Enable forwarding check box, and then click or tap Browse.

? On the Select Recipient page, select a user you want to forward all email to. Select the Deliver message to both forwarding address and mailbox check box if you want both the recipient and the forwarding email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

NEW QUESTION 6

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.

To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Global Admin	
Exchange Administrator	Microsoft Office 365
Service Administrator	Exchange Server 2019
Organization Management	
Server Management	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Global Admin	
Exchange Administrator	Microsoft Office 365
Service Administrator	Exchange Server 2019
Organization Management	
Server Management	

NEW QUESTION 7

- (Topic 5)
 You have a Microsoft Exchange Server 2019 organization.
 You need to provide a user named User1 with the ability to create and manage transport rules.
 To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 8

- (Topic 5)
 You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.
 Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. The solution must minimize licensing costs.
 What should you do?

- A. Replace the service account mailboxes with a Microsoft 365 group
- B. Convert the service account mailboxes into mail-enabled contacts
- C. Replace the service account mailboxes with a single user mailbox
- D. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.

Answer: B

NEW QUESTION 9

- (Topic 5)
 You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.

```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | f1 Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel    : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | f1 Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name           : Mobile Mailbox Settings
DefaultAccessLevel : False
IsIntuneManaged  : False
HasAzurePremiumSubscription : False
DeviceFiltering  :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange-ps>

NEW QUESTION 10

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Tier1ServiceDesk.

You have an Azure AD administrative unit named US that contains only users in the United States.

You need to ensure that Tier1ServiceDesk can manage recipient email addresses for only the users in US. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

NEW QUESTION 10

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to place a hold on all email messages stored in the mailbox of a user named User1.

What should you create first?

- A. an eDiscovery case
- B. sensitive info type
- C. a data loss prevention (DLP) policy
- D. an information barrier segment

Answer: A

Explanation:

You can use an eDiscovery case to create and manage eDiscovery holds that can be applied to user mailboxes and other content locations in Microsoft Purview1. You can also use an eDiscovery case to search for and export content from mailboxes and other locations1.

An eDiscovery case is different from a Litigation Hold, which is a hold that is applied to user mailboxes in Exchange Online1. A Litigation Hold isn't identified by a

GUID1.
 A sensitive info type is a predefined or custom entity that can be used to identify and protect sensitive data in Microsoft Purview2. It is not related to placing a hold on email messages.
 A data loss prevention (DLP) policy is a policy that helps prevent the accidental or intentional sharing of sensitive information outside your organization2. It is not related to placing a hold on email messages.
 An information barrier segment is a group of users who are allowed or blocked from communicating with each other in Microsoft Teams or SharePoint Online2. It is not related to placing a hold on email messages.

NEW QUESTION 15

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

? Go to the Microsoft 365 admin center and then click Users > Active users.

? Select Pradeep Gupta.

? On the properties flyout page, click the Mail tab, and then under More actions, click Manage litigation hold.



? On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:

- _ Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.
- _ Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.
- _ Web page with more information for the user: Use this box to direct the user to a website for more information about Litigation hold. This URL appears on the Account Information page in the user's mailbox if they are using Outlook 2010 or later. To access this page, users can click File in Outlook.

Click Save changes on the Litigation hold flyout page to create the hold.
 The system displays a banner saying it might take up to 240 minutes for the change to take effect.

NEW QUESTION 20

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.

You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

? All email messages received from the internet must be filtered for spam by Microsoft 365.

? Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

NEW QUESTION 22

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to configure Outlook on the web to meet the following requirements:

- Prevent users from requesting a remote wipe of their devices.
- Prevent users from accessing voice mails.

You create a new Outlook Web App mailbox policy named Policy1.

Policy1

Select the features that you want to enable for this Outlook Web App mailbox policy.

Communication management

<input checked="" type="checkbox"/> Instant messaging
<input checked="" type="checkbox"/> Text messaging
<input checked="" type="checkbox"/> Unified Messaging

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Unified Messaging

NEW QUESTION 26

HOTSPOT - (Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization.

You run the command shown in the following exhibit.

```
[PS] C:\>Get-ContentFilterConfig | fl *SCL*

SCLRejectThreshold      : 7
SCLRejectEnabled        : True
SCLDeleteThreshold      : 9
SCLDeleteEnabled        : False
SCLQuarantineThreshold  : 9
SCLQuarantineEnabled    : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

NEW QUESTION 30

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device. You need to enable Exchange ActiveSync logging for User1 and retrieve the log files. Which two Exchange Online PowerShell cmdlets should you use? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. Get-ActiveSyncDevice
- B. Set-ActiveSyncMailboxPolicy
- C. Set-ClientAccessRule
- D. Get-MobileDeviceStatistics
- E. Set-CASMailbox

Answer: E

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-schedule?view=exchserver-2019>

NEW QUESTION 34

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes. All the users in the sales department at your company are in a group named Sales. The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group. You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group. Solution: You modify the permissions granted to the Sales group. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Create a mail flow rule. Reference:
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

NEW QUESTION 36

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named contoso.com. You collaborate with a partner company that has an email domain named adatum.com. You need to ensure that all the email messages sent to and received from adatum.com are encrypted in transit. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to use SMTP relay.
- B. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to require TLS.
- C. Create a connector from Microsoft Office 365 to adatum.com and configure the connector to require TLS.
- D. Issue S/MIME certificates to all the users in contoso.com.
- E. Configure Exchange Online to use direct send to adatum.com.

Answer: BC

NEW QUESTION 41

HOTSPOT - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has four departments that have the mailboxes shown in the following table.

Department	Number of mailboxes	Location
Finance	500	On-premises
Manufacturing	1,000	Exchange Online
Sales	5,000	On-premises
Marketing	2,000	Exchange Online

The mailboxes are configured as shown in the following table.

Department	Archive	Single item recovery
Finance	Enabled	Enabled
Manufacturing	Disabled	Disabled
Sales	Disabled	Disabled
Marketing	Enabled	Enabled

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

Administrator	Management role group	Organization	Management role
Admin1	Organization Management, Discovery Management	Exchange Online, on-premises	None
Admin2	Organization Management, Discovery Management	Exchange Online, on-premises	Mailbox Import Export

For each of the following statement, select yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can search for email messages in every mailbox in the organization by running the <code>New-ComplianceSearch</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the <code>Search-mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin1 can delete email message from every mailbox of the marketing department by running the <code>Search-Mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps>

NEW QUESTION 46

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users.

All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices.

What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION 50

HOTSPOT - (Topic 5)

You need to configure a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization that contains a server named Server1. The solution must meet the following requirements:

- Support remote move migrations of mailboxes from Server1 to Exchange Online.
- Enable free/busy lookups between Server1 and Exchange Online.

What should you do for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Support remote move migrations: Enable the MRS Proxy endpoint.
 Enable the MRS Proxy endpoint.
 Run Azure AD Connect sync.
 Run the Hybrid Configuration wizard.

Enable free/busy lookups: Run the Hybrid Configuration wizard.
 Enable the MRS Proxy endpoint.
 Run Azure AD Connect sync.
 Run the Hybrid Configuration wizard.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Support remote move migrations: Enable the MRS Proxy endpoint.
 Enable the MRS Proxy endpoint.
 Run Azure AD Connect sync.
 Run the Hybrid Configuration wizard.

Enable free/busy lookups: Run the Hybrid Configuration wizard.
 Enable the MRS Proxy endpoint.
 Run Azure AD Connect sync.
 Run the Hybrid Configuration wizard.

NEW QUESTION 51

- (Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationship>

NEW QUESTION 55

HOTSPOT - (Topic 4)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, letter, email Description automatically generated

Box 1: Yes

The Safe Attachments 1 policy applies to Group1. Alex Wilber is in Group1.

Box 2: No

Megan Bowen is in Group2. The Safe Attachments 2 policy applies to Group2. The Safe Attachments 2 policy will block the email rather than remove the attachment and deliver the email.

Box 3: No

Lynne Robbins is in the Sales department which means she is a member of Group3. She is also a member of Group2 and Group4.

The Safe Attachments 2 policy blocks emails and applies to Group2. There are no other Safe Attachments policies that apply to Group3 or Group4. Therefore, Safe Attachments 2 is the only policy that applies to Lynne Robbins so you do not need to increase the priority of the policy to block the emails.

NEW QUESTION 57

- (Topic 4)

Allan Deyoung must perform a message trace of the email messages sent by Isaiah Langer and provide a report that contains all the messages sent during the last 30 days.

You need to ensure that Allan Deyoung can perform the message trace. What should you do?

- A. Add Allan Deyoung to the Organization Management role group
- B. Add Allan Deyoung to the Security Administrator role group
- C. For Allan Deyoun
- D. set ElcProcessingDisabled to true
- E. For Isaiah Lange
- F. set ElcProcessingDisabled to true

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

NEW QUESTION 60

HOTSPOT - (Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

Clear-MobileDevice -id User2-Device

-NotificationEmailAddress "admin@Fabrikam.com"

Clear-MobileDevice -id User3-Device

-NotificationEmailAddress "admin@Fabrikam.com"

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

<input type="checkbox"/>	All data is deleted. !
<input type="checkbox"/>	Only email messages are deleted.
<input type="checkbox"/>	Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

<input type="checkbox"/>	All data is deleted.
<input type="checkbox"/>	Only email messages are deleted.
<input type="checkbox"/>	Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

On the device of User2:

<input type="checkbox"/>	All data is deleted.
<input type="checkbox"/>	Only email messages are deleted.
<input type="checkbox"/>	Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

<input type="checkbox"/>	All data is deleted.
<input type="checkbox"/>	Only email messages are deleted.
<input type="checkbox"/>	Only email messages and calendar, contact, and file data are deleted.

NEW QUESTION 61

- (Topic 3)

User3 leaves the company.

You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements.

What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.

- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

Answer: D

Explanation:

Fabrikam identifies the following technical requirements:

? When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o365-worldwide>

NEW QUESTION 65

- (Topic 3)

You need to identify which users clicked the links in the phishing emails.

What should you do?

- A. Run a message trace and review the results.
- B. Query the mailbox audit log.
- C. Use the URL trace reporting feature.
- D. Review the quarantine mailbox.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-maildetailatpreport?view=exchange-ps>

NEW QUESTION 69

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements.

Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 70

- (Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators.

What should you do?

- A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.
- B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.
- C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.
- D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

Answer: B

Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

NEW QUESTION 75

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named adatum.com that contains a user named User1.

You plan to perform a new message trace for User1. The message trace must generate an Enhanced summary report.

Which three Delivery status options can be included in the report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

New message trace

Senders ⓘ

Recipients ⓘ

Time range (UTC-06:00) ⓘ

[Custom time range](#)

Last 2 day(s)
90 30 15 10 7 2 1 day 12 hr 6 hr 0

Detailed search options ^

Delivery status ⓘ

All	▼
All	
Delivered	✓
Expanded	
Failed	✓
Pending	✓
Quarantined	
Filtered as spam	
Getting status	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

New message trace

Senders ⓘ

U User1@adatum.com X

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ

Custom time range

Last 2 day(s)
 90 30 15 10 7 2 1 day 12 hr 6 hr 0

Detailed search options ^

Delivery status ⓘ

All

All

Delivered ✓

Expanded

Failed ✓

Pending ✓

Quarantined

Filtered as spam

Getting status

NEW QUESTION 79

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

Two users named User1 and User2 have left the company and have inactive mailboxes. Two new employees named User3 and User4 are hired and must meet the following requirements:

- User3 has the same job role as User1 and requires access to all the items in the User1 mailbox.
- User4 was hired to replace User2 and requires access to the User2 mailbox.

You need to recommend a solution for User3 and User4 to access the inactive mailboxes. The solution must minimize administrative effort.

What should you recommend for each user? To answer, drag the appropriate solutions to the correct users. Each solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Solutions

- Convert the mailbox to a shared mailbox
- Export the contents of the mailbox
- Recover the mailbox
- Restore the mailbox

Answer Area

User3:

User4:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solutions

- Convert the mailbox to a shared mailbox
- Export the contents of the mailbox
- Recover the mailbox
- Restore the mailbox

Answer Area

User3: Convert the mailbox to a shared mailbox

User4: Export the contents of the mailbox

NEW QUESTION 84

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 server.

Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server. What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Inbound SMTP Email
- B. Outbound SMTP Email
- C. Message Analyzer
- D. Exchange Online Custom Domains DNS Connectivity Test

Answer: B

NEW QUESTION 87

HOTSPOT - (Topic 5)

HOTSPOT

Your company has the offices shown in the following table.

Location	Public NAT IP address
New York	131.107.122.22
Portland	131.107.123.120
Seattle	131.107.123.10

The company has a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Department	Office
User1	IT	Seattle
User2	IT	New York
User3	Helpdesk	Portland

You have the following Exchange Online client access rules.

```
PS C:\> Get-ClientAccessRule|fl Name, Priority, AnyOfProtocols,UserRecipientFilter,Action
```

```
Name           : Rule1
Priority        : 1
AnyOfProtocls  : {RemotePowerShell}
UserRecipientFilter :
Action         : AllowAccess
```

```
Name           : Rule2
Priority        : 2
AnyOfProtocls  : {ExchangeAdminCenter}
UserRecipientFilter : Department -ne 'IT'
Action         : DenyAccess
```

You create a new client access rule by using the following command.

```
New-ClientAccessRule -Name "Rule3" -Action DenyAccess
-AnyOfProtocols ExchangeAdminCenter
-ExceptAnyOfClientIPAddressOrRanges 131.107.123.0/24 -Priority 2
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>
User3 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements

Rule2 will be evaluated before Rule3

Yes

No

User2 can access the Exchange admin center

User3 can access the Exchange admin center

NEW QUESTION 88

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You create a new anti-phishing policy named Policy1. You need to ensure that users are notified every five days about all the email messages quarantined by Policy1.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Modify the AdminOnlyAccessPolicy quarantine policy and assign the policy to Policy1.
- B. Modify the DefaultFullAccessPolicy quarantine policy and assign the policy to Policy1.
- C. Modify the global settings for quarantine policies.
- D. Add a custom quarantine policy and assign the policy to Policy1.
- E. Configure the User reported messages settings.

Answer: CD

NEW QUESTION 90

- (Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'." You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

Answer: C

Explanation:

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-error/>

NEW QUESTION 93

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<input type="text"/>	-Identity "user1@litware.com"	<input type="text"/>	<input type="text"/>
Set-MoveRequest		-CompleteAfter(Get-Date)	
Set-MigrationBatch		-SuspendWhenReadyToComplete \$false	
Set-MigrationConfig		-PreventCompletion \$false	

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<input type="text"/>	-Identity "user1@litware.com"	<input type="text"/>	<input type="text"/>
Set-MoveRequest		-CompleteAfter(Get-Date)	
Set-MigrationBatch		-SuspendWhenReadyToComplete \$false	
Set-MigrationConfig		-PreventCompletion \$false	

Resume-MoveRequest -Identity "user1@litware.com"

NEW QUESTION 95

- (Topic 5)

Your on-premises network contains a proxy server and a firewall. The proxy server is configured to inspect the contents of HTTP and HTTPS sessions to identify disallowed content. Only the proxy server can connect to the internet through the firewall.

You implement Microsoft Exchange Online.

Users report that they receive an error message when they attempt to connect to their mailbox by using Microsoft Outlook.

From the internal network, you connect to <https://outlookoffice.com/mail> and discover a certificate error.

You discover that the certificate error contains information about a certificate issued by your company's internal certification authority (CA).

You need to ensure that all the users can connect successfully to their mailbox. What should you do?

- A. Install a new root CA certificate on the client computer of each user.
- B. Configure client computers to bypass the proxy server when they access https://*.microsoft.com.
- C. Disable HTTPS content inspection on the proxy server.
- D. Install a new root CA certificate on the proxy server.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/outlook/troubleshoot/connectivity/error-when-outlook-uses-rpc-https-connectserver>

NEW QUESTION 97

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

Answer: CD

NEW QUESTION 101

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two sharing policies. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 104

DRAG DROP - (Topic 5)

Your network contains an Active Directory domain and an Azure Active Directory (Azure AD) tenant in a hybrid deployment.

You implement a Microsoft Exchange Online tenant.

You plan to deploy a new on-premises app named App1 to a Windows server. The solution must meet the following requirements:

? Use an Active Directory user account named App1service as a service account.

? Be able to receive email requests by using an email address of app1@contoso.com.

? Use App1service to sign in to the mailbox of App1 to view the requests.

In the domain, you create App1service.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a shared mailbox for App1service	
In Azure AD, register an enterprise application for App1	
Sync the App1service account to Azure AD	⤴
Create a user mailbox for App1service	⤵
Assign a license to App1service	
Assign app1@contoso.com as an email address to App1service	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a shared mailbox for App1service	
In Azure AD, register an enterprise application for App1	
Sync the App1service account to Azure AD	⤴
Create a user mailbox for App1service	⤵
Assign a license to App1service	⤴
Assign app1@contoso.com as an email address to App1service	⤵

NEW QUESTION 105

- (Topic 5)

You have a Microsoft Exchange Online tenant. All users have Exchange Online mailboxes.

Your company has 10 projectors that are used by 30 managers.

You need to recommend a solution to manage the availability and scheduling of the projectors. The solution must NOT require additional Microsoft 365 licenses.

What Exchange Online object should you recommend creating for each projector?

- A. a public folder
- B. a distribution list
- C. a user mailbox
- D. a resource mailbox

Answer: D

Explanation:

Resource mailboxes are for the scheduling of resources such as projectors. They do not require a license.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/room-and-equipment-mailboxes?view=o365-worldwide>

NEW QUESTION 107

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Miriam Graham has the required rights to create new

recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? In the Exchange admin center, go to Roles > Admin roles, select the Recipient Management role group.

? In Assigned section, add Miriam Graham to the role group.

? When you're finished, click Save.

NEW QUESTION 108

- (Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online.

The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSPProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSPProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.

D. Change the ExternalURL parameter of MAPIVirtualDirectory to <https://mail.contoso.com> instead of <https://autodiscover.contoso.com>.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 111

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users.

What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter.
- B. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter.
- C. Run the New-MigrationBatch cmdlet and specify the CompleteAfter parameter.
- D. Create a script that moves most of the mailboxes on Friday at 22:00 and the remaining mailboxes on Monday at 09:00.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationbatch?view=exchange-ps>

NEW QUESTION 115

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Sales.

You need to create a copy of all the external email sent from the Sales mailbox to an alternate location.

What should you create?

- A. a data loss prevention (DLP) policy
- B. a records management file plan
- C. a journaling rule
- D. a retention policy

Answer: C

NEW QUESTION 120

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want.

NEW QUESTION 125

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 130

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You use Advanced Threat Protection (ATP).

You have safe attachments policies configured as shown in the following table.

Name	Action	Action On Error	Enable redirect
Policy1	Dynamic Delivery	Enabled	Enabled
Policy2	Block	Enabled	Disabled

You have the users shown in the following table.

Name	Location	Safe attachments policy
User1	On-premises	Policy1
User2	Exchange Online	Policy2
User3	Exchange Online	None
User4	Exchange Online	Policy1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User1 receives an email message that contains an attachment, the message will be delivered immediately with a placeholder file. The attachment will be reattached if no malware is detected.	<input type="radio"/>	<input type="radio"/>
If User2 receives an email message that has detected malware, the message will be placed in quarantine.	<input type="radio"/>	<input type="radio"/>
If User4 receives an email message that contains an attachment, and then forwards the message to User3 before attachment scanning is complete, User3 will receive the attachment after the initial attachment scanning is complete.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 Dynamic Delivery cannot make changes to on-premise mailboxes after the message has been delivered.
 Box 2: Yes
 Policy2 applies to User2. Policy2 has a block action so the message will be placed in quarantine.
 Box 3: No
 User3 does not have a policy assigned so the attachment will be forwarded without being scanned.

NEW QUESTION 134

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You migrate public folders from on-premises to Exchange Online by using the batch migration process. After the batch migration completes, additional public folders are created on-premises. You need to migrate the new on-premises public folders to Exchange Online. What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

NEW QUESTION 135

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription that contains two groups named Group1 and Group 2. The members of the groups perform the tasks shown in the following table.

Name	Task
Group1	Manage mail flow rules, anti-spam policies, and quarantined messages.
Group2	Manage data loss prevention (DLP) policies and quarantine.

You need to add Group1 and Group2 to role groups. The solution must use the principle of least privilege.

To which role group should you add each group? To answer, drag the appropriate role groups to the correct groups. Each role group may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 136

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress>

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 140

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You create a retention policy. You need to ensure that all email older than one year is moved to an archive mailbox. What should you use?

- A. a data loss prevention (DLP) policy
- B. a retention policy tag
- C. a default policy tag
- D. a personal tag

Answer: C

NEW QUESTION 141

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

? In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.
- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.
- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

? Navigate to Public folders > Public folders.

? If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

? Click Add +.

? In Public Folder, type the name of the public folder.

? In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.

? Click Save.

? Navigate back to Public folders > Public folders.

? In the list view, select the public folder that you want to mail-enable or mail-disable.

? In the details pane, under Mail settings, click Enable or Disable.

? A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.

You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.

NEW QUESTION 142

- (Topic 5)

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage

What should you do?

- A. Create a conditional access policy and apply the policy to all users.
- B. For all users, run the set-user cmdlet and specify the -RemotePowershellEnabled parameter.

- C. Create a conditional access policy and apply the policy to Admin1.
- D. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

Answer: A

NEW QUESTION 144

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 149

HOTSPOT - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365 subscription.

You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA).

How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the

answer area.

NOTE: Each correct selection is worth one point.

Answer Area

● ● ● ● ●

Subject name:

- contoso.com
- server1.contoso.com**
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com**
- contoso-com.mail.protection.outlook.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

● ● ● ● ●

Subject name:

- contoso.com
- server1.contoso.com**
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com**
- contoso-com.mail.protection.outlook.com

NEW QUESTION 151

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains the mail-enabled groups shown in the following table.

Name	Members
Managers	User1, User2, User3
Finance	User4, User5, User6

All users have an email address with a suffix of @contoso.com.

You plan to create an anti-phishing policy named Policy1 to meet the following requirements:

- Apply to all email messages sent to current and future users in the Finance group.
- Prevent email messages from impersonating users in the Managers group.

How should you configure Policy1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Users, groups, and domains:

- The Managers group
- The Finance group**
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

Phishing threshold & protection:

- The Managers group**
- The Finance group
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users, groups, and domains:

- The Managers group
- The Finance group**
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

Phishing threshold & protection:

- The Managers group**
- The Finance group
- The contoso.com domain
- User1, User2, and User3**
- User4, User5, and User6

NEW QUESTION 154

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online. You need to retain audit log entries for users in the legal department for up to one year. Which two actions should you perform? Each Correct answer presents part of the solution.

Note: Each Correct Selection is worth one point.

- A. For the default audit log retention policy, set Duration to 1 Year.
- B. Assign a Microsoft Office 365 E5 license to each legal department user.
- C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department.
- D. Create a new audit log retention policy and assign the policy to the legal department.
- E. Assign a Microsoft Office 365 E5 license to each user in the tenant.

Answer: AC

Explanation:

You can set the default audit log retention policy to retain log entries for up to one year by changing the "Duration" setting to "1 Year."

* C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies-in-the-security-compliance-center?view=o365-worldwide#create-or-edit-a-retention-policy>

You can create a retention policy with a one-year retention tag, and then apply the policy to the user mailboxes in the legal department. This will ensure that the audit log entries for those users are retained for up to one year as per the retention tag.

NEW QUESTION 155

HOTSPOT - (Topic 5)


You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 159

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-spam in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

? On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

? The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.
- Description: Enter an optional description for the policy. When you're finished, click Next.

? On the Users, groups, and domains page that appears, identify the internal recipients that the policy applies to (recipient conditions):

- Users: The specified mailboxes, mail users, or mail contacts in your organization.
- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.
- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary. To remove an existing value, click remove x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1> or <recipient2>). Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

? On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.

By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:

- MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that corresponds to a filtering verdict of Spam, and the action for the Bulk filtering verdict is taken on the message.
- MarkAsSpamBulkMail is Off: The message is stamped with the BCL, but no action is taken for a Bulk filtering verdict. In effect, the BCL threshold and Bulk filtering verdict action are irrelevant.

- Increase spam score, Mark as spam* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages and from these countries settings are not part of ASF.

- Contains specific languages: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

- From these countries*: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it. Repeat this step as many times as necessary. To remove

an existing value, click remove x next to the value.

When you're finished, click Next.

? On the Actions page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

- Spam
- High confidence spam Phishing
- High confidence phishing Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X- header as the action for a spam filtering verdict. The value you specify is the header field name that's added to the message header. The header fieldvalue is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text as the action for a spam filtering verdict. Enter the text to add to the beginning of the message's subject line.

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

- Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.
- Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

? On the Allow & block list flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed section, you can configure allowed senders and allowed domains. In the

Blocked section, you can add blocked senders and blocked domains. The steps to add entries to any of the lists are the same:

- Click the link for the list that you want to configure: Allowed >Senders: Click Manage (nn) sender(s). Allowed >Domains: Click Allow domains. Blocked >Senders: Click Manage (nn) sender(s). Blocked >Domains: Click Block domains.

- In the flyout that appears, do the following steps: Click + Add senders oAr dd domains.

- In the Add senders oAr dd domains flyout that appears, enter the sender's email address in the Sender box or the domain in theDomain box. As you're typing, the value appears below the box. When you're finished typing the email address or domain, select the value below the box.

- Repeat the previous step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Add senders oAr dd domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

- Select one or more entries from the list. You can also use the Search box to find values in the list.
- After you select at least one entry, the delete icon appears Click the delete icon to remove the selected entries

When you're finished, click Done.

Back on the Allow & block list page, clickNext when you're read to continue.

? On the Review page that appears, review your settings. You can select Edit in each section to modify the settings within the section. Or you can click Back or select the specific page in the wizard.

When you're finished, click Create.

? On the confirmation page that appears, click Done.

NEW QUESTION 161

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

The certificate for the hybrid deployment expires in two days. You need to replace the certificate.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Cmdlets	Answer Area
<code>Export-ExchangeCertificate</code>	
<code>New-ExchangeCertificate</code>	
<code>Switch-Certificate</code>	⬅️ ⬆️
<code>Import-PfxCertificate</code>	➡️ ⬇️
<code>Import-ExchangeCertificate</code>	
<code>Enable-ExchangeCertificate</code>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-ExchangeCertificate: Create the certificate renewal request. Import-ExchangeCertificate: Install the new certificate.

Enable-ExchangeCertificate: Assign the new certificate to Exchange services.

NEW QUESTION 162

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online subscription. You run the following command.

Set-ActiveSyncOrganizationSettings –DefaultAccessLevel Block

You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

```

Identity           : Outlook-Android/2.0 (UserAgent)
AccessLevel        : allow
Characteristic      : UserAgent
QueryString         : Outlook-Android/2.0

Identity           : Outlook-iOS/2.0 (UserAgent)
AccessLevel         : Allow
Characteristic      : UserAgent
QueryString         : Outlook-iOS/2.0
    
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 163

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder mailbox and a user named User1. You need to ensure that User1 can perform the following actions:

- Create new top-level public folders.
- Only modify items created by User1.
- Post items to the folders created by User1.
- Read and delete items in the folders created by User1. Which role should you assign to User1?

- A. PublishingEditor
- B. Author
- C. PublishingAuthor
- D. Editor

Answer: D

NEW QUESTION 165

HOTSPOT - (Topic 5)


You have a Microsoft 365 subscription that contains a user named User 1. You need to ensure that User1 can perform the following actions:

« Search all mailboxes.

+ Purge email from all mailboxes.

The solution must use the principle of least privilege.

To which role group should you add User1, and which portal should you use? To answer, select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 = Compliance Administrator¹

the role group that you should add User1 to is:

The Compliance Administrator role group grants permissions to manage compliance features in Microsoft 365, such as content search, audit log search, eDiscovery cases, and data loss prevention policies¹. Members of this role group can also search all mailboxes and purge email from all mailboxes using Security & Compliance PowerShell²³. This role

group uses the principle of least privilege by not granting permissions to manage other features or settings in Microsoft 365¹.

Box 2 = Microsoft Purview compliance portal¹. The Microsoft Purview compliance portal is a web-based portal that allows you to manage compliance features in Microsoft 365, such as content search, audit log search, eDiscovery cases, and data loss prevention policies¹. You can use this portal to search all mailboxes and purge email from all mailboxes using Security & Compliance PowerShell²³. You need to have the appropriate permissions to perform these tasks²

NEW QUESTION 170

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 172

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users
- B. Create an offline address book (OAB) that contains the contoso.com users
- C. Create a separate GAL that contains the contoso.com users
- D. Modify the default GAL to exclude the litwareinc.com users
- E. Create a new email address policy for the contoso.com users
- F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

Answer: BCF

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 174

- (Topic 5)

You have an Exchange Online tenant that contains several hundred mailboxes.

Several users report that email messages from an SMTP domain named @fabrikam.com often fail to be delivered to their mailbox.

You need to increase the likelihood that the email messages from the @fabrikam.com are delivered successfully to the users in the tenant.

- A. From the Security & Compliance admin center, modify the anti-spam policy settings.
- B. From the Security & Compliance admin center, modify the DKIM settings.
- C. From your public DNS zones, create a Sender Policy Framework (SPF) TXT record.
- D. From the Security & Compliance admin center, create a new ATP anti-phishing policy.

Answer: A

NEW QUESTION 177

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You create an email address policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This would work in Exchange on-premise but you cannot create email address policies for user mailboxes in Exchange Online.

NEW QUESTION 178

HOTSPOT - (Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.

What should you do for each company? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A.Datum:	▼
<div style="border: 1px solid black; padding: 2px;"> <p>Configure Microsoft Azure Active Directory Connect</p> <p>Create a federation trust between Exchange and Microsoft Office 365</p> <p>Establish identity federation by using Active Directory Federation Services</p> <p>Create a sharing policy</p> </div>	
Contoso:	▼
<div style="border: 1px solid black; padding: 2px;"> <p>Establish identity federation by using Active Directory Federation Services</p> <p>Configure Microsoft Azure Active Directory Connect</p> <p>Create an organization relationship</p> <p>Create a federation trust between Exchange and Microsoft Office 365</p> </div>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 181

- (Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online.

You have the appropriate permissions to perform the mailbox migrations. You need to prepare the environment for the planned migration.

What should you do?

- A. Disable Microsoft Outlook for the web.
- B. Install the Hybrid Agent.
- C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
- D. Enable the MRSPProxy service on an on-premises Exchange server.

Answer: D

Explanation:

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION 184

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security administrator role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 189

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft 365 Defender.

You plan to use Attack simulation training to simulate the following attack against users:

- Send an email message that contains a URL.
- If the users click the URL, redirect them to a website that requests a username and password.

Which technique should you use for the simulation?

- A. Malware Attachment
- B. Credential Harvest
- C. Drive-by URL
- D. Link to Malware

Answer: B

NEW QUESTION 194

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the content filtering settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 199

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of User1.

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 201

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages received from an organization named contoso.com are encrypted by using TLS.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Navigate to Mail flow in the Exchange Admin Center, > Connectors.

The Connectors screen appears.

? Click +Add a connector. The New connector screen appears.

New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

Connection from

- Office 365
- Your organization's email server
- Partner organization

Connection to

? Under Connection from, choose Partner organization.

New connector

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

Connection from

- Office 365
- Your organization's email server
- Partner organization

Connection to

- Office 365

? Click Next. The Connector name screen appears.

? Provide a name for the connector and click Next. The Authenticating sent email screen appears.

? Choose one of the two options between By verifying that the sender domain matches one of the following domains and By verifying that the IP address of the sending server matches one of the following IP addresses, which belong to your partner organization.

? Click Next. The Security restrictions screen appears.

? Check the check box for Reject email messages if they aren't sent over TLS.

? Check the check box for Reject email messages if they aren't sent from within this IP address range, and provide the IP address range.

? Click Next. The Review connector screen appears.

? Review the settings you have configured, and click Create connector.

NEW QUESTION 203

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains 5,000 mailboxes.

You need to migrate 1,000 users to Exchange Online. The migrated users must support Hybrid Modern Authentication (HMA).

Which migration method should you use?

- A. cutover migration
- B. full hybrid migration
- C. minimal hybrid migration
- D. express hybrid migration

Answer: B

NEW QUESTION 204

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server. The deployment must meet the following requirements:

? Support Outlook for iOS and Android.

? Support 500 on-premises mailboxes.

? Support Modern Authentication.

Which hybrid configuration topology should you recommend?

- A. Classic Full
- B. Modern Minimal

- C. Modern Full
- D. Classic Minimal

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-configuration-wizard-options> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent>

NEW QUESTION 205

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. Users access their email by using Microsoft Outlook 2019.

The users report that when a mailbox is provisioned for a new user, there is a delay of many hours before the new user appears in the global address list (GAL).

From Outlook on the web, the users can see the new user in the GAL immediately.

You need to reduce the amount of time it takes for new users to appear in the GAL in Outlook 2019.

What should you do?

- A. Modify the default email address policy.
- B. Create an address book policy (ABP).
- C. Create a scheduled task that runs the Update-GlobalAddressList cmdlet.
- D. Modify the offline address (OAB) schedule.

Answer: D

Explanation:

References:

<https://www.howto-outlook.com/howto/oabupdate.htm#syncschedules>

NEW QUESTION 210

- (Topic 5)

Your company has a department named Dept1. You have a Microsoft Exchange Online tenant.

You need to prevent only the users in Dept1 from using Outlook on the web to manage their mailbox settings.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a new role assignment policy.
- B. Create a custom role group.
- C. Assign the Team Mailboxes role.
- D. Remove the MyBaseOptions role from the policy.
- E. Edit the Default Role Assignment Policy.

Answer: AE

NEW QUESTION 212

DRAG DROP - (Topic 5)

You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019.

All user mailboxes are in Microsoft 365.

A user named User1 leaves your company.

You delete the user account of User1 from the on-premises Active Directory domain. Two weeks later, User1 returns to the company.

You need to ensure that User1 can connect to his mailbox and access all his old email messages.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From the on-premises Active Directory Recycle Bin, recover the user account
- Run the New-MailboxRestoreRequest cmdlet
- Assign a Microsoft 365 license to User1
- From the on-premises Active Directory domain, create a new user named User1
- Run the New-Mailbox -InactiveMailbox cmdlet
- Run the Restore-MsolUser cmdlet
- Force a synchronization from Azure AD Connect

Answer Area



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Actions

- From the on-premises Active Directory Recycle Bin, recover the user account
- Run the New-MailboxRestoreRequest cmdlet
- Assign a Microsoft 365 license to User1
- From the on-premises Active Directory domain, create a new user named User1
- Run the New-Mailbox -InactiveMailbox cmdlet
- Run the Restore-MsolUser cmdlet
- Force a synchronization from Azure AD Connect

Answer Area



NEW QUESTION 215

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online. Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin

center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Admin Centers	Answer Area
The Exchange admin center from an on-premises server	User1: Admin Center
The Exchange admin center from Exchange Online	User2: Admin Center
The Microsoft 265 admin center	
The Security and Compliance admin center	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 217

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.
? Click the Safe Links tab to examine all existing Safe Links policies:
? After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.
- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.
? In Name enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.
? Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.
? The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.
? Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.
? Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.
? Finally, we will select the scope for the rule under the Applied to section.
? Using similar conditions to transport rules we can select who this rule applies to including:
- Individual recipients
- Recipient domains
- Members of distribution groups
? The same conditions can be used for exceptions. When you have configured your rule, choose Save.
After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

NEW QUESTION 218

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You create a mail flow rule. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachment-blocking-scenarios>

NEW QUESTION 221

- (Topic 5)

You have a Microsoft 365 subscription.

Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday.

You need to identify which mobile device access rule applies to the devices. Which cmdlet should you run?

- A. Get-MsolDevice
- B. Get-DeviceTenantRule
- C. Get-MobileDevice
- D. Get-ActiveSyncMailboxPolicy

Answer: C

Explanation:

The Get-MobileDevice cmdlet returns identification, configuration, and status information for each mobile device.

Note: The Get-MobileDeviceStatistics cmdlet can also be used. Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/get-mobiledevice?view=exchange-ps>

NEW QUESTION 223

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

You need to prevent 100 users in the finance department at your company from using Direct file access when using Outlook on the web. The solution must ensure that all the other users in the company can continue to use Direct file access when using Outlook on the web.

What should you do?

- A. Modify the default sharing policy.
- B. Create and assign an Outlook Web App policy.
- C. Create and assign a sharing policy.
- D. Modify the default Outlook Web App policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/outlook-on-the-web/mailbox-policies?view=exchserver-2019>

NEW QUESTION 226

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Another administrator at contoso.com plans to deploy an SMTP smart host that uses an IP address of 131.107.2.200.

You need to prepare a solution to route all emails sent to users in the @contoso.com domain from your organization by using the SMTP host. The solution must have a status set to Off until the administrator deploys the smart host.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, navigate to Mail flow > Send connectors, and then click Add +. This starts the New Send connector wizard.

? On the first page, enter the following information:

- Name: Enter a descriptive name for the Send connector, for example, Smart host to Internet.

- Type: Select a descriptive value. For example, Internet oCr ustom. When you're finished, click Next.

? On the next page, select Route mail through smart hosts, and then click Add +. In

the Add smart host dialog box that appears, identify the smart host by using one of the following values:

- IP address: For example, 192.168.3.2.

- Fully qualified domain name (FQDN): For example, securitydevice01.contoso.com. Note that the Exchange source servers for the Send connector must be able to resolve the smart host in DNS by using this FQDN.

When you're finished, click Save.

? You can enter multiple smart hosts by repeating Step 3. When you're finished, click Next.

? On the next page, in the Route mail through smart hosts section, select the authentication method that's required by the smart host. Valid values are:

TABLE 1

Authentication mechanism	Description
None	No authentication. For example, when access to the smart host is restricted by the source IP address.
Basic authentication	Basic authentication. Requires a username and password. The username and password are sent in clear text.
Offer basic authentication only after starting TLS	Basic authentication that's encrypted with TLS. This requires a server certificate on the smart host that contains the exact FQDN of the smart host that's defined on the Send connector.
Exchange Server authentication	Generic Security Services application programming interface (GSSAPI) and Mutual GSSAPI authentication.
Externally secured	The connection is presumed to be secured by using a security mechanism that's external to Exchange. The connection may be an Internet Protocol security (IPsec) association or a virtual private network (VPN). Alternatively, the servers may reside in a trusted, physically controlled network.

? When you're finished, click Next.

? On the next page, in the Address space section, click Add +. In the Add domain dialog box that appears, enter the following information:

- Type: Verify SMTP is entered.

- Fully Qualified Domain Name (FQDN): Enter an asterisk (*) to indicate the Send connector applies to messages addressed to all external domains. Alternatively, you can enter a specific external domain (for example, contoso.com), or a domain and all subdomains (for example, *.contoso.com).

- Cost: Verify 1 is entered. A lower value indicates a more preferred route for the domains you specified.

When you're finished, click Save.

? Back on the previous page, the Scoped send connector setting is important if your organization has Exchange servers installed in multiple Active Directory sites:

- If you don't select Scoped send connector, the connector is usable by all transport servers (Exchange 2013 or later Mailbox servers and Exchange 2010 Hub Transport servers) in the entire Active Directory forest. This is the default value.

- If you select Scoped send connector, the connector is only usable by other transport servers in the same Active Directory site.

When you're finished, click Next.

? On the next page, in the Source server section, click Add +. In the Select a Server dialog box that appears, select one or more Mailbox servers that you want to use to send outbound mail to the smart host. If you have multiple Mailbox servers in your environment, select the ones that can route mail to the smart host. If you have only one Mailbox server, select that one. After you've selected at least one Mailbox server, click Add, click OK, and then click Finish.

After you create the Send connector, it appears in the Send connector list.

From the Send connector list, you can turn the connector on or off.

NEW QUESTION 231

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

An incoming email messages route through an third-party filtering service named Filter1 to connector named Connector1.

You discover that incoming messages contain headers that specify the source IP address as Filter1.

You to ensure that incoming email messages contain headers that specify source IP address of the original sender. The solution must prevent any charges to the service.

What should you do?

- A. From Microsoft 365 Defender portal configure enhanced filtering for Connector1.
- B. Configure Connector1 to authenticate messages by using the IP address of Filter1 service.
- C. Configure the MX Of contoso.com to point to contoso-can.mailgotection.outbok.com.
- D. From the Exchange admin center
- E. create a transport rule to rewrite header for incoming messages.

Answer: C

NEW QUESTION 236

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to identify any changes made to the Recipient Management role group during the past month.

What should you do?

- A. Run the Get-ManagementRole cmdlet.
- B. Run a non-owner mailbox access report.
- C. Run an administrator role group report.
- D. Run the Get-AuditLogSearch cmdlet

Answer: D

NEW QUESTION 241

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance in your Microsoft 365 tenant. Users must be able to send emails to Finance by using an email address of finance@lab.CloudCredential(1).TenantName.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Use the EAC to create a public folder mailbox

? In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

? In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.

- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

? Navigate to Public folders > Public folders.

? If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

? Click Add +.

? In Public Folder, type the name of the public folder.

? In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.

? Click Save.

? Navigate back to Public folders > Public folders.

? In the list view, select the public folder that you want to mail-enable or mail-disable.

? In the details pane, under Mail settings, click Enable or Disable.

? A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.

NEW QUESTION 246

- (Topic 2)

You need to recommend a procedure for closing the Brussels office that meets the technical requirements.

What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

Answer: C

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019>
<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

NEW QUESTION 250

HOTSPOT - (Topic 1)

You need to configure the environment to support the planned changes for email addresses. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```

Set-Mailbox -Name 'UserMailboxes'

```

Set-Mailbox

Set-MailboxPlan

Update-EmailAddressPolicy

New-EmailAddressPolicy

```

-RecipientFilter {(RecipientType -eq 'UserMailbox')}
-EnabledEmailAddressTempates '

```

SMTP.%s%2g@contoso.com

SMTP.%g%2s@contoso.com

SMTP.%d%2g@contoso.com

SMTP.%2d%s@contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-emailaddresspolicy?view=exchange-ps>
<https://docs.microsoft.com/en-us/Exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION 255

HOTSPOT - (Topic 1)

Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit. NOTE: Each correct selection is worth one point.

To meet the security requirements for the email messages received from fabrikam.com, set (answer choice) to *, fabrikam.com.

AssociatedAcceptedDomains

ConnectorSource

SenderDomains

When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent (answer choice).

back to a sender in fabrikam.com

to the Edge Transport server encrypted

to the Edge Transport server unencrypted

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SenderDomains
to the Edge Transport server encrypted

NEW QUESTION 256

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)