



Amazon-Web-Services

Exam Questions SOA-C02

AWS Certified SysOps Administrator - Associate (SOA-C02)

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

A SysOps administrator has used AWS Cloud Formation to deploy a sereness application into a production VPC. The application consists of an AWS Lambda function, an Amazon DynamoDB table, and an Amazon API Gateway API. The SysOps administrator must delete the AWS Cloud Formation stack without deleting the DynamoDB table.

Which action should the SysOps administrator take before deleting the AWS Cloud Formation stack?

- A. Add a Retain deletion policy to the DynamoDB resource in the AWS CloudFormation stack.
- B. Add a Snapshot deletion policy to the DynamoDB resource In the AWS CloudFormation stack.
- C. Enable termination protection on the AWS Cloud Formation stack.
- D. Update the application's IAM policy with a Deny statement for the dynamodb:DeleteTable action.

Answer: A

NEW QUESTION 2

- (Exam Topic 1)

A company updates its security policy to prohibit the public exposure of any data in Amazon S3 buckets in the company's account. What should a SysOps administrator do to meet this requirement?

- A. Turn on S3 Block Public Access from the account level.
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to enforce that all S3 objects are private.
- C. Use Amazon Inspector to search for S3 buckets and to automatically reset S3 ACLs if any public S3 buckets are found.
- D. Use S3 Object Lambda to examine S3 ACLs and to change any public S3 ACLs to private.

Answer: A

Explanation:

Using Amazon S3 Block Public Access

as a centralized way to limit public access. Block Public Access

settings override bucket policies and object permissions. Be sure to enable Block Public Access for all accounts and buckets that you don't want publicly accessible.

<https://aws.amazon.com/premiumsupport/knowledge-center/secure-s3-resources/#:~:text=Using%20Amazon%2>

NEW QUESTION 3

- (Exam Topic 1)

A company applies user-defined tags to resources that are associated with the company's AWS workloads. Twenty days after applying the tags, the company notices that it cannot use the tags to filter views in the AWS Cost Explorer console.

What is the reason for this issue?

- A. It takes at least 30 days to be able to use tags to filter views in Cost Explorer.
- B. The company has not activated the user-defined tags for cost allocation.
- C. The company has not created an AWS Cost and Usage Report.
- D. The company has not created a usage budget in AWS Budgets.

Answer: B

NEW QUESTION 4

- (Exam Topic 1)

A company wants to track its AWS costs in all member accounts that are part of an organization in AWS Organizations. Managers of the member accounts want to receive a notification when the estimated costs exceed a predetermined amount each month. The managers are unable to configure a billing alarm. The IAM permissions for all users are correct. What could be the cause of this issue?

- A. The management/payer account does not have billing alerts turned on.
- B. The company has not configured AWS Resource Access Manager (AWS RAM) to share billing information between the member accounts and the management/payer account.
- C. Amazon GuardDuty is turned on for all the accounts.
- D. The company has not configured an AWS Config rule to monitor billing.

Answer: B

NEW QUESTION 5

- (Exam Topic 1)

A SysOps administrator must create a solution that immediately notifies software developers if an AWS Lambda function experiences an error. Which solution will meet this requirement?

- A. Create an Amazon Simple Notification Service (Amazon SNS) topic with an email subscription for each developer.
- B. Create an Amazon CloudWatch alarm by using the Errors metric and the Lambda function name as a dimension.
- C. Configure the alarm to send a notification to the SNS topic when the alarm state reaches ALARM.
- D. Create an Amazon Simple Notification Service (Amazon SNS) topic with a mobile subscription for each developer.
- E. Create an Amazon EventBridge (Amazon CloudWatch Events) alarm by using LambdaError as the event pattern and the SNS topic name as a resource.
- F. Configure the alarm to send a notification to the SNS topic when the alarm state reaches ALARM.
- G. Verify each developer email address in Amazon Simple Email Service (Amazon SES). Create an Amazon CloudWatch rule by using the LambdaError metric and developer email addresses as dimension.
- H. Configure the rule to send an email through Amazon SES when the rule state reaches ALARM.
- I. Verify each developer mobile phone in Amazon Simple Email Service (Amazon SES). Create an Amazon EventBridge (Amazon CloudWatch Events) rule by using Errors as the event pattern and the Lambda function name as a resource.
- J. Configure the rule to send a push notification through Amazon SES when the rule state reaches ALARM.

Answer: A

NEW QUESTION 6

- (Exam Topic 1)

A company has deployed AWS Security Hub and AWS Config in a newly implemented organization in AWS Organizations. A SysOps administrator must implement a solution to restrict all member accounts in the organization from deploying Amazon EC2 resources in the ap-southeast-2 Region. The solution must be implemented from a single point and must govern an current and future accounts. The use of root credentials also must be restricted in member accounts. Which AWS feature should the SysOps administrator use to meet these requirements?

- A. AWS Config aggregator
- B. IAM user permissions boundaries
- C. AWS Organizations service control policies (SCPs)
- D. AWS Security Hub conformance packs

Answer: C

NEW QUESTION 7

- (Exam Topic 1)

A SysOps administrator recently configured Amazon S3 Cross-Region Replication on an S3 bucket Which of the following does this feature replicate to the destination S3 bucket by default?

- A. Objects in the source S3 bucket for which the bucket owner does not have permissions
- B. Objects that are stored in S3 Glacier
- C. Objects that existed before replication was configured
- D. Object metadata

Answer: B

NEW QUESTION 8

- (Exam Topic 1)

A company runs a stateless application that is hosted on an Amazon EC2 instance. Users are reporting performance issues. A SysOps administrator reviews the Amazon CloudWatch metrics for the application and notices that the instance's CPU utilization frequently reaches 90% during business hours. What is the MOST operationally efficient solution that will improve the application's responsiveness?

- A. Configure CloudWatch logging on the EC2 instance
- B. Configure a CloudWatch alarm for CPU utilization to alert the SysOps administrator when CPU utilization goes above 90%.
- C. Configure an AWS Client VPN connection to allow the application users to connect directly to the EC2 instance private IP address to reduce latency.
- D. Create an Auto Scaling group, and assign it to an Application Load Balance
- E. Configure a target tracking scaling policy that is based on the average CPU utilization of the Auto Scaling group.
- F. Create a CloudWatch alarm that activates when the EC2 instance's CPU utilization goes above 80%. Configure the alarm to invoke an AWS Lambda function that vertically scales the instance.

Answer: C

NEW QUESTION 9

- (Exam Topic 1)

A SysOps administrator needs to develop a solution that provides email notification and inserts a record into a database every time a file is put into an Amazon S3 bucket.

What is the MOST operationally efficient solution that meets these requirements?

- A. Set up an S3 event notification that targets an Amazon Simple Notification Service (Amazon SNS) topic Create two subscriptions for the SNS topic Use one subscription to send the email notification Use the other subscription to invoke an AWS Lambda function that inserts the record into the database
- B. Set up an Amazon CloudWatch alarm that enters ALARM state whenever an object is created in the S3 bucket Configure the alarm to invoke an AWS Lambda function that sends the email notification and inserts the record into the database
- C. Create an AWS Lambda function to send the email notification and insert the record into the database whenever a new object is detected in the S3 bucket invoke the function every minute with an Amazon EventBridge (Amazon CloudWatch Events) scheduled rule.
- D. Set up two S3 event notifications Target a separate AWS Lambda function with each notification Configure one function to send the email notification Configure the other function to insert the record into the database

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

A company has an existing web application that runs on two Amazon EC2 instances behind an Application Load Balancer (ALB) across two Availability Zones The application uses an Amazon RDS Multi-AZ DB Instance Amazon Route 53 record sets route requests for dynamic content to the load balancer and requests for static content to an Amazon S3 bucket Site visitors are reporting extremely long loading times.

Which actions should be taken to improve the performance of the website? (Select TWO)

- A. Add Amazon CloudFront caching for static content
- B. Change the load balancer listener from HTTPS to TCP
- C. Enable Amazon Route 53 latency-based routing
- D. Implement Amazon EC2 Auto Scaling for the web servers
- E. Move the static content from Amazon S3 to the web servers

Answer: AD

NEW QUESTION 10

- (Exam Topic 1)

A SysOps administrator wants to manage a web server application with AWS Elastic Beanstalk. The Elastic Beanstalk service must maintain full capacity for new deployments at all times.

Which deployment policies satisfy this requirement? (Select TWO.)

- A. All at once
- B. Immutable
- C. Rebuild
- D. Rolling
- E. Rolling with additional batch

Answer: BE

Explanation:

<https://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.rolling-version-deploy.html>

NEW QUESTION 14

- (Exam Topic 1)

A SysOps administrator has created a VPC that contains a public subnet and a private subnet. Amazon EC2 instances that were launched in the private subnet cannot access the internet. The default network ACL is active on all subnets in the VPC, and all security groups allow all outbound traffic:

Which solution will provide the EC2 instances in the private subnet with access to the internet?

- A. Create a NAT gateway in the public subne
- B. Create a route from the private subnet to the NAT gateway.
- C. Create a NAT gateway in the public subne
- D. Create a route from the public subnet to the NAT gateway.
- E. Create a NAT gateway in the private subne
- F. Create a route from the public subnet to the NAT gateway.
- G. Create a NAT gateway in the private subne
- H. Create a route from the private subnet to the NAT gateway.

Answer: A

Explanation:

NAT Gateway resides in public subnet, and traffic should be routed from private subnet to NAT Gateway: <https://docs.aws.amazon.com/vpc/latest/userguide/vpc-nat-gateway.html>

NEW QUESTION 19

- (Exam Topic 1)

A company has an internal web application that runs on Amazon EC2 instances behind an Application Load

Balancer. The instances run in an Amazon EC2 Auto Scaling group in a single Availability Zone. A SysOps administrator must make the application highly available.

Which action should the SysOps administrator take to meet this requirement?

- A. Increase the maximum number of instances in the Auto Scaling group to meet the capacity that is required at peak usage.
- B. Increase the minimum number of instances in the Auto Scaling group to meet the capacity that is required at peak usage.
- C. Update the Auto Scaling group to launch new instances in a second Availability Zone in the same AWS Region.
- D. Update the Auto Scaling group to launch new instances in an Availability Zone in a second AWS Region.

Answer: C

NEW QUESTION 22

- (Exam Topic 1)

A company uses AWS Organizations to manage multiple AWS accounts with consolidated billing enabled. Organization member account owners want the benefits of Reserved Instances (RIs) but do not want to share RIs with other accounts.

Which solution will meet these requirements?

- A. Purchase RIs in individual member account
- B. Disable RI discount sharing in the management account.
- C. Purchase RIs in individual member account
- D. Disable RI discount sharing in the member accounts.
- E. Purchase RIs in the management account
- F. Disable RI discount sharing in the management account.
- G. Purchase RIs in the management accoun
- H. Disable RI discount sharing in the member accounts.

Answer: A

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/ec2-ri-consolidated-billing/>

RI discounts apply to accounts in an organization's consolidated billing family depending upon whether RI sharing is turned on or off for the accounts. By default, RI sharing for all accounts in an organization is turned on. The management account of an organization can change this setting by turning off RI sharing for an account. The capacity reservation for an RI applies only to the account the RI was purchased on, no matter whether RI sharing is turned on or off.

NEW QUESTION 25

- (Exam Topic 1)

A company is hosting applications on Amazon EC2 instances. The company is hosting a database on an Amazon RDS for PostgreSQL DB instance. The company requires all connections to the DB instance to be encrypted.

What should a SysOps administrator do to meet this requirement?

- A. Allow SSL connections to the database by using an inbound security group rule.
- B. Encrypt the database by using an AWS Key Management Service (AWS KMS) encryption key.
- C. Enforce SSL connections to the database by using a custom parameter group.
- D. Patch the database with SSL/TLS by using a custom PostgreSQL extension.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/PostgreSQL.Concepts.General.SSL.htm> Amazon RDS supports SSL/TLS encryption for connections to the database, and this can be enabled by creating a custom parameter group and setting the `rds.force_ssl` parameter to 1. This will ensure that all connections to the database are encrypted, protecting the data and maintaining compliance with the company's requirements.

NEW QUESTION 26

- (Exam Topic 1)

A SysOps administrator wants to upload a file that is 1 TB in size from on-premises to an Amazon S3 bucket using multipart uploads. What should the SysOps administrator do to meet this requirement?

- A. Upload the file using the S3 console.
- B. Use the `s3api copy-object` command.
- C. Use the `s3api put-object` command.
- D. Use the `s3 cp` command.

Answer: D

Explanation:

It's a best practice to use `aws s3` commands (such as `aws s3 cp`) for multipart uploads and downloads, because these `aws s3` commands automatically perform multipart uploading and downloading based on the file size. By comparison, `aws s3api` commands, such as `aws s3api create-multipart-upload`, should be used only when `aws s3` commands don't support a specific upload need, such as when the multipart upload involves multiple servers, a multipart upload is manually stopped and resumed later, or when the `aws s3` command doesn't support a required request parameter.

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-multipart-upload-cli/>

NEW QUESTION 30

- (Exam Topic 1)

A company runs a web application on three Amazon EC2 instances behind an Application Load Balancer (ALB). The company notices that random periods of increased traffic cause a degradation in the application's performance. A SysOps administrator must scale the application to meet the increased traffic. Which solution meets these requirements?

- A. Create an Amazon CloudWatch alarm to monitor application latency and increase the size of each EC2 instance If the desired threshold is reached.
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to monitor application latency and add an EC2 instance to the ALB if the desired threshold is reached.
- C. Deploy the application to an Auto Scaling group of EC2 instances with a target tracking scaling policy. Attach the ALB to the Auto Scaling group.
- D. Deploy the application to an Auto Scaling group of EC2 instances with a scheduled scaling policy. Attach the ALB to the Auto Scaling group.

Answer: C

Explanation:

docs.aws.amazon.com/autoscaling/ec2/userguide/as-scaling-target-tracking.html

NEW QUESTION 32

- (Exam Topic 1)

A development team recently deployed a new version of a web application to production After the release, penetration testing revealed a cross-site scripting vulnerability that could expose user data Which AWS service will mitigate this issue?

- A. AWS Shield Standard
- B. AWS WAF
- C. Elastic Load Balancing
- D. Amazon Cognito

Answer: B

Explanation:

<https://www.imperva.com/learn/application-security/cross-site-scripting-xss-attacks/>

NEW QUESTION 36

- (Exam Topic 1)

A SysOps administrator created an Amazon VPC with an IPv6 CIDR block, which requires access to the internet. However, access from the internet towards the VPC is prohibited. After adding and configuring the required components to the VPC. the administrator is unable to connect to any of the domains that reside on the internet.

What additional route destination rule should the administrator add to the route tables?

- A. Route `::/0` traffic to a NAT gateway
- B. Route `::/0` traffic to an internet gateway
- C. Route `0.0.0.0/0` traffic to an egress-only internet gateway
- D. Route `::/0` traffic to an egress-only internet gateway

Answer: D

Explanation:

<https://docs.aws.amazon.com/vpc/latest/userguide/egress-only-internet-gateway.html>

NEW QUESTION 39

- (Exam Topic 1)

A SysOps administrator launches an Amazon EC2 Linux instance in a public subnet. When the instance is running, the SysOps administrator obtains the public IP address and attempts to remotely connect to the instance multiple times. However, the SysOps administrator always receives a timeout error. Which action will allow the SysOps administrator to remotely connect to the instance?

- A. Add a route table entry in the public subnet for the SysOps administrator's IP address.
- B. Add an outbound network ACL rule to allow TCP port 22 for the SysOps administrator's IP address.
- C. Modify the instance security group to allow inbound SSH traffic from the SysOps administrator's IP address.
- D. Modify the instance security group to allow outbound SSH traffic to the SysOps administrator's IP address.

Answer: C

NEW QUESTION 40

- (Exam Topic 1)

An organization created an Amazon Elastic File System (Amazon EFS) volume with a file system ID of fs-85ba4Kc. and it is actively used by 10 Amazon EC2 hosts. The organization has become concerned that the file system is not encrypted. How can this be resolved?

- A. Enable encryption on each host's connection to the Amazon EFS volume. Each connection must be recreated for encryption to take effect.
- B. Enable encryption on the existing EFS volume by using the AWS Command Line Interface.
- C. Enable encryption on each host's local drive. Restart each host to encrypt the drive.
- D. Enable encryption on a newly created volume and copy all data from the original volume. Reconnect each host to the new volume.

Answer: D

Explanation:

<https://docs.aws.amazon.com/efs/latest/ug/encryption.html>

Amazon EFS supports two forms of encryption for file systems, encryption of data in transit and encryption at rest. You can enable encryption of data at rest when creating an Amazon EFS file system. You can enable encryption of data in transit when you mount the file system.

NEW QUESTION 41

- (Exam Topic 1)

A SysOps administrator is unable to authenticate an AWS CLI call to an AWS service. Which of the following is the cause of this issue?

- A. The IAM password is incorrect.
- B. The server certificate is missing.
- C. The SSH key pair is incorrect.
- D. There is no access key.

Answer: C

NEW QUESTION 44

- (Exam Topic 1)

A SysOps administrator is unable to launch Amazon EC2 instances into a VPC because there are no available private IPv4 addresses in the VPC. Which combination of actions must the SysOps administrator take to launch the instances? (Select TWO.)

- A. Associate a secondary IPv4 CIDR block with the VPC.
- B. Associate a primary IPv6 CIDR block with the VPC.
- C. Create a new subnet for the VPC.
- D. Modify the CIDR block of the VPC.
- E. Modify the CIDR block of the subnet that is associated with the instances.

Answer: AD

NEW QUESTION 45

- (Exam Topic 1)

A SysOps administrator is responsible for a legacy, CPU-heavy application. The application can only be scaled vertically. Currently, the application is deployed on a single t2 large Amazon EC2 instance. The system is showing 90% CPU usage and significant performance latency after a few minutes. What change should be made to alleviate the performance problem?

- A. Change the Amazon EBS volume to Provisioned IOPs.
- B. Upgrade to a compute-optimized instance.
- C. Add additional 12 large instances to the application.
- D. Purchase Reserved Instances.

Answer: B

NEW QUESTION 46

- (Exam Topic 1)

A company has a stateless application that is hosted on a fleet of 10 Amazon EC2 On-Demand Instances in an Auto Scaling group. A minimum of 6 instances are needed to meet service requirements.

Which action will maintain uptime for the application MOST cost-effectively?

- A. Use a Spot Fleet with an On-Demand capacity of 6 instances.
- B. Update the Auto Scaling group with a minimum of 6 On-Demand Instances and a maximum of 10 On-Demand Instances.
- C. Update the Auto Scaling group with a minimum of 1 On-Demand Instance and a maximum of 6 On-Demand Instances.
- D. Use a Spot Fleet with a target capacity of 6 instances.

Answer: A

NEW QUESTION 49

- (Exam Topic 1)

A company creates custom AMI images by launching new Amazon EC2 instances from an AWS CloudFormation template it installs and configure necessary software through AWS OpsWorks and takes images of each EC2 instance. The process of installing and configuring software can take between 2 to 3 hours but at times the process stalls due to installation errors.

The SysOps administrator must modify the CloudFormation template so if the process stalls, the entire stack will fail and roll back.

Based on these requirements what should be added to the template?

- A. Conditions with a timeout set to 4 hours.
- B. CreationPolicy with timeout set to 4 hours.
- C. DependsOn a timeout set to 4 hours.
- D. Metadata with a timeout set to 4 hours

Answer: B

NEW QUESTION 54

- (Exam Topic 1)

A company runs several workloads on AWS. The company identifies five AWS Trusted Advisor service quota metrics to monitor in a specific AWS Region. The company wants to receive email notification each time resource usage exceeds 60% of one of the service quotas.

Which solution will meet these requirements?

- A. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metri
- B. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.
- C. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metri
- D. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- E. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- F. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.

Answer: A

Explanation:

CloudWatch alarms allow you to monitor AWS resources, and you can configure an SNS topic to send an email notification each time one of the alarms is triggered. This will ensure that the company receives email notifications each time one of the service quotas is exceeded, allowing the company to take action as needed.

NEW QUESTION 56

- (Exam Topic 1)

A company has an Amazon RDS DB instance. The company wants to implement a caching service while maintaining high availability.

Which combination of actions will meet these requirements? (Choose two.)

- A. Add Auto Discovery to the data store.
- B. Create an Amazon ElastiCache for Memcached data store.
- C. Create an Amazon ElastiCache for Redis data store.
- D. Enable Multi-AZ for the data store.
- E. Enable Multi-threading for the data store.

Answer: CD

Explanation:

<https://aws.amazon.com/elasticache/memcached/> <https://aws.amazon.com/elasticache/redis/>

NEW QUESTION 60

- (Exam Topic 1)

A company asks a SysOps administrator to ensure that AWS CloudTrail files are not tampered with after they are created. Currently, the company uses AWS Identity and Access Management (IAM) to restrict access to specific trails. The company's security team needs the ability to trace the integrity of each file.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function when a new file is delivered
- B. Configure the Lambda function to compute an MD5 hash check on the file and store the result in an Amazon DynamoDB table
- C. The security team can use the values that are stored in DynamoDB to verify the integrity of the delivered files.
- D. Create an AWS Lambda function that is invoked each time a new file is delivered to the CloudTrail bucket
- E. Configure the Lambda function to compute an MD5 hash check on the file and store the result as a tag in an Amazon S3 object
- F. The security team can use the information in the tag to verify the integrity of the delivered files.
- G. Enable the CloudTrail file integrity feature on an Amazon S3 bucket
- H. Create an IAM policy that grants the security team access to the file integrity logs that are stored in the S3 bucket.
- I. Enable the CloudTrail file integrity feature on the trail
- J. The security team can use the digest file that is created by CloudTrail to verify the integrity of the delivered files.

Answer: D

Explanation:

<https://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-log-file-validation-intro.html> "When you enable log file integrity validation, CloudTrail creates a hash for every log file that it delivers.

Every hour, CloudTrail also creates and delivers a file that references the log files for the last hour and contains a hash of each. This file is called a digest file. Validated log files are invaluable in security and forensic investigations"

NEW QUESTION 61

- (Exam Topic 1)

A user working in the Amazon EC2 console increased the size of an Amazon Elastic Block Store (Amazon EBS) volume attached to an Amazon EC2 Windows instance. The change is not reflected in the file system.

What should a SysOps administrator do to resolve this issue?

- A. Extend the file system with operating system-level tools to use the new storage capacity.
- B. Reattach the EBS volume to the EC2 instance.
- C. Reboot the EC2 instance that is attached to the EBS volume.
- D. Take a snapshot of the EBS volum
- E. Replace the original volume with a volume that is created from the snapshot.

Answer: B

NEW QUESTION 66

- (Exam Topic 1)

An organization is running multiple applications for their customers. Each application is deployed by running a base AWS CloudFormation template that configures a new VPC. All applications are run in the same AWS account and AWS Region. A SysOps administrator has noticed that when trying to deploy the same AWS CloudFormation stack, it fails to deploy. What is likely to be the problem?

- A. The Amazon Machine image used is not available in that region.
- B. The AWS CloudFormation template needs to be updated to the latest version.
- C. The VPC configuration parameters have changed and must be updated in the template.
- D. The account has reached the default limit for VPCs allowed.

Answer: D

NEW QUESTION 68

- (Exam Topic 1)

A development team recently deployed a new version of a web application to production. After the release penetration testing revealed a cross-site scripting vulnerability that could expose user data.

Which AWS service will mitigate this issue?

- A. AWS Shield Standard
- B. AWS WAF
- C. Elastic Load Balancing
- D. Amazon Cognito

Answer: B

NEW QUESTION 69

- (Exam Topic 1)

A company is running a flash sale on its website. The website is hosted on burstable performance Amazon EC2 instances in an Auto Scaling group. The Auto Scaling group is configured to launch instances when the CPU utilization is above 70%.

A couple of hours into the sale, users report slow load times and error messages for refused connections. A SysOps administrator reviews Amazon CloudWatch metrics and notices that the CPU utilization is at 20% across the entire fleet of instances.

The SysOps administrator must restore the website's functionality without making changes to the network infrastructure.

Which solution will meet these requirements?

- A. Activate unlimited mode for the instances in the Auto Scaling group.
- B. Implement an Amazon CloudFront distribution to offload the traffic from the Auto Scaling group.
- C. Move the website to a different AWS Region that is closer to the users.
- D. Reduce the desired size of the Auto Scaling group to artificially increase CPU average utilization.

Answer: B

Explanation:

Implement an Amazon CloudFront distribution to offload the traffic from the Auto Scaling group does not breach the requirement of no changes in the network infrastructure. Reason is that cloudfront is a distribution that allows you to distribute content using a worldwide network of edge locations that provide low latency and high data transfer speeds. It plug in to existing setup, not changes to it.

NEW QUESTION 74

- (Exam Topic 1)

A company is migrating its production file server to AWS. All data that is stored on the file server must remain accessible if an Availability Zone becomes unavailable or when system maintenance is performed. Users must be able to interact with the file server through the SMB protocol. Users also must have the ability to manage file permissions by using Windows ACLs.

Which solution will net these requirements?

- A. Create a single AWS Storage Gateway file gateway.
- B. Create an Amazon FSx for Windows File Server Multi-AZ file system.
- C. Deploy two AWS Storage Gateway file gateways across two Availability Zone
- D. Configure an Application Load Balancer in front of the file gateways.

- E. Deploy two Amazon FSx for Windows File Server Single-AZ 2 file system
- F. Configure Microsoft Distributed File System Replication (DFSR).

Answer: B

Explanation:

<https://aws.amazon.com/fsx/windows/>

NEW QUESTION 75

- (Exam Topic 1)

A company uploaded its website files to an Amazon S3 bucket that has S3 Versioning enabled. The company uses an Amazon CloudFront distribution with the S3 bucket as the origin. The company recently modified the tiles, but the object names remained the same. Users report that old content is still appearing on the website.

How should a SysOps administrator remediate this issue?

- A. Create a CloudFront invalidation, and add the path of the updated files.
- B. Create a CloudFront signed URL to update each object immediately.
- C. Configure an S3 origin access identity (OAI) to display only the updated files to users.
- D. Disable S3 Versioning on the S3 bucket so that the updated files can replace the old files.

Answer: A

NEW QUESTION 76

- (Exam Topic 1)

A company wants to use only IPv6 for all its Amazon EC2 instances. The EC2 instances must not be accessible from the internet, but the EC2 instances must be able to access the internet. The company creates a dual-stack VPC and IPv6-only subnets.

How should a SysOps administrator configure the VPC to meet these requirements?

- A. Create and attach a NAT gatewa
- B. Create a custom route table that includes an entry to point all IPv6 traffic to the NAT gatewa
- C. Attach the custom route table to the IPv6-only subnets.
- D. Create and attach an internet gatewa
- E. Create a custom route table that includes an entry to point all IPv6 traffic to the internet gatewa
- F. Attach the custom route table to the IPv6-only subnets.
- G. Create and attach an egress-only internet gatewa
- H. Create a custom route table that includes an entry to point all IPv6 traffic to the egress-only internet gatewa
- I. Attach the custom route table to the IPv6-only subnets.
- J. Create and attach an internet gateway and a NAT gatewa
- K. Create a custom route table that includes an entry to point all IPv6 traffic to the internet gateway and all IPv4 traffic to the NAT gatewa
- L. Attach the custom route table to the IPv6-only subnets.

Answer: C

NEW QUESTION 78

- (Exam Topic 1)

A company plans to deploy a database on an Amazon Aurora MySQL DB cluster. The database will store data for a demonstration environment. The data must be reset on a daily basis.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create a manual snapshot of the DB cluster after the data has been populate
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- C. Configure the function to restore the snapshot and then delete the previous DB cluster.
- D. Enable the Backtrack feature during the creation of the DB cluste
- E. Specify a target backtrack window of 48 hour
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- G. Configure the function to perform a backtrack operation.
- H. Export a manual snapshot of the DB cluster to an Amazon S3 bucket after the data has been populated. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- I. Configure the function to restore the snapshot from Amazon S3.
- J. Set the DB cluster backup retention period to 2 day
- K. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basi
- L. Configure the function to restore the DB cluster to a point in time and then delete the previous DB cluster.

Answer: D

Explanation:

Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basis. Configure the function to restore the DB cluster to a point in time and then delete the previous DB cluster. This is the most operationally efficient solution that meets the requirements, as it will allow the company to reset the database on a daily basis without having to manually take and restore snapshots. The other solutions (creating a manual snapshot of the DB cluster, enabling the Backtrack feature, or exporting a manual snapshot of the DB cluster to Amazon S3) will require additional steps and resources to reset the database on a daily basis.

NEW QUESTION 82

- (Exam Topic 1)

A company is using an Amazon DynamoDB table for data. A SysOps administrator must configure replication of the table to another AWS Region for disaster recovery.

What should the SysOps administrator do to meet this requirement?

- A. Enable DynamoDB Accelerator (DAX).

- B. Enable DynamoDB Streams, and add a global secondary index (GSI).
- C. Enable DynamoDB Streams, and-add a global table Region.
- D. Enable point-in-time recovery.

Answer: C

NEW QUESTION 85

- (Exam Topic 1)

A SysOps administrator is maintaining a web application using an Amazon CloudFront web distribution, an Application Load Balancer (ALB), Amazon RDS, and Amazon EC2 in a VPC. All services have logging enabled. The administrator needs to investigate HTTP Layer 7 status codes from the web application.

Which log sources contain the status codes? (Choose two.)

- A. VPC Flow Logs
- B. AWS CloudTrail logs
- C. ALB access logs
- D. CloudFront access logs
- E. RDS logs

Answer: CD

Explanation:

"C" because Elastic Load Balancing provides access logs that capture detailed information about requests sent to your load balancer

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-access-logs.html>

"D" because "you can configure CloudFront to create log files that contain detailed information about every user request that CloudFront receives"

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/AccessLogs.html>

NEW QUESTION 89

- (Exam Topic 1)

An application runs on multiple Amazon EC2 instances in an Auto Scaling group The Auto Scaling group is configured to use the latest version of a launch template A SysOps administrator must devise a solution that centrally manages the application logs and retains the logs for no more than 90 days

Which solution will meet these requirements?

- A. Launch an Amazon Machine Image (AMI) that is preconfigured with the Amazon CloudWatch Logs agent to send logs to an Amazon S3 bucket Apply a 90-day S3 Lifecycle policy on the S3 bucket to expire the application logs
- B. Launch an Amazon Machine Image (AMI) that is preconfigured with the Amazon CloudWatch Logs agent to send logs to a log group Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled rule to perform an instance refresh every 90 days
- C. Update the launch template user data to install and configure the Amazon CloudWatch Logs agent to send logs to a log group Configure the retention period on the log group to be 90 days
- D. Update the launch template user data to install and configure the Amazon CloudWatch Logs agent to send logs to a log group Set the log rotation configuration of the EC2 instances to 90 days

Answer: C

NEW QUESTION 92

- (Exam Topic 1)

A SysOps administrator must configure a resilient tier of Amazon EC2 instances for a high performance computing (HPC) application. The HPC application requires minimum latency between nodes

Which actions should the SysOps administrator take to meet these requirements? (Select TWO.)

- A. Create an Amazon Elastic File System (Amazon EPS) file system Mount the file system to the EC2 instances by using user data
- B. Create a Multi-AZ Network Load Balancer in front of the EC2 instances
- C. Place the EC2 instances in an Auto Scaling group within a single subnet
- D. Launch the EC2 instances into a cluster placement group
- E. Launch the EC2 instances into a partition placement group

Answer: AD

NEW QUESTION 95

- (Exam Topic 1)

A company has a public website that recently experienced problems. Some links led to missing webpages, and other links rendered incorrect webpages. The application infrastructure was running properly, and all the provisioned resources were healthy. Application logs and dashboards did not show any errors, and no monitoring alarms were raised. Systems administrators were not aware of any problems until end users reported the issues.

The company needs to proactively monitor the website for such issues in the future and must implement a solution as soon as possible.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Rewrite the application to surface a custom error to the application log when issues occur. Automatically parse logs for error
- B. Create an Amazon CloudWatch alarm to provide alerts when issues are detected.
- C. Create an AWS Lambda function to test the websit
- D. Configure the Lambda function to emit an Amazon CloudWatch custom metric when errors are detecte
- E. Configure a CloudWatch alarm to provide alerts when issues are detected.
- F. Create an Amazon CloudWatch Synthetics canar
- G. Use the CloudWatch Synthetics Recorder plugin to generate the script for the canary ru
- H. Configure the canary in line with requirement
- I. Create an alarm to provide alerts when issues are detected.

Answer: A

NEW QUESTION 98

- (Exam Topic 1)

A company is storing media content in an Amazon S3 bucket and uses Amazon CloudFront to distribute the content to its users. Due to licensing terms, the company is not authorized to distribute the content in some countries. A SysOps administrator must restrict access to certain countries. What is the MOST operationally efficient solution that meets these requirements?

- A. Configure the S3 bucket policy to deny the GetObject operation based on the S3:LocationConstraint condition.
- B. Create a secondary origin access identity (OAI). Configure the S3 bucket policy to prevent access from unauthorized countries.
- C. Enable the geo restriction feature in the CloudFront distribution to prevent access from unauthorized countries.
- D. Update the application to generate signed CloudFront URLs only for IP addresses in authorized countries.

Answer: C

NEW QUESTION 99

- (Exam Topic 1)

A company runs its Infrastructure on Amazon EC2 Instances that run in an Auto Scaling group. Recently, the company promoted faulty code to the entire EC2 fleet. This faulty code caused the Auto Scaling group to scale the instances before any of the application logs could be retrieved. What should a SysOps administrator do to retain the application logs after instances are terminated?

- A. Configure an Auto Scaling lifecycle hook to create a snapshot of the ephemeral storage upon termination of the instances.
- B. Create a new Amazon Machine Image (AMI) that has the Amazon CloudWatch agent installed and configured to send logs to Amazon CloudWatch Log
- C. Update the launch template to use the new AMI.
- D. Create a new Amazon Machine Image (AMI) that has a custom script configured to send logs to AWS CloudTrail
- E. Update the launch template to use the new AMI.
- F. Install the Amazon CloudWatch agent on the Amazon Machine Image (AMI) that is defined in the launch template
- G. Configure the CloudWatch agent to back up the logs to ephemeral storage.

Answer: B

NEW QUESTION 100

- (Exam Topic 1)

A company is trying to connect two applications. One application runs in an on-premises data center that has a hostname of host1.onprem.private. The other application runs on an Amazon EC2 instance that has a hostname of host1.awscloud.private. An AWS Site-to-Site VPN connection is in place between the on-premises network and AWS.

The application that runs in the data center tries to connect to the application that runs on the EC2 instance, but DNS resolution fails. A SysOps administrator must implement DNS resolution between on-premises and AWS resources.

Which solution allows the on-premises application to resolve the EC2 instance hostname?

- A. Set up an Amazon Route 53 inbound resolver endpoint with a forwarding rule for the onprem.private hosted zone
- B. Associate the resolver with the VPC of the EC2 instance
- C. Configure the on-premises DNS resolver to forward onprem.private DNS queries to the inbound resolver endpoint.
- D. Set up an Amazon Route 53 inbound resolver endpoint
- E. Associate the resolver with the VPC of the EC2 instance
- F. Configure the on-premises DNS resolver to forward awscloud.private DNS queries to the inbound resolver endpoint.
- G. Set up an Amazon Route 53 outbound resolver endpoint with a forwarding rule for the onprem.private hosted zone
- H. Associate the resolver with the AWS Region of the EC2 instance
- I. Configure the on-premises DNS resolver to forward onprem.private DNS queries to the outbound resolver endpoint.
- J. Set up an Amazon Route 53 outbound resolver endpoint
- K. Associate the resolver with the AWS Region of the EC2 instance
- L. Configure the on-premises DNS resolver to forward awscloud.private DNS queries to the outbound resolver endpoint.

Answer: C

NEW QUESTION 102

- (Exam Topic 1)

A SysOps administrator is designing a solution for an Amazon RDS for PostgreSQL DB instance. Database credentials must be stored and rotated monthly. The applications that connect to the DB instance send

write-intensive traffic with variable client connections that sometimes increase significantly in a short period of time.

Which solution should a SysOps administrator choose to meet these requirements?

- A. Configure AWS Key Management Service (AWS KMS) to automatically rotate the keys for the DB instance
- B. Use RDS Proxy to handle the increases in database connections.
- C. Configure AWS Key Management Service (AWS KMS) to automatically rotate the keys for the DB instance
- D. Use RDS read replicas to handle the increases in database connections.
- E. Configure AWS Secrets Manager to automatically rotate the credentials for the DB instance
- F. Use RDS Proxy to handle the increases in database connections.
- G. Configure AWS Secrets Manager to automatically rotate the credentials for the DB instance
- H. Use RDS read replicas to handle the increases in database connections.

Answer: A

NEW QUESTION 103

- (Exam Topic 1)

A company's backend infrastructure contains an Amazon EC2 instance in a private subnet. The private subnet has a route to the internet through a NAT gateway in a public subnet. The instance must allow connectivity to a secure web server on the internet to retrieve data at regular intervals.

The client software times out with an error message that indicates that the client software could not establish the TCP connection.

What should a SysOps administrator do to resolve this error?

- A. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Source - 0.0.0.0/0.

- B. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTPS, Source - 0.0.0.0/0.
- C. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Destination - 0.0.0.0/0.
- D. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP
- E. Destination - 0.0.0.0/0.

Answer: D

NEW QUESTION 105

- (Exam Topic 1)

A company is creating a new multi-account architecture. A Sysops administrator must implement a login solution to centrally manage user access and permissions across all AWS accounts. The solution must be integrated with AWS Organizations and must be connected to a third-party Security Assertion Markup Language (SAML) 2.0 identity provider (IdP).

What should the SysOps administrator do to meet these requirements?

- A. Configure an Amazon Cognito user pool
- B. Integrate the user pool with the third-party IdP.
- C. Enable and configure AWS Single Sign-On with the third-party IdP.
- D. Federate the third-party IdP with AWS Identity and Access Management (IAM) for each AWS account in the organization.
- E. Integrate the third-party IdP directly with AWS Organizations.

Answer: A

NEW QUESTION 108

- (Exam Topic 1)

A company hosts an internal application on Amazon EC2 instances. All application data and requests route through an AWS Site-to-Site VPN connection between the on-premises network and AWS. The company must monitor the application for changes that allow network access outside of the corporate network. Any change that exposes the application externally must be restricted automatically.

Which solution meets these requirements in the MOST operationally efficient manner?

- A. Create an AWS Lambda function that updates security groups that are associated with the elastic network interface to remove inbound rules with noncorporate CIDR range
- B. Turn on VPC Flow Logs, and send the logs to Amazon CloudWatch Log
- C. Create an Amazon CloudWatch alarm that matches traffic from noncorporate CIDR ranges, and publish a message to an Amazon Simple Notification Service (Amazon SNS) topic with the Lambda function as a target.
- D. Create a scheduled Amazon EventBridge (Amazon CloudWatch Events) rule that targets an AWS Systems Manager Automation document to check for public IP addresses on the EC2 instance
- E. If public IP addresses are found on the EC2 instances, initiate another Systems Manager Automation document to terminate the instances.
- F. Configure AWS Config and a custom rule to monitor whether a security group allows inbound requests from noncorporate CIDR range
- G. Create an AWS Systems Manager Automation document to remove any noncorporate CIDR ranges from the application security groups.
- H. Configure AWS Config and the managed rule for monitoring public IP associations with the EC2 instances by ta
- I. Tag the EC2 instances with an identifier
- J. Create an AWS Systems Manager Automation document to remove the public IP association from the EC2 instances.

Answer: C

Explanation:

<https://aws.amazon.com/blogs/security/how-to-auto-remediate-internet-accessible-ports-with-aws-config-and-aw>

NEW QUESTION 112

- (Exam Topic 1)

A company runs hundreds of Amazon EC2 instances in a single AWS Region. Each EC2 instance has two attached 1 GiB General Purpose SSD (gp2) Amazon Elastic Block Store (Amazon EBS) volumes. A critical workload is using all the available IOPS capacity on the EBS volumes.

According to company policy, the company cannot change instance types or EBS volume types without completing lengthy acceptance tests to validate that the company's applications will function properly. A SysOps administrator needs to increase the I/O performance of the EBS volumes as quickly as possible.

Which action should the SysOps administrator take to meet these requirements?

- A. Increase the size of the 1 GiB EBS volumes.
- B. Add two additional elastic network interfaces on each EC2 instance.
- C. Turn on Transfer Acceleration on the EBS volumes in the Region.
- D. Add all the EC2 instances to a cluster placement group.

Answer: A

Explanation:

Increasing the size of the 1 GiB EBS volumes will increase the IOPS capacity of the volumes, which will improve the I/O performance of the EBS volumes. This option does not require any changes to the instance types or EBS volume types, so it can be done quickly without the need for lengthy acceptance tests to validate that the company's applications will function properly.

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/requesting-ebs-volume-modifications.html>

NEW QUESTION 117

- (Exam Topic 1)

A company has a critical serverless application that uses multiple AWS Lambda functions. Each Lambda function generates 1 GB of log data daily in its own Amazon CloudWatch Logs log group. The company's security team asks for a count of application errors, grouped by type, across all of the log groups.

What should a SysOps administrator do to meet this requirement?

- A. Perform a CloudWatch Logs Insights query that uses the stats command and count function.
- B. Perform a CloudWatch Logs search that uses the groupby keyword and count function.
- C. Perform an Amazon Athena query that uses the SELECT and GROUP BY keywords.
- D. Perform an Amazon RDS query that uses the SELECT and GROUP BY keywords.

Answer: A

NEW QUESTION 119

- (Exam Topic 1)

A company is using an AWS KMS customer master key (CMK) with imported key material. The company references the CMK by its alias in the Java application to encrypt data. The CMK must be rotated every 6 months.

What is the process to rotate the key?

- A. Enable automatic key rotation for the CMK and specify a period of 6 months.
- B. Create a new CMK with new imported material, and update the key alias to point to the new CMK.
- C. Delete the current key material, and import new material into the existing CMK.
- D. Import a copy of the existing key material into a new CMK as a backup, and set the rotation schedule for 6 months.

Answer: B

NEW QUESTION 123

- (Exam Topic 1)

A SysOps administrator is helping a development team deploy an application to AWS. The application template includes an Amazon Linux EC2 Instance, an Amazon Aurora DB cluster, and a hard-coded database password that must be rotated every 90 days.

What is the MOST secure way to manage the database password?

- A. Use the AWS SecretsManager Secret resource with the GenerateSecretString property to automatically generate a password. Use the AWS SecretsManager RotationSchedule resource to define a rotation schedule for the password. Configure the application to retrieve the secret from AWS Secrets Manager to access the database.
- B. Use the AWS SecretsManager Secret resource with the SecretString property. Accept a password as a CloudFormation parameter. Use the AllowedPattern property of the CloudFormation parameter to require a minimum length, uppercase and lowercase letters, and special characters. Configure the application to retrieve the secret from AWS Secrets Manager to access the database.
- C. Use the AWS SSM Parameter resource. Accept input as a CloudFormation parameter to store the parameter as a secure string. Configure the application to retrieve the parameter from AWS Systems Manager Parameter Store to access the database.
- D. Use the AWS SSM Parameter resource. Accept input as a CloudFormation parameter to store the parameter as a string. Configure the application to retrieve the parameter from AWS Systems Manager Parameter Store to access the database.

Answer: A

NEW QUESTION 124

- (Exam Topic 1)

A company is using Amazon CloudFront to serve static content for its web application to its users. The CloudFront distribution uses an existing on-premises website as a custom origin.

The company requires the use of TLS between CloudFront and the origin server. This configuration has worked as expected for several months. However, users are now experiencing HTTP 502 (Bad Gateway) errors when they view webpages that include content from the CloudFront distribution.

What should a SysOps administrator do to resolve this problem?

- A. Examine the expiration date on the certificate on the origin site.
- B. Validate that the certificate has not expired.
- C. Replace the certificate if necessary.
- D. Examine the hostname on the certificate on the origin site.
- E. Validate that the hostname matches one of the hostnames on the CloudFront distribution.
- F. Replace the certificate if necessary.
- G. Examine the firewall rules that are associated with the origin server.
- H. Validate that port 443 is open for inbound traffic from the internet.
- I. Create an inbound rule if necessary.
- J. Examine the network ACL rules that are associated with the CloudFront distribution.
- K. Validate that port 443 is open for outbound traffic to the origin server.
- L. Create an outbound rule if necessary.

Answer: A

Explanation:

HTTP 502 errors from CloudFront can occur because of the following reasons:

There's an SSL negotiation failure because the origin is using SSL/TLS protocols and ciphers that aren't supported by CloudFront.

There's an SSL negotiation failure because the SSL certificate on the origin is expired or invalid, or because the certificate chain is invalid.

There's a host header mismatch in the SSL negotiation between your CloudFront distribution and the custom origin.

The custom origin isn't responding on the ports specified in the origin settings of the CloudFront distribution. The custom origin is ending the connection to CloudFront too quickly.

<https://aws.amazon.com/premiumsupport/knowledge-center/resolve-cloudfront-connection-error/>

NEW QUESTION 127

- (Exam Topic 1)

A company has a web application with a database tier that consists of an Amazon EC2 instance that runs MySQL. A SysOps administrator needs to minimize potential data loss and the time that is required to recover in the event of a database failure.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon CloudWatch alarm for the StatusCheckFailed_System metric to invoke an AWS Lambda function that stops and starts the EC2 instance.
- B. Create an Amazon RDS for MySQL Multi-AZ DB instance.
- C. Use a MySQL native backup that is stored in Amazon S3 to restore the data to the new database.
- D. Update the connection string in the web application.
- E. Create an Amazon RDS for MySQL Single-AZ DB instance with a read replica.
- F. Use a MySQL native backup that is stored in Amazon S3 to restore the data to the new database.
- G. Update the connection string in the web application.

- H. Use Amazon Data Lifecycle Manager (Amazon DLM) to take a snapshot of the Amazon Elastic Block Store (Amazon EBS) volume every hour.
- I. In the event of an EC2 instance failure, restore the EBS volume from a snapshot.

Answer: D

NEW QUESTION 132

- (Exam Topic 1)

A company has a simple web application that runs on a set of Amazon EC2 instances behind an Elastic Load Balancer in the eu-west-2 Region. Amazon Route 53 holds a DNS record for the application with a simple routing policy. Users from all over the world access the application through their web browsers. The company needs to create additional copies of the application in the us-east-1 Region and in the ap-south-1 Region. The company must direct users to the Region that provides the fastest response times when the users load the application. What should a SysOps administrator do to meet these requirements?

- A. In each new Region, create a new Elastic Load Balancer and a new set of EC2 Instances to run a copy of the application.
- B. Transition to a geolocation routing policy.
- C. In each new Region, create a copy of the application on new EC2 instances.
- D. Add these new EC2 instances to the Elastic Load Balancer in eu-west-2. Transition to a latency routing policy.
- E. In each new Region, create a copy of the application on new EC2 instances.
- F. Add these new EC2 instances to the Elastic Load Balancer in eu-west-2. Transition to a multivalue routing policy.
- G. In each new Region, create a new Elastic Load Balancer and a new set of EC2 instances to run a copy of the application.
- H. Transition to a latency routing policy.

Answer: B

NEW QUESTION 133

- (Exam Topic 1)

A global company handles a large amount of personally identifiable information (PII) through an internal web portal. The company's application runs in a corporate data center that is connected to AWS through an AWS Direct Connect connection. The application stores the PII in Amazon S3. According to a compliance requirement, traffic from the web portal to Amazon S3 must not travel across the internet. What should a SysOps administrator do to meet the compliance requirement?

- A. Provision an interface VPC endpoint for Amazon S3. Modify the application to use the interface endpoint.
- B. Configure AWS Network Firewall to redirect traffic to the internal S3 address.
- C. Modify the application to use the S3 path-style endpoint.
- D. Set up a range of VPC network ACLs to redirect traffic to the internal S3 address.

Answer: B

NEW QUESTION 135

- (Exam Topic 1)

A company is storing backups in an Amazon S3 bucket. The backups must not be deleted for at least 3 months after the backups are created. What should a SysOps administrator do to meet this requirement?

- A. Configure an IAM policy that denies the s3:DeleteObject action for all users.
- B. Three months after an object is written, remove the policy.
- C. Enable S3 Object Lock on a new S3 bucket in compliance mode.
- D. Place all backups in the new S3 bucket with a retention period of 3 months.
- E. Enable S3 Versioning on the existing S3 bucket.
- F. Configure S3 Lifecycle rules to protect the backups.
- G. Enable S3 Object Lock on a new S3 bucket in governance mode.
- H. Place all backups in the new S3 bucket with a retention period of 3 months.

Answer: D

Explanation:

To meet the requirements of the workload, a SysOps administrator should enable S3 Object Lock on a new S3 bucket in governance mode and place all backups in the new S3 bucket with a retention period of 3 months.

This will ensure that the backups are not deleted for at least 3 months after they are created. The other solutions (configuring an IAM policy that denies the s3:DeleteObject action for all users, enabling S3 Object Lock on a new S3 bucket in compliance mode, or enabling S3 Versioning on the existing S3 bucket and configuring S3 Lifecycle rules to protect the backups) will not meet the requirements, as they do not provide a way to ensure that the backups are not deleted for at least 3 months after they are created.

NEW QUESTION 139

- (Exam Topic 1)

A large company is using AWS Organizations to manage hundreds of AWS accounts across multiple AWS Regions. The company has turned on AWS Config throughout the organization.

The company requires all Amazon S3 buckets to block public read access. A SysOps administrator must generate a monthly report that shows all the S3 buckets and whether they comply with this requirement.

Which combination of steps should the SysOps administrator take to collect this data? (Select TWO).

- A. Create an AWS Config aggregator in an aggregator account.
- B. Use the organization as the source. Retrieve the compliance data from the aggregator.
- C. Create an AWS Config aggregator in each account.
- D. Use an S3 bucket in an aggregator account as the destination.
- E. Retrieve the compliance data from the S3 bucket.
- F. Edit the AWS Config policy in AWS Organization.
- G. Use the organization's management account to turn on the s3-bucket-public-read-prohibited rule for the entire organization.
- H. Use the AWS Config compliance report from the organization's management account.
- I. Filter the results by resource, and select Amazon S3.

J. Use the AWS Config API to apply the s3-bucket-public-read-prohibited rule in all accounts for all available Regions.

Answer: CD

NEW QUESTION 142

- (Exam Topic 1)

A web application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an Auto Scaling group across multiple Availability Zones. A SysOps administrator notices that some of these EC2 instances show up as healthy in the Auto Scaling group but show up as unhealthy in the ALB target group.

What is a possible reason for this issue?

- A. Security groups are not allowing traffic between the ALB and the failing EC2 instances
- B. The Auto Scaling group health check is configured for EC2 status checks
- C. The EC2 instances are failing to launch and failing EC2 status checks.
- D. The target group health check is configured with an incorrect port or path

Answer: D

NEW QUESTION 143

- (Exam Topic 1)

An application accesses data through a file system interface. The application runs on Amazon EC2 instances in multiple Availability Zones, all of which must share the same data. While the amount of data is currently small, the company anticipates that it will grow to tens of terabytes over the lifetime of the application.

What is the MOST scalable storage solution to fulfill this requirement?

- A. Connect a large Amazon EBS volume to multiple instances and schedule snapshots.
- B. Deploy Amazon EFS in the VPC and create mount targets in multiple subnets.
- C. Launch an EC2 instance and share data using SMB/CIFS or NFS.
- D. Deploy an AWS Storage Gateway cached volume on Amazon EC2.

Answer: B

NEW QUESTION 147

- (Exam Topic 1)

A company uses an Amazon CloudFront distribution to deliver its website. Traffic logs for the website must be centrally stored and all data must be encrypted at rest.

Which solution will meet these requirements?

- A. Create an Amazon OpenSearch Service (Amazon Elasticsearch Service) domain with internet access and server-side encryption that uses the default AWS managed key. Configure CloudFront to use the Amazon OpenSearch Service (Amazon Elasticsearch Service) domain as a log destination.
- B. Create an Amazon OpenSearch Service (Amazon Elasticsearch Service) domain with VPC access and server-side encryption that uses AES-256. Configure CloudFront to use the Amazon OpenSearch Service (Amazon Elasticsearch Service) domain as a log destination.
- C. Create an Amazon S3 bucket that is configured with default server-side encryption that uses AES-256. Configure CloudFront to use the S3 bucket as a log destination.
- D. Create an Amazon S3 bucket that is configured with no default encryption. Enable encryption in the CloudFront distribution and use the S3 bucket as a log destination.

Answer: C

NEW QUESTION 152

- (Exam Topic 1)

A company's customers are reporting increased latency while accessing static web content from Amazon S3. A SysOps administrator observed a very high rate of read operations on a particular S3 bucket.

What will minimize latency by reducing load on the S3 bucket?

- A. Migrate the S3 bucket to a region that is closer to end users' geographic locations.
- B. Use cross-region replication to replicate all of the data to another region.
- C. Create an Amazon CloudFront distribution with the S3 bucket as the origin.
- D. Use Amazon ElastiCache to cache data being served from Amazon S3.

Answer: C

NEW QUESTION 157

- (Exam Topic 1)

A company has an application that runs only on Amazon EC2 Spot Instances. The instances run in an Amazon EC2 Auto Scaling group with scheduled scaling actions.

However, the capacity does not always increase at the scheduled times, and instances terminate many times a day. A SysOps administrator must ensure that the instances launch on time and have fewer interruptions.

Which action will meet these requirements?

- A. Specify the capacity-optimized allocation strategy for Spot Instance.
- B. Add more instance types to the Auto Scaling group.
- C. Specify the capacity-optimized allocation strategy for Spot Instance.
- D. Increase the size of the instances in the Auto Scaling group.
- E. Specify the lowest-price allocation strategy for Spot Instance.
- F. Add more instance types to the Auto Scaling group.
- G. Specify the lowest-price allocation strategy for Spot Instance.
- H. Increase the size of the instances in the Auto Scaling group.

Answer: A

Explanation:

Specifying the capacity-optimized allocation strategy for Spot Instances and adding more instance types to the Auto Scaling group is the best action to meet the requirements. Increasing the size of the instances in the Auto Scaling group will not necessarily help with the launch time or reduce interruptions, as the Spot Instances could still be interrupted even with larger instance sizes.

NEW QUESTION 161

- (Exam Topic 1)

A company needs to create a daily Amazon Machine Image (AMI) of an existing Amazon Linux EC2 instance that hosts the operating system, application, and database on multiple attached Amazon Elastic Block Store (Amazon EBS) volumes. File system integrity must be maintained.

Which solution will meet these requirements?

- A. Create an AWS Lambda function to call the CreateImage API operation with the EC2 instance ID and the no-reboot parameter enable
- B. Create a daily scheduled Amazon EventBridge (Amazon CloudWatch Events) rule that invokes the function.
- C. Create an AWS Lambda function to call the CreateImage API operation with the EC2 instance ID and the reboot parameter enable
- D. Create a daily scheduled Amazon EventBridge (Amazon CloudWatch Events) rule that invokes the function.
- E. Use AWS Backup to create a backup plan with a backup rule that runs dail
- F. Assign the resource ID of the EC2 instance with the no-reboot parameter enabled.
- G. Use AWS Backup to create a backup plan with a backup rule that runs dail
- H. Assign the resource ID of the EC2 instance with the reboot parameter enabled.

Answer: B

Explanation:

https://docs.aws.amazon.com/AWSEC2/latest/WindowsGuide/Creating_EBSbacked_WinAMI.html "NoReboot By default, Amazon EC2 attempts to shut down and reboot the instance before creating the image.

If the No Reboot option is set, Amazon EC2 doesn't shut down the instance before creating the image. When this option is used, file system integrity on the created image can't be guaranteed." Besides, we can use AWS EventBridge to invoke Lambda function

https://docs.aws.amazon.com/AWSEC2/latest/APIReference/API_CreateImage.html

NEW QUESTION 162

- (Exam Topic 1)

A company needs to automatically monitor an AWS account for potential unauthorized AWS Management Console logins from multiple geographic locations.

Which solution will meet this requirement?

- A. Configure Amazon Cognito to detect any compromised 1AM credentials.
- B. Set up Amazon Inspector
- C. Scan and monitor resources for unauthorized logins.
- D. Set up AWS Confi
- E. Add the iam-policy-blacklisted-check managed rule to the account.
- F. Configure Amazon GuardDuty to monitor the UnauthorizedAccess:IAMUser/ConsoleLoginSuccess finding.

Answer: D

NEW QUESTION 164

- (Exam Topic 1)

A company needs to ensure strict adherence to a budget for 25 applications deployed on AWS Separate teams are responsible for storage compute, and database costs. A SysOps administrator must implement an automated solution to alert each team when their projected spend will exceed a quarterly amount mat has been set by the finance department. The solution cannot additional compute, storage, or database costs.

- A. Configure AWS Cost and Usage Reports to send a daily report to an Amazon S3 bucke
- B. Create an AWS Lambda function that will evaluate Spend by service and nobly each team by using Amazon Simple Notification Service (Amazon SNS) notification
- C. Invoke the Lambda function when a report is placed in the S3 bucket
- D. Configure AWS Cost and Usage Reports to send a dairy report to an Amazon S3 bucke
- E. Create a rule In Amazon EventBridge (Amazon CloudWatch Events) to evaluate the spend by service and notify each team by using Amazon Simple Queue Service (Amazon SOS) when the cost threshold i6 exceeded.
- F. Use AWS Budgets :o create one cost budget and select each of the services in use Specify the budget amount defined by the finance department along with the forecasted cost threshold Enter the appropriate email recipients for the budget.
- G. Use AWS Budgets to create a cost budget for each team, filtering by the services they ow
- H. Specify the budget amount defined by the finance department along with a forecasted cost threshold Enter the appropriate email recipients for each budget.

Answer: D

NEW QUESTION 168

- (Exam Topic 1)

A company has attached the following policy to an IAM user:


```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "rds:Describe*",
      "Resource": "*"
    },
    {
      "Effect": "Allow",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    },
    {
      "Effect": "Deny",
      "NotAction": [
        "ec2:*",
        "s3:GetObject"
      ],
      "Resource": "*"
    }
  ]
}
```

Which of the following actions are allowed for the IAM user?

- A. Amazon RDS DescribeDBInstances action in the us-east-1 Region
- B. Amazon S3 Putobject operation in a bucket named testbucket
- C. Amazon EC2 Describe Instances action in the us-east-1 Region
- D. Amazon EC2 AttachNetworkinterface action in the eu-west-1 Region

Answer: C

NEW QUESTION 172

- (Exam Topic 1)

A company plans to migrate several of its high performance computing (MPC) virtual machines (VMs) to Amazon EC2 instances on AWS. A SysOps administrator must identify a placement group for this deployment. The strategy must minimize network latency and must maximize network throughput between the HPC VMs. Which strategy should the SysOps administrator choose to meet these requirements?

- A. Deploy the instances in a cluster placement group in one Availability Zone.
- B. Deploy the instances in a partition placement group in two Availability Zones
- C. Deploy the instances in a partition placement group in one Availability Zone
- D. Deploy the instances in a spread placement group in two Availability Zones

Answer: A

NEW QUESTION 176

- (Exam Topic 1)

A recent organizational audit uncovered an existing Amazon RDS database that is not currently configured for high availability. Given the critical nature of this database, it must be configured for high availability as soon as possible.
How can this requirement be met?

- A. Switch to an active/passive database pair using the create-db-instance-read-replica with the --availability-zone flag.
- B. Specify high availability when creating a new RDS instance, and live-migrate the data.
- C. Modify the RDS instance using the console to include the Multi-AZ option.
- D. Use the modify-db-instance command with the --na flag.

Answer: C

NEW QUESTION 180

- (Exam Topic 1)

A team of On-call engineers frequently needs to connect to Amazon EC2 Instances in a private subnet to troubleshoot and run commands. The Instances use either the latest AWS-provided Windows Amazon Machine Images (AMIs) or Amazon Linux AMIs.
The team has an existing IAM role for authorization. A SysOps administrator must provide the team with access to the Instances by granting IAM permissions to this Which solution will meet this requirement?

- A. Add a statement to the IAM role policy to allow the ssm:StartSession action on the instance
- B. Instruct the team to use AWS Systems Manager Session Manager to connect to the Instances by using the assumed IAM role.
- C. Associate an Elastic IP address and a security group with each instance
- D. Add the engineers' IP addresses to the security group inbound rule
- E. Add a statement to the IAM role policy to allow the ec2:AuthorizeSecurityGroupIngress action so that the team can connect to the Instances.
- F. Create a bastion host with an EC2 Instance, and associate the bastion host with the VP
- G. Add a statement to the IAM role policy to allow the ec2:CreateVpnConnection action on the bastion hos
- H. Instruct the team to use the bastion host endpoint to connect to the instances.D Create an internet-facing Network Load Balance
- I. Use two listener
- J. Forward port 22 to a target group of Linux instance
- K. Forward port 3389 to a target group of Windows Instance
- L. Add a statement to the IAM role policy to allow the ec2:CreateRoute action so that the team can connect to the Instances.

Answer: A

NEW QUESTION 183

- (Exam Topic 1)

A SysOps administrator creates two VPCs, VPC1 and VPC2, in a company's AWS account The SysOps administrator deploys a Linux Amazon EC2 instance in VPC1 and deploys an Amazon RDS for MySQL DB instance in VPC2. The DB instance is deployed in a private subnet. An application that runs on the EC2 instance needs to connect to the database.

What should the SysOps administrator do to give the EC2 instance the ability to connect to the database?

- A. Enter the DB instance connection string into the VPC1 route table.
- B. Configure VPC peering between the two VPCs.
- C. Add the same IPv4 CIDR range for both VPCs.
- D. Connect to the DB instance by using the DB instance's public IP address.

Answer: B

Explanation:

VPC peering allows two VPCs to communicate with each other securely. By configuring VPC peering between the two VPCs, the SysOps administrator will be able to give the EC2 instance in VPC1 the ability to connect to the database in VPC2. Once the VPC peering is configured, the EC2 instance will be able to communicate with the database using the private IP address of the DB instance in the private subnet.

NEW QUESTION 186

- (Exam Topic 1)

A company wants to be alerted through email when IAM CreateUser API calls are made within its AWS account.

Which combination of actions should a SysOps administrator take to meet this requirement? (Choose two.)

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule with AWS CloudTrail as the event source and IAM CreateUser as the specific API call for the event pattern.
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule with Amazon CloudSearch as the event source and IAM CreateUser as the specific API call for the event pattern.
- C. Create an Amazon EventBridge (Amazon CloudWatch Events) rule with AWS IAM Access Analyzer as the event source and IAM CreateUser as the specific API call for the event pattern.
- D. Use an Amazon Simple Notification Service (Amazon SNS) topic as an event target with an email subscription.
- E. Use an Amazon Simple Email Service (Amazon SES) notification as an event target with an email subscription.

Answer: AD

Explanation:

<https://aws.amazon.com/blogs/security/how-to-receive-alerts-when-your-iam-configuration-changes/>

NEW QUESTION 190

- (Exam Topic 1)

A company's VPC has connectivity to an on-premises data center through an AWS Site-to-Site VPN. The company needs Amazon EC2 instances in the VPC to send DNS queries for example com to the DNS servers in the data center.

Which solution will meet these requirements?

- A. Create an Amazon Route 53 Resolver inbound endpoint Create a conditional forwarding rule on the on-primes DNS servers to forward DNS requests for example.com to the inbound endpoints.

- B. Create an Amazon Route 53 Resolver inbound endpoint Create a forwarding rule on the resolver that sends all queries for example.com to the on-premises DNS server
- C. Associate this rule with the VPC.
- D. Create an Amazon Route 53 Resolver outbound endpoint Create a conditional forwarding rule on the on-premises DNS servers to forward DNS requests for example.com to the outbound endpoints
- E. Create an Amazon Route 53 Resolver outbound endpoint
- F. Create a forwarding rule on the resolver that sends all queries for exarrc4e.com to the on-premises DNS servers Associate this rule with the VPC.

Answer: C

NEW QUESTION 191

- (Exam Topic 1)

A SysOps administrator is using AWS Systems Manager Patch Manager to patch a fleet of Amazon EC2 instances. The SysOps administrator has configured a patch baseline and a maintenance window. The SysOps administrator also has used an instance tag to identify which instances to patch. The SysOps administrator must give Systems Manager the ability to access the EC2 instances. Which additional action must the SysOps administrator perform to meet this requirement?

- A. Add an inbound rule to the instances' security group.
- B. Attach an IAM instance profile with access to Systems Manager to the instances.
- C. Create a Systems Manager activation Then activate the fleet of instances.
- D. Manually specify the instances to patch Instead of using tag-based selection.

Answer: A

NEW QUESTION 196

- (Exam Topic 1)

A SysOps administrator is reviewing VPC Flow Logs to troubleshoot connectivity issues in a VPC. While reviewing the logs the SysOps administrator notices that rejected traffic is not listed.

What should the SysOps administrator do to ensure that all traffic is logged?

- A. Create a new flow log that has a filter setting to capture all traffic
- B. Create a new flow log set the log record format to a custom format Select the proper fields to include in the log
- C. Edit the existing flow log Change the filter setting to capture all traffic
- D. Edit the existing flow log
- E. Set the log record format to a custom format Select the proper fields to include in the log

Answer: A

NEW QUESTION 198

- (Exam Topic 1)

An AWS Lambda function is intermittently failing several times a day A SysOps administrator must find out how often this error has occurred in the last 7 days Which action will meet this requirement in the MOST operationally efficient manner?

- A. Use Amazon Athena to query the Amazon CloudWatch logs that are associated with the Lambda function
- B. Use Amazon Athena to query the AWS CloudTrail logs that are associated with the Lambda function
- C. Use Amazon CloudWatch Logs Insights to query the associated Lambda function logs
- D. Use Amazon Elasticsearch Service (Amazon ES) to stream the Amazon CloudWatch logs for the Lambda function

Answer: C

NEW QUESTION 199

- (Exam Topic 1)

A company's SysOps administrator deploys a public Network Load Balancer (NLB) in front of the company's web application. The web application does not use any Elastic IP addresses. Users must access the web application by using the company's domain name. The SysOps administrator needs to configure Amazon Route 53 to route traffic to the NLB.

Which solution will meet these requirements MOST cost-effectively?

- A. Create a Route 53 AAAA record for the NLB.
- B. Create a Route 53 alias record for the NLB.
- C. Create a Route 53 CAA record for the NLB.
- D. Create a Route 53 CNAME record for the NLB.

Answer: B

NEW QUESTION 203

- (Exam Topic 1)

A company has an initiative to reduce costs associated with Amazon EC2 and AWS Lambda. Which action should a SysOps administrator take to meet these requirements?

- A. Analyze the AWS Cost and Usage Report by using Amazon Athena to identify cost savings.
- B. Create an AWS Budgets alert to alarm when account spend reaches 80% of the budget.
- C. Purchase Reserved Instances through the Amazon EC2 console.
- D. Use AWS Compute Optimizer and take action on the provided recommendations.

Answer: D

NEW QUESTION 207

- (Exam Topic 1)

A new application runs on Amazon EC2 instances and accesses data in an Amazon RDS database instance. When fully deployed in production, the application fails. The database can be queried from a console on a bastion host. When looking at the web server logs, the following error is repeated multiple times:

*** Error Establishing a Database Connection

Which of the following may be causes of the connectivity problems? {Select TWO.}

- A. The security group for the database does not have the appropriate egress rule from the database to the web server.
- B. The certificate used by the web server is not trusted by the RDS instance.
- C. The security group for the database does not have the appropriate ingress rule from the web server to the database.
- D. The port used by the application developer does not match the port specified in the RDS configuration.
- E. The database is still being created and is not available for connectivity.

Answer: CD

NEW QUESTION 210

- (Exam Topic 1)

A SysOps administrator needs to design a high-traffic static website. The website must be highly available and must provide the lowest possible latency to users across the globe.

Which solution will meet these requirements?

- A. Create an Amazon S3 bucket, and upload the website content to the S3 bucket.
- B. Create an Amazon CloudFront distribution in each AWS Region, and set the S3 bucket as the origin.
- C. Use Amazon Route 53 to create a DNS record that uses a geolocation routing policy to route traffic to the correct CloudFront distribution based on where the request originates.
- D. Create an Amazon S3 bucket, and upload the website content to the S3 bucket.
- E. Create an Amazon CloudFront distribution, and set the S3 bucket as the origin.
- F. Use Amazon Route 53 to create an alias record that points to the CloudFront distribution.
- G. Create an Application Load Balancer (ALB) and a target group.
- H. Create an Amazon EC2 Auto Scaling group with at least two EC2 instances in the associated target group.
- I. Store the website content on the EC2 instance.
- J. Use Amazon Route 53 to create an alias record that points to the ALB.
- K. Create an Application Load Balancer (ALB) and a target group in two Regions.
- L. Create an Amazon EC2 Auto Scaling group in each Region with at least two EC2 instances in each target group.
- M. Store the website content on the EC2 instance.
- N. Use Amazon Route 53 to create a DNS record that uses a geolocation routing policy to route traffic to the correct ALB based on where the request originates.

Answer: B

NEW QUESTION 211

- (Exam Topic 1)

A company has a new requirement stating that all resources in AWS must be tagged according to a set policy. Which AWS service should be used to enforce and continually identify all resources that are not in compliance with the policy?

- A. AWS CloudTrail
- B. Amazon Inspector
- C. AWS Config
- D. AWS Systems Manager

Answer: C

NEW QUESTION 214

- (Exam Topic 1)

A company is expanding its fleet of Amazon EC2 instances before an expected increase of traffic. When a SysOps administrator attempts to add more instances, an InstanceLimitExceeded error is returned.

What should the SysOps administrator do to resolve this error?

- A. Add an additional CIDR block to the VPC.
- B. Launch the EC2 instances in a different Availability Zone.
- C. Launch new EC2 instances in another VPC.
- D. Use Service Quotas to request an EC2 quota increase.

Answer: D

NEW QUESTION 216

- (Exam Topic 1)

A company's SysOps administrator attempts to restore an Amazon Elastic Block Store (Amazon EBS) snapshot. However, the snapshot is missing because another system administrator accidentally deleted the snapshot. The company needs the ability to recover snapshots for a specified period of time after snapshots are deleted.

Which solution will provide this functionality?

- A. Turn on deletion protection on individual EBS snapshots that need to be kept.
- B. Create an IAM policy that denies the deletion of EBS snapshots by using a condition statement for the snapshot age. Apply the policy to all users.
- C. Create a Recycle Bin retention rule for EBS snapshots for the desired retention period.
- D. Use Amazon EventBridge (Amazon CloudWatch Events) to schedule an AWS Lambda function to copy EBS snapshots to Amazon S3 Glacier.

Answer: B

NEW QUESTION 217

- (Exam Topic 1)

A company is testing Amazon Elasticsearch Service (Amazon ES) as a solution for analyzing system logs from a fleet of Amazon EC2 instances. During the test phase, the domain operates on a single-node cluster. A SysOps administrator needs to transition the test domain into a highly available production-grade deployment.

Which Amazon ES configuration should the SysOps administrator use to meet this requirement?

- A. Use a cluster of four data nodes across two AWS Region
- B. Deploy four dedicated master nodes in each Region.
- C. Use a cluster of six data nodes across three Availability Zone
- D. Use three dedicated master nodes.
- E. Use a cluster of six data nodes across three Availability Zone
- F. Use six dedicated master nodes.
- G. Use a cluster of eight data nodes across two Availability Zone
- H. Deploy four master nodes in a failover AWS Region.

Answer: B

NEW QUESTION 219

- (Exam Topic 1)

A company is managing many accounts by using a single organization in AWS Organizations. The organization has all features enabled. The company wants to turn on AWS Config in all the accounts of the organization and in all AWS Regions.

What should a Sysops administrator do to meet these requirements in the MOST operationally efficient way?

- A. Use AVVS CloudFormation StackSets to deploy stack instances that turn on AWS Config in all accounts and in all Regions.
- B. Use AWS CloudFormation StackSets to deploy stack policies that turn on AWS Config in all accounts and in all Regions.
- C. Use service control policies (SCPs) to configure AWS Config in all accounts and in all Regions.
- D. Create a script that uses the AWS CLI to turn on AWS Config in all accounts in the organizatio
- E. Run the script from the organization's management account.

Answer: C

NEW QUESTION 224

- (Exam Topic 1)

A company's AWS Lambda function is experiencing performance issues. The Lambda function performs many CPU-intensive operations. The Lambda function is not running fast enough and is creating bottlenecks in the system.

What should a SysOps administrator do to resolve this issue?

- A. In the CPU launch options for the Lambda function, activate hyperthreading.
- B. Turn off the AWS managed encryption.
- C. Increase the amount of memory for the Lambda function.
- D. Load the required code into a custom layer.

Answer: C

Explanation:

Increasing the amount of memory for the Lambda function will help to improve the performance of the function. This is because the Lambda function is CPU-intensive and increasing the memory will give it access to more CPU resources and help it run faster. The other options (activating hyperthreading in the CPU launch options for the Lambda function, turning off the AWS managed encryption, and loading the required code into a custom layer) will not help to improve the performance of the Lambda function and are not the correct solutions for this issue.

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-function-common.html#configuration-memory-con>

NEW QUESTION 228

- (Exam Topic 1)

A SysOps administrator is notified that an Amazon EC2 instance has stopped responding. The AWS Management Console indicates that the system status checks are failing. What should the administrator do first to resolve this issue?

- A. Reboot the EC2 instance so it can be launched on a new host
- B. Stop and then start the EC2 instance so that it can be launched on a new host
- C. Terminate the EC2 instance and relaunch it
- D. View the AWS CloudTrail log to investigate what changed on the EC2 instance

Answer: B

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/ec2-windows-system-status-check-fail/>

NEW QUESTION 233

- (Exam Topic 1)

A SysOps administrator uses AWS Systems Manager Session Manager to connect to instances. After the SysOps administrator launches a new Amazon EC2 instance, the EC2 instance does not appear in the Session Manager list of systems that are available for connection. The SysOps administrator verifies that Systems Manager Agent is installed, updated, and running on the EC2 instance.

What is the reason for this issue?

- A. The SysOps administrator does not have access to the key pair that is required for connection.
- B. The SysOps administrator has not attached a security group to the EC2 instance to allow SSH on port 22.
- C. The EC2 instance does not have an attached IAM role that allows Session Manager to connect to the EC2 instance.
- D. The EC2 instance ID has not been entered into the Session Manager configuration.

Answer: C

NEW QUESTION 236

- (Exam Topic 1)

A company uses AWS Organizations. A SysOps administrator wants to use AWS Compute Optimizer and AWS tag policies in the management account to govern all member accounts in the billing family. The SysOps administrator navigates to the AWS Organizations console but cannot activate tag policies through the management account.

What could be the reason for this issue?

- A. All features have not been enabled in the organization.
- B. Consolidated billing has not been enabled.
- C. The member accounts do not have tags enabled for cost allocation.
- D. The member accounts have not manually enabled trusted access for Compute Optimizer.

Answer: C

NEW QUESTION 239

- (Exam Topic 1)

A company plans to run a public web application on Amazon EC2 instances behind an Elastic Load Balancer (ELB). The company's security team wants to protect the website by using AWS Certificate Manager (ACM) certificates. The ELB must automatically redirect any HTTP requests to HTTPS.

Which solution will meet these requirements?

- A. Create an Application Load Balancer that has one HTTPS listener on port 80. Attach an SSL/TLS certificate to listener port 80. Create a rule to redirect requests from HTTP to HTTPS.
- B. Create an Application Load Balancer that has one HTTP listener on port 80 and one HTTPS protocol listener on port 443. Attach an SSL/TLS certificate to listener port 443. Create a rule to redirect requests from port 80 to port 443.
- C. Create an Application Load Balancer that has two TCP listeners on port 80 and port 443. Attach an SSL/TLS certificate to listener port 443. Create a rule to redirect requests from port 80 to port 443.
- D. Create a Network Load Balancer that has two TCP listeners on port 80 and port 443. Attach an SSL/TLS certificate to listener port 443. Create a rule to redirect requests from port 80 to port 443.

Answer: B

NEW QUESTION 242

- (Exam Topic 1)

A company has a compliance requirement that no security groups can allow SSH ports to be open to all IP addresses. A SysOps administrator must implement a solution that will notify the company's SysOps team when a security group rule violates this requirement. The solution also must remediate the security group rule automatically.

Which solution will meet these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function when a security group change.
- B. Configure the Lambda function to evaluate the security group for compliance, remove all inbound security group rules on all ports, and notify the SysOps team if the security group is noncompliant.
- C. Create an AWS CloudTrail metric filter for security group change.
- D. Create an Amazon CloudWatch alarm to notify the SysOps team through an Amazon Simple Notification Service (Amazon SNS) topic when the metric is greater than 0. Subscribe an AWS Lambda function to the SNS topic to remediate the security group rule by removing the rule.
- E. Activate the AWS Config restricted-ssh managed rule.
- F. Add automatic remediation to the AWS Config rule by using the AWS Systems Manager Automation AWS-DisablePublicAccessForSecurityGroup runbook.
- G. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to notify the SysOps team when the rule is noncompliant.
- H. Create an AWS CloudTrail metric filter for security group change.
- I. Create an Amazon CloudWatch alarm for when the metric is greater than 0. Add an AWS Systems Manager action to the CloudWatch alarm to suspend the security group by using the Systems Manager Automation AWS-DisablePublicAccessForSecurityGroup runbook when the alarm is in ALARM state.
- J. Add an Amazon Simple Notification Service (Amazon SNS) topic as a second target to notify the SysOps team.

Answer: C

NEW QUESTION 245

- (Exam Topic 1)

A SysOps administrator is configuring AWS Client VPN to connect users on a corporate network to AWS resources that are running in a VPC. According to compliance requirements, only traffic that is destined for the VPC can travel across the VPN tunnel.

How should the SysOps administrator configure Client VPN to meet these requirements?

- A. Associate the Client VPN endpoint with a private subnet that has an internet route through a NAT gateway.
- B. On the Client VPN endpoint, turn on the split-tunnel option.
- C. On the Client VPN endpoint, specify DNS server IP addresses.
- D. Select a private certificate to use as the identity certificate for the VPN client.

Answer: C

NEW QUESTION 250

- (Exam Topic 1)

A company hosts a website on multiple Amazon EC2 instances that run in an Auto Scaling group. Users are reporting slow responses during peak times between 6 PM and 11 PM every weekend. A SysOps administrator must implement a solution to improve performance during these peak times.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create a scheduled Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function to increase the desired capacity before peak times.
- B. Configure a scheduled scaling action with a recurrence option to change the desired capacity before and after peak times.
- C. Create a target tracking scaling policy to add more instances when memory utilization is above 70%.
- D. Configure the cooldown period for the Auto Scaling group to modify desired capacity before and after peak times.

Answer: B

Explanation:

"Scheduled scaling helps you to set up your own scaling schedule according to predictable load changes. For example, let's say that every week the traffic to your web application starts to increase on Wednesday, remains high on Thursday, and starts to decrease on Friday. You can configure a schedule for Amazon EC2 Auto Scaling to increase capacity on Wednesday and decrease capacity on Friday." https://docs.aws.amazon.com/autoscaling/ec2/userguide/schedule_time.html

NEW QUESTION 251

- (Exam Topic 1)

A SysOps administrator has created an AWS Service Catalog portfolio and has shared the portfolio with a second AWS account in the company. The second account is controlled by a different administrator.

Which action will the administrator of the second account be able to perform?

- A. Add a product from the imported portfolio to a local portfolio.
- B. Add new products to the imported portfolio.
- C. Change the launch role for the products contained in the imported portfolio.
- D. Customize the products in the imported portfolio.

Answer: A

NEW QUESTION 252

- (Exam Topic 1)

A SysOps administrator is using Amazon EC2 instances to host an application. The SysOps administrator needs to grant permissions for the application to access an Amazon DynamoDB table.

Which solution will meet this requirement?

- A. Create access keys to access the DynamoDB tabl
- B. Assign the access keys to the EC2 instance profile.
- C. Create an EC2 key pair to access the DynamoDB tabl
- D. Assign the key pair to the EC2 instance profile.
- E. Create an IAM user to access the DynamoDB tabl
- F. Assign the IAM user to the EC2 instance profile.
- G. Create an IAM role to access the DynamoDB tabl
- H. Assign the IAM role to the EC2 instance profile.

Answer: D

NEW QUESTION 253

.....

Relate Links

100% Pass Your SOA-C02 Exam with Exam Bible Prep Materials

<https://www.exambible.com/SOA-C02-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>