



**HP**

## **Exam Questions HPE0-J68**

HPE Storage Solutions

NEW QUESTION 1

- (Exam Topic 1)

You deployed and configured an all-flash Nimble array. The customer wants to attach their Windows-based server to the array. Which HPE tool can you use on the host server to make the integration easier?


- A. StorServe Management Console
- B. Channel bonding
- C. Connection Manager
- D. Centralized Management Console

Answer: C

NEW QUESTION 2

- (Exam Topic 1)


A customer wants to implement a new storage network, but wants to retain the ability to connect with legacy fiber channel-based components. Drag the appropriate component to each box on the diagram to design a new storage network.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 3

- (Exam Topic 1)

Match each address with the associated address type.

Type		Address Format
FC	<input type="text"/>	20:32:00:60:69:e2:19:82
IPv6	<input type="text"/>	00:1B:44:11:3A:B7
iSCSI	<input type="text"/>	iqn.2000-05.com.3pardata:20210002ac00851c:15.372.28.0
MAC	<input type="text"/>	fe80::85b0:5df6:1dfb:6793

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 4

- (Exam Topic 1)

You need to create an N:M relationship between VMware hypervisors and virtual volumes with the least amount of administrative overhead. Click the option where you can create a group of VMware hypervisors for volumes provisioning.



A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated

NEW QUESTION 5

- (Exam Topic 1)

You are asked to review an installation plan for a new Primera storage array. The array will go into an existing environment that has been in production for over 4 years. It includes:

- > C7000s with Gen8 blades
- > 8Gb Brocade switches
- > a 3PAR 7400
- > an MSA that is used as a backup target

What should you use to find appropriate installation and planning guides?

- A. SAF Analyze and Collector
- B. Information Library
- C. NinjaSTARS
- D. SPOCK

Answer: D

NEW QUESTION 6

- (Exam Topic 1)

Refer to the exhibit.



A customer purchased a Primera C6S0 array to replace several older 3PAR arrays. They plan to upgrade the system as each 3PAR reaches the end of its lease. The initial sizing included 100TB effective capacity for an Oracle database environment. The first 3PAR to come off lease has 100TB of VDI boot images that support thousands of users. Which addition to the Primera should you recommend?

A)

DRIVES	QTY	RAID	HA	RAW	SPARE	SYSTEM	USABLE
1.92TB SSD SFF	36	Raid 6 (10+2)		69.08 TB	6.91 TB	1.2 TB	50.81 TB
14TB NL LFF	12	Raid 6 (10+2)		164.57 TB	27.43 TB		114.28 TB
WORKLOADS IO SIZE READ DATA REDUCTION HOST PORTS							ESTIMATED PERFORMANCE
Random	8K	70 %	No	8			1,041 IOPS, 28.9 ms

B)

DRIVES	QTY	RAID	HA	RAW	SPARE	SYSTEM	USABLE
1.92TB SSD SFF	36	Raid 6 (10+2)		69.08 TB	6.91 TB		57.81 TB
2.4TB 10K SFF	60	Raid 6 (10+2)		143.15 TB	7.16 TB	1.2 TB	112.33 TB
WORKLOADS IO SIZE READ DATA REDUCTION HOST PORTS							ESTIMATED PERFORMANCE
Random	8K	70 %	No	8			8,154 IOPS, 29.3 ms

C)

DRIVES	QTY	RAID	HA	RAW	SPARE	SYSTEM	USABLE
1.92TB SSD SFF	36	Raid 6 (10+2)		69.08 TB	6.91 TB	1.2 TB	50.81 TB
2.4TB 10K SFF	36	Raid 6 (10+2)		85.89 TB	4.77 TB		68.6 TB
WORKLOADS IO SIZE READ DATA REDUCTION HOST PORTS							ESTIMATED PERFORMANCE
Random	8K	70 %	No	8			4,815 IOPS, 29.3 ms

D)

DRIVES	QTY	RAID	HA	RAW	SPARE	SYSTEM	USABLE
1.92TB SSD SFF	36	Raid 6 (10+2)		69.08 TB	11.05 TB	1.2 TB	47.36 TB
15.36TB SSD SFF	8	Raid 6 (6+2)		122.84 TB	19.66 TB		77.39 TB
WORKLOADS IO SIZE READ DATA REDUCTION HOST PORTS							ESTIMATED PERFORMANCE
Random	8K	70 %	Yes	8			78,423 IOPS, 0.4 ms

- A. Option A  
B. Option B  
C. Option C  
D. Option D

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

You are proposing a new Nimble solution to a customer that recently experienced data loss in their existing storage array. Which features of the Nimble array should you emphasize to your customer to address their concerns? (Choose two.)


- A. quick RAID rebuild  
B. deduplication  
C. compression  
D. encryption  
E. triple parity

Answer: BC

NEW QUESTION 8

- (Exam Topic 1)


You are configuring a new HPE 3PAR solution and need to create a new disk group with a defined RAID level. Click the appropriate option where the RAID can be selected.



- A. Mastered  
B. Not Mastered

Answer: A

Explanation:



#### NEW QUESTION 9

- (Exam Topic 1)

A customer uses Veeam to backup their entire datacenter.

Which Veeam feature allows them to recover a single email from their Exchange server?

- A. Changed block tracking
- B. Explorer for Storage Snapshots
- C. Data Mover Service
- D. SureBackup

**Answer: B**

#### NEW QUESTION 10

- (Exam Topic 1)

You are designing a new enterprise array solution. The customer is interested in a caching tier that provides extremely low-latency and persistent storage at the same time. They also need to support more than 500GB.

Which technology should you recommend?

- A. DRAM
- B. SRAM
- C. NVMe SCM
- D. NAND SSD

**Answer: D**

#### NEW QUESTION 10

- (Exam Topic 1)

A customer is deploying a new StoreOnce VSA solution.

How can the necessary storage capacity be added to the VSA? (Choose two.)

- A. Verify sufficient capacity LTUs are available
- B. Add a new virtual hard disk to the virtual machine
- C. The Cloud bank container needs to be configured once the VSA boots
- D. The Cloud bank container needs to be configured from the vCenter client

**Answer: BD**

#### NEW QUESTION 12

- (Exam Topic 1)

Which protocol can be used for accessing StoreOnce VTL target from Veeam?

- A. FC
- B. NFSv4
- C. iSCSI
- D. SMBv3

**Answer: C**

#### NEW QUESTION 17

- (Exam Topic 1)

A customer asks you for a recommendation on setting up their new StoreOnce appliance. They plan to use NetBackup and need the highest performance setup they can get. Their local hosts are connected via FC and the rest are connected via a WAN. Which backup target type should you recommend?

- A. VTL
- B. S3
- C. CIFS
- D. Catalyst

**Answer: A**



#### NEW QUESTION 19

- (Exam Topic 1)

Which of the following are part of the SimpliVity Data Virtualization Platform architecture? (Choose two.)

- A. Presentation Layer
- B. User Management Layer
- C. Security Layer
- D. Data Management Layer

**Answer:** AD

#### NEW QUESTION 22

- (Exam Topic 1)

Which tool is used to provide centralized management of 3PAR and Primera arrays?

- A. SMU
- B. Primera UI
- C. WebUI
- D. SSMC

**Answer:** D

#### NEW QUESTION 26

- (Exam Topic 1)

A customer is planning to upgrade their HF40 controllers to support additional I/O requirements. To which model can they upgrade to meet their new requirements?

- A. AF60
- B. AF40
- C. HF60
- D. HF40C

**Answer:** D

#### NEW QUESTION 31

- (Exam Topic 1)

Which feature allows HPE Primera, HPE Nimble, and HPE XP arrays to work with third-party management tools?

- A. REST API
- B. Data Protection Manager (DPM)
- C. StoreServe Management Console (SSMC)
- D. Service Processor

**Answer:** A

#### NEW QUESTION 35

- (Exam Topic 1)

A customer environment includes:

10 DL380 Gen8 servers in a VMware Cluster

2 MSA storage arrays

2 8GB b-series fibre channel switches

The customer needs to replace their environment because it is end of life. They have limited budget. The customer is primarily concerned with management because they have limited IT staff, and they want to move away from fibre channel.

Which HPE Storage should you recommend?

- A. HPE Primera
- B. HPE XP8
- C. HPE Nimble dHCI
- D. HPE StoreOnce

**Answer:** A

#### NEW QUESTION 40

- (Exam Topic 1)

A customer has completely virtualized their datacenter with VMware. You propose a SimpliVity solution to replace their aging hardware.

Which SimpliVity features should you emphasize in your presentation? (Choose two.)

- A. It uses native hypervisor management tools for management
- B. It utilizes the Storage Management Utility for management and monitoring
- C. It utilizes a unified ASIC for performance
- D. It includes deduplication and backup capabilities
- E. It provides S3 file access

**Answer:** BD

#### NEW QUESTION 42

- (Exam Topic 1)

A customer is implementing a new high performance database environment.  
What type of storage should you recommend?

- A. scale-out storage
- B. object store
- C. system-defined storage
- D. network-attached storage

**Answer:** A

#### NEW QUESTION 46

- (Exam Topic 1)

A customer wants to make a full copy replica of a database to use for performance testing. Which technology should they use to create the copy?

- A. deduplication
- B. snapshot
- C. clone
- D. synthetic full

**Answer:** B

#### NEW QUESTION 50

- (Exam Topic 2)

A customer wants to implement a management and monitoring tool for an HPE B-series SAN switch environment. You plan to recommend the HPE SAN Network Advisor.

Which information about the customer's environment will help you to decide which edition to recommend?

- A. FCIP support
- B. Amount of used fabrics
- C. FCoE support
- D. Fabric OS version

**Answer:** B

#### Explanation:

– SAN Network Advisor is available in three types of bundles:• No-charge SAN Professional: Up to 300 switch ports, 2 fabrics, B-series Fabric OS only.• For-charge SAN Professional Plus: Up to 2560 switch ports and 36 fabrics.• For-charge SAN Enterprise: Up to 15000 switch ports and 100 fabrics. This bundle is required for B-series DC SANBackbone Director, SN8000B 8-Slot SAN Director and FICON management.

#### NEW QUESTION 53

- (Exam Topic 2)

Which value does an HPE Nimble solution provide in addition to other HPE storage solutions

- A. All inclusive software licensing over 5 years and additional capacity upgrades
- B. Upfront option for free controller upgrade after 3 years
- C. Flat support pricing for all hardware components
- D. Tier 1 and tier 2 phone support

**Answer:** D

#### NEW QUESTION 58

- (Exam Topic 2)

Which functionality available in an HPE 3 Par StoreServ 8400 system that is not available in an HPE 3par Storesrv 7200

- A. Data at Rest Encryption
- B. Persistent Checksum end-to-end data integrity (correct)
- C. Adaptive optimization and dynamic Optimization
- D. Online import license

**Answer:** B

#### NEW QUESTION 59

- (Exam Topic 2)

A customer's environment consists of two HPE Synergy frames running VMware vSphere, HPE FlexFabric 5700 switches, and one HPE Nimble HF-series array connected via 10GbE-T ports to the FlexFabric switches. The customer is concerned about performance management of the whole solution stack.

When using infosight with VMvision and analyzing end-to-end latency, which of the components within the stack are displayed? (Choose Three)

- A. ISCSI network(SAN)
- B. Ethernet network (LAN)
- C. storage
- D. application
- E. operating system
- F. host

**Answer:** ADF

#### NEW QUESTION 62

- (Exam Topic 2)

What are two advantages of HPE Recovery Manager Central? (Select two.)

- A. Enables automatic transparent failover
- B. Less expensive than traditional backup
- C. Includes Peer Copy asynchronous replication
- D. Manual data provisioning and policy-based copy protection
- E. Integration capabilities utilizing HTML

**Answer:** BC

#### NEW QUESTION 63

- (Exam Topic 2)

A customer is evaluating an HPE 3PAR StoreServ system in a proof-of-concept project. The customer wants to receive emails about important storage system events and alerts.

What feature do you need to configure?

- A. HPE OneView integration
- B. Secure Service Agent
- C. Real-time Alert Processing
- D. Local Notification Service

**Answer:** D

#### NEW QUESTION 65

- (Exam Topic 2)

Which statement is correct when discussing the RAID layout of an HPE Nimble HF-series storage system?

- A. RAID 6 triple parity is set up -21 data drives are used for RAID stripes.
- B. RAID 6 triple parity is set up -18 data drives are used for RAID stripes.
- C. RAID 6 or RAID 1 can be set up -24 data drives are used for RAID stripes.
- D. RAID 6 or RAID 1 can be set up -18 data drives are used for RAID stripes.

**Answer:** A

#### NEW QUESTION 68

- (Exam Topic 2)

A customer is a cloud service provider with infrastructure powered by HPE 3PAR Storeserv 9000. The customer is concerned about their ability to ensure the quality of service and protect their tenants from unpredictable bursts of I/O from other tenants. What should you recommend to your customer?

- A. Use priority optimization to enable service level for workloads
- B. Use virtual domain to automatically set multi-tenant policies
- C. Use dynamic optimization to automatically manage quality of service
- D. Use adaptive optimization to optimize service level automatically

**Answer:** A

#### NEW QUESTION 71

- (Exam Topic 2)

Which storage feature is supported by both the HPE StoreVirtual and the HPE 3PAR StoreServ storage, and is a key differentiator of HPE storage solutions in the industry?

- A. Network RAID
- B. Peer Motion
- C. virtual Copy
- D. Dynamic Optimization

**Answer:** B

#### NEW QUESTION 75

- (Exam Topic 2)

Which technology is used in a B-series SAN switch to prevent communication between unauthorized devices?

- A. Port isolation
- B. IVR
- C. Zoning
- D. VSAN

**Answer:** A

#### NEW QUESTION 77

- (Exam Topic 2)

Which storage protocol is supported by virtual connect Flex-10?

- A. FCoE
- B. FC



- C. ISCSI
- D. FCIP

Answer: C

NEW QUESTION 81

- (Exam Topic 2)

You are presenting a Nimble solution based on CS3000 hardware to a customer. Which support advantage will be provided with this solution(select two)

- A. Customers always interact with a 3rd level support engineer ,when needed
- B. Customers only have to deploy a service processor for automating support tasks.
- C. Infosight handles the work of 1st and 2nd level support specialist Infosight offers predictive analytics and integration into HPE support center using insight Online.
- D. Infosight performs firmware and software updates without additional administrative support.

Answer: AC

NEW QUESTION 83

- (Exam Topic 2)

A customer uses Recovery manager central for Vmware (RMC-V).They need to ability to perform granular recovery of application item directly from backups...Which solution integrates with RMC-V to provide the desired requirements?

- A. Veeam Backup & Replication
- B. Netbackup
- C. StoreOnce cloudbank
- D. CommVault

Answer: A

NEW QUESTION 88

- (Exam Topic 2)

Which software feature should an HPE 3PAR Storeserv 8000 customer use to optimize data protection and recovery, Including rapid online recovery for his VMware environment?(select two)

- A. HPE 3PAR Virtual Copy software
- B. HPE 3PAR Remote copy software
- C. HPE 3PAR Security software suite
- D. HPE 3PAR File persona Software suite
- E. HPE StoreOnce recovery manager central for VMware

Answer: AE

NEW QUESTION 93

- (Exam Topic 2)

Match the data access type in a SAN fabric to the correct description.

Data Access Type	Description
Centralized	<div></div> Data access between a local server and a storage system connected to the same switch
Distributed	<div></div> Data access between multiple, dispersed servers and one storage system
Local	<div></div> Data access between multiple, dispersed servers and multiple storage systems

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

	Description
<div>Local</div>	Data access between a local server and a storage system connected to the same switch
<div>Centralized</div>	Data access between multiple, dispersed servers and one storage system
<div>Distributed</div>	Data access between multiple, dispersed servers and multiple storage systems

NEW QUESTION 97

- (Exam Topic 2)

A customer with several HPE 3PAR StoreServ arrays has reported latencies with newly updated applications. You have proposed changes to the AO configuration and need to provide high-resolution reports on how the change has affected the latencies.

What should you propose on delivering the service time and I/O workload information daily for you and the customer?

- A. Use IMC to schedule performance data gathering and email delivery.
- B. Schedule SSMC System Reporter to send the defined email reports.
- C. Enable the Service Processor to gather Performance data and schedule data transfer.
- D. Login to InfoSight and analyze Advanced Performance history.

**Answer:** D

#### NEW QUESTION 101

- (Exam Topic 2)

While demonstrating an HPE 3PAR StoreServ 9450 array, the customer asks you to demonstrate the File Persona features.

Which objects do you need to create to demonstrate these features? (Choose two.)

- A. File share
- B. Storage container
- C. Host
- D. Remote copy group
- E. Virtual file server

**Answer:** AE

#### NEW QUESTION 105

- (Exam Topic 2)

You are demonstrating adding a new virtual volume for an HPE 3PAR Storeserv array for your customer.in addition to the volume name ,What is the minimum information required to create a virtual volume(select two)

- A. Persona type
- B. Domain
- C. Host
- D. Size
- E. CPG

**Answer:** DE

#### NEW QUESTION 108

- (Exam Topic 2)

A customer with an HPE 3PAR StoreServ needs to upgrade their aging backup solution to a more advanced solution using snapshots and deduplication.

Which HPE products would meet the customer's needs? (Choose two.)

- A. HPE 3PAR File Persona
- B. HPE StoreEver
- C. HPE 3PAR Remote Copy
- D. HPE StoreOnce
- E. HPE Recovery Manager Central

**Answer:** DE

#### NEW QUESTION 111

- (Exam Topic 2)

During which event will HPE 3par Storeserv persistent port feature provide transparent and uninterrupted failover (Select two)

- A. Loss of persistent cache
- B. B-series SAN switch upgrades
- C. Firmware upgrade
- D. Node maintenance or failure
- E. Loss of full-mesh cluster interconnect

**Answer:** CD

#### NEW QUESTION 113

- (Exam Topic 2)

Users are complaining about poor performance with their Data Warehouse application. What is an effective solution to increase their performance at minimal cost?

- A. HPE 3PAR Adaptive Flash Cache
- B. HPE 3PAR Priority Optimization
- C. HPE 3PAR Dynamic Optimization
- D. HPE 3PAR Adaptive Optimization

**Answer:** B

#### NEW QUESTION 115

- (Exam Topic 2)

A customer wants to expand his cascaded B-series based SAN but is concerned about latencies within the SAN backend. You recommend changing the topology

to a full mesh.

Which switch feature will ensure that the latencies in the backend are at the lowest possible level?

- A. LACP
- B. NPIV
- C. FSPF
- D. VSF

**Answer:** C

#### NEW QUESTION 117

- (Exam Topic 2)

A customer has a SAN infrastructure with the HPE C-class blade Enclosure ,and a mix of proliant G7,gen8 and Ge9 server .They require a new storage platform ...  
How can you confirm the storage array will be supported in the existing environment?

- A. Check recommended firmware levels in the HP SAN design reference guide to ensure firmware compatibility
- B. Document existing server and SAN information ,and consult SPOCK to ensure firmware compatibility
- C. Design and array with the latest firmware ,and recommend that the customer engage HPE point Next to upgrade the existing hardware
- D. Design an array with older version of the firmware to ensure compatibility

**Answer:** B

#### NEW QUESTION 122

- (Exam Topic 2)

What can move data directly from a snapshot to backup storage independent of backup server software?

- A. SSMC
- B. Virtual Lock
- C. CLI
- D. Express Protect

**Answer:** D

#### Explanation:

The Express Protect feature offers data protection by facilitating Express Protect of snapshots from HPE 3PAR StoreServ to HPE StoreOnce.

#### NEW QUESTION 124

- (Exam Topic 2)

What is the benefits of HPE synergy(Select 2)

- A. It can present block storage services from HPE 3par as part of the resource pool
- B. It support up to 3 HPE store Virtual VSA nodes for storage RAID
- C. It can use HPE 3PAR file persona for objet storage
- D. It can compose and reclaim DAS storage
- E. It support HPE blade system C-Class Flex Fabrics Interconnect module (need to check)

**Answer:** AD

#### NEW QUESTION 125

- (Exam Topic 2)

You are advising a customer on a new backup strategy to deploy HPE StoreOnce. What should you recommend to ensure the best storage utilization and performance?

- A. consolidate activity windows for housekeeping tasks
- B. size solution for a single backup device
- C. combine management and backup Ethernet traffic
- D. use separate backup targets for different data types

**Answer:** A

#### NEW QUESTION 126

- (Exam Topic 2)

Refer to the exhibit:

Port ID	Label	System	Port Type	Port State	
0:1:1	-	3PAR	Host	Ready	
0:1:2	-	3PAR	Free	Loss Sync	
0:2:1	-	3PAR	Host	Ready	
0:2:2	-	3PAR	Host	Offline	
0:0:1	DP-1	3PAR	Disk	Ready	
0:0:2	DP-2	3PAR	Disk	Ready	
0:3:1	RCIP0	3PAR	RC	Offline	

0:1:1   Overview ▾   🔍	
<b>General</b>	
Port ID	0:1:1
System	3PAR
Label	-
Protocol	FC
Rate	8 Gbps
Adapter type	EMULEX LPe12002
CNA port	No
WWN	
Port type	Host
Mode	Target
Mode change	Allowed
Connected devices	3 hosts

Which type of data format do you expect in the red rectangle?

- A. 172.16.31.11/24
- B. 94:b4:0f:cd:34:8a
- C. iqn.2015-02.com.hpe:oneview-vcgeDav000
- D. 20110002AC00736E235.524

**Answer:** D

#### NEW QUESTION 131

- (Exam Topic 2)

What has to taken into account when performing capacity planning for HPE Nimble storage using deduplication?

- A. Deduplication is performed on a per volume basic
- B. Deduplication is performed on a per array basic
- C. Deduplication is performed on a per application category basic
- D. Deduplication is performed on a per pool and block size basic

**Answer:** D

#### NEW QUESTION 136

- (Exam Topic 2)

When using a HPE 3 PAR Storeserv array to enable a user to apply array-based data services to specific application and VM's. What is the benefit of implementing VM-level gradually of Volts?

- A. Data sprawls eliminated by performing the migration functions at the array level using 3PAR HPE Dynamic Optimization
- B. Efficiency is maintained by reclaiming space from deleted or migrated VMs using capabilities built into the storage ASIC
- C. Performing is accelerated by detecting and moving the most frequently –accessed VMs into the fast class tier
- D. Performance is accelerated by leveraging the deduplication capabilities built into the storage ASIC

**Answer:** B

#### NEW QUESTION 138

- (Exam Topic 2)

You are planning an upgrade to a customer's existing HPE 3PAR StoreServ 8200 to include 4-port 16Gb FC adapters. The servers are zoned to see the storage via four paths. The customer is concerned about storage availability during the upgrade.

Which statement is correct about performing this upgrade?

- A. When NPIV is enabled, the HPE 3PAR Port persistence will show all four paths to the servers.
- B. The MPIO service will do a failover, and the servers will continue to have access via two paths.
- C. Windows servers require host explorer is installed to ensure MPIO is unaffected.
- D. As long as MEM driver is installed on VMware vSphere, no path failures are seen.

**Answer:** A

#### NEW QUESTION 142

- (Exam Topic 2)

A customer need to update the local sever at each of their branches keep up with the increasing demand for High-performance storage. The customer cannot afford to move to SAN at each state. Which HPE storage technology can increase performance for this customer?

- A. Smart Path
- B. SmartCache
- C. Adaptive Flash Cache
- D. Persistent Cache

**Answer:** B

#### NEW QUESTION 147

- (Exam Topic 2)

A customer is planning to connect a new HPE 3PAR StoreServ system to its existing Synergy based composable infrastructure via direct-attach.

Which tool would be used to manage the storage?

- A. HPE SAN Network Advisor
- B. HPE Synergy Image Streamer
- C. HPE Synergy Composer
- D. HPE InfoSight for 3PAR

**Answer:** C

#### NEW QUESTION 152

- (Exam Topic 2)

Where does HPE 3PAR StoreServ Data-at-Rest Encryption occur?

- A. ASIC
- B. physical disk
- C. processor
- D. host

**Answer:** B

#### NEW QUESTION 154

- (Exam Topic 2)

Match the type of storage found in today's market to the HPE storage solution optimized for that capacity?

- A. HPE 3PAR StoreServ - Block
- B. MSA - Block
- C. Nimble - Block
- D. Scalability - Object
- E. StoreEasy - File
- F. StoreVirtual - Block

**Answer:** A

#### NEW QUESTION 156

- (Exam Topic 2)

A customer has a new Nimble CS3000 21T storage systems and is facing latency issues for his 2TB ERP database. What would be a design approach to solve this issue ?

- A. Perform controller upgrade to a Nimbel CS3000 storage systems
- B. Add additional SSD drives as cache to the system and PIN the volume
- C. Enable storage tiering on the system and map the volume to the new tier
- D. Change RAID of the drives to RAID -1and setup quality of services for the volume

**Answer:** B

#### NEW QUESTION 160

- (Exam Topic 2)

A customer needs to expand an HPE StoreVirtual VSA based cluster with two additional VSA instances. What do you need to consider when designing the new VSA instances?

- A. They will require downtime to re-balance the resources within the cluster.
- B. They must be configured into a new management group.
- C. They must be of equal or greater capacity than the existing instances in a cluster.
- D. They can only have equal to or smaller capacity compared to the existing instances.

**Answer:** C

#### NEW QUESTION 162

- (Exam Topic 2)

Which HPE storage solutions offer a two-tier backup solution for hybrid cloud with optimal recovery time? (Choose two.)

- A. Simplivity 380
- B. Nimble SF series
- C. 3PAR 8000 series
- D. StoreOnce with Catalyst
- E. Nimble CS series

**Answer:** AD

#### NEW QUESTION 163

- (Exam Topic 2)

A customer need to server 40TB via file protocols including SMB and FTP to a board range of client operating system in one location .security protocol dictate that data must be encrypted with FIPS 140-2 compliance. Which HPE storage solution you recommend?

- A. HPE MSA 2052 storage with HPE StoreEasy 3850 Gateway
- B. HPE 3PAR 8200 using self-encrypting drive with 3PAR file persona
- C. HPE StoreOnce 5500with data in fight encryption .
- D. HPE XP7 storage with encryption ready disk adapters



**Answer:** B

**NEW QUESTION 165**

- (Exam Topic 2)

You have just completed a performance analysis of an HPE 3PAR StoreServ 8400 disk array with different tiers at a customer's site. After reviewing the performance metrics, you determine that they should install a new tier of SSD drives.

Which actions should you recommend they take to fully optimize the array? (Choose two.)

- A. Configure Adaptive Flash Cache.
- B. Configure scheduled tunesys tasks.
- C. Rebalance all flash drives between nodes 0 and 2.
- D. Configure Adaptive Optimization.
- E. Configure dedicated drives to enable Adaptive Flash Cache.

**Answer:** BD

**NEW QUESTION 168**

- (Exam Topic 2)

A customer migrate their infrastructure from a 3rd party storage to a Nimble environment. During an architecture workshop, you discuss VMvision with the customer and the system engineer. Which statement is correct when implementing performance monitoring using VMVision?

- A. Nibmle service processor collects relevant per VM performance data and send them using SSL port 443 to VMvision
- B. VMvision is an agentless integration into infosight and needs only the Vcenter server appliance credentials to connect
- C. (page 112)
- D. VMware vSphere storage API's array integration (VAAI) has to be configured to combine storage and VM performance metrics
- E. SNMP trap service has to be configured to send traps to infosight and integrate performance data using VMvision.

**Answer:** C

**NEW QUESTION 170**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### HPE0-J68 Practice Exam Features:

- \* HPE0-J68 Questions and Answers Updated Frequently
- \* HPE0-J68 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE0-J68 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE0-J68 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The HPE0-J68 Practice Test Here](#)**